



**G6-80 HSW QR EC**


- K-Factor = 8.0 (115)
- **SIN RA4762**
- See Bulletin 047

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G6-80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA4762</b>					
2116173498	G61B	165°F	74°C	W/O	C\$ 238.41
<b>MODEL G6-80 HORIZONTAL K8.0 (115) BSPT THREADS 3/4" (20MM) RA4762</b>					
2116173495	G61BM	165°F	74°C	W/O	C\$ 238.41
<b>MODEL G6 PLAIN COVERPLATES</b>					
6887211311	CG60B	135°F	57°C	Finished Bronze	C\$ 94.89
6887211321	CG60C	135°F	57°C	Chrome	C\$ 65.59
6887211372	CG60W	135°F	57°C	White	C\$ 65.59
6887211390	CG60SP	135°F	57°C	Specialty	C\$ 98.95

6880101010      WG6      Requires Model G6 Sprinkler Wrench      C\$ 579.13

**Notes:**


Sprinkler and cover plates packaged and sold separately



## JL112 & J112 UPRIGHT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7326**
- **J112 (Bulb) = SIN RA7326**
- See Bulletin 172
- **J112 (Stainless Steel) = SIN R7826**
- See Bulletin 178
- 286 degree available upon request

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL JL112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R7326</b>				
L192114198	JL112U1B	165°F 74°C	Brass	C\$ 137.26
L192214198	JL112U1C	165°F 74°C	Chrome	C\$ 142.54
L192874198	JL112U1W	165°F 74°C	White	C\$ 142.54
L194114198	JL112U2B	212°F 100°C	Brass	C\$ 137.26
L194214198	JL112U2C	212°F 100°C	Chrome	C\$ 142.54
L194874198	JL112U2W	212°F 100°C	White	C\$ 142.54
<b>MODEL J112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) RA7326</b>				
L292114198	J112U1B	155°F 68°C	Brass	C\$ 139.07
L292214198	J112U1C	155°F 68°C	Chrome	C\$ 144.27
L292874198	J112U1W	155°F 68°C	White	C\$ 144.27
L292104198	J112U1SS	155°F 68°C	Stainless Steel	C\$ 1,293.86
L294114198	J112U2B	200°F 93°C	Brass	C\$ 139.07
L294214198	J112U2C	200°F 93°C	Chrome	C\$ 144.27
L294874198	J112U2W	200°F 93°C	Poly White	C\$ 144.27
L294104198	J112U2SS	200°F 93°C	Stainless Steel	C\$ 1,293.86



## JL112 & J112 PENDENT & RECESSED PENDENT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7216**
- **J112 (Bulb) = SIN RA7216**
- See Bulletin 172
- **J112 (Stainless Steel) = SIN R7816**
- See Bulletin 178
- 286 degree available upon request

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL JL112 PENDENT K11.2 (160) THREADS 3/4" (20MM) R7216</b>				
L172114198	JL112P1B	165°F 74°C	Brass	C\$ 137.26
L172214198	JL112P1C	165°F 74°C	Chrome	C\$ 142.54
L172874198	JL112P1W	165°F 74°C	Poly White	C\$ 142.54
L174114198	JL112P2B	212°F 100°C	Brass	C\$ 137.26
L174214198	JL112P2C	212°F 100°C	Chrome	C\$ 142.54
L174874198	JL112P2W	212°F 100°C	Poly White	C\$ 142.54
<b>MODEL J112 PENDENT K11.2 (160) THREADS 3/4" RA7216</b>				
L272114198	J112P1B	155°F 68°C	Brass	C\$ 139.07
L272214198	J112P1C	155°F 68°C	Chrome	C\$ 144.27
L272874198	J112P1W	155°F 68°C	Poly White	C\$ 144.27
L272104198	J112P1SS	155°F 68°C	Stainless Steel	C\$ 1,293.86
L274114198	J112P2B	200°F 93°C	Brass	C\$ 139.07
L274214198	J112P2C	200°F 93°C	Chrome	C\$ 144.27
L274874198	J112P2W	200°F 93°C	White	C\$ 144.27
L274104198	J112P2SS	200°F 93°C	Stainless Steel	C\$ 1,293.86

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F1 RECESSED ESCUTCHEON &amp; COLLAR ASSEMBLY</b>				
6801030000	GF1LB	3/4" (20mm)	Brass	C\$ 35.96
6801000000	GF1LC	3/4" (20mm)	Chrome	C\$ 19.38
6801040000	GF1LW	3/4" (20mm)	White	C\$ 19.38
6800970010	GF1LSS	3/4" (20mm)	Stainless Steel	C\$114.15
<b>MODEL F2 RECESSED ESCUTCHEON &amp; COLLAR ASSEMBLY</b>				
6800880004	GF2LB	3/4" (20mm)	Brass	C\$ 35.96
6800880001	GF2LC	3/4" (20mm)	Chrome	C\$ 19.38
6800880005	GF2LW	3/4" (20mm)	White	C\$ 19.38
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEON</b>				
6801402100	FPLC	3/4" (20mm)	Chrome	C\$ 37.38
6801407200	FPLW	3/4" (20mm)	White	C\$ 37.38
6801401000	FPLSS	3/4" (20mm)	Stainless Steel	C\$171.24

6880090000 WJ1 Upright & Pendent Requires Model J1 Sprinkler Wrench C\$ 233.02  
6880170032 WRJ Rec Pendent Requires Model J112 Sprinkler Wrench C\$ 579.13



### F1FR56 QREC

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028



### F1FR80 QREC PENDENT

- K-Factor = 8.0 (115)
- **SIN R4842**
- See Bulletin 148

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 QREC PENDANT K 5.6 (80) THREADS 1/2" (15MM) RA2845</b>					
BB131130R9	F1FR56EC0B	135°F	57°C	Brass	C\$ 105.39
BB132130R9	F1FR56EC0C	135°F	57°C	Chrome	C\$ 115.53
BB138730R9	F1FR56EC0W	135°F	57°C	Poly White	C\$ 120.83
BB151130R9	F1FR56EC1B	155°F	68°C	Brass	C\$ 105.39
BB152130R9	F1FR56EC1C	155°F	68°C	Chrome	C\$ 115.53
BB158730R9	F1FR56EC1W	155°F	68°C	White	C\$ 120.83
<b>MODEL F1FR80 QREC PENDENT K8.0 (115) THREADS 3/4" (20MM) RA4842</b>					
BJ131139S8	F1FREC0LBN	135°F	57°C	Brass	C\$ 111.79
BJ132139S8	F1FREC0LCN	135°F	57°C	Chrome	C\$ 121.80
BJ138739S8	F1FREC0LWN	135°F	57°C	White	C\$ 131.47
BJ151139S8	F1FREC1LBN	155°F	68°C	Brass	C\$ 111.79
BJ152139S8	F1FREC1LCN	155°F	68°C	Chrome	C\$ 121.80
BJ158739S8	F1FREC1LWN	155°F	68°C	White	C\$ 131.47
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 35.96
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 19.38
6800840000	GF2W	1/2" (15mm)		White	C\$ 19.38
6800880004	GF2LB	3/4" (20mm)		Brass	C\$ 35.96
6800880001	GF2LC	3/4" (20mm)		Chrome	C\$ 19.38
6800880005	GF2LW	3/4" (20mm)		White	C\$ 19.38
6800890004	GF2MB	10mm		Bronze	C\$ 35.96
6800890001		10mm		Chrome	C\$ 20.76
6800890005	GF2MW	10mm		White	C\$ 18.59

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW		C\$ 195.92
6880100120	WW4	Wrench, W4, Recessed, Concealed		C\$ 581.40



### F1FR56-300 QREC

- K-Factor = 5.6 (80)
- **SIN RA3045**
- See Bulletin 030
- **300 PSI**



### F1FR80-300 QREC

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 159
- **300 PSI**

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F1FR56-300 QREC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA3045</b>				
BH131132R9	F1FR56EC0B3	135°F 57°C	Brass	C\$ 116.36
BH132132R9	F1FR56EC0C3	135°F 57°C	Chrome	C\$ 121.04
BH138732R9	F1FR56EC0W3	135°F 57°C	Poly White	C\$ 132.42
		°F °C		C\$ Call
BH152132R9	F1FR56EC1C3	155°F 68°C	Chrome	C\$ 121.04
BH158732R9	F1FR56EC1W3	155°F 68°C	Poly White	C\$ 126.46
<b>MODEL F1FR80-300 QREC PENDENT K8.0 (115) THREADS 3/4" (20MM) R5942</b>				
BH131139S8	F1FRECO0LB3N	135°F 57°C	Brass	C\$ 116.03
BH132139S8	F1FRECO0LC3N	135°F 57°C	Chrome	C\$ 126.46
BH138739S8	F1FRECO0LW3N	135°F 57°C	Poly White	C\$ 136.53
BH151139S8	F1FRECO1LB3N	155°F 68°C	Brass	C\$ 116.03
BH152139S8	F1FRECO1LC3N	155°F 68°C	Chrome	C\$ 126.46
BH158739S8	F1FRECO1LW3N	155°F 68°C	Poly White	C\$ 136.53
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>				
6800630001	GF1B	1/2" (15mm)	Brass	C\$ 35.96
6800600001	GF1C	1/2" (15mm)	Chrome	C\$ 19.38
6800640001	GF1W	1/2" (15mm)	White	C\$ 19.38
6801030000	GF1LB	3/4" (20mm)	Brass	C\$ 35.96
6801000000	GF1LC	3/4" (20mm)	Chrome	C\$ 19.38
6801040000	GF1LW	3/4" (20mm)	White	C\$ 19.38

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	C\$ 195.92
6880100120	WW4	Wrench, W4, Recessed, Concealed	C\$ 581.40



**FIFR80-300 QREC  
 HORIZONTAL  
 SIDEWALL (EC-9  
 DEFLECTOR)**

- K-Factor = 8.0 (115)
- **SIN RA5962**
- See Bulletin 159
- 300 PSI



**F1FR80-300 QREC  
 RECESSED  
 HORIZONTAL  
 SIDEWALL (EC-9  
 DEFLECTOR)**

- K-Factor = 8.0 (115)
- **SIN R5962**
- See Bulletin 159
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR80-300 QREC SIDEWALL K8.0 (115) THREADS 3/4" (20MM) RA5962</b>					
		°F	°C		C\$ Call
		°F	°C		C\$ Call
		°F	°C		C\$ Call
BH151135S8	F1FREC91B3N	155°F	68°C	Brass	C\$ 107.77
BH152135S8	F1FREC91C3N	155°F	68°C	Chrome	C\$ 114.40
BH158735S8	F1FREC91W3N	155°F	68°C	White	C\$ 121.60
BH171135S8	F1FREC95B3N	175°F	79°C	Brass	C\$ 107.77
BH172135S8	F1FREC95C3N	175°F	79°C	Chrome	C\$ 114.40
BH178735S8	F1FREC95W3N	175°F	79°C	Poly White	C\$ 121.60
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800880004	GF2LB	3/4" (20mm)		Brass	C\$ 35.96
6800880001	GF2LC	3/4" (20mm)		Chrome	C\$ 19.38
6800880005	GF2LW	3/4" (20mm)		White	C\$ 19.38

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW		C\$ 195.92
6880100120	WW4	Wrench, W4, Recessed, Concealed		C\$ 581.40



**F1FR56 QREC  
 HORIZONTAL  
 SIDEWALL (EC-8  
 DEFLECTOR)**

- K-Factor = 5.6 (80)
- **SIN RA2865**
- See Bulletin 028



**F1FR80 QREC  
 HORIZONTAL  
 SIDEWALL (EC-9  
 DEFLECTOR)**

- K-Factor = 8.0 (115)
- **SIN R4862**
- See Bulletin 148

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F1FR56 QREC SIDEWALL K5.6 (80) THREADS 1/2" (15MM) RA2865</b>				
BD131130R9	F1FR56EC80B	135°F 57°C	Brass	C\$ 95.70
BD132130R9	F1FR56EC80C	135°F 57°C	Chrome	C\$ 101.70
BD138730R9	F1FR56EC80W	135°F 57°C	Poly White	C\$ 109.10
BD151130R9	F1FR56EC81B	155°F 68°C	Brass	C\$ 95.70
BD152130R9	F1FR56EC81C	155°F 68°C	Chrome	C\$ 101.70
BD158730R9	F1FR56EC81W	155°F 68°C	White	C\$ 109.10
BD171130R9	F1FR56EC85B	175°F 79°C	Brass	C\$ 95.70
BD172130R9	F1FR56EC85C	175°F 79°C	Chrome	C\$ 101.70
BD178730R9	F1FR56EC85W	175°F 79°C	Poly White	C\$ 109.10
<b>MODEL F1FR80 QREC SIDEWALL K8.0 (115) THREADS 3/4" (20MM) RA4862</b>				
BK13113598	F1FREEC90B	135°F 57°C	Brass	C\$ 102.70
BK132135S8	F1FREEC90CN	135°F 57°C	Chrome	C\$ 109.10
BK138735S8	F1FREEC90WN	135°F 57°C	Poly White	C\$ 116.00
BK151135S8	F1FREEC91BN	155°F 68°C	Brass	C\$ 102.70
BK152135S8	F1FREEC91CN	155°F 68°C	Chrome	C\$ 109.10
BK158735S8	F1FREEC91WN	155°F 68°C	Poly White	C\$ 116.00
BK171135S8	F1FREEC95BN	175°F 79°C	Brass	C\$ 102.70
BK172135S8	F1FREEC95CN	175°F 79°C	Chrome	C\$ 109.10
BK178735S8	F1FREEC95WN	175°F 79°C	White	C\$ 116.00
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>				
6800830000	GF2B	1/2" (15mm)	Brass	C\$ 35.96
6800800000	GF2C	1/2" (15mm)	Chrome	C\$ 19.38
6800840000	GF2W	1/2" (15mm)	White	C\$ 19.38
6800880004	GF2LB	3/4" (20mm)	Brass	C\$ 35.96
6800880001	GF2LC	3/4" (20mm)	Chrome	C\$ 19.38
6800880005	GF2LW	3/4" (20mm)	White	C\$ 19.38
6800890004	GF2MB	10mm	Bronze	C\$ 35.96
6800890001		10mm	Chrome	C\$ 20.76
6800890005	GF2MW	10mm	White	C\$ 18.59

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	C\$ 195.92
6880100120	WW4	Wrench, W4, Recessed, Concealed	C\$ 581.40



### F1FR56 QREC CCP

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028

### F1FR80 QREC CCP

- K-Factor = 8.0 (115)
- **SIN RA4842**
- See Bulletin 148

### F1FR56-300 QREC CCP

- K-Factor = 5.6 (80)
- **SIN RA3045**
- See Bulletin 030
- **300 PSI**

### F1FR80-300 QREC CCP

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 159
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 QREC CCP K5.6 (80) THREADS 1/2" (15MM) RA2845</b>					
BM131730R9	F1FR56CE0	135°F	57°C	W/O	C\$ 90.46
BM151730R9	F1FR56CE1	155°F	68°C	W/O	C\$ 90.46
<b>MODEL F1FR80 QREC CCP K8.0 (115) THREADS 3/4" (20MM) RA4842</b>					
BM131739S8	F1FRCEL0N	135°F	57°C	W/O	C\$ 88.91
BM151739S8	F1FRCEL1N	155°F	68°C	W/O	C\$ 88.91
<b>MODEL F1FR56-300 QREC CCP K5.6 (80) THREADS 1/2" (15MM) RA3045</b>					
BH131730R9	F1FR56CE03	135°F	57°C	W/O	C\$ 93.94
BH151730R9	F1FR56CE13	155°F	68°C	W/O	C\$ 93.94
<b>MODEL F1FR80-300 QREC CCP K8.0 (115) THREADS 3/4" (20MM) RA5942</b>					
		°F	°C		C\$ Call
BH151739S8	F1FRCE1L3N	155°F	68°C	W/O	C\$ 93.94
<b>REQUIRED MODEL CCP COVERPLATES 1/2" ADJUSTMENT</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	C\$ 155.36
6887161318	CCP0W76	135°F	57°C	Flat White	C\$ 60.54
<b>REQUIRED MODEL CCP COVERPLATES 5/16" ADJUSTMENT</b>					
6887171321	CCP05C76	135°F	57°C	Chrome	C\$ 155.36
6887171318	CCP05W76	135°F	57°C	White	C\$ 60.54
6887171390	CCP05SP76	135°F	57°C	Specialty	C\$ 101.67

6880100000 WRC Requires Model RC1 Sprinkler Wrench C\$ 581.40

**Notes:**

Sprinkler and cup are factory assembled and a plastic protective cap is included.

Sprinkler and cover plates sold and packaged separately





**DH56**

- K-Factor = 5.6 (80)
- **SIN RA1564**
- See Bulletin 015



**DH56 CONCEALED**

**DH56 CONCEALED**

- SIN RA1564
- See Bulletin 015

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL DH56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1564</b>					
BU151132S9	DH561BN	155°F	68°C	Brass	C\$ 113.11
BU152132S9	DH561CN	155°F	68°C	Chrome	C\$ 124.07
BU158732S9	DH561WN	155°F	68°C	Poly White	C\$ 124.07
BU201132S9	DH562BN	200°F	93°C	Brass	C\$ 113.11
BU202132S9	DH562CN	200°F	93°C	Chrome	C\$ 124.07
BU208732S9	DH562WN	200°F	93°C	Poly White	C\$ 124.07
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 35.96
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 19.38
6800840000	GF2W	1/2" (15mm)		White	C\$ 19.38

<b>MODEL DH56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA1564</b>					
BT15173299	DH56C1	155°F	68°C	W/O	C\$ 120.40
BT20173299	DH56C2	200°F	93°C	W/O	C\$ 120.40
<b>REQUIRED SWC COVERPLATE</b>					
6887131318	CHWNS	135°F	57°C	White	C\$ 62.00
6887131618	CHWNS1	165°F	74°C	Flat White	C\$ 62.00

6880100120	WW4	Wrench, W4, Recessed, Concealed	C\$ 581.40
------------	-----	---------------------------------	------------

**Notes:**

Sprinkler and cover plates sold and packaged separately





### DH80

- K-Factor = 8.0 (115)
- **SIN RA0362**
- See Bulletin 003



### DH80 CONCEALED

- K Factor 8.0
- SIN RA0362
- See Bulletin 003

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL DH80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA0362</b>					
BU151139S8	DH1BN	155°F	68°C	Brass	C\$ 121.71
BU152139S8	DH1CN	155°F	68°C	Chrome	C\$ 131.53
BU158739S8	DH1WN	155°F	68°C	White	C\$ 131.53
<b>FP PUSH-ON/THREAD-OFF ESCUTCHEON (FOR RECESSED)</b>					
6801402100	FPLC	3/4" (20mm)		Chrome	C\$ 37.38
6801407200	FPLW	3/4" (20mm)		White	C\$ 37.38
<b>MODEL F2 RECESSED ESCUTCHEON &amp; COLLAR ASSEMBLY</b>					
6800880004	GF2LB	3/4" (20mm)		Brass	C\$ 35.96
6800880001	GF2LC	3/4" (20mm)		Chrome	C\$ 19.38
6800880005	GF2LW	3/4" (20mm)		White	C\$ 19.38
<b>MODEL DH80 CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA0362</b>					
BT15173998	DHC1	155°F	68°C	W/O	C\$ 129.14
<b>MODEL SWC-NS COVERPLATE</b>					
6887131318	CHWNS	135°F	57°C	White	C\$ 62.00
6880100120	WW4	Wrench, W4, Recessed, Concealed			C\$ 581.40

**Notes:**

Sprinkler and coverplates sold and packaged separately



### G4XLO EC QUICK RESPONSE

- K-Factor = 11.2 (160)
- **SIN R7146**
- See Bulletin 171

# NEW



### KFR-CCS Combustible Concealed Space

- K-Factor = 5.6 (80)
- **SIN RA4454**
- See Bulletin 044

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G4XLO QREC K11.2 (160) THREADS 3/4" (20MM) R7146</b>					
1716174198	G4XLO	165°F	74°C	W/O	C\$ 136.24
1721174198	G4XLO2	212°F	100°C	W/O	C\$ 136.24
<b>MODEL G5 COVER PLATES</b>					
6887271321	CG50C	135°F	57°C	Chrome	C\$ 71.96
6887271372	CG50W	135°F	57°C	White	C\$ 65.59
6887271311	CG50B	135°F	57°C	Finished Bronze	C\$ 93.53
6887271374	CG50OW	135°F	57°C	Off-White	C\$ 89.20
6887271390	CG50SP	135°F	57°C	Specialty	C\$ 92.77
6887271316	CG50FB	135°F	57°C	Black Painted	C\$ 89.31
6887271305	CG50BB	135°F	57°C	Bright Brass	C\$ 113.22
6887271323	CG50CD	135°F	57°C	Satin Chrome	C\$ 113.22
6887271310	CG50SS	135°F	57°C	Stainless Steel	C\$ 113.22
6887271321	CG50C	135°F	57°C	Chrome	C\$ 71.96
6887271372	CG50W	135°F	57°C	White	C\$ 65.59
6887271390	CG50SP	135°F	57°C	Specialty	C\$ 92.77

6880170000      WG4      Wrench, W4, Recessed, Concealed      C\$ 579.13

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL KFR-CCS K5.6 (80) THREADS 1/2" (15MM) RA4454</b>					
MN211132R9	KFRCCS	212°F	100°C	Brass	C\$ 125.11

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      C\$ 195.92



**SWC QREC**

- "SWC Concealer"
- K-Factor = 8.0 (115)
- **SIN R5962**
- See Bulletin 163

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL SWC QREC CONCEALED K8.0 (115) THREADS 3/4" (20MM) R5962</b>					
BM13173498	CEC9	135°F	57°C	W/O	C\$ 107.31
BM15173498	CEC91	155°F	68°C	W/O	C\$ 107.31
<b>MODEL SWC-NS COVERPLATES</b>					
6887131318	CHWNS	135°F	57°C	White	C\$ 62.00
6887131390	CHSPNS	135°F	57°C	Specialty	C\$ 92.96

6880100120      WW4                      Wrench, W4, Recessed, Concealed                      C\$ 581.40

**Notes:**

Covers can not be plated - only painted.  
 Sprinkler and coverplates sold and packaged separately



### F156 EC

- K-Factor = 5.6 (80)
- **SIN RA2745**
- See Bulletin 027



### F1 LO EC PENDENT

- K-Factor = 8.0 (115)
- **SIN R1742**
- See Bulletin 117

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 EC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2745</b>					
AB131130R9	F56ECP0B	135°F	57°C	Brass	C\$ 94.23
AB138730R9	F56ECP0W	135°F	57°C	White	C\$ 101.64
AB151130R9	F56ECP1B	155°F	68°C	Brass	C\$ Call
AB152130R9	F56ECP1C	155°F	68°C	Chrome	C\$ Call
		°F	°C		C\$ Call
<b>MODEL F1 LO EC PENDENT K8.0 (115) THREADS 3/4" (20MM) R1742</b>					
AJ13113998	FECPOLB	135°F	57°C	Brass	C\$ 102.81
AJ13213998	FECPOLC	135°F	57°C	Chrome	C\$ 102.81
AJ13873998	FECPOLW	135°F	57°C	Poly White	C\$ 110.47
AJ15113998	FECP1LB	155°F	68°C	Brass	C\$ 102.81
AJ15213998	FECP1LC	155°F	68°C	Chrome	C\$ 102.81
AJ15873998	FECP1LW	155°F	68°C	White	C\$ 110.47
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 35.96
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 19.38
6800640001	GF1W	1/2" (15mm)		White	C\$ 19.38
6801030000	GF1LB	3/4" (20mm)		Brass	C\$ 35.96
6801000000	GF1LC	3/4" (20mm)		Chrome	C\$ 19.38
6801040000	GF1LW	3/4" (20mm)		White	C\$ 19.38
6800930000	GF1MB	10mm		Bronze	C\$ 35.93
6800900000	GF1MC	10mm		Chrome	C\$ 19.13
6800940003	GF1MW	10mm		Poly White	C\$ 19.13
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 35.96
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 19.38
6800840000	GF2W	1/2" (15mm)		White	C\$ 19.38
6800880004	GF2LB	3/4" (20mm)		Brass	C\$ 35.96
6800880001	GF2LC	3/4" (20mm)		Chrome	C\$ 19.38
6800880005	GF2LW	3/4" (20mm)		White	C\$ 19.38
6880050100	WW2	Requires Model W2 Sprinkler Wrench			C\$ 195.92
6880060000	WGFR	For Recessed Use Model GFR2 Wrench			C\$ 581.40



### F156-300 SREC

- K-Factor = 5.6 (80)
- **SIN RA2945**
- See Bulletin 029
- 300 PSI



### F1-300 EC PENDENT

- K-Factor = 8.0 (115)
- **SIN R5842**
- See Bulletin 158
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F156 EC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2945 300 PSI</b>					
		°F	°C		C\$ Call
AH13213299	FEC3P0C3	135°F	57°C	Chrome	C\$ 100.87
		°F	°C		C\$ Call
AH15113299	FEC3P1B3	155°F	68°C	Brass	C\$ 91.99
		°F	°C		C\$ Call
		°F	°C		C\$ Call
<b>MODEL F1 LO EC PENDENT K8.0 (115) THREADS 3/4" (20MM) R5842 300 PSI</b>					
AH13113998	FEC3P0LB3	135°F	57°C	Brass	C\$ 100.87
AH13213998	FEC3P0LC3	135°F	57°C	Chrome	C\$ 109.61
AH13873998	FEC3P0LW3	135°F	57°C	White	C\$ 117.37
AH15113998	FEC3P1LB3	155°F	68°C	Brass	C\$ 100.87
AH15213998	FEC3P1LC3	155°F	68°C	Chrome	C\$ 109.61
AH15873998	FEC3P1LW3	155°F	68°C	White	C\$ 117.37
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 35.96
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 19.38
6800640001	GF1W	1/2" (15mm)		White	C\$ 19.38
6801030000	GF1LB	3/4" (20mm)		Brass	C\$ 35.96
6801000000	GF1LC	3/4" (20mm)		Chrome	C\$ 19.38
6801040000	GF1LW	3/4" (20mm)		White	C\$ 19.38

6880050100  
6880060000

WW2  
WGFR

Requires Model W2 Sprinkler Wrench  
For Recessed Use Model GFR2 Wrench

C\$ 195.92  
C\$ 581.40



### GFR VELO-ECOH

- K-Factor = 14 (200)
- **SIN R6553**
- See Bulletin 165

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL GFR VELO-ECOH UPRIGHT K14 (200) THREADS 3/4" (20MM) R6553</b>					
0116114598	GFRUV1B	165°F	74°C	Brass	C\$ 212.32
0116214598	GFRUV1C	165°F	74°C	Chrome	C\$ 220.74
0121114598	GFRUV2B	212°F	100°C	Brass	C\$ 212.32
0121214598	GFRUV2C	212°F	100°C	Chrome	C\$ 220.74

6880070000 WH Requires Model H Sprinkler Wrench C\$ 233.02

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL GFR VELO-ECOH PENDENT K14 (200) THREADS 3/4" (20MM) R6043</b>					
FB16114598	GFRPV1B	165°F	74°C	Brass	C\$162.43
FB16214598	GFRPV1C	165°F	74°C	Chrome	C\$168.96
FB16874598	GFRPV1W	165°F	74°C	White	C\$176.20
FB21114598	GFRPV2B	212°F	100°C	Brass	C\$162.43
FB21214598	GFRPV2C	212°F	100°C	Chrome	C\$168.96
FB21874598	GFRPV2W	212°F	100°C	White	C\$176.20

6880070000 WH Requires Model H Sprinkler Wrench C\$ 233.02

6880070100 WXLO Requires Model XLO Sprinkler Wrench for Recessing C\$ 305.39

\*Recessing available.



### GFR VELO ECOH

- K-Factor = 14 (200)
- **SIN R6043**
- See Bulletin 160



### MBEC-14

- K-Factor = 14 (200)
- **SIN R6932**
- See Bulletin 169

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL MB-EC 14 HORIZONTAL K14 (200) THREADS 3/4" (20MM) R6932</b>					
4816114597	MB1B	165°F	74°C	Brass	C\$ 176.48
4816214597	MB1C	165°F	74°C	Chrome	C\$ 202.48
4816874597	MB1W	165°F	74°C	White	C\$ 202.48
4821114597	MB2B	212°F	100°C	Brass	C\$ 176.48
4821214597	MB2C	212°F	100°C	Chrome	C\$ 202.48
4821874597	MB2W	212°F	100°C	White	C\$ 202.48
6880070000	WH	Requires Model H Sprinkler Wrench			C\$ 233.02