



G6-80 HSW QR EC


- K-Factor = 8.0 (115)
- **SIN RA4762**
- See Bulletin 047

Part Number	Short Code	Temperature		Finish	List Price
MODEL G6-80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA4762					
2116173498	G61B	165°F	74°C	W/O	C\$ 238.42
MODEL G6-80 HORIZONTAL K8.0 (115) BSPT THREADS 3/4" (20MM) RA4762					
2116173495	G61BM	165°F	74°C	W/O	C\$ 238.42
MODEL G6 PLAIN COVERPLATES					
6887211311	CG60B	135°F	57°C	Finished Bronze	C\$ 94.90
6887211321	CG60C	135°F	57°C	Chrome	C\$ 65.58
6887211372	CG60W	135°F	57°C	White	C\$ 65.58
6887211390	CG60SP	135°F	57°C	Specialty	C\$ 98.95

6880101010	WG6	Requires Model G6 Sprinkler Wrench	C\$ 579.13
------------	-----	------------------------------------	------------

Notes:


Sprinkler and cover plates packaged and sold separately



JL112 & J112 UPRIGHT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7326**
- **J112 (Bulb) = SIN RA7326**
- See Bulletin 172
- **J112 (Stainless Steel) = SIN R7826**
- See Bulletin 178
- 286 degree available upon request

Part Number	Short Code	Temperature		Finish	List Price
MODEL JL112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R7326					
L192114198	JL112U1B	165°F	74°C	Brass	C\$ 137.26
L192214198	JL112U1C	165°F	74°C	Chrome	C\$ 142.55
L192874198	JL112U1W	165°F	74°C	White	C\$ 142.55
L194114198	JL112U2B	212°F	100°C	Brass	C\$ 137.26
L194214198	JL112U2C	212°F	100°C	Chrome	C\$ 142.55
L194874198	JL112U2W	212°F	100°C	White	C\$ 142.55
MODEL J112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) RA7326					
L292114198	J112U1B	155°F	68°C	Brass	C\$ 139.08
L292214198	J112U1C	155°F	68°C	Chrome	C\$ 144.27
L292874198	J112U1W	155°F	68°C	White	C\$ 144.27
L292104198	J112U1SS	155°F	68°C	Stainless Steel	C\$ 1,293.86
L294114198	J112U2B	200°F	93°C	Brass	C\$ 139.08
L294214198	J112U2C	200°F	93°C	Chrome	C\$ 144.27
L294874198	J112U2W	200°F	93°C	Poly White	C\$ 144.27
L294104198	J112U2SS	200°F	93°C	Stainless Steel	C\$ 1,293.86



JL112 & J112 PENDENT & RECESSED PENDENT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7216**
- **J112 (Bulb) = SIN RA7216**
- See Bulletin 172
- **J112 (Stainless Steel) = SIN R7816**
- See Bulletin 178
- 286 degree available upon request

Part Number	Short Code	Temperature		Finish	List Price
MODEL JL112 PENDENT K11.2 (160) THREADS 3/4" (20MM) R7216					
L172114198	JL112P1B	165°F	74°C	Brass	C\$ 137.26
L172214198	JL112P1C	165°F	74°C	Chrome	C\$ 142.55
L172874198	JL112P1W	165°F	74°C	Poly White	C\$ 142.55
L174114198	JL112P2B	212°F	100°C	Brass	C\$ 137.26
L174214198	JL112P2C	212°F	100°C	Chrome	C\$ 142.55
L174874198	JL112P2W	212°F	100°C	Poly White	C\$ 142.55
MODEL J112 PENDENT K11.2 (160) THREADS 3/4" RA7216					
L272114198	J112P1B	155°F	68°C	Brass	C\$ 139.08
L272214198	J112P1C	155°F	68°C	Chrome	C\$ 144.27
L272874198	J112P1W	155°F	68°C	Poly White	C\$ 144.27
L272104198	J112P1SS	155°F	68°C	Stainless Steel	C\$ 1,293.86
L274114198	J112P2B	200°F	93°C	Brass	C\$ 139.08
L274214198	J112P2C	200°F	93°C	Chrome	C\$ 144.27
L274874198	J112P2W	200°F	93°C	White	C\$ 144.27
L274104198	J112P2SS	200°F	93°C	Stainless Steel	C\$ 1,293.86

Part Number	Short Code	Temperature	Finish	List Price
MODEL F1 RECESSED ESCUTCHEON & COLLAR ASSEMBLY				
6801030000	GF1LB	3/4" (20mm)	Brass	C\$ 35.96
6801000000	GF1LC	3/4" (20mm)	Chrome	C\$ 19.38
6801040000	GF1LW	3/4" (20mm)	White	C\$ 19.38
6800970010	GF1LSS	3/4" (20mm)	Stainless Steel	C\$114.14
MODEL F2 RECESSED ESCUTCHEON & COLLAR ASSEMBLY				
6800880004	GF2LB	3/4" (20mm)	Brass	C\$ 35.96
6800880001	GF2LC	3/4" (20mm)	Chrome	C\$ 19.38
6800880005	GF2LW	3/4" (20mm)	White	C\$ 19.38
MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEON				
6801402100	FPLC	3/4" (20mm)	Chrome	C\$ 37.39
6801407200	FPLW	3/4" (20mm)	White	C\$ 37.39
6801401000	FPLSS	3/4" (20mm)	Stainless Steel	C\$171.23

6880090000
6880170032

WJ1
WRJ

Upright & Pendent Requires Model J1 Sprinkler Wrench
Rec Pendent Requires Model J112 Sprinkler Wrench

C\$ 233.01
C\$ 579.13



F1FR56 QREC

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028



F1FR80 QREC PENDENT

- K-Factor = 8.0 (115)
- **SIN R4842**
- See Bulletin 148

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 QREC PENDANT K 5.6 (80) THREADS 1/2" (15MM) RA2845					
BB131130S9	F1FR56EC0BN	135°F	57°C	Brass	C\$ 105.39
BB132130S9	F1FR56EC0CN	135°F	57°C	Chrome	C\$ 115.53
BB138730S9	F1FR56EC0WN	135°F	57°C	White	C\$ 120.83
BB151130S9	F1FR56EC1BN	155°F	68°C	Brass	C\$ 105.39
BB152130S9	F1FR56EC1CN	155°F	68°C	Chrome	C\$ 115.53
BB158730S9	F1FR56EC1WN	155°F	68°C	Poly White	C\$ 120.83
MODEL F1FR80 QREC PENDENT K8.0 (115) THREADS 3/4" (20MM) RA4842					
BJ131139S8	F1FREC0LBN	135°F	57°C	Brass	C\$ 111.79
BJ132139S8	F1FREC0LCN	135°F	57°C	Chrome	C\$ 121.81
BJ138739S8	F1FREC0LWN	135°F	57°C	White	C\$ 131.47
BJ151139S8	F1FREC1LBN	155°F	68°C	Brass	C\$ 111.79
BJ152139S8	F1FREC1LCN	155°F	68°C	Chrome	C\$ 121.81
BJ158739S8	F1FREC1LWN	155°F	68°C	White	C\$ 131.47
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 35.96
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 19.38
6800840000	GF2W	1/2" (15mm)		White	C\$ 19.38
6800880004	GF2LB	3/4" (20mm)		Brass	C\$ 35.96
6800880001	GF2LC	3/4" (20mm)		Chrome	C\$ 19.38
6800880005	GF2LW	3/4" (20mm)		White	C\$ 19.38
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 195.92
6880100120	WW4	Wrench, W4, Recessed, Concealed			C\$ 581.40



F1FR56-300 QREC

- K-Factor = 5.6 (80)
- **SIN RA3045**
- See Bulletin 030
- **300 PSI**



F1FR80-300 QREC

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 159
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56-300 QREC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA3045					
BH131132S9	F1FR56EC0B3N	135°F	57°C	Brass	C\$ 116.36
BH132132S9	F1FR56EC0C3N	135°F	57°C	Chrome	C\$ 116.36
BH138732S9	F1FR56EC0W3N	135°F	57°C	Poly White	C\$ 116.36
BH151132S9	F1FR56EC1B3N	155°F	68°C	Brass	C\$ 116.36
BH152132S9	F1FR56EC1C3N	155°F	68°C	Chrome	C\$ 121.04
BH158732S9	F1FR56EC1W3N	155°F	68°C	Poly White	C\$ 126.45
MODEL F1FR80-300 QREC PENDENT K8.0 (115) THREADS 3/4" (20MM) R5942					
BH131139S8	F1FREC0LB3N	135°F	57°C	Brass	C\$ 116.03
BH132139S8	F1FREC0LC3N	135°F	57°C	Chrome	C\$ 126.45
BH138739S8	F1FREC0LW3N	135°F	57°C	Poly White	C\$ 136.53
BH151139S8	F1FREC1LB3N	155°F	68°C	Brass	C\$ 116.03
BH152139S8	F1FREC1LC3N	155°F	68°C	Chrome	C\$ 126.45
BH158739S8	F1FREC1LW3N	155°F	68°C	Poly White	C\$ 136.53
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 35.96
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 19.38
6800640001	GF1W	1/2" (15mm)		White	C\$ 19.38
6801030000	GF1LB	3/4" (20mm)		Brass	C\$ 35.96
6801000000	GF1LC	3/4" (20mm)		Chrome	C\$ 19.38
6801040000	GF1LW	3/4" (20mm)		White	C\$ 19.38
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 195.92
6880100120	WW4	Wrench, W4, Recessed, Concealed			C\$ 581.40



F1FR80-300 QREC HORIZONTAL SIDEWALL (EC-9 DEFLECTOR)

- K-Factor = 8.0
(115)
- **SIN RA5962**
- See Bulletin 159
- 300 PSI



F1FR80-300 QREC RECESSED HORIZONTAL SIDEWALL (EC-9 DEFLECTOR)

- K-Factor = 8.0
(115)
- **SIN R5962**
- See Bulletin 159
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR80-300 QREC SIDEWALL K8.0 (115) THREADS 3/4" (20MM) RA5962					
BH131135S8	F1FREC90B3N	135°F	57°C	Brass	C\$ 107.77
BH132135S8	F1FREC90C3N	135°F	57°C	Chrome	C\$ 114.40
BH138735S8	F1FREC90W3N	135°F	57°C	Poly White	C\$ 121.60
BH151135S8	F1FREC91B3N	155°F	68°C	Brass	C\$ 107.77
BH152135S8	F1FREC91C3N	155°F	68°C	Chrome	C\$ 114.40
BH158735S8	F1FREC91W3N	155°F	68°C	White	C\$ 121.60
BH171135S8	F1FREC95B3N	175°F	79°C	Brass	C\$ 107.77
BH172135S8	F1FREC95C3N	175°F	79°C	Chrome	C\$ 114.40
BH178735S8	F1FREC95W3N	175°F	79°C	Poly White	C\$ 121.60
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800880004	GF2LB	3/4" (20mm)		Brass	C\$ 35.96
6800880001	GF2LC	3/4" (20mm)		Chrome	C\$ 19.38
6800880005	GF2LW	3/4" (20mm)		White	C\$ 19.38

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW		C\$ 195.92
6880100120	WW4	Wrench, W4, Recessed, Concealed		C\$ 581.40



F1FR56 QREC HORIZONTAL SIDEWALL (EC-8 DEFLECTOR)

- K-Factor = 5.6 (80)
- **SIN RA2865**
- See Bulletin 028



F1FR80 QREC HORIZONTAL SIDEWALL (EC-9 DEFLECTOR)

- K-Factor = 8.0 (115)
- **SIN R4862**
- See Bulletin 148

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 QREC SIDEWALL K5.6 (80) THREADS 1/2" (15MM) RA2865					
BD131130S9	F1FR56EC80BN	135°F	57°C	Brass	C\$ 95.70
BD132130S9	F1FR56EC80CN	135°F	57°C	Chrome	C\$ 101.70
BD138730S9	F1FR56EC80WN	135°F	57°C	Poly White	C\$ 109.10
BD151130S9	F1FR56EC81BN	155°F	68°C	Brass	C\$ 95.70
BD152130S9	F1FR56EC81CN	155°F	68°C	Chrome	C\$ 101.70
BD158730S9	F1FR56EC81WN	155°F	68°C	Poly White	C\$ 109.10
BD171130S9	F1FR56EC85BN	175°F	79°C	Brass	C\$ 95.70
BD172130S9	F1FR56EC85CN	175°F	79°C	Chrome	C\$ 101.70
BD178730S9	F1FR56EC85WN	175°F	79°C	Poly White	C\$ 109.10
MODEL F1FR80 QREC SIDEWALL K8.0 (115) THREADS 3/4" (20MM) RA4862					
BK131135S8	F1FREC90B	135°F	57°C	Brass	C\$ 102.70
BK132135S8	F1FREC90CN	135°F	57°C	Chrome	C\$ 109.10
BK138735S8	F1FREC90WN	135°F	57°C	Poly White	C\$ 116.00
BK151135S8	F1FREC91BN	155°F	68°C	Brass	C\$ 102.70
BK152135S8	F1FREC91CN	155°F	68°C	Chrome	C\$ 109.10
BK158735S8	F1FREC91WN	155°F	68°C	Poly White	C\$ 116.00
BK171135S8	F1FREC95BN	175°F	79°C	Brass	C\$ 102.70
BK172135S8	F1FREC95CN	175°F	79°C	Chrome	C\$ 109.10
BK178735S8	F1FREC95WN	175°F	79°C	White	C\$ 116.00
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 35.96
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 19.38
6800840000	GF2W	1/2" (15mm)		White	C\$ 19.38
6800880004	GF2LB	3/4" (20mm)		Brass	C\$ 35.96
6800880001	GF2LC	3/4" (20mm)		Chrome	C\$ 19.38
6800880005	GF2LW	3/4" (20mm)		White	C\$ 19.38

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	C\$ 195.92
6880100120	WW4	Wrench, W4, Recessed, Concealed	C\$ 581.40



F1FR56 QREC CCP

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028

F1FR80 QREC CCP

- K-Factor = 8.0 (115)
- **SIN RA4842**
- See Bulletin 148

F1FR56-300 QREC CCP

- K-Factor = 5.6 (80)
- SIN RA3045
- See Bulletin 030
- **300 PSI**

F1FR80-300 QREC CCP

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 159
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 QREC CCP K5.6 (80) THREADS 1/2" (15MM) RA2845					
BM131730S9	F1FR56CE0N	135°F	57°C	W/O	C\$ 90.45
BM151730S9	F1FR56CE1N	155°F	68°C	W/O	C\$ 90.45
MODEL F1FR80 QREC CCP K8.0 (115) THREADS 3/4" (20MM) RA4842					
BM131739S8	F1FRCEL0N	135°F	57°C	W/O	C\$ 88.91
BM151739S8	F1FRCEL1N	155°F	68°C	W/O	C\$ 88.91
MODEL F1FR56-300 QREC CCP K5.6 (80) THREADS 1/2" (15MM) RA3045					
BH131730S9	F1FR56CE03N	135°F	57°C	W/O	C\$ 93.95
BH151730S9	F1FR56CE13N	155°F	68°C	W/O	C\$ 93.95
MODEL F1FR80-300 QREC CCP K8.0 (115) THREADS 3/4" (20MM) RA5942					
BH131739S8	F1FRCE0L3N	135°F	57°C	W/O	C\$ 93.95
BH151739S8	F1FRCE1L3N	155°F	68°C	W/O	C\$ 93.95
REQUIRED MODEL CCP COVERPLATES 1/2" ADJUSTMENT					
6887161321	CCP0C76	135°F	57°C	Chrome	C\$ 155.36
6887161318	CCP0W76	135°F	57°C	Flat White	C\$ 60.55
REQUIRED MODEL CCP COVERPLATES 5/16" ADJUSTMENT					
6887171321	CCP05C76	135°F	57°C	Chrome	C\$ 155.36
6887171318	CCP05W76	135°F	57°C	White	C\$ 60.55
6887171390	CCP05SP76	135°F	57°C	Specialty	C\$ 101.68

6880100000 WRC Requires Model RC1 Sprinkler Wrench C\$ 581.40

Notes:

Sprinkler and cup are factory assembled and a plastic protective cap is included.

Sprinkler and cover plates sold and packaged separately



DH56

- K-Factor = 5.6 (80)
- **SIN RA1564**
- See Bulletin 015



DH56 CONCEALED

DH56 CONCEALED

- SIN RA1564
- See Bulletin 015

Part Number	Short Code	Temperature		Finish	List Price
MODEL DH56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1564					
BU151132S9	DH561BN	155°F	68°C	Brass	C\$ 113.12
BU152132S9	DH561CN	155°F	68°C	Chrome	C\$ 124.08
BU158732S9	DH561WN	155°F	68°C	Poly White	C\$ 124.08
BU201132S9	DH562BN	200°F	93°C	Brass	C\$ 113.12
BU202132S9	DH562CN	200°F	93°C	Chrome	C\$ 124.08
BU208732S9	DH562WN	200°F	93°C	Poly White	C\$ 124.08
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 35.96
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 19.38
6800840000	GF2W	1/2" (15mm)		White	C\$ 19.38

MODEL DH56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA1564					
BT15173299	DH56C1	155°F	68°C	W/O	C\$ 120.40
BT20173299	DH56C2	200°F	93°C	W/O	C\$ 120.40
REQUIRED SWC COVERPLATE					
6887131318	CHWNS	135°F	57°C	White	C\$ 62.00
6887131618	CHWNS1	165°F	74°C	Flat White	C\$ 62.00

6880100120	WW4	Wrench, W4, Recessed, Concealed	C\$ 581.40
------------	-----	---------------------------------	------------

Notes:

Sprinkler and cover plates sold and packaged separately



DH80

- K-Factor = 8.0 (115)
- **SIN RA0362**
- See Bulletin 003



DH80 CONCEALED

- K Factor 8.0
- SIN RA0362
- See Bulletin 003

Part Number	Short Code	Temperature		Finish	List Price
MODEL DH80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA0362					
BU151139S8	DH1BN	155°F	68°C	Brass	C\$ 121.71
BU152139S8	DH1CN	155°F	68°C	Chrome	C\$ 131.53
BU158739S8	DH1WN	155°F	68°C	White	C\$ 131.53
FP PUSH-ON/THREAD-OFF ESCUTCHEON (FOR RECESSED)					
6801402100	FPLC	3/4" (20mm)		Chrome	C\$ 37.39
6801407200	FPLW	3/4" (20mm)		White	C\$ 37.39
MODEL F2 RECESSED ESCUTCHEON & COLLAR ASSEMBLY					
6800880004	GF2LB	3/4" (20mm)		Brass	C\$ 35.96
6800880001	GF2LC	3/4" (20mm)		Chrome	C\$ 19.38
6800880005	GF2LW	3/4" (20mm)		White	C\$ 19.38
MODEL DH80 CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA0362					
BT15173998	DHC1	155°F	68°C	W/O	C\$ 129.14
MODEL SWC-NS COVERPLATE					
6887131318	CHWNS	135°F	57°C	White	C\$ 62.00
6880100120	WW4	Wrench, W4, Recessed, Concealed			C\$ 581.40

Notes:

Sprinkler and coverplates sold and packaged separately



G4XLO EC QUICK RESPONSE

- K-Factor = 11.2 (160)
- **SIN R7146**
- See Bulletin 171

NEW



KFR-CCS Combustible Concealed Space

- K-Factor = 5.6 (80)
- **SIN RA4454**
- See Bulletin 044

Part Number	Short Code	Temperature		Finish	List Price
MODEL G4XLO QREC K11.2 (160) THREADS 3/4" (20MM) R7146					
1716174198	G4XLO	165°F	74°C	W/O	C\$ 136.25
1721174198	G4XLO2	212°F	100°C	W/O	C\$ 136.25
MODEL G5 COVER PLATES					
6887271321	CG50C	135°F	57°C	Chrome	C\$ 71.96
6887271372	CG50W	135°F	57°C	White	C\$ 65.58
6887271311	CG50B	135°F	57°C	Finished Bronze	C\$ 93.53
6887271374	CG50OW	135°F	57°C	Off-White	C\$ 89.19
6887271390	CG50SP	135°F	57°C	Specialty	C\$ 92.77
6887271316	CG50FB	135°F	57°C	Black Painted	C\$ 89.31
6887271305	CG50BB	135°F	57°C	Bright Brass	C\$ 113.22
6887271323	CG50CD	135°F	57°C	Satin Chrome	C\$ 113.22
6887271310	CG50SS	135°F	57°C	Stainless Steel	C\$ 113.22
6887271321	CG50C	135°F	57°C	Chrome	C\$ 71.96
6887271372	CG50W	135°F	57°C	White	C\$ 65.58
6887271390	CG50SP	135°F	57°C	Specialty	C\$ 92.77

6880170000 WG4 Wrench, W4, Recessed, Concealed C\$ 579.13

Part Number	Short Code	Temperature		Finish	List Price
MODEL KFR-CCS K5.6 (80) THREADS 1/2" (15MM) RA4454					
MN211132R9	KFRCCS	212°F	100°C	Brass	C\$ 125.12

6880050100 WW2 Wrench, W2, Pendent, Upright, HSW C\$ 195.92



SWC QREC

- "SWC Concealer"
- K-Factor = 8.0 (115)
- **SIN R5962**
- See Bulletin 163

Part Number	Short Code	Temperature		Finish	List Price
MODEL SWC QREC CONCEALED K8.0 (115) THREADS 3/4" (20MM) R5962					
BM13173498	CEC9	135°F	57°C	W/O	C\$ 107.31
BM15173498	CEC91	155°F	68°C	W/O	C\$ 107.31
MODEL SWC-NS COVERPLATES					
6887131318	CHWNS	135°F	57°C	White	C\$ 62.00
6887131390	CHSPNS	135°F	57°C	Specialty	C\$ 92.96

6880100120	WW4	Wrench, W4, Recessed, Concealed	C\$ 581.40
------------	-----	---------------------------------	------------

Notes:

Covers can not be plated - only painted.
Sprinkler and coverplates sold and packaged separately



F156 EC

- K-Factor = 5.6 (80)
- **SIN RA2745**
- See Bulletin 027



F1 LO EC PENDENT

- K-Factor = 8.0 (115)
- **SIN R1742**
- See Bulletin 117

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 EC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2745					
AB131130S9	F56ECP0BN	135°F	57°C	Brass	C\$ 94.22
AB138730S9	F56ECP0WN	135°F	57°C	Poly White	C\$ 94.22
AB151130S9	F56ECP1BN	155°F	68°C	Brass	C\$ 94.22
AB152130S9	F56ECP1CN	155°F	68°C	Chrome	C\$ 94.22
AB158730S9	F56ECP1WN	155°F	68°C	White	C\$ 94.22
MODEL F1 LO EC PENDENT K8.0 (115) THREADS 3/4" (20MM) R1742					
AJ13113998	FECP0LB	135°F	57°C	Brass	C\$ 102.81
AJ13213998	FECP0LC	135°F	57°C	Chrome	C\$ 102.81
AJ13873998	FECP0LW	135°F	57°C	Poly White	C\$ 110.47
AJ15113998	FECP1LB	155°F	68°C	Brass	C\$ 102.81
AJ15213998	FECP1LC	155°F	68°C	Chrome	C\$ 102.81
AJ15873998	FECP1LW	155°F	68°C	White	C\$ 110.47
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 35.96
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 19.38
6800640001	GF1W	1/2" (15mm)		White	C\$ 19.38
6801030000	GF1LB	3/4" (20mm)		Brass	C\$ 35.96
6801000000	GF1LC	3/4" (20mm)		Chrome	C\$ 19.38
6801040000	GF1LW	3/4" (20mm)		White	C\$ 19.38
6800930000	GF1MB	10mm		Bronze	C\$ 35.92
6800900000	GF1MC	10mm		Chrome	C\$ 19.13
6800940003	GF1MW	10mm		Poly White	C\$ 19.13
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 35.96
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 19.38
6800840000	GF2W	1/2" (15mm)		White	C\$ 19.38
6800880004	GF2LB	3/4" (20mm)		Brass	C\$ 35.96
6800880001	GF2LC	3/4" (20mm)		Chrome	C\$ 19.38
6800880005	GF2LW	3/4" (20mm)		White	C\$ 19.38
6880050100	WW2	Requires Model W2 Sprinkler Wrench			C\$ 195.92
6880060000	WGFR	For Recessed Use Model GFR2 Wrench			C\$ 581.40



F156-300 SREC

- K-Factor = 5.6 (80)
- **SIN RA2945**
- See Bulletin 029
- 300 PSI



F1-300 EC PENDENT

- K-Factor = 8.0
(115)
- **SIN R5842**
- See Bulletin 158
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 EC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2945 300 PSI					
AH131132S9	F56EC3P0B3N	135°F	57°C	Brass	C\$ 100.87
AH132132S9	F56EC3P0C3N	135°F	57°C	Chrome	C\$ 100.87
AH138732S9	F56EC3P0W3N	135°F	57°C	White	C\$ 100.87
AH151132S9	F56EC3P1B3N	155°F	68°C	Brass	C\$ 100.87
AH152132S9	F56EC3P1C3N	155°F	68°C	Chrome	C\$ 100.87
AH158732S9	F56EC3P1W3N	155°F	68°C	White	C\$ 100.87
MODEL F1 LO EC PENDENT K8.0 (115) THREADS 3/4" (20MM) R5842 300 PSI					
AH13113998	FEC3P0LB3	135°F	57°C	Brass	C\$ 100.87
AH13213998	FEC3P0LC3	135°F	57°C	Chrome	C\$ 109.61
AH13873998	FEC3P0LW3	135°F	57°C	White	C\$ 117.36
AH15113998	FEC3P1LB3	155°F	68°C	Brass	C\$ 100.87
AH15213998	FEC3P1LC3	155°F	68°C	Chrome	C\$ 109.61
AH15873998	FEC3P1LW3	155°F	68°C	White	C\$ 117.36
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 35.96
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 19.38
6800640001	GF1W	1/2" (15mm)		White	C\$ 19.38
6801030000	GF1LB	3/4" (20mm)		Brass	C\$ 35.96
6801000000	GF1LC	3/4" (20mm)		Chrome	C\$ 19.38
6801040000	GF1LW	3/4" (20mm)		White	C\$ 19.38
6880050100	WW2	Requires Model W2 Sprinkler Wrench			C\$ 195.92
6880060000	WGFR	For Recessed Use Model GFR2 Wrench			C\$ 581.40



GFR VELO-ECOH

- K-Factor = 14 (200)
- **SIN R6553**
- See Bulletin 165



GFR VELO ECOH

- K-Factor = 14 (200)
- **SIN R6043**
- See Bulletin 160

Part Number	Short Code	Temperature		Finish	List Price
MODEL GFR VELO-ECOH UPRIGHT K14 (200) THREADS 3/4" (20MM) R6553					
0116114598	GFRUV1B	165°F	74°C	Brass	C\$ 212.32
0116214598	GFRUV1C	165°F	74°C	Chrome	C\$ 220.74
0121114598	GFRUV2B	212°F	100°C	Brass	C\$ 212.32
0121214598	GFRUV2C	212°F	100°C	Chrome	C\$ 220.74

6880070000 WH Requires Model H Sprinkler Wrench C\$ 233.01

Part Number	Short Code	Temperature		Finish	List Price
MODEL GFR VELO-ECOH PENDENT K14 (200) THREADS 3/4" (20MM) R6043					
FB16114598	GFRPV1B	165°F	74°C	Brass	C\$162.43
FB16214598	GFRPV1C	165°F	74°C	Chrome	C\$168.96
FB16874598	GFRPV1W	165°F	74°C	White	C\$176.21
FB21114598	GFRPV2B	212°F	100°C	Brass	C\$162.43
FB21214598	GFRPV2C	212°F	100°C	Chrome	C\$168.96
FB21874598	GFRPV2W	212°F	100°C	White	C\$176.21

6880070000 WH Requires Model H Sprinkler Wrench C\$ 233.01
6880070100 WXLO Requires Model XLO Sprinkler Wrench for Recessing C\$ 305.39

*Recessing available.



MBEC-14

- K-Factor = 14 (200)
- **SIN R6932**
- See Bulletin 169

Part Number	Short Code	Temperature		Finish	List Price
MODEL MB-EC 14 HORIZONTAL K14 (200) THREADS 3/4" (20MM) R6932					
4816114597	MB1B	165°F	74°C	Brass	C\$ 176.48
4816214597	MB1C	165°F	74°C	Chrome	C\$ 202.48
4816874597	MB1W	165°F	74°C	White	C\$ 202.48
4821114597	MB2B	212°F	100°C	Brass	C\$ 176.48
4821214597	MB2C	212°F	100°C	Chrome	C\$ 202.48
4821874597	MB2W	212°F	100°C	White	C\$ 202.48
6880070000	WH	Requires Model H Sprinkler Wrench			C\$ 233.01