

## Reliable Attic Sprinklers

- See Bulletin 056
- Specific Application
- Sprinklers for Sloped
- Combustible and Noncombustible
- Light Hazard Concealed Spaces



**AH42 / AH56**



**DD56-6 / DD56-27**



**DS56**



**GP56**



Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL AH42 UPRIGHT K4.2 (60) THREAD 1/2" RA5623 • Roof Slope = 4:12 to 8:12</b>				
MN21112699	AH42	212°F	100°C Brass	C\$ 97.14
<b>MODEL AH56 UPRIGHT K5.6 (80) THREAD 1/2" RA5626 • Roof Slope = 4:12 to 8:12</b>				
MN21112799	AH56	212°F	100°C Brass	C\$ 97.14
<b>MODEL DD56-6 UPRIGHT K5.6 (80) THREAD 1/2" RA5624 • Roof Slope = 4:12 to &lt;6:12</b>				
MN21113099	DD566	212°F	100°C Brass	C\$526.70
<b>MODEL DD56-27 UPRIGHT K5.6 (80) THREAD 1/2" RA5694 • Roof Slope = 6:12 to 8:12</b>				
MN21113199	DD5627	212°F	100°C Brass	C\$526.70
<b>MODEL DS56 UPRIGHT K5.6 (80) THREAD 1/2" RA5625 • Roof Slope = 4:12 to 8:12</b>				
MN21112899	DS56	212°F	100°C Brass	C\$526.70
<b>MODEL GP56 UPRIGHT K5.6 (80) THREAD 1/2" RA5695 • Roof Slope = 4:12 to 8:12</b>				
MN21112999	GP56	212°F	100°C Brass	C\$ 89.01
<b>MODEL DD80-6 UPRIGHT K8.0 (115) THREAD 3/4" RA5622 • Roof Slope = 4:12 to &lt;6:12</b>				
MN21113398	DD806	212°F	100°C Brass	C\$526.70
<b>MODEL DD80-27 UPRIGHT K8.0 (115) THREAD 3/4" RA5692 • Roof Slope = 6:12 to 8:12</b>				
MN21113498	DD8027	212°F	100°C Brass	C\$526.70

6880130002	WDS56	Model DS56 Sprinkler Wrench - Model DS56	C\$ 336.97
6880050100	WW2	Model W2 Sprinkler Wrench - Models: AH42, AH56,DD56,DD80, & GP56	C\$ 159.13



### LT56 PENDENT

- K-Factor = 5.6 (80)
- **SIN RA5814**
- See Bulletin 058
- Glass Bulb



### LT56L PENDENT

- K-Factor = 5.6 (80)
- **SIN R5814**
- See Bulletin 058
- Link

### LT56 300 PENDENT

- K-Factor = 5.6 (80)
- **SIN RA5914**
- See Bulletin 058
- Glass Bulb

### LT56L-300 PENDENT

- K-Factor = 5.6 (80)
- **SIN R5914**
- See Bulletin 058
- Link

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL LT56 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA5814</b>					
BY15113299	LT56P1B	155°F	68°C	Brass	C\$ 93.60
BY15213299	LT56P1C	155°F	68°C	Chrome	C\$ 102.96
BY15873299	LT56P1W	155°F	68°C	Poly White	C\$ 102.96
BY20113299	LT56P2B	200°F	93°C	Brass	C\$ 93.60
BY20213299	LT56P2C	200°F	93°C	Chrome	C\$ 102.96
BY20873299	LT56P2W	200°F	93°C	Poly White	C\$ 102.96
<b>MODEL LT56L PENDENT K5.6 (80) THREADS 1/2" (15MM) R5814</b>					
MY16113299	LT56LP1B	165°F	74°C	Brass	C\$ 93.60
MY16213299	LT56LP1C	165°F	74°C	Chrome	C\$ 102.96
MY16873299	LT56LP1W	165°F	74°C	Poly White	C\$ 102.96
MY21113299	LT56LP2B	212°F	100°C	Brass	C\$ 93.60
MY21213299	LT56LP2C	212°F	100°C	Chrome	C\$ 102.96
MY21873299	LT56LP2W	212°F	100°C	Poly White	C\$ 102.96
<b>MODEL LT56-300 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA5914</b>					
B015113299	LT56P1B3	155°F	68°C	Brass	C\$ 93.60
B015213299	LT56P1C3	155°F	68°C	Chrome	C\$ 102.96
B015873299	LT56P1W3	155°F	68°C	Poly White	C\$ 102.96
B020113299	LT56P2B3	200°F	93°C	Brass	C\$ 93.60
B020213299	LT56P2C3	200°F	93°C	Chrome	C\$ 102.96
B020873299	LT56P2W3	200°F	93°C	Poly White	C\$ 102.96
<b>MODEL LT56L-300 PENDENT K5.6 (80) THREADS 1/2" (15MM) R5914</b>					
M016113299	LT56LP1B3	165°F	74°C	Brass	C\$ 93.60
M016213299	LT56LP1C3	165°F	74°C	Chrome	C\$ 102.96
M016873299	LT56LP1W3	165°F	74°C	Poly White	C\$ 102.96
M021113299	LT56LP2B3	212°F	100°C	Brass	C\$ 93.60
M021213299	LT56LP2C3	212°F	100°C	Chrome	C\$ 102.96
M021873299	LT56LP2W3	212°F	100°C	Poly White	C\$ 102.96
<b>MODEL FV TWO-PIECE RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6801720600	FVB	1/2" (15mm)		Brass	C\$ 28.09
6801722100	FVC	1/2" (15mm)		Chrome	C\$ 18.71
6801728700	FVW	1/2" (15mm)		Poly White	C\$ 18.71
<b>MODEL FP TWO-PIECE RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6801412100	FPC	1/2" (15mm)		Chrome	C\$ 30.94
6801417200	FPW	1/2" (15mm)		White	C\$ 30.94

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	C\$ 159.13
6880100120	WW4	Wrench, W4, Recessed, Concealed	C\$ 481.13



### LT56 CCP

- K-Factor = 5.6 (80)
- **SIN RA5814**
- See Bulletin 058
- Glass Bulb

### LT56L CCP

- K-Factor = 5.6 (80)
- **SIN R5814**
- See Bulletin 058
- Fusible Link

### LT56 300 CCP

- K-Factor = 5.6 (80)
- **SIN RA5914**
- See Bulletin 058
- Glass Bulb

### LT56L-300 CCP

- K-Factor = 5.6 (80)
- **SIN R5914**
- See Bulletin 058
- Fusible Link

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL LT56 CCP CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA5814</b>					
BZ15173299	LT56CCP1	155°F	68°C	W/O	C\$ 112.31
BZ20173299	LT56CCP2	200°F	93°C	W/O	C\$ 112.31
<b>MODEL LT56-300 CCP CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA5914</b>					
BI15173299	LT56CCP13	155°F	68°C	W/O	C\$ 112.31
BI20173299	LT56CCP23	200°F	93°C	Brass	C\$ 112.31
<b>MODEL LT56L CCP CONCEALED K5.6 (80) THREADS 1/2" (15MM) R5814</b>					
MZ16173299	LT56LCCP1	165°F	74°C	W/O	C\$ 112.31
MZ21173299	LT56LCCP2	212°F	100°C	Brass	C\$ 112.31
<b>MODEL LT56L-300 CCP CONCEALED K5.6 (80) THREADS 1/2" (15MM) R5914</b>					
MI16173299	LT56LCCP13	165°F	74°C	W/O	C\$ 112.31
MI21173299	LT56LCCP23	212°F	100°C	Brass	C\$ 112.31
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	C\$ 130.77
6887161318	CCP0W76	135°F	57°C	Flat White	C\$ 50.96
6887161390	CCP0SP76	135°F	57°C	Specialty	C\$ 85.58
6887161621	CCP1C76	165°F	74°C	Chrome	C\$ 130.77
6887161618	CCP1W76	165°F	74°C	Flat White	C\$ 50.96
6887161690	CCP1SP76	165°F	74°C	Specialty	C\$ 85.58
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 159.13
6880100120	WW4	Wrench, W4, Recessed, Concealed			C\$ 481.13



**LT56C FLAT  
 CONCEALED**

- K-Factor = 5.6 (80)
- **SIN RA5994**
- See Bulletin 058

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL LT56C CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA5994</b>				
M916173299	LTC1	165°F 74°C	W/O	C\$ 131.05
M921173299	LTC2	212°F 100°C	W/O	C\$ 131.05
<b>MODEL LT56C CONCEALED BSPT THREADS 1/2" (15MM) RA5994</b>				
M916173292	LTC1M	165°F 74°C	W/O	C\$ 131.05
M921173292	LTC2M	212°F 100°C	W/O	C\$ 131.05
<b>MODEL G5 COVERPLATES</b>				
6887271321	CG50C	135°F 57°C	Chrome	C\$ 61.71
6887271372	CG50W	135°F 57°C	White	C\$ 56.25
6887271311	CG50B	135°F 57°C	Finished Bronze	C\$ 77.32
6887271374	CG50OW	135°F 57°C	Off-White	C\$ 76.51
6887271390	CG50SP	135°F 57°C	Specialty	C\$ 76.70
6887271316	CG50FB	135°F 57°C	Black Painted	C\$ 76.60
6887271305	CG50BB	135°F 57°C	Bright Brass	C\$ 93.60
6887271323	CG50CD	135°F 57°C	Satin Chrome	C\$ 93.60
6887271310	CG50SS	135°F 57°C	Stainless Steel	C\$ 93.60
6887271319	CG50EW	135°F 57°C	EW	C\$ 56.25
6887271621	CG51C	165°F 74°C	Chrome	C\$ 61.71
6887271672	CG51W	165°F 74°C	White	C\$ 56.25
6887271611	CG51B	165°F 74°C	Finished Bronze	C\$ 77.32
6887271674	CG51OW	165°F 74°C	Off-White	C\$ 76.51
6887271690	CG51SP	165°F 74°C	Specialty	C\$ 76.70
6887271616	CG51FB	165°F 74°C	Black Painted	C\$ 76.60
6887271605	CG51BB	165°F 74°C	Bright Brass	C\$ 93.60
6887271623	CG51CD	165°F 74°C	Satin Chrome	C\$ 93.60
6887271610	CG51SS	165°F 74°C	Stainless Steel	C\$ 93.60
6887271619	CG51EW	165°F 74°C	EW	C\$ 56.25

**Notes:**

Sprinklers and coverplates sold and packaged separately



### XL INSTITUTIONAL

- K-Factor = 5.6 (80)
- Pendant EC= SIN R1344
- HSW EC = SIN R1364
- Pendant = SIN R1314
- HSW = SIN R1334
- See Bulletin 113

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL XL EC INST PENDENT K5.6 (80) THREADS 1/2" (15MM) R1344</b>					
1572213299	XLEPC	165°F	74°C	Chrome	C\$319.22
<b>MODEL XL INST PENDENT K5.6 (80) THREADS 1/2" (15MM) R1314</b>					
1512213299	XLPC	165°F	74°C	Chrome	C\$298.08
<b>MODEL XL INST HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) R1334</b>					
1452213299	XLHC	165°F	74°C	Chrome	C\$310.70
<b>REPLACEMENT PARTS</b>					
6801321223	IKEC	EC HSW ESCUTCHEON KIT, SATIN			C\$ Call
6801321272	IKEW	EC HSW ESCUTCHEON KIT, WHITE PAINT			C\$ Call
6801320123	IKPC	PENDENT, EC PENDENT ESCUTCHEON KIT, SATIN			C\$ Call
6801320172	IKPW	PENDENT, EC PENDENT ESCUTCHEON KIT, WHITE PAINT			C\$ Call
6801322223	IXLHC	HSW ESCUTCHEON KIT, SATIN			C\$ Call
6801322272	IXLHW	HSW ESCUTCHEON KIT, WHITE PAINT			C\$ Call
6801350001		Retainer Flange			C\$ 44.94
88795014		Escutcheon Retaining Ring			C\$ 17.25
88007901		Tamper Resistant Fasteners			C\$ 9.16
6880160020	ZXT	Tamper Resistant Tool Bit			C\$ 54.09
6880160000	WZXP	Requires Model ZX (Pendent) Sprinkler Wrench			C\$ 479.26
6880160010	WZXH	Requires Model ZX (Horizontal) Sprinkler Wrench			C\$ 479.26



**Non-Ferrous**

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F4FR-NF CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA0212</b>					
0615723299	F4FRNF1W	155°F	68°C	White	C\$ 307.16
0615213299	F4FRNF1C	155°F	68°C	Chrome	C\$ 307.16

6880170000      WG4      Requires Model G4 Sprinkler Wrench      C\$ 479.26

<b>MODEL KFR- CCS K5.6 (80) THREADS 1/2" (15MM) RA4454</b>					
MN211132R9	KFRCCS	212°F	100°C	Brass	C\$ 107.30

6880050100      WW2      Wrench, W2, Pendant, Upright, HSW      C\$ 159.13

**F4FR-NF**

- K-Factor = 5.6 (80)
- **SIN RA0212**
- See Bulletin 002



**KFR CCS**

- K-Factor = 5.6 (80)
- **SIN RA4454**
- See Bulletin 044



### WP56 PENDENT VERTICAL SIDEWALL

- K-Factor 5.6
- **SIN #501 (Bulb)**
- See Bulletin 181



### WP56L PENDENT VERTICAL SIDEWALL

- K-Factor 5.6
- **SIN #R502 (Link)**
- See Bulletin 181



### WP56C CONCEALED PENDENT VERTICAL SIDEWALL

- K-Factor 5.6
- **SIN #R504**
- See Bulletin 181

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL WP56 PENDENT VERTICAL SIDEWALL K5.6 (80) THREADS 1/2" (15MM) R501 BULB</b>					
BW151132S9	WP561B	155°F	68°C	Bronze	C\$ 833.14
BW152132S9	WP561C	155°F	68°C	Chrome	C\$ 866.47
BW158732S9	WP561W	155°F	68°C	White	C\$ 866.47
BW151032S9	WP561SS	155°F	68°C	Stainless Steel	C\$ 1,714.28
BW201132S9	WP562B	200°F	93°C	Brass	C\$ 833.14
BW202132S9	WP562C	200°F	93°C	Chrome	C\$ 866.47
BW208732S9	WP562W	200°F	93°C	White	C\$ 866.47
BW201032S9	WP562SS	200°F	93°C	Stainless Steel	C\$ 1,714.28
<b>MODEL WP56L PENDENT VERTICAL SIDEWALL K5.6 (80) THREADS 1/2" (15MM) R502 LINK</b>					
MW161132S9	WP56L1B	165°F	74°C	Bronze	C\$ 833.14
MW162132S9	WP56L1C	165°F	74°C	Chrome	C\$ 866.47
MW168732S9	WP56L1W	165°F	74°C	White	C\$ 866.47
MW211132S9	WP56L2B	212°F	100°C	Bronze	C\$ 833.14
MW212132S9	WP56L2C	212°F	100°C	Chrome	C\$ 866.47
MW218732S9	WP56L2W	212°F	100°C	White	C\$ 866.47
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 159.13
<b>MODEL WP56C WINDOW CONCEALER K5.6 (80) THREADS 1/2" NPT R504</b>					
1W16173299	WP56C1B	165°F	74°C	W/O	C\$ 999.77
1W21173299	WP56C2B	212°F	100°C	W/O	C\$ 999.77
<b>MODEL WP56C WINDOW CONCEALER K5.6 (80) THREADS 1/2" BSPT R504</b>					
1W16173292	WP56C1BM	165°F	74°C	W/O	C\$ 999.77
1W21173292	WP56C2BM	212°F	100°C	W/O	C\$ 999.77
6880170020	WFC	WRENCH,FC,CONCEALED			C\$ 483.70
<b>MODEL G5 COVERPLATES FOR WP56C CONCEALED SPRINKLERS</b>					
6887271372	CG50W	135°F	57°C	White	C\$ 56.25
6887271321	CG50C	135°F	57°C	Chrome	C\$ 61.71
6887271672	CG51W	165°F	74°C	White	C\$ 56.25
6887271621	CG51C	165°F	74°C	Chrome	C\$ 61.71

### Features

- cULus Listed to provide complete wetting of various glass surfaces
- Fast Response Specific Applications Pendent Vertical Sidewall sprinkler
- Listed corrosion resistant finishes available (WP56 only)

### Notes:

Other Coverplate finishes available upon request.



**F1S5 LO LARGE  
 ORIFICE SPECIAL  
 RESPONSE  
 STANDARD SPRAY**

- K-Factor = 115 (8.0)
- Thread Size = R1/2
- Bulletin 024



Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1S5 LO UPRIGHT K8.0( 115) THREADS 1/2"(15MM ) BSPT THREADS</b>					
KA13113492		135°F	57°C	Brass	C\$ 51.88
KA15113492		155°F	68°C	Brass	C\$ 51.88
KA17113492		175°F	79°C	Brass	C\$ 51.88
KA20113492		200°F	93°C	Brass	C\$ 51.88
KA28113492		286°F	141°C	Brass	C\$ 51.88
KA13213492		135°F	57°C	Chrome	C\$ 60.56
KA15213492		155°F	68°C	Chrome	C\$ 60.56
<b>MODEL F1S5 LO PENDENT K8.0( 115) THREADS 1/2"(15MM ) BSPT THREADS</b>					
KB13113492		135°F	57°C	Brass	C\$ 51.88
KB15113492		155°F	68°C	Brass	C\$ 51.88
KB17113492		175°F	79°C	Brass	C\$ 51.88
KB20113492		200°F	93°C	Brass	C\$ 51.88
KB28113492		286°F	141°C	Brass	C\$ 51.88
KB28213492		286°F	141°C	Chrome	C\$ 60.56
<b>F1 ESCUTCHEONS</b>					
6800630001	GF1B	15mm (1/2")		Brass	C\$ 29.73
6800600001	GF1C	15mm (1/2")		Chrome	C\$ 16.04
6800640001	GF1W	15mm (1/2")		White	C\$ 16.04
<b>F2 ESCUTCHEONS</b>					
6800830000	GF2B	15mm (1/2")		Brass	C\$ 29.73
6800800000	GF2C	15mm (1/2")		Chrome	C\$ 16.04
6800840000	GF2W	15mm (1/2")		White	C\$ 16.04
<b>FP PUSH-ON/THREADS-OFF ESCUTCHEONS</b>					
6801412100	FPC	FP PUSH-ON/THREADS-OFF		Chrome	C\$ 30.94
6801417200	FPW	FP PUSH-ON/THREADS-OFF		White	C\$ 30.94

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	C\$ 159.13
6880100120	WW4	Wrench, W4, Recessed, Concealed	C\$ 481.13