



### F1FR 56 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA1425**
- See Bulletin 014



### F1FR 80 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA6322**
- See Bulletin 063

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA1425</b>					
BA131132S9	F1FR56U0BN	135°F	57°C	Brass	C\$ 75.82
BA132132S9	F1FR56U0CN	135°F	57°C	Chrome	C\$ 83.53
BA138732S9	F1FR56U0WN	135°F	57°C	Poly White	C\$ 90.10
BA151132S9	F1FR56U1BN	155°F	68°C	Brass	C\$ 75.82
BA152132S9	F1FR56U1CN	155°F	68°C	Chrome	C\$ 83.53
BA158732S9	F1FR56U1WN	155°F	68°C	Poly White	C\$ 90.10
BA171132S9	F1FR56U5BN	175°F	79°C	Brass	C\$ 75.82
BA172132S9	F1FR56U5CN	175°F	79°C	Chrome	C\$ 83.53
BA178732S9	F1FR56U5WN	175°F	79°C	Poly White	C\$ 90.10
BA201132S9	F1FR56U2BN	200°F	93°C	Brass	C\$ 75.82
BA202132S9	F1FR56U2CN	200°F	93°C	Chrome	C\$ 83.53
BA208732S9	F1FR56U2WN	200°F	93°C	White	C\$ 90.10
BA281132S9	F1FR56U3BN	286°F	141°C	Brass	C\$ 75.82
BA282132S9	F1FR56U3CN	286°F	141°C	Chrome	C\$ 83.53
BA288732S9	F1FR56U3WN	286°F	141°C	White	C\$ 90.10
<b>MODEL F1FR80 UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA6322</b>					
B1131134S8	F1FRU0LBN	135°F	57°C	Brass	C\$ 92.19
B1132134S8	F1FRU0LCN	135°F	57°C	Chrome	C\$ 104.01
B1138734S8	F1FRU0LWN	135°F	57°C	Poly White	C\$ 106.40
B1151134S8	F1FRU1LBN	155°F	68°C	Brass	C\$ 92.19
B1152134S8	F1FRU1LCN	155°F	68°C	Chrome	C\$ 104.01
B1158734S8	F1FRU1LWN	155°F	68°C	Poly White	C\$ 106.40
B1171134S8	F1FRU5LBN	175°F	79°C	Brass	C\$ 92.19
B1172134S8	F1FRU5LCN	175°F	79°C	Chrome	C\$ 104.01
B1178734S8	F1FRU5LWN	175°F	79°C	Poly White	C\$ 106.40
B1201134S8	F1FRU2LBN	200°F	93°C	Brass	C\$ 92.19
B1202134S8	F1FRU2LCN	200°F	93°C	Chrome	C\$ 104.01
B1208734S8	F1FRU2LWN	200°F	93°C	White	C\$ 106.40
B1281134S8	F1FRU3LBN	286°F	141°C	Brass	C\$ 92.19
B1282134S8	F1FRU3LCN	286°F	141°C	Chrome	C\$ 104.01
B1288734S8	F1FRU3LWN	286°F	141°C	White	C\$ 106.40

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      C\$ 159.13



### F1FR 28 UPRIGHT

- K-Factor = 2.8 (40)
- **SIN RA1421**
- See Bulletin 014



### F1FR 42 UPRIGHT

- K-Factor = 4.2 (60)
- **SIN RA1423**
- See Bulletin 014

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR UPRIGHT K2.8 (40) THREADS 1/2" (15MM) RA1421</b>					
BA151124S9	F1FR28U1BN	155°F	68°C	Brass	C\$ 98.12
BA152124S9	F1FR28U1CN	155°F	68°C	Chrome	C\$ 105.83
BA158724S9	F1FR28U1WN	155°F	68°C	Poly White	C\$ 109.31
BA171124S9	F1FR28U5N	175°F	79°C	Brass	C\$ 98.12
BA172124S9	F1FR28U5CN	175°F	79°C	Chrome	C\$ 105.83
BA178724S9	F1FR28U5WN	175°F	79°C	Poly White	C\$ 107.32
BA201124S9	F1FR28U2BN	200°F	93°C	Brass	C\$ 98.12
BA202124S9	F1FR28U2CN	200°F	93°C	Chrome	C\$ 105.83
BA208724S9	F1FR28U2WN	200°F	93°C	Poly White	C\$ 109.31
BA281124S9	F1FR28U3BN	286°F	141°C	Brass	C\$ 98.12
BA282124S9	F1FR28U3CN	286°F	141°C	Chrome	C\$ 105.83
BA288724S9	F1FR28U3WN	286°F	141°C	White	C\$ 109.31
<b>MODEL F1FR UPRIGHT K 4.2 (60) THREAD 1/2" (15MM) RA1423</b>					
BA131128S9	F1FR42U0BN	135°F	57°C	Brass	C\$ 98.12
BA132128S9	F1FR42U0CN	135°F	57°C	Chrome	C\$ 105.83
BA138728S9	F1FR42U0WN	135°F	57°C	Poly White	C\$ 109.31
BA151128S9	F1FR42U1BN	155°F	68°C	Brass	C\$ 98.12
BA152128S9	F1FR42U1CN	155°F	68°C	Chrome	C\$ 105.83
BA158728S9	F1FR42U1WN	155°F	68°C	Poly White	C\$ 109.31
BA171128S9	F1FR42U5BN	175°F	79°C	Brass	C\$ 98.12
BA172128S9	F1FR42U5CN	175°F	79°C	Chrome	C\$ 105.83
BA178728S9	F1FR42U5WN	175°F	79°C	Poly White	C\$ 109.31
BA201128S9	F1FR42U2BN	200°F	93°C	Brass	C\$ 98.12
BA202128S9	F1FR42U2CN	200°F	93°C	Chrome	C\$ 105.83
BA208728S9	F1FR42U2WN	200°F	93°C	Poly White	C\$ 109.31
BA281128S9	F1FR42U3BN	286°F	141°C	Brass	C\$ 98.12
BA282128S9	F1FR42U3CN	286°F	141°C	Chrome	C\$ 105.83
BA288728S9	F1FR42U3WN	286°F	141°C	Poly White	C\$ 109.31

6880050100      WW2      Wrench, W2, Pendant, Upright, HSW      C\$ 159.13



### F1FR56-300 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA2625**
- See Bulletin 026



### F1FR80-300 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA7822**
- See Bulletin 078

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) 300PSI RA2625</b>					
BF131132S9	F1FR56U0B3N	155°F	68°C	Brass	C\$ 79.69
BF132132S9	F1FR56U0C3N	135°F	57°C	Chrome	C\$ 87.70
BF138732S9	F1FR56U0W3N	135°F	57°C	Poly White	C\$ 92.84
BF151132S9	F1FR56U1B3N	155°F	68°C	Brass	C\$ 79.69
BF152132S9	F1FR56U1C3N	155°F	68°C	Chrome	C\$ 87.70
BF158732S9	F1FR56U1W3N	155°F	68°C	Poly White	C\$ 94.55
BF171132S9	F1FR56U5B3N	175°F	79°C	Brass	C\$ 79.69
BF172132S9	F1FR56U5C3N	175°F	79°C	Chrome	C\$ 87.70
BF178732S9	F1FR56U5W3N	175°F	79°C	Poly White	C\$ 94.55
BF201132S9	F1FR56U2B3N	200°F	93°C	Brass	C\$ 79.69
BF202132S9	F1FR56U2C3N	200°F	93°C	Chrome	C\$ 87.70
BF208732S9	F1FR56U2W3N	200°F	93°C	Poly White	C\$ 94.55
BF281132S9	F1FR56U3B3N	286°F	141°C	Brass	C\$ 79.69
BF282132S9	F1FR56U3C3N	286°F	141°C	Chrome	C\$ 87.70
BF288732S9	F1FR56U3W3N	286°F	141°C	Poly White	C\$ 94.55
<b>MODEL F1FR80 UPRIGHT K8.0 (115) THREADS 3/4" (20MM) 300PSI R5622</b>					
BF131134S8	F1FRU0LB3N	135°F	57°C	Brass	C\$ 96.66
BF132134S8	F1FRU0LC3N	135°F	57°C	Chrome	C\$ 109.53
BF138734S8	F1FRU0LW3N	135°F	57°C	White	C\$ 109.53
BF151134S8	F1FRU1LB3N	155°F	68°C	Brass	C\$ 96.66
BF152134S8	F1FRU1LC3N	155°F	68°C	Chrome	C\$ 109.53
BF158734S8	F1FRU1LW3N	155°F	68°C	White	C\$ 109.53
BF171134S8	F1FRU5LB3N	175°F	79°C	Brass	C\$ 96.66
BF172134S8	F1FRU5LC3N	175°F	79°C	Chrome	C\$ 109.53
BF178734S8	F1FRU5LW3N	175°F	79°C	White	C\$ 109.53
BF201134S8	F1FRU2LB3N	200°F	93°C	Brass	C\$ 96.66
BF202134S8	F1FRU2LC3N	200°F	93°C	Chrome	C\$ 109.53
BF281134S8	F1FRU3LB3N	286°F	141°C	Brass	C\$ 96.66
BF282134S8	F1FRU3LC3N	286°F	141°C	Chrome	C\$ 109.53
BF288734S8	F1FRU3LW3N	286°F	141°C	White	C\$ 109.53

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      C\$ 159.13



### F1FR56 PENDENT

- K-Factor = 5.6 (80)
- **SIN RA1414**
- See Bulletin 074



### F1FR80 PENDENT

- K-Factor = 8.0 (115)
- **SIN R6312**
- See Bulletin 063

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1414</b>					
B2131132S9	F1FR56P0BN	135°F	57°C	Brass	C\$ 75.82
B2132132S9	F1FR56P0CN	135°F	57°C	Chrome	C\$ 81.13
B2138732S9	F1FR56P0WN	135°F	57°C	White	C\$ 87.65
B2151132S9	F1FR56P1BN	155°F	68°C	Brass	C\$ 75.82
B2152132S9	F1FR56P1CN	155°F	68°C	Chrome	C\$ 81.13
B2158732S9	F1FR56P1WN	155°F	68°C	Poly White	C\$ 87.65
B2171132S9	F1FR56P5BN	175°F	79°C	Brass	C\$ 75.82
B2172132S9	F1FR56P5CN	175°F	79°C	Chrome	C\$ 81.13
B2178732S9	F1FR56P5WN	175°F	79°C	White	C\$ 87.65
B2201132S9	F1FR56P2BN	200°F	93°C	Brass	C\$ 75.82
B2202132S9	F1FR56P2CN	200°F	93°C	Chrome	C\$ 81.13
B2208732S9	F1FR56P2WN	200°F	93°C	White	C\$ 87.65
B2281132S9	F1FR56P3BN	286°F	141°C	Brass	C\$ 75.82
B2282132S9	F1FR56P3CN	286°F	141°C	Chrome	C\$ 81.13
B2288732S9	F1FR56P3WN	286°F	141°C	White	C\$ 87.65
<b>MODEL F1FR80 PENDENT K8.0 (115) THREADS 3/4" (20MM) R6312</b>					
B2131134S8	F1FRP0LBN	135°F	57°C	Brass	C\$ 94.97
B2132134S8	F1FRP0LCN	135°F	57°C	Chrome	C\$ 104.01
B2138734S8	F1FRP0LWN	135°F	57°C	White	C\$ 105.43
B2151134S8	F1FRP1LBN	155°F	68°C	Brass	C\$ 94.97
B2152134S8	F1FRP1LCN	155°F	68°C	Chrome	C\$ 104.01
B2158734S8	F1FRP1LWN	155°F	68°C	White	C\$ 105.43
B2171134S8	F1FRP5LBN	175°F	79°C	Brass	C\$ 94.97
B2172134S8	F1FRP5LCN	175°F	79°C	Chrome	C\$ 104.01
B2178734S8	F1FRP5LWN	175°F	79°C	White	C\$ 105.43
B2201134S8	F1FRP2LBN	200°F	93°C	Brass	C\$ 94.97
B2202134S8	F1FRP2LCN	200°F	93°C	Chrome	C\$ 104.01
B2208734S8	F1FRP2LWN	200°F	93°C	White	C\$ 105.43
B2281134S8	F1FRP3LBN	286°F	141°C	Brass	C\$ 94.97
B2282134S8	F1FRP3LCN	286°F	141°C	Chrome	C\$ 104.01
B2288734S8	F1FRP3LWN	286°F	141°C	White	C\$ 105.43
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 16.04
6800640001	GF1W	1/2" (15mm)		White	C\$ 16.04
6801000000	GF1LC	3/4" (20mm)		Chrome	C\$ 16.04
6801040000	GF1LW	3/4" (20mm)		White	C\$ 16.04
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 16.04
6800840000	GF2W	1/2" (15mm)		White	C\$ 16.04
6800880001	GF2LC	3/4" (20mm)		Chrome	C\$ 16.04
6800880005	GF2LW	3/4" (20mm)		White	C\$ 16.04
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 159.13
6880100120	WW4	Wrench, W4, Recessed, Concealed			C\$ 481.13
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	1/2" (15mm)		Chrome	C\$ 30.94
6801417200	FPW	1/2" (15mm)		White	C\$ 30.94
6801402100	FPLC	3/4" (20mm)		Chrome	C\$ 30.94
6801407200	FPLW	3/4" (20mm)		White	C\$ 30.94



### F1FR 28 PENDENT

- K-Factor = 2.8 (40)
- **SIN RA1411**
- See Bulletin 014



### F1FR 42 PENDENT

- K-Factor = 4.2 (60)
- **SIN RA1413**
- See Bulletin 014



Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR28 PENDENT K 2.8 (40) THREADS 1/2" (15MM) RA1411</b>					
BB151124S9	F1FR28P1BN	155°F	68°C	Brass	C\$ 98.12
BB152124S9	F1FR28P1CN	155°F	68°C	Chrome	C\$ 105.83
BB158724S9	F1FR28P1WN	155°F	68°C	Poly White	C\$ 109.31
BB171124S9	F1FR28P5BN	175°F	79°C	Brass	C\$ 99.93
BB172124S9	F1FR28P5CN	175°F	79°C	Chrome	C\$ 105.83
BB178724S9	F1FR28P5WN	175°F	79°C	Poly White	C\$ 109.31
BB201124S9	F1FR28P2BN	200°F	93°C	Brass	C\$ 98.12
BB202124S9	F1FR28P2CN	200°F	93°C	Chrome	C\$ 105.83
BB208724S9	F1FR28P2WN	200°F	93°C	Poly White	C\$ 109.31
BB281124S9	F1FR28P3BN	286°F	141°C	Brass	C\$ 98.12
BB282124S9	F1FR28P3CN	286°F	141°C	Chrome	C\$ 106.83
BB288724S9	F1FR28P3WN	286°F	141°C	Poly White	C\$ 109.31
<b>MODEL F1FR42 PENDENT K 4.2 (60) THREADS 1/2"(15MM) RA1413</b>					
BB131128S9	F1FR42P0BN	135°F	57°C	Brass	C\$ 98.12
BB132128S9	F1FR42P0CN	135°F	57°C	Chrome	C\$ 105.83
BB138728S9	F1FR42P0WN	135°F	57°C	Poly White	C\$ 109.31
BB151128S9	F1FR42P1BN	155°F	68°C	Brass	C\$ 98.12
BB152128S9	F1FR42P1CN	155°F	68°C	Chrome	C\$ 105.83
BB158728S9	F1FR42P1WN	155°F	68°C	Poly White	C\$ 109.31
BB171128S9	F1FR42P5BN	175°F	79°C	Brass	C\$ 98.12
BB172128S9	F1FR42P5CN	175°F	79°C	Chrome	C\$ 105.83
BB178728S9	F1FR42P5WN	175°F	79°C	Poly White	C\$ 109.31
BB201128S9	F1FR42P2BN	200°F	93°C	Brass	C\$ 98.12
BB202128S9	F1FR42P2CN	200°F	93°C	Chrome	C\$ 105.83
BB208728S9	F1FR42P2WN	200°F	93°C	Poly White	C\$ 109.31
BB281128S9	F1FR42P3BN	286°F	141°C	Brass	C\$ 98.12
BB282128S9	F1FR42P3CN	286°F	141°C	Chrome	C\$ 105.83
BB288728S9	F1FR42P3WN	286°F	141°C	Poly White	C\$ 109.31
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 29.73
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 16.04
6800640001	GF1W	1/2" (15mm)		White	C\$ 16.04
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 29.73
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 16.04
6800840000	GF2W	1/2" (15mm)		White	C\$ 16.04
<b>MODEL FP RECESSED PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	C\$ 30.94
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	C\$ 30.94





**F1FR56-300  
PENDENT**

- K-Factor = 5.6 (80)
- **SIN RA2614**
- See Bulletin 026
- 300 PSI



**F1FR80-300  
PENDENT**

- K-Factor = 8.0 (115)
- **SIN RA7812**
- See Bulletin 078
- 300 PSI

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F1FR56 PENDENT K5.6 (80) THREADS 1/2" (15MM) 300PSI RA2614</b>				
BG131132S9	F1FR56P0B3N	135°F 57°C	Brass	C\$ 79.70
BG132132S9	F1FR56P0C3N	135°F 57°C	Chrome	C\$ 85.17
BG138732S9	F1FR56P0W3N	135°F 57°C	Poly White	C\$ 91.82
BG151132S9	F1FR56P1B3N	155°F 68°C	Brass	C\$ 79.70
BG152132S9	F1FR56P1C3N	155°F 68°C	Chrome	C\$ 85.17
BG158732S9	F1FR56P1W3N	155°F 68°C	White	C\$ 91.82
BG171132S9	F1FR56P5B3N	175°F 79°C	Brass	C\$ 79.69
BG172132S9	F1FR56P5C3N	175°F 79°C	Chrome	C\$ 85.17
BG178732S9	F1FR56P5W3N	175°F 79°C	Poly White	C\$ 91.82
BG201132S9	F1FR56P2B3N	200°F 93°C	Brass	C\$ 79.70
BG202132S9	F1FR56P2C3N	200°F 93°C	Chrome	C\$ 85.17
BG208732S9	F1FR56P2W3N	200°F 93°C	Poly White	C\$ 91.82
BG281132S9	F1FR56P3B3N	286°F 141°C	Brass	C\$ 79.70
BG282132S9	F1FR56P3C3N	286°F 141°C	Chrome	C\$ 85.17
BG288732S9	F1FR56P3W3N	286°F 141°C	Poly White	C\$ 91.82
<b>MODEL F1FR80 PENDENT K8.0 (115) THREADS 3/4" (20MM) 300PSI R5612</b>				
BG131134S8	F1FRP0LB3N	135°F 57°C	Brass	C\$ 99.51
BG132134S8	F1FRP0LC3N	135°F 57°C	Chrome	C\$ 109.53
BG138734S8	F1FRP0LW3N	135°F 57°C	White	C\$ 109.53
BG151134S8	F1FRP1LB3N	155°F 68°C	Brass	C\$ 99.51
BG152134S8	F1FRP1LC3N	155°F 68°C	Chrome	C\$ 109.53
BG158734S8	F1FRP1LW3N	155°F 68°C	White	C\$ 109.53
BG171134S8	F1FRP5LB3N	175°F 79°C	Brass	C\$ 99.51
BG172134S8	F1FRP5LC3N	175°F 79°C	Chrome	C\$ 109.53
BG178734S8	F1FRP5LW3N	175°F 79°C	White	C\$ 109.53
BG201134S8	F1FRP2LB3N	200°F 93°C	Brass	C\$ 99.51
BG202134S8	F1FRP2LC3N	200°F 93°C	Chrome	C\$ 109.53
BG208734S8	F1FRP2LW3N	200°F 93°C	White	C\$ 109.53
BG281134S8	F1FRP3LB3N	286°F 141°C	Brass	C\$ 99.51
BG282134S8	F1FRP3LC3N	286°F 141°C	Chrome	C\$ 109.53
BG288734S8	F1FRP3LW3N	286°F 141°C	White	C\$ 109.53
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>				
6800630001	GF1B	1/2" (15mm)	Brass	C\$ 29.73
6800600001	GF1C	1/2" (15mm)	Chrome	C\$ 16.04
6800640001	GF1W	1/2" (15mm)	White	C\$ 16.04
6801030000	GF1LB	3/4" (20mm)	Brass	C\$ 29.73
6801000000	GF1LC	3/4" (20mm)	Chrome	C\$ 16.04
6801040000	GF1LW	3/4" (20mm)	White	C\$ 16.04

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	C\$ 159.13
6880100120	WW4	Wrench, W4 Recessed, Concealed	C\$ 481.13



## F1FR 56 HSW

- K-Factor = 5.6 (80)
- **SIN RA1435**
- See Bulletin 014

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1435</b>					
BD131132S9	F1FR56H0BN	135°F	57°C	Brass	C\$ 87.36
BD132132S9	F1FR56H0CN	135°F	57°C	Chrome	C\$ 93.56
BD138732S9	F1FR56H0WN	135°F	57°C	Poly White	C\$ 105.23
BD151132S9	F1FR56H1BN	155°F	68°C	Brass	C\$ 87.36
BD152132S9	F1FR56H1CN	155°F	68°C	Chrome	C\$ 93.56
BD158732S9	F1FR56H1WN	155°F	68°C	Poly White	C\$ 105.23
BD171132S9	F1FR56H5BN	175°F	79°C	Brass	C\$ 87.36
BD172132S9	F1FR56H5CN	175°F	79°C	Chrome	C\$ 93.56
BD178732S9	F1FR56H5WN	175°F	79°C	Poly White	C\$ 105.23
BD201132S9	F1FR56H2BN	200°F	93°C	Brass	C\$ 87.36
BD202132S9	F1FR56H2CN	200°F	93°C	Chrome	C\$ 93.56
BD208732S9	F1FR56H2WN	200°F	93°C	Poly White	C\$ 105.23
BD281132S9	F1FR56H3BN	286°F	141°C	Brass	C\$ 87.36
BD282132S9	F1FR56H3CN	286°F	141°C	Chrome	C\$ 93.56
BD288732S9	F1FR56H3WN	286°F	141°C	Poly White	C\$ 105.23
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 29.73
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 16.04
6800640001	GF1W	1/2" (15mm)		White	C\$ 16.04
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 29.73
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 16.04
6800840000	GF2W	1/2" (15mm)		White	C\$ 16.04
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 159.13
6880100120	WW4	Wrench, W4, Recessed, Concealed			C\$ 481.13



### F1FR56-300 HSW

- K-Factor = 5.6 (80)
- **SIN RA2634**
- See Bulletin 026



### REC HSW

- K-Factor = 5.6 (80)
- **SIN RA2634**
- See Bulletin 026



### SWC56 Concealed

- K-Factor = 5.6 (80)
- **SIN RA2634**
- See Bulletin 026

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56-300 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA2634</b>					
BD131131S9	F1FR56H0B3N	135°F	57°C	Brass	C\$ 90.86
BD132131S9	F1FR56H0C3N	135°F	57°C	Chrome	C\$ 97.16
BD138731S9	F1FR56H0W3N	135°F	57°C	White	C\$ 109.12
BD151131S9	F1FR56H1B3N	155°F	68°C	Brass	C\$ 90.86
BD152131S9	F1FR56H1C3N	155°F	68°C	Chrome	C\$ 97.16
BD158731S9	F1FR56H1W3N	155°F	68°C	White	C\$ 109.12
		°F	°C		C\$ Call
BD172131S9	F1FR56H5C3N	175°F	79°C	Chrome	C\$ 97.16
BD178731R9	F1FR56H5W3	175°F	79°C	White	C\$ 109.12
BD201131R9	F1FR56H2B3	200°F	93°C	Brass	C\$ 90.86
BD202131R9	F1FR56H2C3	200°F	93°C	Chrome	C\$ 97.16
BD208731R9	F1FR56H2W3	200°F	93°C	White	C\$ 109.12
BD281131R9	F1FR56H3B3	286°F	141°C	Brass	C\$ 90.86
BD282131R9	F1FR56H3C3	286°F	141°C	Chrome	C\$ 97.16
BD288731R9	F1FR56H3W3	286°F	141°C	Poly White	C\$ 109.12
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 29.73
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 16.04
6800640001	GF1W	1/2" (15mm)		White	C\$ 16.04
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 29.73
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 16.04
6800840000	GF2W	1/2" (15mm)		White	C\$ 16.04
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	(15mm)		Chrome	C\$ 30.94
6801417200	FPW	(15mm)		White	C\$ 30.94
<b>MODEL SWC56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA2634</b>					
BS131732R9	SWC560	135°F	57°C	Brass	C\$ 92.19
BS151732R9	SWC561	155°F	68°C	Brass	C\$ 92.19
<b>MODEL SWC CONCEALED COVERPLATES</b>					
6887131318	CHWNS	135°F	57°C	White	C\$ 53.17
6887131390	CHSPNS	135°F	57°C	Specialty	C\$ 79.73

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW		C\$ 159.13
6880100120	WW4	Wrench, W4, Recessed, Concealed		C\$ 481.13





### F1FR56 VSW

- K-Factor = 5.6 (80)
- **SIN RA1485**
- See Bulletin 014

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 VERTICAL SIDEWALL K5.6 (80) THREADS 1/2" RA1485</b>					
BE131132S9	F1FR56V0BN	135°F	57°C	Brass	C\$ 96.30
BE132132S9	F1FR56V0CN	135°F	57°C	Chrome	C\$ 104.05
BE138732S9	F1FR56V0WN	135°F	57°C	White	C\$ 109.40
BE151132S9	F1FR56V1BN	155°F	68°C	Brass	C\$ 96.30
BE152132S9	F1FR56V1CN	155°F	68°C	Chrome	C\$ 104.05
BE158732S9	F1FR56V1WN	155°F	68°C	White	C\$ 109.40
BE171132S9	F1FR56V5BN	175°F	79°C	Brass	C\$ 96.30
BE172132S9	F1FR56V5CN	175°F	79°C	Chrome	C\$ 104.05
BE178732S9	F1FR56V5WN	175°F	79°C	White	C\$ 109.40
BE201132S9	F1FR56V2BN	200°F	93°C	Brass	C\$ 96.30
BE202132S9	F1FR56V2CN	200°F	93°C	Chrome	C\$ 104.05
BE208732S9	F1FR56V2WN	200°F	93°C	White	C\$ 109.40
BE281132S9	F1FR56V3BN	286°F	141°C	Brass	C\$ 96.30
BE282132S9	F1FR56V3CN	286°F	141°C	Chrome	C\$ 104.05
BE288732S9	F1FR56V3WN	286°F	141°C	White	C\$ 109.40

6880050100      WW2      Wrench, W2, Pendant, Upright, HSW      C\$ 159.13



**F1FR 56  
 CONVENTIONAL**

- K-Factor = 5.6 (80)
- **SIN RA1475**
- See Bulletin 014



**F1FR LO  
 CONVENTIONAL**

- K-Factor = 8.0 (115)
- **SIN R3672**
- See Bulletin 136

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 CONVENTIONAL K5.6 (80) THREADS 1/2" (15MM) RA1475</b>					
BC131132R9	F1FR56C0B	135°F	57°C	Brass	C\$ 75.82
BC132132R9	F1FR56C0C	135°F	57°C	Chrome	C\$ 81.13
BC138732R9	F1FR56C0W	135°F	57°C	Poly White	C\$ 87.65
BC151132S9	F1FR56C1BN	155°F	68°C	Brass	C\$ 75.82
BC152132S9	F1FR56C1CN	155°F	68°C	Chrome	C\$ 81.13
BC158732R9	F1FR56C1W	155°F	68°C	White	C\$ 87.65
BC171132R9	F1FR56C5B	175°F	79°C	Brass	C\$ 75.82
BC172132R9	F1FR56C5C	175°F	79°C	Chrome	C\$ 81.13
BC178732R9	F1FR56C5W	175°F	79°C	Poly White	C\$ 87.65
BC201132R9	F1FR56C2B	200°F	93°C	Brass	C\$ 75.82
BC202132R9	F1FR56C2C	200°F	93°C	Chrome	C\$ 81.13
BC208732R9	F1FR56C2W	200°F	93°C	Poly White	C\$ 87.65
BC281132R9	F1FR56C3B	286°F	141°C	Brass	C\$ 75.82
BC282132R9	F1FR56C3C	286°F	141°C	Chrome	C\$ 81.13
BC288732R9	F1FR56C3W	286°F	141°C	Poly White	C\$ 87.65
<b>MODEL F1FR CONVENTIONAL K8.0 (115) THREADS 3/4" (20MM) RA3672</b>					
B313113498	F1FRC0LB	135°F	57°C	Brass	C\$ 94.97
B313213498	F1FRC0LC	135°F	57°C	Chrome	C\$ 104.01
B313873498	F1FRC0LW	135°F	57°C	White	C\$ 105.43
B315113498	F1FRC1LB	155°F	68°C	Brass	C\$ 94.97
B315213498	F1FRC1LC	155°F	68°C	Chrome	C\$ 104.01
B315873498	F1FRC1LW	155°F	68°C	White	C\$ 105.43
B317113498	F1FRC5LB	175°F	79°C	Brass	C\$ 94.97
B317213498	F1FRC5LC	175°F	79°C	Chrome	C\$ 104.01
B317873498	F1FRC5LW	175°F	79°C	White	C\$ 105.43
B320113498	F1FRC2LB	200°F	93°C	Brass	C\$ 94.97
B320213498	F1FRC2LC	200°F	93°C	Chrome	C\$ 104.01
B320873498	F1FRC2LW	200°F	93°C	White	C\$ 105.43
B328113498	F1FRC3LB	286°F	141°C	Brass	C\$ 94.97
B328213498	F1FRC3LC	286°F	141°C	Chrome	C\$ 104.01
B328873498	F1FRC3LW	286°F	141°C	White	C\$ 105.43

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      C\$ 159.13



**F1FR-56SS  
UPRIGHT**

- K-Factor = 5.6 (80)
- **SIN RA6524**
- See Bulletin 065



**F1FR-80SS  
UPRIGHT**

- K-Factor = 8.0 (115)
- **SIN RA6522**
- See Bulletin 065



**F1FR-56SS  
PENDENT**

- K-Factor = 5.6 (80)
- **SIN RA6514**
- See Bulletin 065



**F1FR-80SS  
PENDENT**

- K-Factor = 8.0 (115)
- **SIN RA6512**
- See Bulletin 065

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56-SS UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA6524</b>					
BA131032R9	F1FR56U0SS	135°F	57°C	Stainless Steel	C\$ 889.15
BA151032R9	F1FR56U1SS	155°F	68°C	Stainless Steel	C\$ 889.15
BA171032R9	F1FR56U5SS	175°F	79°C	Stainless Steel	C\$ 889.15
BA201032R9	F1FR56U2SS	200°F	93°C	Stainless Steel	C\$ 889.15
BA281032R9	F1FR56U3SS	286°F	141°C	Stainless Steel	C\$ 889.15
<b>MODEL F1FR80-SS UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA6522</b>					
B113103498	F1FRU0LSS	135°F	57°C	Stainless Steel	C\$ 935.96
B115103498	F1FRU1LSS	155°F	68°C	Stainless Steel	C\$ 935.96
B117103498	F1FRU5LSS	175°F	79°C	Stainless Steel	C\$ 935.96
B120103498	F1FRU2LSS	200°F	93°C	Stainless Steel	C\$ 935.96
B128103498	F1FRU3LSS	286°F	141°C	Stainless Steel	C\$ 935.96

6880050100      WW2      Requires Model W2 Sprinkler Wrench      C\$ 159.13

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56-SS PENDENT K5.6 (80) THREADS 1/2" (15MM) RA6514</b>					
B213103299	F1FR56P0SS	135°F	57°C	Stainless Steel	C\$ 889.15
B215103299	F1FR56P1SS	155°F	68°C	Stainless Steel	C\$ 889.15
B217103299	F1FR56P5SS	175°F	79°C	Stainless Steel	C\$ 889.15
B220103299	F1FR56P2SS	200°F	93°C	Stainless Steel	C\$ 889.15
B228103299	F1FR56P3SS	286°F	141°C	Stainless Steel	C\$ 889.15
<b>MODEL F1FR80-SS PENDENT K8.0 (115) THREADS 3/4" (20MM) RA6512</b>					
B213103498	F1FRP0LSS	135°F	57°C	Stainless Steel	C\$ 935.96
B215103498	F1FRP1LSS	155°F	68°C	Stainless Steel	C\$ 935.96
B217103498	F1FRP5LSS	175°F	79°C	Stainless Steel	C\$ 935.96
B220103498	F1FRP2LSS	200°F	93°C	Stainless Steel	C\$ 935.96
B228103498	F1FRP3LSS	286°F	141°C	Stainless Steel	C\$ 935.96
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800610010	GF1SS	1/2" (15mm)		Stainless Steel	C\$ 94.47
6800970010	GF1LSS	3/4" (20mm)		Stainless Steel	C\$ 94.47
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800840010	GF2SS	1/2" (15mm)		Stainless Steel	C\$ 94.47
6800880110	GF2LSS	3/4" (20mm)		Stainless Steel	C\$ 94.47
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801411000	FPSS	1/2" (15mm)		Stainless Steel	C\$ 141.70
6801401000	FPLSS	3/4" (20mm)		Stainless Steel	C\$ 141.70
<b>MODEL B ONE PIECE ESCUTCHEONS</b>					
6800121002	BSS	1/2" (15mm)		Stainless Steel	C\$ 56.70
6800091002	BLSS	3/4" (20mm)		Stainless Steel	C\$ 56.70

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      C\$ 159.13  
 6880100120      WW4      Wrench, W4, Recessed, Concealed      C\$ 481.13



**F1FR42 LL  
 PENDENT**

- K-Factor = 4.2 (60)
- **SIN RA1413**
- See Bulletin 014



**F1FR56 LL  
 PENDENT**

- K-Factor = 5.6 (80)
- **SIN RA1414**
- See Bulletin 014



**F1FR56 LL CCP**

- K-Factor = 5.6 (80)
- **SIN RA1414**
- See Bulletin 014

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR42-LL PENDENT K4.2 (60) ? THREADS ? RA1413</b>					
BB201128P9	FR42P2BLL	200°F	93°C	Brass Low Lead	C\$140.84
BB202128P9	FR42P2CLL	200°F	93°C	Chrome Low Lead	C\$145.22
BB208728P9	FR42P2WLL	200°F	93°C	Poly White Low Lead	C\$162.53
<b>MODEL F1FR56-LL PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1414</b>					
B2201132P9	FR56P2BLL	200°F	93°C	Brass Low Lead	C\$140.84
B2202132P9	FR56P2CLL	200°F	93°C	Chrome Low Lead	C\$145.22
B2208732P9	FR56P2WLL	200°F	93°C	Poly White Low Lead	C\$162.53
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 29.73
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 16.04
6800640001	GF1W	1/2" (15mm)		White	C\$ 16.04
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 29.73
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 16.04
6800840000	GF2W	1/2" (15mm)		White	C\$ 16.04
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	C\$ 30.94
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	C\$ 30.94

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 159.13
6880100120	WW4	Wrench, W4, Recessed, Concealed			C\$ 481.13

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56-LL CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA1414</b>					
BV201732P9	F1FR56C2LL	200°F	93°C	Brass Low Lead	C\$ 151.70
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161621	CCP1C76	165°F	74°C	Chrome	C\$ 130.77
6887161618	CCP1W76	165°F	74°C	Flat White	C\$ 50.96
6887161690	CCP1SP76	165°F	74°C	Specialty	C\$ 85.58

6880100000	WRC	Requires Model RC1 Sprinkler Wrench			C\$ 481.13
------------	-----	-------------------------------------	--	--	------------



### KFR56 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA3624**
- See Bulletin 036



### KFR56 PENDENT

- K-Factor = 5.6 (80)
- **SIN RA3614**
- See Bulletin 036

Part Number	Short Code	Temperature	Finish	List Price	
<b>MODEL KFR56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA3624</b>					
MA161132R9	KFR56U1B	165°F	74°C	Brass	C\$ 75.82
MA162132R9	KFR56U1C	165°F	74°C	Chrome	C\$ 83.53
MA168732R9	KFR56U1W	165°F	74°C	Poly White	C\$ 90.10
MA211132R9	KFR56U2B	212°F	100°C	Brass	C\$ 75.82
MA212132R9	KFR56U2C	212°F	100°C	Chrome	C\$ 83.53
MA218732R9	KFR56U2W	212°F	100°C	Poly White	C\$ 90.10
<b>MODEL KFR56 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA3614</b>					
M2161132R9	KFR56P1B	165°F	74°C	Brass	C\$ 75.82
M2162132R9	KFR56P1C	165°F	74°C	Chrome	C\$ 81.13
M2168732R9	KFR56P1W	165°F	74°C	Poly White	C\$ 87.65
M2211132R9	KFR56P2B	212°F	100°C	Brass	C\$ 75.82
M2212132R9	KFR56P2C	212°F	100°C	Chrome	C\$ 81.13
M2218732R9	KFR56P2W	212°F	100°C	Poly White	C\$ 87.65
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 29.73
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 16.04
6800640001	GF1W	1/2" (15mm)		White	C\$ 16.04
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 29.73
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 16.04
6800840000	GF2W	1/2" (15mm)		White	C\$ 16.04
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	C\$ 30.94
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	C\$ 30.94
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			C\$ 159.13
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			C\$ 481.13
6880080000	WJ	WRENCH,J(WITH INSTALLED GUARD)			C\$ 228.40
6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			C\$ 481.13





**KFR56-300  
 UPRIGHT**

- K-Factor = 5.6 (80)
- **SIN RA3924**
- See Bulletin 039
- 300 PSI



**KFR56-300  
 PENDENT**

- K-Factor = 5.6 (80)
- **SIN RA3914**
- See Bulletin 039
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL KFR56-300 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA3924</b>					
MF161132R9	KFR56U1B3	165°F	74°C	Brass	C\$ 79.69
MF162132R9	KFR56U1C3	165°F	74°C	Chrome	C\$ 87.70
MF168732R9	KFR56U1W3	165°F	74°C	Poly White	C\$ 94.55
MF211132R9	KFR56U2B3	212°F	100°C	Brass	C\$ 79.69
MF212132R9	KFR56U2C3	212°F	100°C	Chrome	C\$ 87.70
MF218732R9	KFR56U2W3	212°F	100°C	Poly White	C\$ 94.55
<b>MODEL KFR56-300 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA3914</b>					
MG161132R9	KFR56P1B3	165°F	74°C	Brass	C\$ 79.70
MG162132R9	KFR56P1C3	165°F	74°C	Chrome	C\$ 85.17
MG168732R9	KFR56P1W3	165°F	74°C	Poly White	C\$ 91.82
MG211132R9	KFRP562B3	212°F	100°C	Brass	C\$ 79.70
MG212132R9	KFR56P2C3	212°F	100°C	Chrome	C\$ 85.17
		°F	°C		C\$ Call
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 29.73
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 16.04
6800640001	GF1W	1/2" (15mm)		White	C\$ 16.04
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 29.73
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 16.04
6800840000	GF2W	1/2" (15mm)		White	C\$ 16.04
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	C\$ 30.94
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	C\$ 30.94

6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)		C\$ 159.13
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)		C\$ 481.13
6880080000	WJ	WRENCH,J(WITH INSTALLED GUARD)		C\$ 228.40
6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED		C\$ 481.13



### KFR56-300 HSW

- K-Factor = 5.6 (80)
- **SIN RA3934**
- See Bulletin 039

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL KFR56-300 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA3934</b>					
MD161131R9	KFR56H1B3	165°F	74°C	Brass	C\$ 90.86
MD162131R9	KFR56H1C3	165°F	74°C	Chrome	C\$ 97.16
MD168731R9	KFRH1W3	165°F	74°C	Poly White	C\$109.12
MD211131R9	KFR56H2B3	212°F	100°C	Brass	C\$ 90.86
MD212131R9	KFR56H2C3	212°F	100°C	Chrome	C\$ 97.16
		°F	°C		C\$ Call
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 29.73
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 16.04
6800640001	GF1W	1/2" (15mm)		White	C\$ 16.04
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 29.73
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 16.04
6800840000	GF2W	1/2" (15mm)		White	C\$ 16.04
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	C\$ 30.94
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	C\$ 30.94


6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)		C\$ 159.13
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)		C\$ 481.13
6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED		C\$ 481.13



### MODEL CCP

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL KFR56-300 CCP K5.6 (80) THREADS 1/2" (15MM) RA3914</b>					
MP161732R9	KFR56C13	165°F	74°C	Brass	C\$ 64.45
MP211732R9	KFR56C23	212°F	100°C	Brass	C\$ 64.45
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	C\$130.77
6887161318	CCP0W76	135°F	57°C	Flat White	C\$ 50.96
6887161390	CCP0SP76	135°F	57°C	Specialty	C\$ 85.58
6887161621	CCP1C76	165°F	74°C	Chrome	C\$130.77
6887161618	CCP1W76	165°F	74°C	Flat White	C\$ 50.96
6887161690	CCP1SP76	165°F	74°C	Specialty	C\$ 85.58

6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)		C\$ 481.13
6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED		C\$ 481.13



### KFR56 HSW

- K-Factor = 5.6 (80)
- **SIN RA3634**
- See Bulletin 036



### KFR56 CCP

- K-Factor = 5.6 (80)
- **SIN RA3614**
- See Bulletin 036

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL KFR56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA3634</b>					
MD161132R9	KFR56H1B	165°F	74°C	Brass	C\$ 87.36
MD162132R9	KFR56H1C	165°F	74°C	Chrome	C\$ 93.56
MD168732R9	KFR56H1W	165°F	74°C	Poly White	C\$105.23
MD211132R9	KFR56H2B	212°F	100°C	Brass	C\$ 87.36
MD212132R9	KFR56H2C	212°F	100°C	Chrome	C\$ 93.56
MD218732R9	KFR56H2W	212°F	100°C	Poly White	C\$105.23
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 29.73
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 16.04
6800640001	GF1W	1/2" (15mm)		White	C\$ 16.04
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 29.73
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 16.04
6800840000	GF2W	1/2" (15mm)		White	C\$ 16.04
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	C\$ 30.94
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	C\$ 30.94

6880050100	WW2	WRENCH, W2(PENDENT, UPRIGHT, HSW)			C\$ 159.13
6880100100	WW1	WRENCH, W1 (RECESSED PENDENT, CCP, & HSW)			C\$ 481.13
6880100120	WW4	WRENCH, W4, RECESSED, CONCEALED			C\$ 481.13

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL KFR56 CCP K5.6 (80) THREADS 1/2" (15MM) RA3614</b>					
MM161732R9	KFR56C1	165°F	74°C	Brass	C\$ 61.13
MM211732R9	KFR56C2	212°F	100°C	Brass	C\$ 61.13
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	C\$130.77
6887161318	CCP0W76	135°F	57°C	Flat White	C\$ 50.96
6887161390	CCP0SP76	135°F	57°C	Specialty	C\$ 85.58
6887161621	CCP1C76	165°F	74°C	Chrome	C\$130.77
6887161618	CCP1W76	165°F	74°C	Flat White	C\$ 50.96
6887161690	CCP1SP76	165°F	74°C	Specialty	C\$ 85.58

6880100100	WW1	WRENCH, W1 (RECESSED PENDENT, CCP, & HSW)			C\$ 481.13
6880100120	WW4	WRENCH, W4, RECESSED, CONCEALED			C\$ 481.13



### KFR80 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA5422**
- See Bulletin 054



### KFR80 PENDENT

- K-Factor = 8.0 (115)
- **SIN RA5412**
- See Bulletin 054

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL KFR80 UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA5422</b>					
MA16113498	KFR80U1B	165°F	74°C	Brass	C\$ 92.19
MA16213498	KFR80U1C	165°F	74°C	Chrome	C\$ 104.01
MA16873498	KFR80U1W	165°F	74°C	Poly White	C\$ 106.40
MA21113498	KFR80U2B	212°F	100°C	Brass	C\$ 92.19
MA21213498	KFR80U2C	212°F	100°C	Chrome	C\$ 104.01
MA21873498	KFR80U2W	212°F	100°C	Poly White	C\$ 106.40
<b>MODEL KFR80 PENDENT K8.0 (115) THREADS 3/4" (20MM) RA5412</b>					
M216113498	KFR80P1B	165°F	74°C	Brass	C\$ 94.97
M216213498	KFR80P1C	165°F	74°C	Chrome	C\$ 104.01
M216873498	KFR80P1W	165°F	74°C	Poly White	C\$ 105.43
M221113498	KFR80P2B	212°F	100°C	Brass	C\$ 94.97
M221213498	KFR80P2C	212°F	100°C	Chrome	C\$ 104.01
M221873498	KFR80P2W	212°F	100°C	Poly White	C\$ 105.43
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6801000000	GF1LC	3/4" (20mm)		Chrome	C\$ 16.04
6801040000	GF1LW	3/4" (20mm)		White	C\$ 16.04
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800880001	GF2LC	3/4" (20mm)		Chrome	C\$ 16.04
6800880005	GF2LW	3/4" (20mm)		White	C\$ 16.04
6880050100	WW2	Wrench, W2, Pendant, Upright, HSW			C\$ 159.13
6880100100	WW1	Recessed Use Model GFR2 Sprinkler Wrench			C\$ 481.13
6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			C\$ 481.13
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801402100	FPLC	3/4" (20mm)		Chrome	C\$ 30.94
6801407200	FPLW	3/4" (20mm)		White	C\$ 30.94



**GFR UPRIGHT**

- K5.6 = SIN R3125
- K8.0 = SIN R3127
- K2.8 = SIN R3121
- K4.2 = SIN R3123
- K4.2/10mm = SIN R3124
- See Bulletin 131

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL GFR UPRIGHT K5.6 (80) THREADS 1/2" (15MM) R3125</b>					
0116113299	GFRUB	165°F	74°C	Brass	C\$ 105.39
0116213299	GFRUC	165°F	74°C	Chrome	C\$ 115.70
0121113299	GFRU2B	212°F	100°C	Brass	C\$ 105.39
0121213299	GFRU2C	212°F	100°C	Chrome	C\$ 115.70
<b>MODEL GFR UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R3127</b>					
0116113498	GFRULB	165°F	74°C	Brass	C\$ 131.14
0116213498	GFRULC	165°F	74°C	Chrome	C\$ 148.00
<b>MODEL GFR UPRIGHT K2.8 (40) THREADS 1/2" (15MM) R3121</b>					
0116112499	GFRU3B	165°F	74°C	Brass	C\$ 131.45
0116212499	GFRU3C	165°F	74°C	Chrome	C\$ 152.38
<b>MODEL GFR UPRIGHT K4.2 (60) THREADS 1/2" (15MM) R3123</b>					
0116112899	GFRU7B	165°F	74°C	Brass	C\$ 131.45
0116212899	GFRU7C	165°F	74°C	Chrome	C\$ 152.38
<b>MODEL GFR UPRIGHT K4.2 (60) THREADS 1/2" (10MM) R3124</b>					
0116212496	GFRUCMM	165°F	74°C	Chrome	C\$ 128.57
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 159.13

\* Please note that all of the GFR's are offered in 212°F





### GFR PENDENT

- K5.6 = SIN R3115
- K8.0 = SIN R3117
- K2.8 = SIN R3111
- K4.2 = SIN R3113
- See Bulletin 131

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL GFR PENDENT K5.6 (80) THREADS 1/2" (15MM) R3115</b>				
0216113299	GFRPB	165°F 74°C	Brass	C\$ 105.39
0216213299	GFRPC	165°F 74°C	Chrome	C\$ 115.70
0221113299	GFRP2B	212°F 100°C	Brass	C\$ 105.39
0221213299	GFRP2C	212°F 100°C	Chrome	C\$ 115.70
<b>MODEL GFR PENDENT K8.0 (115) THREADS 3/4" (20MM) R3117</b>				
0216113498	GFRPLB	165°F 74°C	Brass	C\$ 131.14
0216213498	GFRPLC	165°F 74°C	Chrome	C\$ 148.00
<b>MODEL GFR PENDENT K2.8 (40) THREADS 1/2" (10MM) R3111</b>				
0216112499	GFRP3B	165°F 74°C	Brass	C\$ 129.91
0216212499	GFRP3C	165°F 74°C	Chrome	C\$ 146.65
<b>MODEL GFR PENDENT K4.2 (60) THREADS 1/2" (10MM) R3113</b>				
0216112899	GFRP7B	165°F 74°C	Brass	C\$ 129.91
0216212899	GFRP7C	165°F 74°C	Chrome	C\$ 146.65
<b>10MM THREADS</b>				
0216112496	GFRPBMM	165°F 74°C	Brass	C\$ 114.29
0216212496	GFRPCMM	165°F 74°C	Chrome	C\$ 128.57



### GFR HSW

- K5.6 = SIN R3135
- K8.0 = SIN R3137
- K2.8 = SIN R3131
- K4.2 = SIN R3133
- See Bulletin 131

\* Also available in 212°F

<b>MODEL GFR HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) R3135</b>				
0416113299	GFRHB	165°F 74°C	Brass	C\$ 115.70
0416213299	GFRHC	165°F 74°C	Chrome	C\$ 125.96
0421113299	GFRH2B	212°F 100°C	Brass	C\$ 115.70
0421213299	GFRH2C	212°F 100°C	Chrome	C\$ 125.96
<b>MODEL GFR HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) R3137</b>				
0416113498	GFRHLB	165°F 74°C	Brass	C\$ 119.79
0416213498	GFRHLC	165°F 74°C	Chrome	C\$ 135.00
0421113498	GFRH2LB	212°F 100°C	Brass	C\$ 119.79
0421213498	GFRH2LC	212°F 100°C	Chrome	C\$ 119.79
<b>MODEL GFR HORIZONTAL K2.8 (40) THREADS 1/2" (10MM) R3131</b>				
0416112499	GFRH3B	165°F 74°C	Brass	C\$ 136.55
0416212499	GFRH3C	165°F 74°C	Chrome	C\$ 146.65
<b>MODEL GFR HORIZONTAL K4.2 (60) THREADS 1/2" (10MM) R3133</b>				
0416112899	GFRH7B	165°F 74°C	Brass	C\$ 136.55
0416212899	GFRH7C	165°F 74°C	Chrome	C\$ 146.65
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>				
6800830000	GF2B	1/2" (15mm)	Brass	C\$ 29.73
6800800000	GF2C	1/2" (15mm)	Chrome	C\$ 16.04
6800840000	GF2W	1/2" (15mm)	White	C\$ 16.04
6800880004	GF2LB	3/4" (20mm)	Brass	C\$ 29.73
6800880001	GF2LC	3/4" (20mm)	Chrome	C\$ 16.04
6800880005	GF2LW	3/4" (20mm)	White	C\$ 16.04

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	C\$ 159.13
6880100120	WW4	Wrench, W4, Recessed, Concealed	C\$ 481.13



## G5-80

- K-Factor = 8.0 (115)
- **SIN RA3412**
- See Bulletin 034

## G5-80F

- K-Factor = 8.0(115)
- **SIN RA3417**
- See Bulletin 034

## G5-56

- K-Factor = 5.6 (80)
- **SIN RA3415**
- See Bulletin 034

## G5-42

- K-Factor = 4.2 (60)
- **SIN RA3413**
- See Bulletin 034

## G5-28

- K-Factor = 2.8 (40)
- **SIN RA3411**
- See Bulletin 034
- Sprinklers and Covers packaged and sold separately

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G5-80 CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3412</b>					
1916173498	G5801B	165°F	74°C	W/O	C\$108.34
1921173498	G5802B	212°F	100°C	W/O	C\$108.34
<b>MODEL G5-80F CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3417</b>					
1916173497	G5801BFM	165°F	74°C	W/O	C\$114.29
1921173497	G5802BFM	212°F	100°C	W/O	C\$114.29
<b>MODEL G5-80F CONCEALED K8.0 (115) THREADS BSPT 3/4" (20MM) RA3417</b>					
1916173494	G5801MFM	165°F	74°C	W/O	C\$114.29
1921173494	G5802MFM	212°F	100°C	W/O	C\$114.29
<b>MODEL G5-56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA3415</b>					
1916173299	G51B	165°F	74°C	W/O	C\$ 87.36
1921173299	G52B	212°F	100°C	W/O	C\$ 87.36
<b>MODEL G5-42 CONCEALED K4.2 (60) THREADS 1/2" (15MM) RA3413</b>					
1916172899	G5421B	165°F	74°C	W/O	C\$108.34
1921172899	G5422B	212°F	100°C	W/O	C\$108.34
<b>MODEL G5-28 CONCEALED K2.8 (40) THREADS 1/2" (15MM) RA3411</b>					
1916172499	G5281B	165°F	74°C	W/O	C\$108.34
1921172499	G5282B	212°F	100°C	W/O	C\$108.34
<b>MODEL G5 COVERPLATES</b>					
6887271321	CG50C	135°F	57°C	Chrome	C\$ 61.71
6887271372	CG50W	135°F	57°C	White	C\$ 56.25
6887271311	CG50B	135°F	57°C	Finished Bronze	C\$ 77.32
6887271374	CG50OW	135°F	57°C	Off-White	C\$ 76.51
6887271390	CG50SP	135°F	57°C	Specialty	C\$ 76.70
6887271316	CG50FB	135°F	57°C	Black Painted	C\$ 76.60
6887271305	CG50BB	135°F	57°C	Bright Brass	C\$ 93.60
6887271323	CG50CD	135°F	57°C	Satin Chrome	C\$ 93.60
6887271310	CG50SS	135°F	57°C	Stainless Steel	C\$ 93.60
6887271319	CG50EW	135°F	57°C	Euro White	C\$ 56.25
6887271621	CG51C	165°F	74°C	Chrome	C\$ 61.71
6887271672	CG51W	165°F	74°C	White	C\$ 56.25
6887271611	CG51B	165°F	74°C	Finished Bronze	C\$ 77.32
6887271674	CG51OW	165°F	74°C	Off-White	C\$ 76.51
6887271690	CG51SP	165°F	74°C	Specialty	C\$ 76.70
6887271616	CG51FB	165°F	74°C	Black Painted	C\$ 76.60
6887271605	CG51BB	165°F	74°C	Bright Brass	C\$ 93.60
6887271610	CG51SS	165°F	74°C	Stainless Steel	C\$ 93.60
6887271623	CG51CD	165°F	74°C	Satin Chrome	C\$ 93.60
6887271619	CG51EW	165°F	74°C	Euro White	C\$ 56.25

6880170020	WFC	WRENCH,FC,CONCEALED	C\$ 483.70
6880100110	W3	WRENCH W3 FOR WRENCH-ABLE PROTECTIVE CAP	C\$ 483.70

### Notes:

Factory Mutual does not recognize or approve fully concealed as Quick Response. sprinklers



**G6-56 HSW QR**

- K-Factor = 5.6 (80)
- **SIN RA5035**
- See Bulletin 050

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G6-56 HSW CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA5035</b>					
2116173299	G6H1B	165°F	74°C	W/O	C\$ 175.26
<b>MODEL G6 COVERPLATES</b>					
6887211311	CG60B	135°F	57°C	Finished Bronze	C\$ 78.45
6887211321	CG60C	135°F	57°C	Chrome	C\$ 56.25
6887211372	CG60W	135°F	57°C	White	C\$ 56.25
6887211390	CG60SP	135°F	57°C	Specialty	C\$ 81.81

6880101010      WG6      Requires Model G6 Sprinkler Wrench      C\$ 479.26

**Notes:**

Sprinkler and coverplates sold and packaged separately



**G5-80 QR "Sealing"  
 Concealed**

- K-Factor = 8.0 (115)
- **SIN RA3412**
- See Bulletin 034

**G5-56 QR "Sealing"  
 Concealed**

- K-Factor = 5.6 (80)
- **SIN RA3415**
- See Bulletin 034

**G5-42 QR "Sealing"  
 Concealed**

- K-Factor = 4.2(60)
- **SIN RA3413**
- See Bulletin 034

**G5-28 QR "Sealing"  
 Concealed**

- K-Factor = 2.8 (40)
- **SIN RA3411**
- See Bulletin 034

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G5-80 CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3412</b>					
1916173498	G5801B	165°F	74°C	W/O	C\$ 108.34
1921173498	G5802B	212°F	100°C	W/O	C\$ 108.34
<b>MODEL G5-56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA3415</b>					
1916173299	G51B	165°F	74°C	W/O	C\$ 87.36
1921173299	G52B	212°F	100°C	W/O	C\$ 87.36
<b>MODEL G5-42 CONCEALED K4.2 (60) THREADS 7/16" (10MM) RA3413</b>					
1916172899	G5421B	165°F	74°C	W/O	C\$ 108.34
1921172899	G5422B	212°F	100°C	W/O	C\$ 108.34
<b>MODEL G5-28 CONCEALED K2.8 (40) THREADS 3/8" (10MM) RA3411</b>					
1916172499	G5281B	165°F	74°C	W/O	C\$ 108.34
1921172499	G5282B	212°F	100°C	W/O	C\$ 108.34
<b>MODEL G5 SEALING CONCEALED COVERPLATE</b>					
6887201372	CG5S0W	135°F	57°C	White	C\$ 143.86
6887201672	CG5S1W	165°F	74°C	White	C\$ 143.86
6887201310	CG5S0SS	135°F	57°C	Stainless Steel	C\$ 149.77
6887201610	CG5S1SS	165°F	74°C	Stainless Steel	C\$ 149.77
6880170020	WFC	Requires Model FC Wrench			C\$ 483.70

**Notes:**

Sprinkler and coverplates sold separately



### G5-56 Concealed

- K-Factor = 5.6 (80)
- **SIN RA4014**
- See Bulletin 034

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G5-56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA4014 300 PSI</b>					
2016173299	G51B3	165°F	74°C	W/O	C\$ 92.32
<b>MODEL G5 SEALING CONCEALED COVERPLATE REQUIRED</b>					
6887201372	CG5S0W	135°F	57°C	White	C\$ 143.86
6887201672	CG5S1W	165°F	74°C	White	C\$ 143.86
6887201310	CG5S0SS	135°F	57°C	Stainless Steel	C\$ 149.77
6887201610	CG5S1SS	165°F	74°C	Stainless Steel	C\$ 149.77

6880170020      WFC      Requires Model FC Wrench      C\$ 483.70



### G5-56 300 QR "Sealing" Concealed

- K-Factor = 5.6 (80)
- **SIN RA4014**
- See Bulletin 034
- **300 PSI**





**G5-56 300  
 Concealer**

- K-Factor = 5.6 (80)
- **SIN RA4014**
- See Bulletin 034

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL G5-56 300 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA4014</b>				
2016173299	G51B3	165°F 74°C	W/O	C\$ 92.32
<b>MODEL G5 COVERPLATES</b>				
6887271321	CG50C	135°F 57°C	Chrome	C\$ 61.71
6887271372	CG50W	135°F 57°C	White	C\$ 56.25
6887271311	CG50B	135°F 57°C	Finished Bronze	C\$ 77.32
6887271374	CG50OW	135°F 57°C	Off-White	C\$ 76.51
6887271390	CG50SP	135°F 57°C	Specialty	C\$ 76.70
6887271316	CG50FB	135°F 57°C	Black Painted	C\$ 76.60
6887271305	CG50BB	135°F 57°C	Bright Brass	C\$ 93.60
6887271323	CG50CD	135°F 57°C	Satin Chrome	C\$ 93.60
6887271310	CG50SS	135°F 57°C	Stainless Steel	C\$ 93.60
6887271319	CG50EW	135°F 57°C	Euro White	C\$ 56.25
6887271621	CG51C	165°F 74°C	Chrome	C\$ 61.71
6887271672	CG51W	165°F 74°C	White	C\$ 56.25
6887271611	CG51B	165°F 74°C	Finished Bronze	C\$ 77.32
6887271674	CG51OW	165°F 74°C	Off-White	C\$ 76.51
6887271690	CG51SP	165°F 74°C	Specialty	C\$ 76.70
6887271616	CG51FB	165°F 74°C	Black Painted	C\$ 76.60
6887271605	CG51BB	165°F 74°C	Bright Brass	C\$ 93.60
6887271623	CG51CD	165°F 74°C	Satin Chrome	C\$ 93.60
6887271610	CG51SS	165°F 74°C	Stainless Steel	C\$ 93.60
6887271619	CG51EW	165°F 74°C	Euro White	C\$ 56.25
6880170020	WFC	Requires Model FC Wrench		C\$ 483.70



### F1FR56 CCP

- K-Factor = 5.6 (80)
- **SIN RA1414**
- See Bulletin 014

### F1FR56-300/CCP

- K-Factor = 5.6 (80)
- **SIN RA2614**
- See Bulletin 026
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA1414</b>					
BV13173299	F1FR56C0	135°F	57°C	Brass	C\$ 61.13
BV15173299	F1FR56C1	155°F	68°C	W/O	C\$ 61.13
BV17173299	F1FR56C5	175°F	79°C	W/O	C\$ 61.13
BV20173299	F1FR56C2	200°F	93°C	W/O	C\$ 61.13
<b>MODEL F1FR56-300 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA2614</b>					
BP131732R9	F1FR56C03	135°F	57°C	W/O	C\$ 64.45
BP151732R9	F1FR56C13	155°F	68°C	W/O	C\$ 64.45
BP171732R9	F1FR56C53	175°F	79°C	Bronze	C\$ 64.45
BP201732R9	F1FR56C23	200°F	93°C	W/O	C\$ 64.45
<b>MODEL CCP COVERPLATES (1/2" ADJ)</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	C\$ 130.77
6887161318	CCP0W76	135°F	57°C	Flat White	C\$ 50.96
6887161390	CCP0SP76	135°F	57°C	Specialty	C\$ 85.58
6887161621	CCP1C76	165°F	74°C	Chrome	C\$ 130.77
6887161618	CCP1W76	165°F	74°C	Flat White	C\$ 50.96
6887161690	CCP1SP76	165°F	74°C	Specialty	C\$ 85.58
6880100000	WRC	Requires Model RC1 Sprinkler Wrench			C\$ 481.13

**Notes:**

Sprinklers and coverplates sold and packaged separately



### XL Commercial

- K-Factor = 5.6 (80)
- Pendent = SIN R4514
- HSW = SIN R4534
- See Bulletin 145

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL XL PENDENT K5.6 (80) THREADS 1/2" (15MM) RA4514</b>					
1212213299	XLQRPC	165°F	74°C	Chrome	C\$230.70
1212723299	XLQRPW	165°F	74°C	White	C\$230.70
<b>MODEL XL HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA4534</b>					
1352213299	XLQRHC	165°F	74°C	Chrome	C\$286.40
1352723299	XLQRHW	165°F	74°C	White	C\$286.40
<b>REQUIRED ESCUTCHEONS FOR MODEL XL FLAT</b>					
6801210000	ZXFPC			Chrome	C\$ 44.82
6801220000	ZXFPW			White	C\$ 44.82
<b>REQUIRED ESCUTCHEONS FOR MODEL XL CONICAL</b>					
6801070000	ZXCPC			Chrome	C\$ 44.82
6801080000	ZXCPW			White	C\$ 44.82
<b>REQUIRED ESCUTCHEONS FOR MODEL XL HSW</b>					
6801120000	ZXCHC			Chrome	C\$ 44.82
6801140000	ZXCHW			White	C\$ 44.82
6880160000	WZXP	Requires Model ZX (Pendent) Sprinkler Wrench			C\$ 479.26
6880160010	WZXH	Requires Model ZX (Horizontal) Sprinkler Wrench			C\$ 479.26