



F1-56 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA1325**
- See Bulletin 071



F1-80 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA6222**
- See Bulletin 062

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1-56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA1325					
AA131132S9	F56U0BN	135°F	57°C	Brass	C\$ 46.22
AA132132S9	F56U0CN	135°F	57°C	Chrome	C\$ 56.34
AA138732S9	F56U0WN	135°F	57°C	White	C\$ 65.13
AA151132S9	F56U1BN	155°F	68°C	Brass	C\$ 46.22
AA152132S9	F56U1CN	155°F	68°C	Chrome	C\$ 56.34
AA158732S9	F56U1WN	155°F	68°C	Poly White	C\$ 65.13
AA171132S9	F56U5BN	175°F	79°C	Brass	C\$ 46.22
AA172132S9	F56U5CN	175°F	79°C	Chrome	C\$ 56.34
AA178732S9	F56U5WN	175°F	79°C	White	C\$ 65.13
AA201132S9	F56U2BN	200°F	93°C	Brass	C\$ 46.22
AA202132S9	F56U2CN	200°F	93°C	Chrome	C\$ 56.34
AA208732S9	F56U2WN	200°F	93°C	Poly White	C\$ 65.13
AA281132S9	F56U3BN	286°F	141°C	Brass	C\$ 46.22
AA282132S9	F56U3CN	286°F	141°C	Chrome	C\$ 56.34
AA288732S9	F56U3WN	286°F	141°C	Poly White	C\$ 65.13
AA361132S9	F56U6BN	360°F	182°C	Brass	C\$ 51.97
AA362132S9	F56U6CN	360°F	182°C	Chrome	C\$ 61.84
AA368732S9	F56U6WN	360°F	182°C	White	C\$ 70.81
MODEL F1-80 UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA6222					
A1131134S8	FU0LBN	135°F	57°C	Brass	C\$ 56.84
A1132134S8	FU0LCN	135°F	57°C	Chrome	C\$ 70.60
A1138734S8	FU0LWN	135°F	57°C	Poly White	C\$ 84.35
A1151134S8	FU1LBN	155°F	68°C	Brass	C\$ 56.84
A1152134S8	FU1LCN	155°F	68°C	Chrome	C\$ 70.60
A1158734S8	FU1LWN	155°F	68°C	Poly White	C\$ 84.35
A1171134S8	FU5LBN	175°F	79°C	Brass	C\$ 56.84
A1172134S8	FU5LCN	175°F	79°C	Chrome	C\$ 70.60
A1178734S8	FU5LWN	175°F	79°C	Poly White	C\$ 84.35
A1201134S8	FU2LBN	200°F	93°C	Brass	C\$ 56.84
A1202134S8	FU2LCN	200°F	93°C	Chrome	C\$ 70.60
A1208734S8	FU2LWN	200°F	93°C	Poly White	C\$ 84.35
A1281134S8	FU3LBN	286°F	141°C	Brass	C\$ 56.84
A1282134S8	FU3LCN	286°F	141°C	Chrome	C\$ 70.60
A1288734S8	FU3LWN	286°F	141°C	Poly White	C\$ 84.35
A1361134S8	FU6LBN	360°F	182°C	Brass	C\$ 56.84
A1362134S8	FU6LCN	360°F	182°C	Chrome	C\$ 70.60
A1368734S8	FU6LWN	360°F	182°C	White	C\$ 84.35

6880050100

WW2

Wrench, W2, Pendent, Upright, HSW

C\$ 195.92



F1 28 UPRIGHT

- K-Factor = 2.8 (40)
- **SIN RA1321**
- See Bulletin 066



F1 42 UPRIGHT

- K-Factor = 4.2 (60)
- **SIN RA1323**
- See Bulletin 067

Part Number	Short Code	Temperature		Finish	List Price
MODEL F128 UPRIGHT K 2.8 (40) THREADS 1/2" (15MM) RA1321					
AA151124S9	F28U1BN	155°F	68°C	Brass	C\$ 69.91
		°F	°C		C\$ Call
		°F	°C		C\$ Call
AA171124S9	F28U5BN	175°F	79°C	Brass	C\$ 69.91
AA172124R9	F28U5C	175°F	79°C	Chrome	C\$ 82.31
AA178724R9	F28U5W	175°F	79°C	Poly White	C\$ 88.45
AA201124S9	F28U2BN	200°F	93°C	Brass	C\$ 69.91
		°F	°C		C\$ Call
		°F	°C		C\$ Call
AA281124S9	F28U3BN	286°F	141°C	Brass	C\$ 69.91
AA282124R9	F28U3C	286°F	141°C	Chrome	C\$ 82.31
AA288724R9	F28U3W	286°F	141°C	Poly White	C\$ 88.45
MODEL F142 UPRIGHT K4.2 (60) THREADS 1/2" (15MM) RA1323					
		°F	°C		C\$ Call
		°F	°C		C\$ Call
AA138728R9	F42U0W	135°F	57°C	White	C\$ 88.45
		°F	°C		C\$ Call
		°F	°C		C\$ Call
		°F	°C		C\$ Call
		°F	°C		C\$ Call
		°F	°C		C\$ Call
AA178728R9	F42U5W	175°F	79°C	White	C\$ 88.45
		°F	°C		C\$ Call
		°F	°C		C\$ Call
AA208728R9	F42U2W	200°F	93°C	White	C\$ 88.45
AA288728R9	F42U3BN	286°F	141°C	White	C\$ 69.91
		°F	°C		C\$ Call
AA288728R9	F42U3W	286°F	141°C	White	C\$ 88.45
AA362128R9	F42U6C	360°F	182°C	Chrome	C\$ 87.99
AA368728R9	F42U6W	360°F	182°C	White	C\$ 94.74
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 195.92



F1-56SS PENDENT

- K-Factor = 5.6 (80)
- **SIN RA6414**
- See Bulletin 064
- Stainless Steel



F1-80SS PENDENT

- K-Factor = 8.0 (115)
- **SIN RA6412**
- See Bulletin 064
- Stainless Steel

F1-56SS UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA6424**
- See Bulletin 064
- Stainless Steel

F1-80SS UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA6422**
- See Bulletin 064
- Stainless Steel

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156-SS PENDENT K5.6 (80) THREADS 1/2" (15MM) RA6414					
A213103299	F56P0SS	135°F	57°C	Stainless Steel	C\$ 1,018.93
		°F	°C		C\$ Call
A217103299	F56P5SS	175°F	79°C	Stainless Steel	C\$ 1,018.93
A220103299	F56P2SS	200°F	93°C	Stainless Steel	C\$ 1,018.93
A228103299	F56P3SS	286°F	141°C	Stainless Steel	C\$ 1,018.93
A236103299	F56P6SS	360°F	182°C	Stainless Steel	C\$ 1,018.93
A250103299	F56P7SS	500°F	260°C	Stainless Steel	C\$ 1,018.93
MODEL F180-SS PENDENT K8.0 (115) THREADS 3/4" (20MM) RA6412					
A213103498	FP0LSS	135°F	57°C	Stainless Steel	C\$ 1,075.52
A215103498	FP1LSS	155°F	68°C	Stainless Steel	C\$ 1,075.52
A217103498	FP5LSS	175°F	79°C	Stainless Steel	C\$ 1,075.52
A220103498	FP2LSS	200°F	93°C	Stainless Steel	C\$ 1,075.52
A228103498	FP3LSS	286°F	141°C	Stainless Steel	C\$ 1,075.52
A236103498	FP6LSS	360°F	182°C	Stainless Steel	C\$ 1,075.52
MODEL F156-SS UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA6424					
AA131032R9	F56U0SS	135°F	57°C	Stainless Steel	C\$ 1,018.93
AA151032R9	F56U1SS	155°F	68°C	Stainless Steel	C\$ 1,018.93
AA171032R9	F56U5SS	175°F	79°C	Stainless Steel	C\$ 1,018.93
AA201032R9	F56U2SS	200°F	93°C	Stainless Steel	C\$ 1,018.93
AA281032R9	F56U3SS	286°F	141°C	Stainless Steel	C\$ 1,018.93
AA361032R9	F56U6SS	360°F	182°C	Stainless Steel	C\$ 1,018.93
AA501032R9	F56U7SS	500°F	260°C	Stainless Steel	C\$ 1,018.93
MODEL F180-SS UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA6422					
A113103498	FU0LSS	135°F	57°C	Stainless Steel	C\$ 1,075.52
A115103498	FU1LSS	155°F	68°C	Stainless Steel	C\$ 1,075.52
A117103498	FU5LSS	175°F	79°C	Stainless Steel	C\$ 1,075.52
A120103498	FU2LSS	200°F	93°C	Stainless Steel	C\$ 1,075.52
A128103498	FU3LSS	286°F	141°C	Stainless Steel	C\$ 1,075.52
A136103498	FU6LSS	360°F	182°C	Stainless Steel	C\$ 1,075.52
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800610010	GF1SS	1/2" (15mm)		Stainless Steel	C\$ 114.14
6800970010	GF1LSS	3/4" (20mm)		Stainless Steel	C\$ 114.14
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801411000	FPSS	1/2" (15mm)		Stainless Steel	C\$ 171.23
6801401000	FPLSS	3/4" (20mm)		Stainless Steel	C\$ 171.23
MODEL B ONE PIECE ESCUTCHEONS					
6800121002	BSS	1/2" (15mm)		Stainless Steel	C\$ 68.52
6800091002	BLSS	3/4" (20mm)		Stainless Steel	C\$ 68.52

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	C\$ 195.92
6880100120	WW4	Wrench, W4, Recessed, Concealed	C\$ 581.40



F156-300 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA2525**
- See Bulletin 025
- 300 PSI



F180-300 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA7622**
- See Bulletin 076
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA2525 300PSI					
AF131132R9	F56U0B3	135°F	57°C	Brass	C\$ 50.70
AF132132R9	F56U0C3	135°F	57°C	Chrome	C\$ 61.42
AF138732R9	F56U0W3	135°F	57°C	White	C\$ 69.97
AF151132S9	F56U1B3N	155°F	68°C	Brass	C\$ 50.70
AF152132S9	F56U1C3N	155°F	68°C	Chrome	C\$ 61.42
AF158732S9	F56U1W3N	155°F	68°C	Poly White	C\$ 70.60
AF171132S9	F56U5B3N	175°F	79°C	Brass	C\$ 50.70
		°F	°C		C\$ Call
AF178732R9	F56U5W3	175°F	79°C	Poly White	C\$ 70.60
AF201132S9	F56U2B3N	200°F	93°C	Brass	C\$ 50.70
AF202132S9	F56U2C3N	200°F	93°C	Chrome	C\$ 61.42
		°F	°C		C\$ Call
AF281132S9	F56U3B3N	286°F	141°C	Brass	C\$ 50.70
AF282132S9	F56U3C3N	286°F	141°C	Chrome	C\$ 61.42
AF288732S9	F56U3W3N	286°F	141°C	Poly White	C\$ 70.60
MODEL F1 LO UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA7622 300PSI					
AF13113498	FU0LB3	135°F	57°C	Brass	C\$ 61.83
AF13213498	FU0LC3	135°F	57°C	Chrome	C\$ 76.14
AF13873498	FU0LW3	135°F	57°C	White	C\$ 84.96
AF151134S8	FU1LB3N	155°F	68°C	Brass	C\$ 61.26
AF152134S8	FU1LC3N	155°F	68°C	Brass	C\$ 76.14
AF15873498	FU1LW3	155°F	68°C	Poly White	C\$ 87.32
AF171134S8	FU5LB3N	175°F	79°C	Brass	C\$ 61.26
AF17213498	FU5LC3	175°F	79°C	Chrome	C\$ 76.14
AF17873498	FU5LW3	175°F	79°C	White	C\$ 84.96
AF201134S8	FU2LB3N	200°F	93°C	Brass	C\$ 61.26
AF20213498	FU2LC3	200°F	93°C	Chrome	C\$ 76.14
AF20873498	FU2LW3	200°F	93°C	Poly White	C\$ 87.32
AF281134S8	FU3LB3N	286°F	141°C	Brass	C\$ 61.26
AF28213498	FU3LC3	286°F	141°C	Chrome	C\$ 76.14
AF28873498	FU3LW3	286°F	141°C	White	C\$ 84.96
AF36113498	FU6LB3	360°F	182°C	Brass	C\$ 69.38
AF36213498	FU6LC3	360°F	182°C	Chrome	C\$ 82.42
AF36873498	FU6LW3	360°F	182°C	White	C\$ 92.00
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 195.92



F156

- K-Factor = 5.6 (80)
- **SIN RA1314**
- See Bulletin 071



F180

- K-Factor = 8.0 (115)
- **SIN RA6212**
- See Bulletin 062

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1314					
A2131132S9	F56P0BN	135°F	57°C	Brass	C\$ 46.22
A2132132S9	F56P0CN	135°F	57°C	Chrome	C\$ 54.71
		°F	°C		C\$ Call
A2151132S9	F56P1BN	155°F	68°C	Brass	C\$ 46.22
A2152132S9	F56P1CN	155°F	68°C	Chrome	C\$ 54.71
A2158732S9	F56P1WN	155°F	68°C	Poly White	C\$ 65.13
A2171132S9	F56P5BN	175°F	79°C	Brass	C\$ 46.22
A2172132S9	F56P5CN	175°F	79°C	Chrome	C\$ 54.71
		°F	°C		C\$ Call
A2201132S9	F56P2BN	200°F	93°C	Brass	C\$ 46.22
A2202132S9	F56P2CN	200°F	93°C	Chrome	C\$ 54.71
A2208732S9	F56P2WN	200°F	93°C	Poly White	C\$ 65.13
A2281132S9	F56P3BN	286°F	141°C	Brass	C\$ 46.22
A2282132S9	F56P3CN	286°F	141°C	Chrome	C\$ 54.71
A2288732S9	F56P3WN	286°F	141°C	Poly White	C\$ 65.13
A2361132S9	F56P6BN	360°F	182°C	Brass	C\$ 51.97
A2362132S9	F56P6CN	360°F	182°C	Chrome	C\$ 60.13
A2368732S9	F56P6WN	360°F	182°C	Poly White	C\$ 70.81
MODEL F1 80 PENDENT K8.0 (115) THREADS 3/4" (20MM) RA6212					
A2131134S8	FP0LBN	135°F	57°C	Brass	C\$ 58.53
A2132134S8	FP0LCN	135°F	57°C	Chrome	C\$ 70.60
A2138734S8	FP0LWN	135°F	57°C	White	C\$ 84.35
A2151134S8	FP1LBN	155°F	68°C	Brass	C\$ 58.53
A2152134S8	FP1LCN	155°F	68°C	Chrome	C\$ 70.60
A2158734S8	FP1LWN	155°F	68°C	White	C\$ 84.35
A2171134S8	FP5LBN	175°F	79°C	Brass	C\$ 58.53
A2172134S8	FP5LCN	175°F	79°C	Chrome	C\$ 70.60
A2178734S8	FP5LWN	175°F	79°C	White	C\$ 84.35
A2201134S8	FP2LBN	200°F	93°C	Brass	C\$ 58.53
A2202134S8	FP2LCN	200°F	93°C	Chrome	C\$ 70.60
A2208734S8	FP2LWN	200°F	93°C	Poly White	C\$ 84.35
A2281134S8	FP3LBN	286°F	141°C	Brass	C\$ 58.53
A2282134S8	FP3LCN	286°F	141°C	Chrome	C\$ 70.60
A2288734S8	FP3LWN	286°F	141°C	White	C\$ 84.35
A2361134S8	FP6LBN	360°F	182°C	Brass	C\$ 58.53
A2362134S8	FP6LCN	360°F	182°C	Chrome	C\$ 70.60
A2368734S8	FP6LWN	360°F	182°C	White	C\$ 84.35
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 195.92




F1 28 PENDENT

- K-Factor = 2.8 (40)
- **SIN RA1311**
- See Bulletin 066



F1 42 PENDENT

- K-Factor = 4.2 (60)
- **SIN RA1313**
- See Bulletin 067



Part Number	Short Code	Temperature		Finish	List Price
MODEL F128 PENDENT K 2.8 (40) THREADS 1/2" (15MM) RA1311					
AB151124S9	F28P1BN	155°F	68°C	Brass	C\$ 69.91
AB152124S9	F28P1CN	155°F	68°C	Chrome	C\$ 82.31
AB158724S9	F28P1WN	155°F	68°C	Poly White	C\$ 88.45
AB172124S9	F28P5CN	175°F	79°C	Chrome	C\$ 82.31
AB178724S9	F28P5WN	175°F	79°C	Poly White	C\$ 88.45
AB201124S9	F28P2BN	200°F	93°C	Brass	C\$ 69.91
AB202124S9	F28P2CN	200°F	93°C	Chrome	C\$ 82.31
AB208724S9	F28P2WN	200°F	93°C	Poly White	C\$ 88.45
AB281124S9	F28P3BN	286°F	141°C	Brass	C\$ 69.91
AB282124S9	F28P3CN	286°F	141°C	Chrome	C\$ 82.31
AB288724S9	F28P3WN	286°F	141°C	Poly White	C\$ 88.45
MODEL F142 PENDENT K4.2 (60) THREADS 1/2" (15MM) RA1313					
AB131128S9	F42P0BN	135°F	57°C	Brass	C\$ 69.91
AB132128S9	F42POCN	135°F	57°C	Chrome	C\$ 82.31
AB138728S9	F42POWN	135°F	57°C	White	C\$ 88.45
AB151128S9	F42P1BN	155°F	68°C	Brass	C\$ 69.91
AB152128S9	F42P1CN	155°F	68°C	Chrome	C\$ 82.31
AB171128S9		175°F	79°C	Brass	C\$ 69.91
		°F	°C		C\$ Call
AB178728S9	F42P5WN	175°F	79°C	Poly White	C\$ 88.45
		°F	°C		C\$ Call
AB202128S9	F42P2CN	200°F	93°C	Chrome	C\$ 82.31
AB208728S9	F42P2WN	200°F	93°C	White	C\$ 88.45
AB361128S9	F42P6BN	360°F	182°C	Brass	C\$ 75.52
AB362128S9	F42P6CN	360°F	182°C	Chrome	C\$ 87.99
AB368728S9	F42P6WN	360°F	182°C	White	C\$ 94.74
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 35.96
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 19.38
6800640001	GF1W	1/2" (15mm)		White	C\$ 19.38
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	C\$ 35.96
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 19.38
6800840000	GF2W	1/2" (15mm)		White	C\$ 19.38
MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	C\$ 37.39
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	C\$ 37.39

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	C\$ 195.92
6880100120	WW4	Wrench, W4, Recessed, Concealed	C\$ 581.40



F156-300

- K-Factor = 5.6 (80)
- **SIN RA2514**
- See Bulletin 075
- **300 PSI**



F1-300

- K-Factor = 8.0 (115)
- **SIN R5512**
- See Bulletin 076
- **300 PSI**


Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2514 300 PSI					
AG131132S9	F56P0B3N	135°F	57°C	Brass	C\$ 50.70
AG132132S9	F56P0C3N	135°F	57°C	Chrome	C\$ 59.61
AG138732S9	F56P0W3N	135°F	57°C	Poly White	C\$ 68.61
AG151132S9	F56P1B3N	155°F	68°C	Brass	C\$ 50.70
AG152132S9	F56P1C3N	155°F	68°C	Chrome	C\$ 59.61
AG158732S9	F56P1W3N	155°F	68°C	Poly White	C\$ 68.61
AG171132S9	F56P5B3N	175°F	79°C	Brass	C\$ 50.70
AG172132S9	F56P5C3N	175°F	79°C	Chrome	C\$ 59.61
AG178732S9	F56P5W3N	175°F	79°C	Poly White	C\$ 68.48
AG201132S9	F56P2B3N	200°F	93°C	Brass	C\$ 50.70
AG202132S9	F56P2C3N	200°F	93°C	Chrome	C\$ 59.61
AG208732S9	F56P2W3N	200°F	93°C	Poly White	C\$ 68.61
AG281132S9	F56P3B3N	286°F	141°C	Brass	C\$ 59.61
AG282132S9	F56P3C3N	286°F	141°C	Chrome	C\$ 59.61
AG288732S9	F56P3W3N	286°F	141°C	Poly White	C\$ 68.61
AG361132S9	F56P6B3N	360°F	182°C	Brass	C\$ 50.70
AG362132S9	F56P6C3N	360°F	182°C	Chrome	C\$ 65.09
AG368732S9	F56P6W3N	360°F	182°C	White	C\$ 74.14
MODEL F180 PENDENT K8.0 (115) THREADS 3/4" (20MM) R5512 300 PSI					
AG13113498	FP0LB3	135°F	57°C	Brass	C\$ 63.73
AG13213498	FP0LC3	135°F	57°C	Chrome	C\$ 76.14
AG13873498	FP0LW3	135°F	57°C	White	C\$ 85.75
AG151134S8	FP1LB3N	155°F	68°C	Brass	C\$ 63.73
AG152134S8	FP1LC3N	155°F	68°C	Chrome	C\$ 76.14
AG158734S8	FP1LW3N	155°F	68°C	Poly White	C\$ 90.58
AG17113498	FP5LB3	175°F	79°C	Brass	C\$ 63.73
AG17213498	FP5LC3	175°F	79°C	Chrome	C\$ 76.14
AG17873498	FP5LW3	175°F	79°C	White	C\$ 85.75
AG20113498	FP2LB3	200°F	93°C	Brass	C\$ 63.73
AG20213498	FP2LC3	200°F	93°C	Chrome	C\$ 76.14
AG20873498	FP2LW3	200°F	93°C	Poly White	C\$ 90.58
AG28113498	FP3LB3	286°F	141°C	Brass	C\$ 63.73
AG28213498	FP3LC3	286°F	141°C	Chrome	C\$ 76.14
AG28873498	FP3LW3	286°F	141°C	White	C\$ 90.58
AG36113498	FP6LB3	360°F	182°C	Brass	C\$ 69.38
AG36213498	FP6LC3	360°F	182°C	Chrome	C\$ 82.42
AG36873498	FP6LW3	360°F	182°C	White	C\$ 92.00

6880050100

WW2

Wrench, W2, Pendent, Upright, HSW

C\$ 195.92



F1 56

- K-Factor = 5.6 (80)
- **SIN RA1375**
- See Bulletin 013



F1 LO

- K-Factor = 8.0 (115)
- **SIN R1772**
- See Bulletin 117

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 CONVENTIONAL K 5.6 (80) THREADS 1/2" (15MM) RA1375					
AC131132S9	F56C0BN	135°F	57°C	Brass	C\$ 46.22
AC132132S9	F56C0CN	135°F	57°C	Chrome	C\$ 54.71
AC138732S9	F56C0WN	135°F	57°C	Poly White	C\$ 65.13
AC151132S9	F56C1BN	155°F	68°C	Brass	C\$ 46.22
AC152132S9	F56C1CN	155°F	68°C	Chrome	C\$ 54.71
AC158732S9	F56C1WN	155°F	68°C	Poly White	C\$ 65.13
AC171132S9	F56C5BN	175°F	79°C	Brass	C\$ 46.22
AC172132S9	F56C5CN	175°F	79°C	Chrome	C\$ 54.71
AC178732S9	F56C5WN	175°F	79°C	Poly White	C\$ 65.13
AC201132S9	F56C2BN	200°F	93°C	Brass	C\$ 46.22
AC202132S9	F56C2CN	200°F	93°C	Chrome	C\$ 54.71
AC208732S9	F56C2WN	200°F	93°C	Poly White	C\$ 65.13
AC281132S9	F56C3BN	286°F	141°C	Brass	C\$ 46.22
AC282132S9	F56C3CN	286°F	141°C	Chrome	C\$ 54.71
AC288732S9	F56C3WN	286°F	141°C	Poly White	C\$ 65.13
AC361132S9	F56C6BN	360°F	182°C	Brass	C\$ 46.22
AC362132S9	F56C6CN	360°F	182°C	Chrome	C\$ 54.71
AC368732S9	F56C6WN	360°F	182°C	Poly White	C\$ 65.13
MODEL F1-80 CONVENTIONAL K8.0 (115) THREADS 3/4" (20MM) R1772					
A313113498	FC0LB	135°F	57°C	Brass	C\$ 58.53
A313213498	FC0LC	135°F	57°C	Chrome	C\$ 70.60
A313873498	FC0LW	135°F	57°C	White	C\$ 84.35
A315113498	FC1LB	155°F	68°C	Brass	C\$ 58.53
A315213498	FC1LC	155°F	68°C	Chrome	C\$ 70.60
A315873498	FC1LW	155°F	68°C	White	C\$ 84.35
A317113498	FC5LB	175°F	79°C	Brass	C\$ 58.53
A317213498	FC5LC	175°F	79°C	Chrome	C\$ 70.60
A320113498	FC2LB	200°F	93°C	Brass	C\$ 58.53
A320213498	FC2LC	200°F	93°C	Chrome	C\$ 70.60
A320873498	FC2LW	200°F	93°C	White	C\$ 84.35
A328113498	FC3LB	286°F	141°C	Brass	C\$ 58.53
A328213498	FC3LC	286°F	141°C	Chrome	C\$ 70.60
A328873498	FC3LW	286°F	141°C	White	C\$ 84.35

6880050100 WW2 Wrench, W2, Pendent, Upright, HSW C\$ 195.92



F1 56 HSW

- K-Factor = 5.6 (80)
- **SIN RA1335**
- See Bulletin 013

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1335					
AD131132S9	F56H0BN	135°F	57°C	Brass	C\$ 71.86
		°F	°C		C\$ Call
		°F	°C		C\$ Call
AD151132S9	F56H1BN	155°F	68°C	Brass	C\$ 71.86
AD152132S9	F56H1CN	155°F	68°C	Chrome	C\$ 82.31
AD158732S9	F56H1WN	155°F	68°C	Poly White	C\$ 88.38
AD171132S9	F56H5BN	175°F	79°C	Brass	C\$ 71.86
AD172132S9	F56H5CN	175°F	79°C	Chrome	C\$ 82.31
AD178732S9	F56H5WN	175°F	79°C	Poly White	C\$ 88.38
AD201132S9	F56H2BN	200°F	93°C	Brass	C\$ 71.86
AD202132S9	F56H2CN	200°F	93°C	Chrome	C\$ 82.31
AD208732S9	F56H2WN	200°F	93°C	Poly White	C\$ 88.38
AD281132S9	F56H3BN	286°F	141°C	Brass	C\$ 71.86
AD282132S9	F56H3CN	286°F	141°C	Chrome	C\$ 82.31
AD288732S9	F56H3WN	286°F	141°C	Poly White	C\$ 88.38
AD361132S9	F56H6BN	360°F	182°C	Brass	C\$ 71.86
AD362132S9	F56H6CN	360°F	182°C	Chrome	C\$ 82.31
AD368732S9	F56H6WN	360°F	182°C	Poly White	C\$ 88.38
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 35.96
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 19.38
6800640001	GF1W	1/2" (15mm)		White	C\$ 19.38
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 195.92
6880100120	WW4	Wrench, W4, Recessed, Concealed			C\$ 581.40



F1 56

- K-Factor = 5.6 (80)
- **SIN RA1385**
- See Bulletin 071

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 VERTICAL K5.6 (80) THREADS 1/2" (15MM) RA1385					
AE131132S9	F56V0BN	135°F	57°C	Brass	C\$ 73.84
AE132132S9	F56V0CN	135°F	57°C	Chrome	C\$ 84.60
AE138732S9	F56V0WN	135°F	57°C	Poly White	C\$ 92.48
AE151132S9	F56V1BN	155°F	68°C	Brass	C\$ 73.84
AE152132S9	F56V1CN	155°F	68°C	Chrome	C\$ 84.60
AE158732S9	F56V1WN	155°F	68°C	Poly White	C\$ 92.48
AE171132S9	F56V5BN	175°F	79°C	Brass	C\$ 73.84
AE172132S9	F56V5CN	175°F	79°C	Chrome	C\$ 84.60
AE178732S9	F56V5WN	175°F	79°C	Poly White	C\$ 92.48
AE201132S9	F56V2BN	200°F	93°C	Brass	C\$ 73.84
		°F	°C		C\$ Call
AE208732S9	F56V2WN	200°F	93°C	Poly White	C\$ 92.48
AE281132S9	F56V3BN	286°F	141°C	Brass	C\$ 73.84
AE282132S9	F56V3CN	286°F	141°C	Chrome	C\$ 84.60
AE288732S9	F56V3WN	286°F	141°C	Poly White	C\$ 92.48
AE361132S9	F56V6BN	360°F	182°C	Brass	C\$ 73.90
AE362132S9	F56V6CN	360°F	182°C	Chrome	C\$ 84.60
AE368732S9	F56V6WN	360°F	182°C	Poly White	C\$ 92.48

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	C\$ 195.92
------------	-----	-----------------------------------	------------



G UPRIGHT

- K5.6 = SIN R1025
- K7.96 = SIN R1026 (17/32"x1/2")
- K8.2 = SIN R1027
- See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
MODEL G UPRIGHT K5.6 (80) THREADS 1/2" (15MM) R1025					
5113113299	GU0B	135°F	57°C	Brass	C\$ 69.17
5113213299	GU0C	135°F	57°C	Chrome	C\$ 82.29
5113873299	GU0W	135°F	57°C	White	C\$ 90.51
5116113299	GU1B	165°F	74°C	Brass	C\$ 69.17
5116213299	GU1C	165°F	74°C	Chrome	C\$ 82.29
5116873299	GU1W	165°F	74°C	Poly White	C\$ 90.51
5121113299	GU2B	212°F	100°C	Brass	C\$ 69.17
5121213299	GU2C	212°F	100°C	Chrome	C\$ 82.29
5121873299	GU2W	212°F	100°C	White	C\$ 90.51
5128113299	GU3B	286°F	141°C	Brass	C\$ 69.17
5128213299	GU3C	286°F	141°C	Chrome	C\$ 82.29
5128873299	GU3W	286°F	141°C	White	C\$ 90.51
MODEL G UPRIGHT K8.2 (115) THREADS 3/4" (20MM) R1027					
5113113498	GU0LB	135°F	57°C	Brass	C\$ 82.99
5113213498	GU0LC	135°F	57°C	Chrome	C\$ 99.70
5116113498	GU1LB	165°F	74°C	Brass	C\$ 82.99
5116213498	GU1LC	165°F	74°C	Chrome	C\$ 99.70
5121113498	GU2LB	212°F	100°C	Brass	C\$ 82.99
5121213498	GU2LC	212°F	100°C	Chrome	C\$ 99.70
5128113498	GU3LB	286°F	141°C	Brass	C\$ 82.99
5128213498	GU3LC	286°F	141°C	Chrome	C\$ 99.70
MODEL G UPRIGHT K8.0 (115) THREADS 1/2" (15MM) R1026					
5113113499	GU0LHB	135°F	57°C	Brass	C\$ 106.57
5113213499	GU0LHC	135°F	57°C	Chrome	C\$ 122.04
5116113499	GU1LHB	165°F	74°C	Brass	C\$ 106.57
5116213499	GU1LHC	165°F	74°C	Chrome	C\$ 122.04
5121113499	GU2LHB	212°F	100°C	Brass	C\$ 106.57
5121213499	GU2LHC	212°F	100°C	Chrome	C\$ 122.04
5128113499	GU3LHB	286°F	141°C	Brass	C\$ 106.57
5128213499	GU3LHC	286°F	141°C	Chrome	C\$ 122.04
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 195.92



G UPRIGHT

- K2.82 = SIN R1021
- K4.24 = SIN R1023
- K4.10 = SIN R1024
- See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
MODEL G UPRIGHT K2.8 (40) THREADS 1/2" (15MM) R1021					
5113112499	GU03B	135°F	57°C	Brass	C\$ 94.74
5113212499	GU03C	135°F	57°C	Chrome	C\$ 109.95
5116112499	GU13B	165°F	74°C	Brass	C\$ 94.74
5116212499	GU13C	165°F	74°C	Chrome	C\$ 109.95
5121112499	GU23B	212°F	100°C	Brass	C\$ 94.74
5121212499	GU23C	212°F	100°C	Chrome	C\$ 109.95
5128112499	GU33B	286°F	141°C	Brass	C\$ 94.74
5128212499	GU33C	286°F	141°C	Chrome	C\$ 109.95
MODEL G UPRIGHT K4.2 (60) THREADS 1/2" (15MM) R1023					
5113112899	GU07B	135°F	57°C	Brass	C\$ 94.74
5113212899	GU07C	135°F	57°C	Chrome	C\$ 109.95
5116112899	GU17B	165°F	74°C	Brass	C\$ 94.74
5116212899	GU17C	165°F	74°C	Chrome	C\$ 109.95
5121112899	GU27B	212°F	100°C	Brass	C\$ 94.74
5128112899	GU37B	286°F	141°C	Brass	C\$ 94.74
5128212899	GU37C	286°F	141°C	Chrome	C\$ 109.95
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			C\$ 195.92



G PENDENT

- K5.6 = SIN R1015
- K8.2 = SIN R1017
- See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
MODEL G PENDENT K5.6 (80) THREADS 1/2" (15MM) R1015					
5213113299	GP0B	135°F	57°C	Brass	C\$ 69.17
5213213299	GP0C	135°F	57°C	Chrome	C\$ 80.14
5213873299	GP0W	135°F	57°C	White	C\$ 90.51
5216113299	GP1B	165°F	74°C	Brass	C\$ 69.17
5216213299	GP1C	165°F	74°C	Chrome	C\$ 80.14
5216873299	GP1W	165°F	74°C	Poly White	C\$ 90.51
5221113299	GP2B	212°F	100°C	Brass	C\$ 69.17
5221213299	GP2C	212°F	100°C	Chrome	C\$ 80.14
5221873299	GP2W	212°F	100°C	White	C\$ 90.51
5228113299	GP3B	286°F	141°C	Brass	C\$ 69.17
5228213299	GP3C	286°F	141°C	Chrome	C\$ 80.14
5228873299	GP3W	286°F	141°C	White	C\$ 90.51
MODEL G PENDENT K8.0 (115) THREADS 3/4" (20MM) R1017					
5213113498	GP0LB	135°F	57°C	Brass	C\$ 85.23
5213213498	GP0LC	135°F	57°C	Chrome	C\$ 99.70
5216113498	GP1LB	165°F	74°C	Brass	C\$ 85.23
5216213498	GP1LC	165°F	74°C	Chrome	C\$ 99.70
5221113498	GP2LB	212°F	100°C	Brass	C\$ 85.23
5221213498	GP2LC	212°F	100°C	Chrome	C\$ 99.70
5228113498	GP3LB	286°F	141°C	Brass	C\$ 85.23
5228213498	GP3LC	286°F	141°C	Chrome	C\$ 99.70
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 35.96
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 19.38
6800640001	GF1W	1/2" (15mm)		White	C\$ 19.38
6801030000	GF1LB	3/4" (20mm)		Brass	C\$ 35.96
6801000000	GF1LC	3/4" (20mm)		Chrome	C\$ 19.38
6801040000	GF1LW	3/4" (20mm)		White	C\$ 19.38
6800930000	GF1MB	10mm		Brass	C\$ 35.92
6800900000	GF1MC	10mm		Chrome	C\$ 19.13
6800940003	GF1MW	10mm		Poly White	C\$ 19.13
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 195.92
6880100000	WRC	For Recessed Use RC1 Wrench			C\$ 581.40



G PENDENT

- K2.82 = SIN R1011
- K4.24 = SIN R1013
- K4.10 = SIN R1014
- See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
MODEL G PENDENT K2.8 (40) THREADS 1/2" (15MM) R1011					
5213112499	GP03B	135°F	57°C	Brass	C\$ 94.74
5213212499	GP03C	135°F	57°C	Chrome	C\$ 109.95
5216112499	GP13B	165°F	74°C	Brass	C\$ 94.74
5216212499	GP13C	165°F	74°C	Chrome	C\$ 109.95
5221112499	GP23B	212°F	100°C	Brass	C\$ 94.74
5221212499	GP23C	212°F	100°C	Chrome	C\$ 109.95
5228112499	GP33B	286°F	141°C	Brass	C\$ 94.74
5228212499	GP33C	286°F	141°C	Chrome	C\$ 109.95
MODEL G PENDENT K4.2 (60) THREADS 1/2" (15MM) R1013					
5213112899	GP07B	135°F	57°C	Brass	C\$ 94.74
5213212899	GP07C	135°F	57°C	Chrome	C\$ 109.95
5216112899	GP17B	165°F	74°C	Brass	C\$ 94.74
5216212899	GP17C	165°F	74°C	Chrome	C\$ 109.95
5221112899	GP27B	212°F	100°C	Brass	C\$ 94.74
5221212899	GP27C	212°F	100°C	Chrome	C\$ 109.95
5228112899	GP37B	286°F	141°C	Brass	C\$ 94.74
5228212899	GP37C	286°F	141°C	Chrome	C\$ 109.95

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	C\$ 195.92
6880100000	WRC	For Recessed, Use Model RC1 Wrench	C\$ 581.40



G

- K4.10 = SIN R1074
- K5.62 = SIN R1075
- K8.2 = SIN R1077
- See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
MODEL G CONVENTIONAL K4.2 (60) THREADS 1/2" (15MM) R1074					
5313113299	GC0B	135°F	57°C	Brass	C\$ 63.83
5313213299	GC0C	135°F	57°C	Chrome	C\$ 75.91
5313873299	GC0W	135°F	57°C	White	C\$ 85.78
5316113299	GC1B	165°F	74°C	Brass	C\$ 63.83
5316213299	GC1C	165°F	74°C	Chrome	C\$ 75.91
5316873299	GC1W	165°F	74°C	White	C\$ 85.78
5321113299	GC2B	212°F	100°C	Brass	C\$ 63.83
5321213299	GC2C	212°F	100°C	Chrome	C\$ 75.91
5321873299	GC2W	212°F	100°C	White	C\$ 85.78
5328113299	GC3B	286°F	141°C	Brass	C\$ 63.83
5328213299	GC3C	286°F	141°C	Chrome	C\$ 75.91
5328873299	GC3W	286°F	141°C	White	C\$ 85.78
MODEL G CONVENTIONAL K5.6 (80) THREADS 3/4" (20MM) R1075					
5313113495	GC0LB	135°F	57°C	Brass	C\$ 80.78
5313213495	GC0LC	135°F	57°C	Chrome	C\$ 98.86
5316113495	GC1LB	165°F	74°C	Brass	C\$ 80.78
5316213495	GC1LC	165°F	74°C	Chrome	C\$ 98.86
5328213498	GC3LC	286°F	141°C	Chrome	C\$ 98.86
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 195.92



G VSW

- K-Factor = 5.6 (80)
- **SIN R1285**
- See Bulletin 112


Part Number	Short Code	Temperature		Finish	List Price
MODEL G VERTICAL K5.6 (80) THREADS 1/2" (15MM) R1285					
5413113292	GV0B	135°F	57°C	Brass	C\$ 100.26
5413213292	GV0C	135°F	57°C	Chrome	C\$ 113.42
5416113292	GV1B	165°F	74°C	Brass	C\$ 100.26
5416213292	GV1C	165°F	74°C	Chrome	C\$ 113.42
5421113292	GV2B	212°F	100°C	Brass	C\$ 100.26
5421213292	GV2C	212°F	100°C	Chrome	C\$ 113.42
5428113292	GV3B	286°F	141°C	Brass	C\$ 100.26
5428213292	GV3C	286°F	141°C	Chrome	C\$ 113.42
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 195.92



G HSW

- K5.6 = SIN R1235
- K8.0 w 3/4"NPT = SIN R1237
- K8.0 w 1/2"NPT = SIN R1236
- See Bulletin 112

Part Number	Short Code	Temperature		Finish	List Price
MODEL G HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) R1235					
5413113299	GH0B	135°F	57°C	Brass	C\$ 97.91
5413213299	GH0C	135°F	57°C	Chrome	C\$ 110.73
5416113299	GH1B	165°F	74°C	Brass	C\$ 97.91
5416213299	GH1C	165°F	74°C	Chrome	C\$ 110.73
5421113299	GH2B	212°F	100°C	Brass	C\$ 97.91
5421213299	GH2C	212°F	100°C	Chrome	C\$ 110.73
5428113299	GH3B	286°F	141°C	Brass	C\$ 97.91
5428213299	GH3C	286°F	141°C	Chrome	C\$ 110.73
MODEL G HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) R1237					
5413113498	GH0LB	135°F	57°C	Brass	C\$ 110.58
5413213498	GH0LC	135°F	57°C	Chrome	C\$ 122.38
5416113498	GH1LB	165°F	74°C	Brass	C\$ 110.58
5416213498	GH1LC	165°F	74°C	Chrome	C\$ 122.38
5421113498	GH2LB	212°F	100°C	Brass	C\$ 110.58
5421213498	GH2LC	212°F	100°C	Chrome	C\$ 122.38
5428113498	GH3LB	286°F	141°C	Brass	C\$ 110.58
5428213498	GH3LC	286°F	141°C	Chrome	C\$ 122.38
MODEL G HORIZONTAL K8.0 (115) THREADS 1/2" (15MM) 1236					
5413113499	GH0LHB	135°F	57°C	Brass	C\$ 132.12
5413213499	GH0LHC	135°F	57°C	Chrome	C\$ 143.78
5416113499	GH1LHB	165°F	74°C	Brass	C\$ 132.12
5416213499	GH1LHC	165°F	74°C	Chrome	C\$ 143.78
5421113499	GH2LHB	212°F	100°C	Brass	C\$ 132.12
5421213499	GH2LHC	212°F	100°C	Chrome	C\$ 143.78
5428113499	GH3LHB	286°F	141°C	Brass	C\$ 132.12
5428213499	GH3LHC	286°F	141°C	Chrome	C\$ 143.78
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 35.96
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 19.38
6800640001	GF1W	1/2" (15mm)		White	C\$ 19.38
6801030000	GF1LB	3/4" (20mm)		Brass	C\$ 35.96
6801000000	GF1LC	3/4" (20mm)		Chrome	C\$ 19.38
6801040000	GF1LW	3/4" (20mm)		White	C\$ 19.38
6800930000	GF1MB	10mm		Brass	C\$ 35.92
6800900000	GF1MC	10mm		Chrome	C\$ 19.13
6800940003	GF1MW	10mm		Poly White	C\$ 19.13
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 195.92
6880100120	WW4	Wrench, W4, Recessed, Concealed			C\$ 581.40



G HSW

- K2.8 = SIN R1231
- K4.2 = SIN R1233
- See Bulletin 112

Part Number	Short Code	Temperature		Finish	List Price
MODEL G HORIZONTAL K2.8 (40) THREADS 1/2" (15MM) R1231					
5413112499	GH03B	135°F	57°C	Brass	C\$ 122.38
5413212499	GH03C	135°F	57°C	Chrome	C\$ 133.53
5416112499	GH13B	165°F	74°C	Brass	C\$ 122.38
5416212499	GH13C	165°F	74°C	Chrome	C\$ 133.53
5421112499	GH23B	212°F	100°C	Brass	C\$ 122.38
5421212499	GH23C	212°F	100°C	Chrome	C\$ 133.53
5428112499	GH33B	286°F	141°C	Brass	C\$ 122.38
5428212499	GH33C	286°F	141°C	Chrome	C\$ 133.53
MODEL G HORIZONTAL K4.2 (60) THREADS 1/2" (15MM) R1233					
5413112899	GH07B	135°F	57°C	Brass	C\$ 122.38
5413212899	GH07C	135°F	57°C	Chrome	C\$ 133.53
5416112899	GH17B	165°F	74°C	Brass	C\$ 122.38
5416212899	GH17C	165°F	74°C	Chrome	C\$ 133.53
5421112899	GH27B	212°F	100°C	Brass	C\$ 122.38
5421212899	GH27C	212°F	100°C	Chrome	C\$ 133.53
5428112899	GH37B	286°F	141°C	Brass	C\$ 122.38
5428212899	GH37C	286°F	141°C	Chrome	C\$ 133.53
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	C\$ 35.96
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 19.38
6800640001	GF1W	1/2" (15mm)		White	C\$ 19.38
6801030000	GF1LB	3/4" (20mm)		Brass	C\$ 35.96
6801000000	GF1LC	3/4" (20mm)		Chrome	C\$ 19.38
6801040000	GF1LW	3/4" (20mm)		White	C\$ 19.38
6800930000	GF1MB	10mm		Brass	C\$ 35.92
6800900000	GF1MC	10mm		Chrome	C\$ 19.13
6800940003	GF1MW	10mm		Poly White	C\$ 19.13
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			C\$ 195.92
6880100120	WW4	Wrench, W4, Recessed, Concealed			C\$ 581.40



G RECESSED

Non-Adjustable -

- K2.8 = SIN R1011
- K4.2 = SIN R1013
- K5.6 = SIN R1015
- See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
MODEL G RECESSED K5.6 (80) THREADS 1/2" (15MM) R1015					
5513343270	GR0B	135°F	57°C	W/O	C\$ 101.79
5513323270	GR0C	135°F	57°C	W/O	C\$ 94.01
5513463270	GR0W	135°F	57°C	Poly White	C\$ 101.79
5516343270	GR1B	165°F	74°C	Brass	C\$ 101.79
5516323270	GR1C	165°F	74°C	Chrome	C\$ 94.01
5516463270	GR1W	165°F	74°C	Poly White	C\$ 101.79
5521343270	GR2B	212°F	100°C	W/O	C\$ 101.79
5521323270	GR2C	212°F	100°C	Chrome	C\$ 94.01
5521463270	GR2W	212°F	100°C	W/O	C\$ 101.79
MODEL G RECESSED K2.8 (40) THREADS 1/2" (15MM) R1011					
5513342470	GR03B	135°F	57°C	W/O	C\$ 138.58
5513322470	GR03C	135°F	57°C	W/O	C\$ 131.51
5516342470	GR13B	165°F	74°C	Brass	C\$ 138.58
		°F	°C		C\$ Call
5521342470	GR23B	212°F	100°C	W/O	C\$ 138.58
5521322470	GR23C	212°F	100°C	Chrome	C\$ 131.51
MODEL G RECESSED ESCUTCHEONS					
6801361101	GRB	Threaded		Brass	C\$ 57.43
6801362101	GRC	Threaded		Chrome	C\$ 30.04
6801367201	GRW	Threaded		White	C\$ 30.04
6801369001	GRSP	Threaded		Specialty	C\$ 73.86

6880100000 WRC Requires Model RC1 Sprinkler Wrench C\$ 581.40

Notes:

Sprinklers and Escutcheons sold and packaged separately



G (CONT.)

- K4.2 = SIN R1013
- K5.6 1"M AND 1"F SIN R1118
- See Bulletin 111

Part Number	Short Code	Temperature		Finish	List Price
MODEL G RECESSED K4.2 (40) THREADS 1/2" (15MM) R1013					
5513342870	GR07B	135°F	57°C	W/O	C\$ 138.58
5513322870	GR07C	135°F	57°C	W/O	C\$ 131.51
5516342870	GR17B	165°F	74°C	Brass	C\$ 138.58
		°F	°C		C\$ Call
5521342870	GR27B	212°F	100°C	W/O	C\$ 138.58
5521322870	GR27C	212°F	100°C	Chrome	C\$ 131.51
MODEL G RECESSED ESCUTCHEONS					
6801361101	GRB	Threaded		Brass	C\$ 57.43
6801362101	GRC	Threaded		Chrome	C\$ 30.04
6801367201	GRW	Threaded		White	C\$ 30.04
6801369001	GRSP	Threaded		Specialty	C\$ 73.86

6880100000 WRC For Recessed Use Model RC1 Wrench C\$ 581.40

Notes:

Sprinklers and Escutcheons sold and packaged separately



G4 CONCEALED

- K2.8 = SIN R2111
- K4.2 = SIN R2113
- K5.6 = SIN R2115
- See Bulletin 121

Sprinkler	Coverplate
135°F/57°C	135°F/57°C
165°F/74°C	165°F/74°C
212°F/100°C	165°F/74°C

Part Number	Short Code	Temperature		Finish	List Price
MODEL G4 CONCEALED K5.6 (80) THREADS 1/2" (15MM) R2115					
5713173299	G40	135°F	57°C	W/O	C\$ 99.61
5716173299	G41	165°F	74°C	W/O	C\$ 96.65
5721173299	G42	212°F	100°C	W/O	C\$ 99.61
MODEL G4 CONCEALED K2.8 (40) THREADS 1/2" (15MM) R2111					
5713172499	G403	135°F	57°C	W/O	C\$ 106.29
5716172499	G413	165°F	74°C	W/O	C\$ 106.29
5721172499	G423	212°F	100°C	W/O	C\$ 106.29
MODEL G4 CONCEALED K4.2 (60) THREADS 1/2" (15MM) R2113					
5713172899	G407	135°F	57°C	W/O	C\$ 106.29
5716172899	G417	165°F	74°C	W/O	C\$ 106.29
5721172899	G427	212°F	100°C	W/O	C\$ 106.29
MODEL G5 COVER PLATES					
6887271321	CG50C	135°F	57°C	Chrome	C\$ 71.96
6887271372	CG50W	135°F	57°C	White	C\$ 65.58
6887271390	CG50SP	135°F	57°C	Specialty	C\$ 92.77
6887271374	CG50OW	135°F	57°C	Off-White	C\$ 89.19
6887271316	CG50FB	135°F	57°C	Black Painted	C\$ 89.31
6887271305	CG50BB	135°F	57°C	Bright Brass	C\$ 113.22
6887271323	CG50CD	135°F	57°C	Satin Chrome	C\$ 113.22
6887271310	CG50SS	135°F	57°C	Stainless Steel	C\$ 113.22
6887271311	CG50B	135°F	57°C	Finished Bronze	C\$ 93.53
6887271319	CG50EW	135°F	57°C	Euro White	C\$ 65.58
6887271621	CG51C	165°F	74°C	Chrome	C\$ 71.96
6887271672	CG51W	165°F	74°C	White	C\$ 65.58
6887271690	CG51SP	165°F	74°C	Specialty	C\$ 92.77
6887271674	CG51OW	165°F	74°C	Off-White	C\$ 89.19
6887271690	CG51SP	165°F	74°C	Specialty	C\$ 92.77
6887271616	CG51FB	165°F	74°C	Black Painted	C\$ 89.31
6887271605	CG51BB	165°F	74°C	Bright Brass	C\$ 113.22
6887271623	CG51CD	165°F	74°C	Satin Chrome	C\$ 113.22
6887271610	CG51SS	165°F	74°C	Stainless Steel	C\$ 113.22
6887271619	CG51EW	165°F	74°C	Euro White	C\$ 65.58

6880170000 WG4 Requires Model G4 Sprinkler Wrench C\$ 579.13

Notes:

Sprinklers and coverplates sold and packaged separately



G4 -11CONCEALED

- K11.2 = SIN R101
- See Bulletin 086

Part Number	Short Code	Temperature		Finish	List Price
MODEL G4 -11 CONCEALED K11.2 (160) THREADS 3/4" R101					
1716173698	G4111	165°F	74°C	W/O	C\$ 213.65
1721173698	G4112	212°F	100°C	W/O	C\$ 213.65
MODEL G5 SR GASKET COVER PLATES					
6887031372	CG4S0W	135°F	57°C	White	C\$ 167.74
6887031672	CG4S1W	165°F	74°C	White	C\$ 167.74
MODEL G5 QR GASKET COVER PLATES					
6887201372	CG5S0W	135°F	57°C	White	C\$ 167.74
6887201672	CG5S1W	165°F	74°C	White	C\$ 167.74
MODEL G5 COVER PLATES					
6887271321	CG50C	135°F	57°C	Chrome	C\$ 71.96
6887271372	CG50W	135°F	57°C	White	C\$ 65.58
6887271390	CG50SP	135°F	57°C	Specialty	C\$ 92.77
6887271374	CG50OW	135°F	57°C	Off-White	C\$ 89.19
6887271316	CG50FB	135°F	57°C	Black Painted	C\$ 89.31
6887271305	CG50BB	135°F	57°C	Bright Brass	C\$ 113.22
6887271323	CG50CD	135°F	57°C	Satin Chrome	C\$ 113.22
6887271310	CG50SS	135°F	57°C	Stainless Steel	C\$ 113.22
6887271311	CG50B	135°F	57°C	Finished Bronze	C\$ 93.53
6887271319	CG50EW	135°F	57°C	Euro White	C\$ 65.58
6887271621	CG51C	165°F	74°C	Chrome	C\$ 71.96
6887271672	CG51W	165°F	74°C	White	C\$ 65.58
6887271690	CG51SP	165°F	74°C	Specialty	C\$ 92.77
6887271674	CG51OW	165°F	74°C	Off-White	C\$ 89.19
6887271690	CG51SP	165°F	74°C	Specialty	C\$ 92.77
6887271616	CG51FB	165°F	74°C	Black Painted	C\$ 89.31
6887271605	CG51BB	165°F	74°C	Bright Brass	C\$ 113.22
6887271623	CG51CD	165°F	74°C	Satin Chrome	C\$ 113.22
6887271610	CG51SS	165°F	74°C	Stainless Steel	C\$ 113.22
6887271619	CG51EW	165°F	74°C	Euro White	C\$ 65.58
6880170000	WG4	Requires Model G4 Sprinkler Wrench			C\$ 579.13

Notes:

Sprinklers and coverplates sold and packaged separately



G4-300 CONCEALED

- K-Factor = 5.6 (80)
- **SIN R6115**
- See Bulletin 161

Sprinkler	Coverplate
135°F/57°C	135°F/57°C
165°F/74°C	165°F/74°C
212°F/100°C	165°F/74°C

Part Number	Short Code	Temperature		Finish	List Price
MODEL G4 - 300 CONCEALED K5.6 (80) THREADS 1/2" (15MM) R6115					
57A1173299	G40300	135°F	57°C	W/O	C\$ 103.19
57A2173299	G41300	165°F	74°C	W/O	C\$ 103.19
57A6173299	G42300	212°F	100°C	W/O	C\$ 103.19
MODEL G5 COVER PLATES					
6887271321	CG50C	135°F	57°C	Chrome	C\$ 71.96
6887271372	CG50W	135°F	57°C	White	C\$ 65.58
6887271311	CG50B	135°F	57°C	Finished Bronze	C\$ 93.53
6887271374	CG50OW	135°F	57°C	Off-White	C\$ 89.19
6887271390	CG50SP	135°F	57°C	Specialty	C\$ 92.77
6887271316	CG50FB	135°F	57°C	Black Painted	C\$ 89.31
6887271305	CG50BB	135°F	57°C	Bright Brass	C\$ 113.22
6887271323	CG50CD	135°F	57°C	Satin Chrome	C\$ 113.22
6887271310	CG50SS	135°F	57°C	Stainless Steel	C\$ 113.22
6887271319	CG50EW	135°F	57°C	Euro White	C\$ 65.58
6887271621	CG51C	165°F	74°C	Chrome	C\$ 71.96
6887271672	CG51W	165°F	74°C	White	C\$ 65.58
6887271611	CG51B	165°F	74°C	Finished Bronze	C\$ 93.53
6887271674	CG51OW	165°F	74°C	Off-White	C\$ 89.19
6887271690	CG51SP	165°F	74°C	Specialty	C\$ 92.77
6887271616	CG51FB	165°F	74°C	Black Painted	C\$ 89.31
6887271605	CG51BB	165°F	74°C	Bright Brass	C\$ 113.22
6887271623	CG51CD	165°F	74°C	Satin Chrome	C\$ 113.22
6887271610	CG51SS	165°F	74°C	Stainless Steel	C\$ 113.22
6887271619	CG51EW	165°F	74°C	Euro White	C\$ 65.58
6880170000	WG4	Requires Model G4 Sprinkler Wrench			C\$ 579.13

Notes:

Sprinklers and coverplates sold and packaged separately



G5-80F

- K-Factor = 8.0(115)
- **SIN RA3417**
- See Bulletin 034

Part Number	Short Code	Temperature		Finish	List Price
MODEL G5-80F CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3417					
1916173497	G5801BFM	165°F	74°C	W/O	C\$133.26
1921173497	G5802BFM	212°F	100°C	W/O	C\$133.26
MODEL G5-80F CONCEALED K8.0 (115) THREADS BSPT 3/4" (20MM) RA3417					
1916173494	G5801MFM	165°F	74°C	W/O	C\$133.26
1921173494	G5802MFM	212°F	100°C	W/O	C\$133.26
MODEL G5 COVERPLATES					
6887271321	CG50C	135°F	57°C	Chrome	C\$ 71.96
6887271372	CG50W	135°F	57°C	White	C\$ 65.58
6887271311	CG50B	135°F	57°C	Finished Bronze	C\$ 93.53
6887271374	CG50OW	135°F	57°C	Off-White	C\$ 89.19
6887271390	CG50SP	135°F	57°C	Specialty	C\$ 92.77
6887271316	CG50FB	135°F	57°C	Black Painted	C\$ 89.31
6887271305	CG50BB	135°F	57°C	Bright Brass	C\$113.22
6887271323	CG50CD	135°F	57°C	Satin Chrome	C\$113.22
6887271310	CG50SS	135°F	57°C	Stainless Steel	C\$113.22
6887271319	CG50EW	135°F	57°C	Euro White	C\$ 65.58
6887271621	CG51C	165°F	74°C	Chrome	C\$ 71.96
6887271672	CG51W	165°F	74°C	White	C\$ 65.58
6887271611	CG51B	165°F	74°C	Finished Bronze	C\$ 93.53
6887271674	CG51OW	165°F	74°C	Off-White	C\$ 89.19
6887271690	CG51SP	165°F	74°C	Specialty	C\$ 92.77
6887271616	CG51FB	165°F	74°C	Black Painted	C\$ 89.31
6887271605	CG51BB	165°F	74°C	Bright Brass	C\$113.22
6887271610	CG51SS	165°F	74°C	Stainless Steel	C\$113.22
6887271623	CG51CD	165°F	74°C	Satin Chrome	C\$113.22
6887271619	CG51EW	165°F	74°C	Euro White	C\$ 65.58

6880170020	WFC	WRENCH,FC,CONCEALED	C\$ 584.51
6880100110	W3	WRENCH W3 FOR WRENCH-ABLE PROTECTIVE CAP	C\$ 584.51

Notes:

Factory Mutual does not recognize or approve fully concealed as Quick Response. sprinklers



G5-80 SR "Sealing" Concealed

- K-Factor = 8.0 (115)
- **SIN RA3412**
- See Bulletin 034

G5-80F "Sealing" Concealed

- K-Factor = 8.0 (115)
- **SIN RA3417**
- See Bulletin 034

G5-56 SR "Sealing" Concealed

- K-Factor = 5.6 (80)
- **SIN RA3415**
- See Bulletin 034

G5-42 SR "Sealing" Concealed

- K-Factor = 4.2 (60)
- **SIN RA3413**
- See Bulletin 034

G5-28 SR "Sealing" Concealed

- K-Factor = 2.8 (40)
- **SIN RA3411**
- See Bulletin 034

Part Number	Short Code	Temperature		Finish	List Price
MODEL G5-80 SR SEALING CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3412					
1916173498	G5801B	165°F	74°C	W/O	C\$ 126.32
1921173498	G5802B	212°F	100°C	W/O	C\$ 126.32
MODEL G5-80F SEALING CONCEALED K8.0 (115) 3/4" (20MM) RA3417					
1916173497	G5801BFM	165°F	74°C	W/O	C\$ 133.26
1921173497	G5802BFM	212°F	100°C	W/O	C\$ 133.26
MODEL G5-80F SEALING CONCEALED K8.0 (115) BSPT 3/4" (20MM) RA3417					
1916173494	G5801MFM	165°F	74°C	W/O	C\$ 133.26
1921173494	G5802MFM	212°F	100°C	W/O	C\$ 133.26
MODEL G5-56 SR SEALING CONCEALED K5.6 (80) THREADS 1/2"(15MM) RA3415					
1916173299	G51B	165°F	74°C	W/O	C\$ 101.87
1921173299	G52B	212°F	100°C	W/O	C\$ 101.87
MODEL G5-42 SR SEALING CONCEALED K4.2 (60) THREADS 1/2" RA3413					
1916172899	G5421B	165°F	74°C	W/O	C\$ 126.32
1921172899	G5422B	212°F	100°C	W/O	C\$ 126.32
MODEL G5-28 SR SEALING CONCEALED K2.8 (40) THREADS 1/2" (15MM) RA3411					
1916172499	G5281B	165°F	74°C	W/O	C\$ 126.32
1921172499	G5282B	212°F	100°C	W/O	C\$ 126.32
MODEL G5 SEALING CONCEALED COVER PLATES					
6887031372	CG4S0W	135°F	57°C	White	C\$ 167.74
6887031672	CG4S1W	165°F	74°C	White	C\$ 167.74
6887031310	CG4S0SS	135°F	57°C	Stainless Steel	C\$ 181.17
6887031610	CG4S1SS	165°F	74°C	Stainless Steel	C\$ 181.17
6880170020	WFC	Requires Model FC Wrench			C\$ 584.51

Notes:

Sprinklers and coverplates sold and packaged separately



G5-56 300 SR
"Sealing"
Concealed

- K-Factor = 5.6 (80)
- **SIN RA4014**
- See Bulletin 034

Part Number	Short Code	Temperature		Finish	List Price
MODEL G5-56 300 SR SEALING CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA4014					
2016173299	G51B3	165°F	74°C	W/O	C\$ 107.66
MODEL G5 SEALING CONCEALED COVER PLATE					
6887031372	CG4S0W	135°F	57°C	White	C\$ 167.74
6887031672	CG4S1W	165°F	74°C	White	C\$ 167.74
6887031310	CG4S0SS	135°F	57°C	Stainless Steel	C\$ 181.17
6887031610	CG4S1SS	165°F	74°C	Stainless Steel	C\$ 181.17

6880170020	WFC	Requires Model FC Wrench	C\$ 584.51
------------	-----	--------------------------	------------

Notes:

Sprinklers and coverplates sold and packaged separately