



G6-80 HSW QR EC


- K-Factor = 8.0 (115)
- **SIN RA4762**
- See Bulletin 047

Part Number	Short Code	Temperature		Finish	List Price
MODEL G6-80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA4762					
2116173498	G61B	165°F	74°C	W/O	A\$ 221.75
MODEL G6-80 HORIZONTAL K8.0 (115) BSPT THREADS 3/4" (20MM) RA4762					
2116173495	G61BM	165°F	74°C	W/O	A\$ 221.75
MODEL G6 PLAIN COVERPLATES					
6887211311	CG60B	135°F	57°C	Finished Bronze	A\$ 85.08
6887211321	CG60C	135°F	57°C	Chrome	A\$ 61.00
6887211372	CG60W	135°F	57°C	White	A\$ 61.00
6887211390	CG60SP	135°F	57°C	Specialty	A\$ 88.72

6880101010 WG6 Requires Model G6 Sprinkler Wrench A\$ 519.76

Notes:


Sprinkler and cover plates packaged and sold separately



JL112 & J112 UPRIGHT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7326**
- **J112 (Bulb) = SIN RA7326**
- See Bulletin 172
- **J112 (Stainless Steel) = SIN R7826**
- See Bulletin 178
- 286 degree available upon request

Part Number	Short Code	Temperature	Finish	List Price
MODEL JL112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R7326				
L192114198	JL112U1B	165°F 74°C	Brass	A\$ 127.66
L192214198	JL112U1C	165°F 74°C	Chrome	A\$ 132.58
L192874198	JL112U1W	165°F 74°C	White	A\$ 132.58
L194114198	JL112U2B	212°F 100°C	Brass	A\$ 127.66
L194214198	JL112U2C	212°F 100°C	Chrome	A\$ 132.58
L194874198	JL112U2W	212°F 100°C	White	A\$ 132.58
MODEL J112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) RA7326				
L292114198	J112U1B	155°F 68°C	Brass	A\$ 129.35
L292214198	J112U1C	155°F 68°C	Chrome	A\$ 134.18
L292874198	J112U1W	155°F 68°C	White	A\$ 134.18
L292104198	J112U1SS	155°F 68°C	Stainless Steel	A\$ 1,160.06
L294114198	J112U2B	200°F 93°C	Brass	A\$ 129.35
L294214198	J112U2C	200°F 93°C	Chrome	A\$ 134.18
L294874198	J112U2W	200°F 93°C	Poly White	A\$ 134.18
L294104198	J112U2SS	200°F 93°C	Stainless Steel	A\$ 1,160.06



JL112 & J112 PENDENT & RECESSED PENDENT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7216**
- **J112 (Bulb) = SIN RA7216**
- See Bulletin 172
- **J112 (Stainless Steel) = SIN R7816**
- See Bulletin 178
- 286 degree available upon request

Part Number	Short Code	Temperature	Finish	List Price
MODEL JL112 PENDENT K11.2 (160) THREADS 3/4" (20MM) R7216				
L172114198	JL112P1B	165°F 74°C	Brass	A\$ 127.66
L172214198	JL112P1C	165°F 74°C	Chrome	A\$ 132.58
L172874198	JL112P1W	165°F 74°C	Poly White	A\$ 132.58
L174114198	JL112P2B	212°F 100°C	Brass	A\$ 127.66
L174214198	JL112P2C	212°F 100°C	Chrome	A\$ 132.58
L174874198	JL112P2W	212°F 100°C	Poly White	A\$ 132.58
MODEL J112 PENDENT K11.2 (160) THREADS 3/4" RA7216				
L272114198	J112P1B	155°F 68°C	Brass	A\$ 129.35
L272214198	J112P1C	155°F 68°C	Chrome	A\$ 134.18
L272874198	J112P1W	155°F 68°C	Poly White	A\$ 134.18
L272104198	J112P1SS	155°F 68°C	Stainless Steel	A\$ 1,160.06
L274114198	J112P2B	200°F 93°C	Brass	A\$ 129.35
L274214198	J112P2C	200°F 93°C	Chrome	A\$ 134.18
L274874198	J112P2W	200°F 93°C	White	A\$ 134.18
L274104198	J112P2SS	200°F 93°C	Stainless Steel	A\$ 1,160.06

Part Number	Short Code	Temperature	Finish	List Price
MODEL F1 RECESSED ESCUTCHEON & COLLAR ASSEMBLY				
6801030000	GF1LB	3/4" (20mm)	Brass	A\$ 32.24
6801000000	GF1LC	3/4" (20mm)	Chrome	A\$ 17.39
6801040000	GF1LW	3/4" (20mm)	White	A\$ 17.39
6800970010	GF1LSS	3/4" (20mm)	Stainless Steel	A\$102.45
MODEL F2 RECESSED ESCUTCHEON & COLLAR ASSEMBLY				
6800880004	GF2LB	3/4" (20mm)	Brass	A\$ 32.24
6800880001	GF2LC	3/4" (20mm)	Chrome	A\$ 17.39
6800880005	GF2LW	3/4" (20mm)	White	A\$ 17.39
MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEON				
6801402100	FPLC	3/4" (20mm)	Chrome	A\$ 33.55
6801407200	FPLW	3/4" (20mm)	White	A\$ 33.55
6801401000	FPLSS	3/4" (20mm)	Stainless Steel	A\$153.68

6880090000 WJ1 Upright & Pendent Requires Model J1 Sprinkler Wrench A\$ 209.13
6880170032 WRJ Rec Pendent Requires Model J112 Sprinkler Wrench A\$ 519.76



F1FR56 QREC

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028



F1FR80 QREC PENDENT

- K-Factor = 8.0 (115)
- **SIN R4842**
- See Bulletin 148

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 QREC PENDANT K 5.6 (80) THREADS 1/2" (15MM) RA2845					
BB131130R9	F1FR56EC0B	135°F	57°C	Brass	A\$ 98.01
BB132130R9	F1FR56EC0C	135°F	57°C	Chrome	A\$ 107.45
BB138730R9	F1FR56EC0W	135°F	57°C	Poly White	A\$ 112.38
BB151130R9	F1FR56EC1B	155°F	68°C	Brass	A\$ 98.01
BB152130R9	F1FR56EC1C	155°F	68°C	Chrome	A\$ 107.45
BB158730R9	F1FR56EC1W	155°F	68°C	White	A\$ 112.38
MODEL F1FR80 QREC PENDENT K8.0 (115) THREADS 3/4" (20MM) RA4842					
BJ131139S8	F1FRECO0LBN	135°F	57°C	Brass	A\$ 103.97
BJ132139S8	F1FRECO0LCN	135°F	57°C	Chrome	A\$ 113.28
BJ138739S8	F1FRECO0LWN	135°F	57°C	White	A\$ 122.28
BJ151139S8	F1FRECO1LBN	155°F	68°C	Brass	A\$ 103.97
BJ152139S8	F1FRECO1LCN	155°F	68°C	Chrome	A\$ 113.28
BJ158739S8	F1FRECO1LWN	155°F	68°C	White	A\$ 122.28
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	A\$ 32.24
6800800000	GF2C	1/2" (15mm)		Chrome	A\$ 17.39
6800840000	GF2W	1/2" (15mm)		White	A\$ 17.39
6800880004	GF2LB	3/4" (20mm)		Brass	A\$ 32.24
6800880001	GF2LC	3/4" (20mm)		Chrome	A\$ 17.39
6800880005	GF2LW	3/4" (20mm)		White	A\$ 17.39
6800890004	GF2MB	10mm		Bronze	A\$ 32.24
6800890001	GF2MC	10mm		Chrome	A\$ 18.61
6800890005	GF2MW	10mm		White	A\$ 16.66

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW		A\$ 172.58
6880100120	WW4	Wrench, W4, Recessed, Concealed		A\$ 521.79



F1FR56-300 QREC

- K-Factor = 5.6 (80)
- **SIN RA3045**
- See Bulletin 030
- **300 PSI**



F1FR80-300 QREC

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 159
- **300 PSI**

Part Number	Short Code	Temperature	Finish	List Price
MODEL F1FR56-300 QREC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA3045				
BH131132R9	F1FR56EC0B3	135°F 57°C	Brass	A\$ 104.32
BH132132R9	F1FR56EC0C3	135°F 57°C	Chrome	A\$ 112.58
BH138732R9	F1FR56EC0W3	135°F 57°C	Poly White	A\$ 118.73
		°F °C		A\$ Call
BH152132R9	F1FR56EC1C3	155°F 68°C	Chrome	A\$ 112.58
BH158732R9	F1FR56EC1W3	155°F 68°C	Poly White	A\$ 117.62
MODEL F1FR80-300 QREC PENDENT K8.0 (115) THREADS 3/4" (20MM) R5942				
BH131139S8		135°F 57°C	Brass	A\$ 107.92
BH132139S8	F1FREC0LC3N	135°F 57°C	Chrome	A\$ 117.62
BH138739S8	F1FREC0LW3N	135°F 57°C	Poly White	A\$ 126.99
BH151139S8	F1FREC1LB3N	155°F 68°C	Brass	A\$ 107.92
BH152139S8		155°F 68°C	Chrome	A\$ 117.62
BH158739S8	F1FREC1LW3N	155°F 68°C	Poly White	A\$ 126.99
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY				
6800630001	GF1B	1/2" (15mm)	Brass	A\$ 32.24
6800600001	GF1C	1/2" (15mm)	Chrome	A\$ 17.39
6800640001	GF1W	1/2" (15mm)	White	A\$ 17.39
6801030000	GF1LB	3/4" (20mm)	Brass	A\$ 32.24
6801000000	GF1LC	3/4" (20mm)	Chrome	A\$ 17.39
6801040000	GF1LW	3/4" (20mm)	White	A\$ 17.39

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	A\$ 172.58
6880100120	WW4	Wrench, W4, Recessed, Concealed	A\$ 521.79



F1FR80-300 QREC HORIZONTAL SIDEWALL (EC-9 DEFLECTOR)

- K-Factor = 8.0 (115)
- **SIN RA5962**
- See Bulletin 159
- 300 PSI



F1FR80-300 QREC RECESSED HORIZONTAL SIDEWALL (EC-9 DEFLECTOR)

- K-Factor = 8.0 (115)
- **SIN R5962**
- See Bulletin 159
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR80-300 QREC SIDEWALL K8.0 (115) THREADS 3/4" (20MM) RA5962					
		°F	°C		A\$ Call
		°F	°C		A\$ Call
		°F	°C		A\$ Call
BH151135S8	F1FREC91B3N	155°F	68°C	Brass	A\$ 100.24
BH152135S8	F1FREC91C3N	155°F	68°C	Chrome	A\$ 106.41
BH158735S8	F1FREC91W3N	155°F	68°C	White	A\$ 113.10
BH171135S8		175°F	79°C	Brass	A\$ 100.24
BH172135S8	F1FREC95C3N	175°F	79°C	Chrome	A\$ 106.41
BH178735S8		175°F	79°C	Poly White	A\$ 113.10
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800880004	GF2LB	3/4" (20mm)		Brass	A\$ 32.24
6800880001	GF2LC	3/4" (20mm)		Chrome	A\$ 17.39
6800880005	GF2LW	3/4" (20mm)		White	A\$ 17.39

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW		A\$ 172.58
6880100120	WW4	Wrench, W4, Recessed, Concealed		A\$ 521.79



**F1FR56 QREC
 HORIZONTAL
 SIDEWALL (EC-8
 DEFLECTOR)**

- K-Factor = 5.6 (80)
- **SIN RA2865**
- See Bulletin 028



**F1FR80 QREC
 HORIZONTAL
 SIDEWALL (EC-9
 DEFLECTOR)**

- K-Factor = 8.0 (115)
- **SIN R4862**
- See Bulletin 148

Part Number	Short Code	Temperature	Finish	List Price
MODEL F1FR56 QREC SIDEWALL K5.6 (80) THREADS 1/2" (15MM) RA2865				
BD131130R9	F1FR56EC80B	135°F 57°C	Brass	A\$ 89.01
BD132130R9	F1FR56EC80C	135°F 57°C	Chrome	A\$ 94.59
BD138730R9	F1FR56EC80W	135°F 57°C	Poly White	A\$ 101.48
BD151130R9	F1FR56EC81B	155°F 68°C	Brass	A\$ 89.01
BD152130R9	F1FR56EC81C	155°F 68°C	Chrome	A\$ 94.59
BD158730R9	F1FR56EC81W	155°F 68°C	White	A\$ 101.48
BD171130R9	F1FR56EC85B	175°F 79°C	Brass	A\$ 89.01
BD172130R9	F1FR56EC85C	175°F 79°C	Chrome	A\$ 94.59
BD178730R9	F1FR56EC85W	175°F 79°C	Poly White	A\$ 101.48
MODEL F1FR80 QREC SIDEWALL K8.0 (115) THREADS 3/4" (20MM) RA4862				
BK13113598	F1FREEC90B	135°F 57°C	Brass	A\$ 95.52
BK132135S8	F1FREEC90CN	135°F 57°C	Chrome	A\$ 101.48
BK138735S8	F1FREEC90WN	135°F 57°C	Poly White	A\$ 107.89
BK151135S8	F1FREEC91BN	155°F 68°C	Brass	A\$ 95.52
BK152135S8	F1FREEC91CN	155°F 68°C	Chrome	A\$ 101.48
BK158735S8	F1FREEC91WN	155°F 68°C	Poly White	A\$ 107.89
BK171135S8	F1FREEC95BN	175°F 79°C	Brass	A\$ 95.52
BK172135S8	F1FREEC95CN	175°F 79°C	Chrome	A\$ 101.48
BK178735S8	F1FREEC95WN	175°F 79°C	White	A\$ 107.89
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY				
6800830000	GF2B	1/2" (15mm)	Brass	A\$ 32.24
6800800000	GF2C	1/2" (15mm)	Chrome	A\$ 17.39
6800840000	GF2W	1/2" (15mm)	White	A\$ 17.39
6800880004	GF2LB	3/4" (20mm)	Brass	A\$ 32.24
6800880001	GF2LC	3/4" (20mm)	Chrome	A\$ 17.39
6800880005	GF2LW	3/4" (20mm)	White	A\$ 17.39
6800890004	GF2MB	10mm	Bronze	A\$ 32.24
6800890001	GF2MC	10mm	Chrome	A\$ 18.61
6800890005	GF2MW	10mm	White	A\$ 16.66

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	A\$ 172.58
6880100120	WW4	Wrench, W4, Recessed, Concealed	A\$ 521.79



F1FR56 QREC CCP

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028

F1FR80 QREC CCP

- K-Factor = 8.0 (115)
- **SIN RA4842**
- See Bulletin 148

F1FR56-300 QREC CCP

- K-Factor = 5.6 (80)
- **SIN RA3045**
- See Bulletin 030
- **300 PSI**

F1FR80-300 QREC CCP

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 159
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 QREC CCP K5.6 (80) THREADS 1/2" (15MM) RA2845					
BM131730R9	F1FR56CE0	135°F	57°C	W/O	A\$ 84.14
BM151730R9	F1FR56CE1	155°F	68°C	W/O	A\$ 84.14
MODEL F1FR80 QREC CCP K8.0 (115) THREADS 3/4" (20MM) RA4842					
BM131739S8	F1FRCEL0N	135°F	57°C	W/O	A\$ 82.70
BM151739S8	F1FRCEL1N	155°F	68°C	W/O	A\$ 82.70
MODEL F1FR56-300 QREC CCP K5.6 (80) THREADS 1/2" (15MM) RA3045					
BH131730R9	F1FR56CE03	135°F	57°C	W/O	A\$ 87.38
BH151730R9	F1FR56CE13	155°F	68°C	W/O	A\$ 87.38
MODEL F1FR80-300 QREC CCP K8.0 (115) THREADS 3/4" (20MM) RA5942					
		°F	°C		A\$ Call
BH151739S8	F1FRCE1L3N	155°F	68°C	W/O	A\$ 87.38
REQUIRED MODEL CCP COVERPLATES 1/2" ADJUSTMENT					
6887161321	CCP0C76	135°F	57°C	Chrome	A\$ 141.82
6887161318	CCP0W76	135°F	57°C	Flat White	A\$ 55.27
REQUIRED MODEL CCP COVERPLATES 5/16" ADJUSTMENT					
6887171321	CCP05C76	135°F	57°C	Chrome	A\$ 141.82
6887171318	CCP05W76	135°F	57°C	White	A\$ 55.27
6887171390	CCP05SP76	135°F	57°C	Specialty	A\$ 92.82

6880100000 WRC Requires Model RC1 Sprinkler Wrench A\$ 521.79

Notes:

Sprinkler and cup are factory assembled and a plastic protective cap is included.

Sprinkler and cover plates sold and packaged separately



DH56

- K-Factor = 5.6 (80)
- **SIN RA1564**
- See Bulletin 015



DH56 CONCEALED

DH56 CONCEALED

- SIN RA1564
- See Bulletin 015

Part Number	Short Code	Temperature		Finish	List Price
MODEL DH56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1564					
BU15113299	DH561B	155°F	68°C	Brass	A\$ 105.21
BU15213299	DH561C	155°F	68°C	Chrome	A\$ 115.39
BU15873299	DH561W	155°F	68°C	White	A\$ 115.39
BU20113299	DH562B	200°F	93°C	Brass	A\$ 105.21
BU20213299	DH562C	200°F	93°C	Chrome	A\$ 115.39
BU20873299	DH562W	200°F	93°C	White	A\$ 115.39
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	A\$ 32.24
6800800000	GF2C	1/2" (15mm)		Chrome	A\$ 17.39
6800840000	GF2W	1/2" (15mm)		White	A\$ 17.39

MODEL DH56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA1564					
BT15173299	DH56C1	155°F	68°C	W/O	A\$ 111.99
BT20173299	DH56C2	200°F	93°C	W/O	A\$ 111.99
REQUIRED SWC COVERPLATE					
6887131318	CHWNS	135°F	57°C	White	A\$ 57.66
6887131618	CHWNS1	165°F	74°C	Flat White	A\$ 57.66

6880100120	WW4	Wrench, W4, Recessed, Concealed	A\$ 521.79
------------	-----	---------------------------------	------------

Notes:

Sprinkler and cover plates sold and packaged separately



DH80

- K-Factor = 8.0 (115)
- **SIN RA0362**
- See Bulletin 003



DH80 CONCEALED

- K Factor 8.0
- SIN RA0362
- See Bulletin 003

Part Number	Short Code	Temperature		Finish	List Price
MODEL DH80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA0362					
BU15113998	DH1B	155°F	68°C	Brass	A\$ 113.21
BU15213998	DH1C	155°F	68°C	Chrome	A\$ 122.34
BU15873998	DH1W	155°F	68°C	White	A\$ 122.34
FP PUSH-ON/THREAD-OFF ESCUTCHEON (FOR RECESSED)					
6801402100	FPLC	3/4" (20mm)		Chrome	A\$ 33.55
6801407200	FPLW	3/4" (20mm)		White	A\$ 33.55
MODEL F2 RECESSED ESCUTCHEON & COLLAR ASSEMBLY					
6800880004	GF2LB	3/4" (20mm)		Brass	A\$ 32.24
6800880001	GF2LC	3/4" (20mm)		Chrome	A\$ 17.39
6800880005	GF2LW	3/4" (20mm)		White	A\$ 17.39
MODEL DH80 CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA0362					
BT15173998	DHC1	155°F	68°C	W/O	A\$ 120.11
MODEL SWC-NS COVERPLATE					
6887131318	CHWNS	135°F	57°C	White	A\$ 57.66
6880100120	WW4	Wrench, W4, Recessed, Concealed			A\$ 521.79

Notes:

Sprinkler and coverplates sold and packaged separately



**G4XLO QREC
 ECLH/ECOH**

- K-Factor = 11.2 (160)
- **SIN R7146**
- See Bulletin 171

Part Number	Short Code	Temperature		Finish	List Price
-------------	------------	-------------	--	--------	------------

MODEL G4XLO QREC K11.2 (160) THREADS 3/4" (20MM) R7146

1716174198	G4XLO	165°F	74°C	W/O	A\$ 126.72
------------	-------	-------	------	-----	------------

MODEL G5 COVER PLATES

6887271321	CG50C	135°F	57°C	Chrome	A\$ 66.93
6887271372	CG50W	135°F	57°C	White	A\$ 61.00
6887271311	CG50B	135°F	57°C	Finished Bronze	A\$ 83.86
6887271374	CG50OW	135°F	57°C	Off-White	A\$ 82.97
6887271390	CG50SP	135°F	57°C	Specialty	A\$ 83.18
6887271316	CG50FB	135°F	57°C	Black Painted	A\$ 83.07
6887271305	CG50BB	135°F	57°C	Bright Brass	A\$ 101.51
6887271323	CG50CD	135°F	57°C	Satin Chrome	A\$ 101.51
6887271310	CG50SS	135°F	57°C	Stainless Steel	A\$ 101.51
6887271321	CG50C	135°F	57°C	Chrome	A\$ 66.93
6887271372	CG50W	135°F	57°C	White	A\$ 61.00
6887271390	CG50SP	135°F	57°C	Specialty	A\$ 83.18

6880170000	WG4	Wrench, W4, Recessed, Concealed			A\$ 519.76
------------	-----	---------------------------------	--	--	------------

NEW



**KFR-CCS
 Combustible
 Concealed Space**

- K-Factor = 5.6 (80)
- **SIN RA4454**
- See Bulletin 044

Part Number	Short Code	Temperature		Finish	List Price
-------------	------------	-------------	--	--------	------------

MODEL KFR-CCS K5.6 (80) THREADS 1/2" (15MM) RA4454

MN211132R9	KFRCCS	212°F	100°C	Brass	A\$ 116.37
------------	--------	-------	-------	-------	------------

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			A\$ 172.58
------------	-----	-----------------------------------	--	--	------------



SWC QREC

- "SWC Concealer"
- K-Factor = 8.0 (115)
- **SIN R5962**
- See Bulletin 163

Part Number	Short Code	Temperature		Finish	List Price
MODEL SWC QREC CONCEALED K8.0 (115) THREADS 3/4" (20MM) R5962					
BM13173498	CEC9	135°F	57°C	W/O	A\$ 99.82
BM15173498	CEC91	155°F	68°C	W/O	A\$ 99.82
MODEL SWC-NS COVERPLATES					
6887131318	CHWNS	135°F	57°C	White	A\$ 57.66
6887131390	CHSPNS	135°F	57°C	Specialty	A\$ 86.46

6880100120 WW4 Wrench, W4, Recessed, Concealed A\$ 521.79

Notes:

Covers can not be plated - only painted.
 Sprinkler and coverplates sold and packaged separately



F156 EC

- K-Factor = 5.6 (80)
- **SIN RA2745**
- See Bulletin 027



F1 LO EC PENDENT

- K-Factor = 8.0 (115)
- **SIN R1742**
- See Bulletin 117

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 EC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2745					
AB131130R9	F56ECP0B	135°F	57°C	Brass	A\$ 84.48
AB138730R9	F56ECP0W	135°F	57°C	White	A\$ 91.13
AB151130R9	F56ECP1B	155°F	68°C	Brass	A\$ 84.48
AB152130R9	F56ECP1C	155°F	68°C	Chrome	A\$ 84.48
AB158730R9	F56ECP1W	155°F	68°C	Poly White	A\$ 91.13
MODEL F1 LO EC PENDENT K8.0 (115) THREADS 3/4" (20MM) R1742					
AJ13113998	FECF0LB	135°F	57°C	Brass	A\$ 92.17
AJ13213998	FECF0LC	135°F	57°C	Chrome	A\$ 92.17
AJ13873998	FECF0LW	135°F	57°C	Poly White	A\$ 99.04
AJ15113998	FECF1LB	155°F	68°C	Brass	A\$ 92.17
AJ15213998	FECF1LC	155°F	68°C	Chrome	A\$ 92.17
AJ15873998	FECF1LW	155°F	68°C	White	A\$ 99.04
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	A\$ 32.24
6800600001	GF1C	1/2" (15mm)		Chrome	A\$ 17.39
6800640001	GF1W	1/2" (15mm)		White	A\$ 17.39
6801030000	GF1LB	3/4" (20mm)		Brass	A\$ 32.24
6801000000	GF1LC	3/4" (20mm)		Chrome	A\$ 17.39
6801040000	GF1LW	3/4" (20mm)		White	A\$ 17.39
6800930000	GF1MB	10mm		Bronze	A\$ 32.21
6800900000	GF1MC	10mm		Chrome	A\$ 17.15
6800940003	GF1MW	10mm		Poly White	A\$ 17.15
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	A\$ 32.24
6800800000	GF2C	1/2" (15mm)		Chrome	A\$ 17.39
6800840000	GF2W	1/2" (15mm)		White	A\$ 17.39
6800880004	GF2LB	3/4" (20mm)		Brass	A\$ 32.24
6800880001	GF2LC	3/4" (20mm)		Chrome	A\$ 17.39
6800880005	GF2LW	3/4" (20mm)		White	A\$ 17.39

6880050100	WW2	Requires Model W2 Sprinkler Wrench	A\$ 172.58
6880060000	WGFR	For Recessed Use Model GFR2 Wrench	A\$ 521.79



F156-300 SREC

- K-Factor = 5.6 (80)
- **SIN RA2945**
- See Bulletin 029
- 300 PSI



F1-300 EC PENDENT

- K-Factor = 8.0 (115)
- **SIN R5842**
- See Bulletin 158
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 EC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2945 300 PSI					
AH13113299	FEC3P0B3	135°F	57°C	Brass	A\$ 82.48
AH13213299	FEC3P0C3	135°F	57°C	Chrome	A\$ 90.44
AH13873299	FEC3P0W3	135°F	57°C	White	A\$ 97.23
AH15113299	FEC3P1B3	155°F	68°C	Brass	A\$ 82.48
AH15213299	FEC3P1C3	155°F	68°C	Chrome	A\$ 90.44
AH15873299	FEC3P1W3	155°F	68°C	White	A\$ 97.23
MODEL F1 LO EC PENDENT K8.0 (115) THREADS 3/4" (20MM) R5842 300 PSI					
AH13113998	FEC3P0LB3	135°F	57°C	Brass	A\$ 90.44
AH13213998	FEC3P0LC3	135°F	57°C	Chrome	A\$ 98.28
AH13873998	FEC3P0LW3	135°F	57°C	White	A\$ 105.23
AH15113998	FEC3P1LB3	155°F	68°C	Brass	A\$ 90.44
AH15213998	FEC3P1LC3	155°F	68°C	Chrome	A\$ 98.28
AH15873998	FEC3P1LW3	155°F	68°C	White	A\$ 105.23
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	A\$ 32.24
6800600001	GF1C	1/2" (15mm)		Chrome	A\$ 17.39
6800640001	GF1W	1/2" (15mm)		White	A\$ 17.39
6801030000	GF1LB	3/4" (20mm)		Brass	A\$ 32.24
6801000000	GF1LC	3/4" (20mm)		Chrome	A\$ 17.39
6801040000	GF1LW	3/4" (20mm)		White	A\$ 17.39

6880050100
6880060000

WW2
WGFR

Requires Model W2 Sprinkler Wrench
For Recessed Use Model GFR2 Wrench

A\$ 172.58
A\$ 521.79



GFR VELO-ECOH

- K-Factor = 14 (200)
- **SIN R6553**
- See Bulletin 165

Part Number	Short Code	Temperature		Finish	List Price
MODEL GFR VELO-ECOH UPRIGHT K14 (200) THREADS 3/4" (20MM) R6553					
0116114598	GFRUV1B	165°F	74°C	Brass	A\$ 193.96
0116214598	GFRUV1C	165°F	74°C	Chrome	A\$ 201.65
0121114598	GFRUV2B	212°F	100°C	Brass	A\$ 193.96
0121214598	GFRUV2C	212°F	100°C	Chrome	A\$ 201.65

6880070000 WH Requires Model H Sprinkler Wrench A\$ 209.13

Part Number	Short Code	Temperature		Finish	List Price
MODEL GFR VELO-ECOH PENDENT K14 (200) THREADS 3/4" (20MM) R6043					
FB16114598	GFRPV1B	165°F	74°C	Brass	A\$145.63
FB16214598	GFRPV1C	165°F	74°C	Chrome	A\$151.49
FB16874598	GFRPV1W	165°F	74°C	White	A\$157.99
FB21114598	GFRPV2B	212°F	100°C	Brass	A\$145.63
FB21214598	GFRPV2C	212°F	100°C	Chrome	A\$151.49
FB21874598	GFRPV2W	212°F	100°C	White	A\$157.99

6880070000 WH Requires Model H Sprinkler Wrench A\$ 209.13

6880070100 WXLO Requires Model XLO Sprinkler Wrench for Recessing A\$ 274.07

*Recessing available.



GFR VELO ECOH

- K-Factor = 14 (200)
- **SIN R6043**
- See Bulletin 160



MBEC-14

- K-Factor = 14 (200)
- **SIN R6932**
- See Bulletin 169

Part Number	Short Code	Temperature		Finish	List Price
MODEL MB-EC 14 HORIZONTAL K14 (200) THREADS 3/4" (20MM) R6932					
4816114597	MB1B	165°F	74°C	Brass	A\$ 155.45
4816214597	MB1C	165°F	74°C	Chrome	A\$ 178.35
4816874597	MB1W	165°F	74°C	White	A\$ 178.35
4821114597	MB2B	212°F	100°C	Brass	A\$ 155.45
4821214597	MB2C	212°F	100°C	Chrome	A\$ 178.35
4821874597	MB2W	212°F	100°C	White	A\$ 178.35
6880070000	WH	Requires Model H Sprinkler Wrench			A\$ 209.13