



F1RES 30 CCP

- K-Factor = 3.0 (43)
- SIN R3511
- See Bulletin 135



F1RES 30 PENDENT & RECESSED PENDENT

- K-FACTOR = 3.0 (43)
- SIN R3511
- See Bulletin 135



KRES 30 PENDENT

- K Factor =3.0 (43)
- SIN R3591
- Link Version
- See Bulletin 935

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES30 CCP K3.0 (43) THREADS 1/2" (15MM) R3511					
CM15172199	30CCP1	155°F	68°C	W/O	A\$101.28
MODEL CCP CONICAL CONCEALED COVERPLATES					
6887161321	CCP0C76	135°F	57°C	Chrome	A\$168.49
6887161318	CCP0W76	135°F	57°C	Flat White	A\$ 65.66
6887161390	CCP0SP76	135°F	57°C	Specialty	A\$110.26
6887171321	CCP05C76	135°F	57°C	Chrome	A\$168.49
6887171318	CCP05W76	135°F	57°C	White	A\$ 65.66
6887171390	CCP05SP76	135°F	57°C	Specialty	A\$110.26
MODEL F1RES30 PENDENT K3.0 (43) THREADS 1/2" (15MM) R3511					
CV151121S9	30BN	155°F	68°C	Brass	A\$113.89
CV152121S9	30CN	155°F	68°C	Chrome	A\$110.60
CV158721S9	30WN	155°F	68°C	Poly White	A\$110.60
CV171121S9	30B5N	175°F	79°C	Brass	A\$113.89
CV172121S9	30C5N	175°F	79°C	Chrome	A\$110.60
CV178721S9	30W5N	175°F	79°C	White	A\$110.60
6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			A\$ 630.53
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			A\$ 212.47
MODEL KRES30 PENDENT K3.0 (43) THREADS 1/2" (15MM) R3591					
MV161121R9	KRES301B	165°F	74°C	Brass	A\$113.89
MV162121R9	KRES301C	165°F	74°C	Chrome	A\$110.60
MV168721R9	KRES301W	165°F	74°C	Poly White	A\$110.60
MV211121R9	KRES302B	212°F	100°C	Brass	A\$113.89
MV212121R9	KRES302C	212°F	100°C	Chrome	A\$110.60
MV218721R9	KRES302W	212°F	100°C	Poly White	A\$110.60
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			A\$ 212.47
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			A\$ 630.53
6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			A\$ 630.53
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	A\$ 38.99
6800800000	GF2C	1/2" (15mm)		Chrome	A\$ 21.02
6800840000	GF2W	1/2" (15mm)		White	A\$ 21.02



F1RES 49 Pendant & Recessed Pendant

- K-Factor = 4.9 (71)
- **SIN R3516**
- See Bulletins 135



KRES49 Pendant & Recessed Pendant

- K-Factor = 4.9 (71)
- **SIN R3596**
- See Bulletin 935
- Link Version



F1RES 49 CCP

- K-Factor = 4.9 (71)
- **SIN R3516**
- See Bulletins 135

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES49 PENDENT K4.9 (71) THREADS 1/2" (15MM) R3516					
CV151128S9	49BN	155°F	68°C	Brass	A\$113.89
CV152128S9	49CN	155°F	68°C	Chrome	A\$110.60
CV158728S9	49WN	155°F	68°C	White	A\$110.60
CV171128S9	49B5N	175°F	79°C	Brass	A\$113.89
CV172128S9	49C5N	175°F	79°C	Chrome	A\$110.60
CV178728S9	49W5N	175°F	79°C	White	A\$110.60

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			A\$630.53
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			A\$212.47

MODEL KRES49 PENDENT K4.9 (71) THREADS 1/2" (15MM) R3596-LINK					
MV161128R9	KRES491B	165°F	74°C	Brass	A\$113.89
MV162128R9	KRES491C	165°F	74°C	Chrome	A\$110.60
MV168728R9	KRES491W	165°F	74°C	Poly White	A\$110.60
MV211128R9	KRES492B	212°F	100°C	Brass	A\$113.89
MV212128R9	KRES492C	212°F	100°C	Chrome	A\$110.60
MV218728R9	KRES492W	212°F	100°C	Poly White	A\$110.60

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			A\$630.53
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			A\$212.47
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			A\$630.53

MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	A\$ 38.99
6800600001	GF1C	1/2" (15mm)		Chrome	A\$ 21.02
6800640001	GF1W	1/2" (15mm)		White	A\$ 21.02

MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	A\$ 38.99
6800800000	GF2C	1/2" (15mm)		Chrome	A\$ 21.02
6800840000	GF2W	1/2" (15mm)		White	A\$ 21.02

MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801412100	FPC	Push-On Thread Off		Chrome	A\$ 40.54
6801417200	FPW	Push-On Thread Off		White	A\$ 40.54

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES49 CCP K4.9 (71) THREADS 1/2" (15MM) R3516					
CM151728S9	49CCP1N	155°F	68°C	W/O	A\$ 101.28

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			A\$ 630.53
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			A\$ 212.47

MODEL CCP CONICAL CONCEALED COVERPLATES					
6887161321	CCP0C76	135°F	57°C	Chrome	A\$ 168.49
6887161318	CCP0W76	135°F	57°C	Flat White	A\$ 65.66
6887161390	CCP0SP76	135°F	57°C	Specialty	A\$ 110.26
6887171321	CCP05C76	135°F	57°C	Chrome	A\$ 168.49
6887171318	CCP05W76	135°F	57°C	White	A\$ 65.66
6887171390	CCP05SP76	135°F	57°C	Specialty	A\$ 110.26




F1RES 44 HSW & REC HSW

- See Bulletins 135



KRES44 HSW & REC HSW

- See Bulletins 935
- SIN RA3591
- Link version



F1RES 44 SWC

- See Bulletins 135

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES44 HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) R3531					
CV521125S9	44BN	155°F	68°C	Brass	A\$117.47
CV522125S9	44CN	155°F	68°C	Chrome	A\$115.45
CV528725S9	44WN	155°F	68°C	Poly White	A\$115.45
CV531125S9	44B5N	175°F	79°C	Brass	A\$117.47
CV532125S9	44C5N	175°F	79°C	Chrome	A\$115.45
CV538725S9	44W5N	175°F	79°C	Poly White	A\$115.45

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			A\$630.53
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			A\$212.47

MODEL KRES44 HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) RA3591					
MV521125R9	KRES441B	165°F	74°C	Brass	A\$117.47
MV522125R9	KRES441C	165°F	74°C	Chrome	A\$115.45
MV528725R9	KRES441W	165°F	74°C	Poly White	A\$115.45

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			A\$630.53
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			A\$212.47
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			A\$630.53

MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	A\$ 38.99
6800800000	GF2C	1/2" (15mm)		Chrome	A\$ 21.02
6800840000	GF2W	1/2" (15mm)		White	A\$ 21.02

MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801412100	FPC	Push-On Thread Off		Chrome	A\$ 40.54
6801417200	FPW	Push-On Thread Off		White	A\$ 40.54

Part Number	Short Code	Temperature		Finish	List Price
MODEL SWC 44 RES K4.4 (63) THREADS 1/2" R3531					
CM521725S9	SWC44N	155°F	68°C	W/O	A\$ 112.11
CM531725S9	SWC445N	175°F	79°C	W/O	A\$ 112.11
REQUIRED COVERPLATES (1/2" ADJUSTMENT) SWC					
6887131318	CHWNS	135°F	57°C	White	A\$ 67.24
6887131390	CHSPNS	135°F	57°C	Specialty	A\$ 100.81
REQUIRED COVERPLATES (1/2" ADJUSTMENT) SWC-2					
6887251318	SWC2W	135°F	57°C	Flat White	A\$ 67.24



F1RES 58 CCP

- K-Factor = 5.8 (84)
- **SIN R3513**
- See Bulletins 135 & 176



F1RES 58 HSW & REC HSW

- K-Factor = 5.8 (84)
- **SIN R3533**
- See Bulletins 135 & 176



KRES 58 HSW & REC HSW

- K-Factor = 5.8 (84)
- **SIN R3503**
- Link Version



F1RES 58 SP PENDENT

- K-Factor = 5.8 (84)
- **SIN R3513**
- See Bulletin 135

Part Number	Short Code	Temperature	Finish	List Price
MODEL F1RES58 CONCEALED CCP K5.8 (84) THREADS 1/2" (15MM) R3513				
CM15173199	58CCP1	155°F 68°C	W/O	A\$ 101.28
MODEL CCP CONICAL CONCEALED COVERPLATES				
6887161321	CCP0C76	135°F 57°C	Chrome	A\$ 168.49
6887161318	CCP0W76	135°F 57°C	Flat White	A\$ 65.66
6887161390	CCP0SP76	135°F 57°C	Specialty	A\$ 110.26
6887171321	CCP05C76	135°F 57°C	Chrome	A\$ 168.49
6887171318	CCP05W76	135°F 57°C	White	A\$ 65.66
6887171390	CCP05SP76	135°F 57°C	Specialty	A\$ 110.26

6880100120 WW4 WRENCH,W4,RECESSED,CONCEALED A\$ 630.53

Part Number	Short Code	Temperature	Finish	List Price
MODEL F1RES58 HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) R3533				
CV521131S9	58H1BN	155°F 68°C	Brass	A\$117.47
CV522131S9	58H1CN	155°F 68°C	Chrome	A\$115.45
CV528731S9	58H1WN	155°F 68°C	White	A\$115.45
CV531131S9	58H5BN	175°F 79°C	Brass	A\$117.47
CV532131S9	58H5CN	175°F 79°C	Chrome	A\$115.45
CV538731S9	58H5WN	175°F 79°C	White	A\$115.45
MODEL KRES58 HORIZONTAL K5.8 (84) THREADS 1/2" RA3503 LINK				
MV521131R9	KRES58H1B	165°F 74°C	Brass	A\$117.47
MV522131R9	KRES58H1C	165°F 74°C	Chrome	A\$115.45
MV528731R9	KRES58H1W	165°F 74°C	Poly White	A\$115.45
MODEL F1RES58 PENDENT K5.8 (84) THREADS 1/2" R3513				
CV151131S9	58P1BN	155°F 68°C	Brass	A\$113.89
CV152131S9	58P1CN	155°F 68°C	Chrome	A\$110.60
CV158731S9	58P1WN	155°F 68°C	White	A\$110.60
CV17113199	58P5B	175°F 79°C	Brass	A\$113.89
CV172131S9	58P5CN	175°F 79°C	Chrome	A\$110.60
CV178731S9	58P5WN	175°F 79°C	White	A\$110.60
MODEL KRES58 PENDENT K5.8 (84) THREADS 1/2" R3593 LINK				
MV161131R9	KRES58P1B	165°F 74°C	Brass	A\$113.89
MV162131R9	KRES58P1C	165°F 74°C	Chrome	A\$110.60
MV168731R9	KRES58P1W	165°F 74°C	Poly White	A\$110.60
MV211131R9	KRES58P2B	212°F 100°C	Brass	A\$113.89
MV212131R9	KRES58P2C	212°F 100°C	Chrome	A\$110.60
MV218731R9	KRES58P2W	212°F 100°C	Poly White	A\$110.60
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY				
6800830000	GF2B	1/2" (15mm)	Brass	A\$ 38.99
6800800000	GF2C	1/2" (15mm)	Chrome	A\$ 21.02
6800840000	GF2W	1/2" (15mm)	White	A\$ 21.02
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS				
6801412100	FPC	Push-On Thread Off	Chrome	A\$ 40.54
6801417200	FPW	Push-On Thread Off	White	A\$ 40.54

6880050100 WW2 WRENCH,W2(PENDENT,UPRIGHT,HSW) A\$212.47
 6880100120 WW4 WRENCH,W4,RECESSED,CONCEALED A\$630.53
 6880100100 WW1 WRENCH,W1 (RECESSED PENDENT,CCP,& HSW) A\$630.53



F1RES 58 HSWX

- K-Factor = 5.8 (84)
- **SIN RA3533**
- See Bulletin 135
- **Bulb Version**



KRES 58 HSWX

- K-Factor = 5.8 (84)
- **SIN RA3593**
- See Bulletin 935
- **Link Version**

Part Number	Short Code	Temperature	Finish	List Price	
MODEL F1RES58X HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3533					
CV621131S9	58H1BXN	155°F	68°C	Brass	A\$ 152.11
CV622131S9	58H1CXN	155°F	68°C	Chrome	A\$ 163.20
CV628731S9	58H1WXN	155°F	68°C	Poly White	A\$ 163.20
CV63113199	58H5BX	175°F	79°C	Brass	A\$ 152.11
CV632131S9	58H5CXN	175°F	79°C	Chrome	A\$ 163.20
CV638731S9	58H5WXN	175°F	79°C	Poly White	A\$ 163.20
MODEL KRES58X HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3593					
MV62113199	K58H1BX	165°F	74°C	Brass	A\$ 152.11
MV62213199	K58H1CX	165°F	74°C	Chrome	A\$ 163.20
MV62873199	K58H1WX	165°F	74°C	Poly White	A\$ 163.20
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)	Brass	A\$ 38.99	
6800800000	GF2C	1/2" (15mm)	Chrome	A\$ 21.02	
6800840000	GF2W	1/2" (15mm)	White	A\$ 21.02	
MODEL FV RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6801720600	FVB	1/2" (15mm)	Brass	A\$ 36.82	
6801722100	FVC	1/2" (15mm)	Chrome	A\$ 24.52	
6801728700	FVW	1/2" (15mm)	Poly White	A\$ 24.52	

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW	A\$ 212.47
6880100120	WW4	Wrench, W4, Recessed, Concealed	A\$ 630.53
6880100100	WW1	Wrench, W1, Recessed, Pendant, CCP & HSW	A\$ 630.53

* Low flow residential horizontal sidewall sprinklers engineered to provide a minimum design density of 0.05 gpm/ft² over the listed coverage areas



F1RES 76 Pendant & Recessed Pendant

- K-Factor = 7.6 (109)
- **SIN R7618**
- See Bulletins 135 & 176



F1RES 76 CCP

- K-Factor = 7.6 (109)
- **SIN R7618**
- See Bulletins 135 & 176

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES76 PENDENT K7.6 (109) THREADS 3/4" (20MM) R7618					
CV15113298	76P1B	155°F	68°C	Brass	A\$ 115.86
CV15213298	76P1C	155°F	68°C	Chrome	A\$ 118.71
CV15873298	76P1W	155°F	68°C	White	A\$ 118.71
CV17113298	76P5B	175°F	79°C	Brass	A\$ 115.86
CV17213298	76P5C	175°F	79°C	Chrome	A\$ 118.71
CV17873298	76P5W	175°F	79°C	White	A\$ 118.71
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6801030000	GF1LB	3/4"Adjustment		Brass	A\$ 38.99
6801000000	GF1LC	3/4"Adjustment		Chrome	A\$ 21.02
6801040000	GF1LW	3/4"Adjustment		White	A\$ 21.02
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800880004	GF2LB	1/2"Adjustment		Brass	A\$ 38.99
6800880001	GF2LC	1/2"Adjustment		Chrome	A\$ 21.02
6800880005	GF2LW	1/2"Adjustment		White	A\$ 21.02
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801402100	FPLC	Push-On Thread Off		Chrome	A\$ 40.54
6801407200	FPLW	Push-On Thread Off		White	A\$ 40.54

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW			A\$ 212.47
6880100120	WW4	Wrench, W4, Recessed, Concealed			A\$ 630.53
6880100100	WW1	Wrench, W1, Recessed, Pendant, CCP & HSW			A\$ 630.53

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES76 HORIZONTAL CCP K7.6 (109) THREADS 3/4" (20MM) R7618					
CM15173298	76CCP1	155°F	68°C	W/O	A\$ 142.27
CM17173298	76CCP5	175°F	79°C	W/O	A\$ 142.27
MODEL CCP CONICAL CONCEALED COVERPLATES 5/16" ADJUSTMENT					
6887171321	CCP05C76	135°F	57°C	Chrome	A\$ 168.49
6887171318	CCP05W76	135°F	57°C	White	A\$ 65.66
6887171390	CCP05SP76	135°F	57°C	Specialty	A\$ 110.26
MODEL CCP CONICAL CONCEALED COVERPLATES 1/2" ADJUSTMENT					
6887161321	CCP0C76	135°F	57°C	Chrome	A\$ 168.49
6887161318	CCP0W76	135°F	57°C	Flat White	A\$ 65.66

6880100120	WW4	Wrench, W4, Recessed, Concealed			A\$ 630.53
------------	-----	---------------------------------	--	--	------------

Notes:

Sprinkler and coverplates sold and packaged separately



**RFC Series
 Residential
 Sprinklers Flat Cover
 Plate, Concealed
 Pendant Sprinklers**



Part Number	Short Code	Temperature		Finish	List Price
MODEL RFC30 FLAT CONCEALED K3.0 (43) THREADS 1/2" (15MM) RA0611					
1816172197	RFC30	165°F	74°C	W/O	A\$143.17
1821172197	RFC302	212°F	100°C	W/O	A\$143.17
MODEL RFC43 FLAT CONCEALED K4.3 (62) THREADS 1/2" (15MM) RA0612					
1816172597	RFC43	165°F	74°C	W/O	A\$143.17
1821172597	RFC432	212°F	100°C	W/O	A\$143.17
MODEL RFC49 FLAT CONCEALED K4.9 (70) THREADS 1/2" (15MM) RA0616					
1816172697	RFC49	165°F	74°C	W/O	A\$143.17
1821172697	RFC492	212°F	100°C	W/O	A\$143.17
MODEL RFC58 FLAT CONCEALED K5.8 (84) THREADS 1/2" (15MM) RA0613					
1816172997	RFC581	165°F	74°C	W/O	A\$143.17
1821172997	RFC582	212°F	100°C	W/O	A\$143.17
MODEL RFC76 FLAT CONCEALED K7.6 (109) THREADS 3/4" (20MM) RA0618					
1816173198	RFC761	165°F	74°C	W/O	A\$225.45
1821173198	RFC762	212°F	100°C	W/O	A\$225.45

RFC30

- K-Factor = 3.0 (43)
- **SIN RA0611**
- See Bulletin 006

6880170020	WFC	WRENCH,FC,CONCEALED		A\$ 633.90
6880100110	W3	WRENCH W3 FOR WRENCH-ABLE PROTECTIVE CAP		A\$ 633.90
6880103000	W8	WRENCH,W8, RFC PLASTIC SERVICE WRENCH		A\$ 393.08

RFC43

- K-Factor = 4.3 (62)
- **SIN RA0612**
- See Bulletin 006

MODEL G5 COVER PLATES					
6887271321	CG50C	135°F	57°C	Chrome	A\$ 78.04
6887271372	CG50W	135°F	57°C	White	A\$ 71.13
6887271311	CG50B	135°F	57°C	Finished Bronze	A\$101.43
6887271374	CG50OW	135°F	57°C	Off-White	A\$ 96.74
6887271390	CG50SP	135°F	57°C	Specialty	A\$100.61
6887271316	CG50FB	135°F	57°C	Black Painted	A\$ 96.86
6887271305	CG50BB	135°F	57°C	Bright Brass	A\$122.79
6887271323	CG50CD	135°F	57°C	Satin Chrome	A\$122.79
6887271310	CG50SS	135°F	57°C	Stainless Steel	A\$122.79

RFC49

- K-Factor = 4.9 (70)
- **SIN RA0616**
- See Bulletin 006

RFC58

- K-Factor = 5.8 (84)
- **SIN RA0613**
- See Bulletin 006

RFC76

- K-Factor = 7.6 (109)
- **SIN RA0618**
- See Bulletin 006

6887271621	CG51C	165°F	74°C	Chrome	A\$ 78.04
6887271672	CG51W	165°F	74°C	White	A\$ 71.13
6887271611	CG51B	165°F	74°C	Finished Bronze	A\$101.43
6887271674	CG51OW	165°F	74°C	Off-White	A\$ 96.74
6887271690	CG51SP	165°F	74°C	Specialty	A\$100.61
6887271616	CG51FB	165°F	74°C	Black Painted	A\$ 96.86
6887271605	CG51BB	165°F	74°C	Bright Brass	A\$122.79
6887271623	CG51CD	165°F	74°C	Satin Chrome	A\$122.79
6887271610	CG51SS	165°F	74°C	Stainless Steel	A\$122.79



RFC49plus

- K-Factor = 4.9 (70)
- **SIN R401 and R402 (Low Lead)**
- See Bulletin 188

Part Number	Short Code	Temperature		Finish	List Price
MODEL RFC49 PLUS FLAT CONCEALED K4.9 (70) THREADS 1/2" R401					
1816172799	RFC491P	165°F	74°C	W/O	A\$164.23
1821172799	RFC492P	212°F	100°C	W/O	A\$164.23
MODEL RFC49 PLUS FLAT CONCEALED K4.9 (70) BSPT THREADS 1/2" R401					
1816172792	RFC491M	165°F	74°C	W/O	A\$164.23
1821172792	RFC492PM	212°F	100°C	W/O	A\$164.23
MODEL RFC49LL PLUS FLAT CONCEALED K4.9 (70) THREADS 1/2" R402					
18161727P9	RFC491PLL	165°F	74°C	W/O	A\$253.18
18211727P9	RFC492PLL	212°F	100°C	W/O	A\$253.18
MODEL RFC49LL PLUS FLAT CONCEALED K4.9 (70) BSPT THREADS R402					
18161727P2		165°F	74°C	W/O	A\$253.18
18211727P2		212°F	100°C	W/O	A\$253.18
MODEL G5 COVER PLATES					
6887271321	CG50C	135°F	57°C	Chrome	A\$ 78.04
6887271621	CG51C	165°F	74°C	Chrome	A\$ 78.04
6887271372	CG50W	135°F	57°C	White	A\$ 71.13
6887271672	CG51W	165°F	74°C	White	A\$ 71.13
6880105000	W10	WRENCH,W10,WITH PROTECTIVE CAP,RFC49+			A\$ 633.90
6880107000	W11	WRENCH,W11,PLASTIC,RFC49+			A\$ 393.08



**RFS42 Residential
 Flat Plate
 Concealed HSW**

- K-Factor = 4.2 (60)
- **SIN RA4835**
- See Bulletin 048

Part Number	Short Code	Temperature		Finish	List Price
MODEL RFS42 HSW CONCEALED K4.2 (60) THREADS 1/2" (15MM) RA4835					
2216172499	RFS42	165°F	74°C	W/O	A\$ 283.20

6880101010 WG6 WRENCH,G6 HSW SOCKET A\$ 628.08

MODEL RFS42 COVERPLATES					
6887231311	CRFS0B	135°F	57°C	Finished Bronze	A\$ 102.91
6887231321	CRFS0C	135°F	57°C	Chrome	A\$ 99.17
6887231372	CRFS0W	135°F	57°C	White	A\$ 99.17

Notes:

Sprinklers and coverplates sold and packaged separately

NEW



F3RES44 DRY HSW

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

Part Number	Size	Finish	List Price
MODEL F3RES44 DRY HORIZONTAL K4.4 (63) THREADS 1" (IS07-R1) RA5231			
HP[TEMP]11[DIM]	2" to 5-3/4"	Brass	A\$ 785.11
HP[TEMP]21[DIM]	2" to 5-3/4"	Chrome	A\$ 785.11
HP[TEMP]08[DIM]	2" to 5-3/4"	White	A\$ 785.11
HP[TEMP]11[DIM]	6" to 8-3/4"	Brass	A\$ 809.64
HP[TEMP]21[DIM]	6" to 8-3/4"	Chrome	A\$ 809.64
HP[TEMP]08[DIM]	6" to 8-3/4"	White	A\$ 809.64
HP[TEMP]11[DIM]	9" to 11-3/4"	Brass	A\$ 834.16
HP[TEMP]21[DIM]	9" to 11-3/4"	Chrome	A\$ 834.16
HP[TEMP]08[DIM]	9" to 11-3/4"	White	A\$ 834.16
HP[TEMP]11[DIM]	12" to 14-3/4"	Brass	A\$ 858.69
HP[TEMP]21[DIM]	12" to 14-3/4"	Chrome	A\$ 858.69
HP[TEMP]08[DIM]	12" to 14-3/4"	White	A\$ 858.69
HP[TEMP]11[DIM]	15" to 17-3/4"	Brass	A\$ 883.23
HP[TEMP]21[DIM]	15" to 17-3/4"	Chrome	A\$ 883.23
HP[TEMP]08[DIM]	15" to 17-3/4"	White	A\$ 883.23
HP[TEMP]11[DIM]	18" to 20-3/4"	Brass	A\$ 907.78
HP[TEMP]21[DIM]	18" to 20-3/4"	Chrome	A\$ 907.78
HP[TEMP]08[DIM]	18" to 20-3/4"	White	A\$ 907.78
HP[TEMP]11[DIM]	21" to 24"	Brass	A\$ 932.30
HP[TEMP]21[DIM]	21" to 24"	Chrome	A\$ 932.30
HP[TEMP]08[DIM]	21" to 24"	White	A\$ 932.30
MODEL F3RES44 DRY HORIZONTAL K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231			
HP5[TEMP]11[DIM]	2" to 5-3/4"	Brass	A\$ 785.11
HP5[TEMP]21[DIM]	2" to 5-3/4"	Chrome	A\$ 785.07
HP5[TEMP]08[DIM]	2" to 5-3/4"	White	A\$ 785.11
HP5[TEMP]11[DIM]	6" to 8-3/4"	Brass	A\$ 809.62
HP5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	A\$ 809.64
HP5[TEMP]08[DIM]	6" to 8-3/4"	White	A\$ 809.64
HP5[TEMP]11[DIM]	9" to 11-3/4"	Brass	A\$ 834.16
HP5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	A\$ 834.16
HP5[TEMP]08[DIM]	9" to 11-3/4"	White	A\$ 834.16
HP5[TEMP]11[DIM]	12" to 14-3/4"	Brass	A\$ 858.71
HP5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	A\$ 858.69
HP5[TEMP]08[DIM]	12" to 14-3/4"	White	A\$ 858.69
HP5[TEMP]11[DIM]	15" to 17-3/4"	Brass	A\$ 883.24
HP5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	A\$ 883.24
HP5[TEMP]08[DIM]	15" to 17-3/4"	White	A\$ 883.24
HP5[TEMP]11[DIM]	18" to 20-3/4"	Brass	A\$ 907.78
HP5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	A\$ 907.78
HP5[TEMP]08[DIM]	18" to 20-3/4"	White	A\$ 907.78
HP5[TEMP]11[DIM]	21" to 24"	Brass	A\$ 932.30
HP5[TEMP]21[DIM]	21" to 24"	Chrome	A\$ 932.30
HP5[TEMP]08[DIM]	21" to 24"	White	A\$ 932.30

6880130001 WF3R Requires Model F3R Wrench A\$ 333.65

* Note: Model F3 wrenches are not compatible with the F3RES44 Dry sprinklers.



**F3RES44 DRY
 RECESSED HSW /
 F2**

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

**PRICING
 INCLUDES F2
 ESCUTCHEON**

Part Number	Size	Finish	List Price
MODEL F3RES44 DRY REC HORIZONTAL K4.4 (63) THREADS 1"(ISO 7-R1) RA5231			
HR[TEMP]11[DIM]	2" to 5-3/4"	Brass	A\$ 716.21
HR[TEMP]21[DIM]	2" to 5-3/4"	Chrome	A\$ 705.80
HR[TEMP]08[DIM]	2" to 5-3/4"	White	A\$ 705.80
HR[TEMP]11[DIM]	6" to 8-3/4"	Brass	A\$ 765.28
HR[TEMP]21[DIM]	6" to 8-3/4"	Chrome	A\$ 754.86
HR[TEMP]08[DIM]	6" to 8-3/4"	White	A\$ 754.86
HR[TEMP]11[DIM]	9" to 11-3/4"	Brass	A\$ 794.69
HR[TEMP]21[DIM]	9" to 11-3/4"	Chrome	A\$ 784.30
HR[TEMP]08[DIM]	9" to 11-3/4"	White	A\$ 784.30
HR[TEMP]11[DIM]	12" to 14-3/4"	Brass	A\$ 824.12
HR[TEMP]21[DIM]	12" to 14-3/4"	Chrome	A\$ 813.77
HR[TEMP]08[DIM]	12" to 14-3/4"	White	A\$ 813.77
HR[TEMP]11[DIM]	15" to 17-3/4"	Brass	A\$ 858.48
HR[TEMP]21[DIM]	15" to 17-3/4"	Chrome	A\$ 848.11
HR[TEMP]08[DIM]	15" to 17-3/4"	White	A\$ 848.11
HR[TEMP]11[DIM]	18" to 20-3/4"	Brass	A\$ 887.92
HR[TEMP]21[DIM]	18" to 20-3/4"	Chrome	A\$ 877.54
HR[TEMP]08[DIM]	18" to 20-3/4"	White	A\$ 877.54
HR[TEMP]11[DIM]	21" to 24"	Brass	A\$ 917.36
HR[TEMP]21[DIM]	21" to 24"	Chrome	A\$ 906.97
HR[TEMP]08[DIM]	21" to 24"	White	A\$ 906.97
MODEL F3RES44 DRY REC HORIZONTAL K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231			
HR5[TEMP]11[DIM]	2" to 5-3/4"	Brass	A\$ 716.21
HR5[TEMP]21[DIM]	2" to 5-3/4"	Chrome	A\$ 686.95
HR5[TEMP]08[DIM]	2" to 5-3/4"	White	A\$ 705.80
HR5[TEMP]11[DIM]	6" to 8-3/4"	Brass	A\$ 765.28
HR5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	A\$ 754.86
HR5[TEMP]08[DIM]	6" to 8-3/4"	White	A\$ 736.01
HR5[TEMP]11[DIM]	9" to 11-3/4"	Brass	A\$ 794.69
HR5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	A\$ 765.47
HR5[TEMP]08[DIM]	9" to 11-3/4"	White	A\$ 765.47
HR5[TEMP]11[DIM]	12" to 14-3/4"	Brass	A\$ 824.12
HR5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	A\$ 813.77
HR5[TEMP]08[DIM]	12" to 14-3/4"	White	A\$ 794.89
HR5[TEMP]11[DIM]	15" to 17-3/4"	Brass	A\$ 858.48
HR5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	A\$ 829.23
HR5[TEMP]08[DIM]	15" to 17-3/4"	White	A\$ 829.23
HR5[TEMP]11[DIM]	18" to 20-3/4"	Brass	A\$ 887.92
HR5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	A\$ 858.71
HR5[TEMP]08[DIM]	18" to 20-3/4"	White	A\$ 858.71
HR5[TEMP]11[DIM]	21" to 24"	Brass	A\$ 917.36
HR5[TEMP]21[DIM]	21" to 24"	Chrome	A\$ 888.14
HR5[TEMP]08[DIM]	21" to 24"	White	A\$ 888.14

6880070100 WXLO Requires Model XLO2 Wrench A\$ 331.19



F3RES44 DRY HSW / HB

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

Part Number	Size	Finish	List Price
MODEL F3RES44 DRY HORIZONTAL HB K4.4 (63) THREADS 1" (ISO 7-R1) RA5231			
HQ[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	A\$ 711.49
HQ[TEMP]08[DIM]	3 1/2" to 5-3/4"	White	A\$ 711.49
HQ[TEMP]21[DIM]	6" to 8-3/4"	Chrome	A\$ 745.82
HQ[TEMP]08[DIM]	6" to 8-3/4"	White	A\$ 745.82
HQ[TEMP]21[DIM]	9" to 11-3/4"	Chrome	A\$ 775.28
HQ[TEMP]08[DIM]	9" to 11-3/4"	White	A\$ 775.28
HQ[TEMP]21[DIM]	12" to 14-3/4"	Chrome	A\$ 804.71
HQ[TEMP]08[DIM]	12" to 14-3/4"	White	A\$ 804.71
HQ[TEMP]21[DIM]	15" to 17-3/4"	Chrome	A\$ 834.16
HQ[TEMP]08[DIM]	15" to 17-3/4"	White	A\$ 834.16
HQ[TEMP]21[DIM]	18" to 20-3/4"	Chrome	A\$ 863.59
HQ[TEMP]08[DIM]	18" to 20-3/4"	White	A\$ 863.59
HQ[TEMP]21[DIM]	21" to 24"	Chrome	A\$ 893.02
HQ[TEMP]08[DIM]	21" to 24"	White	A\$ 893.02
MODEL F3RES44 DRY HORIZONTAL HB K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231			
HQ5[TEMP]21[DIM]	4-1/4" to 5-3/4"	Chrome	A\$ 711.49
HQ5[TEMP]08[DIM]	4-1/4" to 5-3/4"	White	A\$ 711.49
HQ5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	A\$ 745.82
HQ5[TEMP]08[DIM]	6" to 8-3/4"	White	A\$ 745.82
HQ5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	A\$ 775.28
HQ5[TEMP]08[DIM]	9" to 11-3/4"	White	A\$ 775.26
HQ5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	A\$ 804.71
HQ5[TEMP]08[DIM]	12" to 14-3/4"	White	A\$ 804.71
HQ5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	A\$ 834.16
HQ5[TEMP]08[DIM]	15" to 17-3/4"	White	A\$ 834.16
HQ5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	A\$ 863.59
HQ5[TEMP]08[DIM]	18" to 20-3/4"	White	A\$ 863.59
HQ5[TEMP]21[DIM]	21" to 24"	Chrome	A\$ 893.02
HQ5[TEMP]08[DIM]	21" to 24"	White	A\$ 893.02
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	A\$ 3.98
6999994881	SKIRTW	White	A\$ 3.79

6880130001 WF3R Requires Model F3R Wrench A\$ 333.65

* Note: Model F3 wrenches are not compatible with the F3RES44 Dry sprinklers.



**F1RES 30 LL
 Pendant &
 Recessed Pendant**

- K-Factor = 3.0 (43)
- **SIN RA3311**
- See Bulletin 033



F1RES 30 LL CCP

- K-Factor = 3.0 (43)
- **SIN RA3311**
- Low Lead Sprinklers
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES30LL PENDENT K3.0 (43) THREADS 1/2" (15MM) RA3311					
CV151121P9	30BLL	155°F	68°C	Brass Low Lead	A\$ 177.46
CV152121P9	30CLL	155°F	68°C	Chrome	A\$ 189.25
CV158721P9	30WLL	155°F	68°C	Poly White Low Lead	A\$ 189.25
CV171121P9	30B5LL	175°F	79°C	Brass Low Lead	A\$ 177.46
CV172121P9	30C5LL	175°F	79°C	Chrome	A\$ 189.25
CV178721P9	30W5LL	175°F	79°C	Poly White Low Lead	A\$ 189.25
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	A\$ 38.99
6800800000	GF2C	1/2" (15mm)		Chrome	A\$ 21.02
6800840000	GF2W	1/2" (15mm)		White	A\$ 21.02
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801412100	FPC	Push-On Thread Off		Chrome	A\$ 40.54
6801417200	FPW	Push-On Thread Off		White	A\$ 40.54

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW			A\$ 212.47
6880100120	WW4	Wrench, W4, Recessed, Concealed			A\$ 630.53

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES30LL HORIZONTAL CCP K3.0 (43) THREADS 1/2" (15MM) RA3311					
CM151721P9	30CCP1LL	155°F	68°C	Brass	A\$ 189.25
MODEL CCP CONICAL CONCEALED COVERPLATES					
6887161321	CCP0C76	135°F	57°C	Chrome	A\$ 168.49
6887161318	CCP0W76	135°F	57°C	Flat White	A\$ 65.66
6887161390	CCP0SP76	135°F	57°C	Specialty	A\$ 110.26
6887171321	CCP05C76	135°F	57°C	Chrome	A\$ 168.49
6887171318	CCP05W76	135°F	57°C	White	A\$ 65.66
6887171390	CCP05SP76	135°F	57°C	Specialty	A\$ 110.26

6880100120	WW4	Wrench, W4, Recessed, Concealed			A\$ 630.53
------------	-----	---------------------------------	--	--	------------



**F1RES 49 LL
 Pendant &
 Recessed Pendant**

- K-Factor = 4.9 (70)
- **SIN RA3316**
- See Bulletin 033



F1RES 49 LL CCP

- K-Factor = 4.9 (70)
- **SIN RA3316**
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES49LL PENDENT K4.9 (70) THREADS 1/2" (15MM) RA3316					
CV151128P9	49BLL	155°F	68°C	Brass Low Lead	A\$ 177.46
CV152128P9	49CCLL	155°F	68°C	Chrome Low Lead	A\$ 189.25
CV158728P9	49WLL	155°F	68°C	Poly White Low Lead	A\$ 189.25
CV171128P9	49B5LL	175°F	79°C	Brass Low Lead	A\$ 177.46
CV172128P9	49C5LL	175°F	79°C	Chrome Low Lead	A\$ 189.25
CV178728P9	49W5LL	175°F	79°C	Poly White Low Lead	A\$ 189.25
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	A\$ 38.99
6800600001	GF1C	1/2" (15mm)		Chrome	A\$ 21.02
6800640001	GF1W	1/2" (15mm)		White	A\$ 21.02
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	A\$ 38.99
6800800000	GF2C	1/2" (15mm)		Chrome	A\$ 21.02
6800840000	GF2W	1/2" (15mm)		White	A\$ 21.02
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801412100	FPC	Push-On Thread Off		Chrome	A\$ 40.54
6801417200	FPW	Push-On Thread Off		White	A\$ 40.54

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW			A\$ 212.47
6880100120	WW4	Wrench, W4, Recessed, Concealed			A\$ 630.53

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES49LL PENDENT CCP K4.9 (70) THREADS 1/2" (15MM) RA3316					
CM151728P9	49CCP1LL	155°F	68°C	Brass	A\$ 189.25
MODEL CCP CONICAL CONCEALED COVERPLATES					
6887161321	CCP0C76	135°F	57°C	Chrome	A\$ 168.49
6887161318	CCP0W76	135°F	57°C	Flat White	A\$ 65.66
6887161390	CCP0SP76	135°F	57°C	Specialty	A\$ 110.26
6887171321	CCP05C76	135°F	57°C	Chrome	A\$ 168.49
6887171318	CCP05W76	135°F	57°C	White	A\$ 65.66
6887171390	CCP05SP76	135°F	57°C	Specialty	A\$ 110.26

6880100120	WW4	Wrench, W4, Recessed, Concealed			A\$ 630.53
------------	-----	---------------------------------	--	--	------------



F1RES 44 LL HSW & REC HSW

- K-Factor = 4.4 (63)
- **SIN RA3331**
- See Bulletin 033



F1RES 44 LL SWC

- K-Factor = 4.4 (63)
- **SIN RA3331**
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES44LL HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) RA3331					
CV521125P9	44BLL	155°F	68°C	Brass Low Lead	A\$ 183.40
CV522125P9	44CLL	155°F	68°C	Chrome Low Lead	A\$ 192.21
CV528725P9	44WLL	155°F	68°C	Poly White Low Lead	A\$ 192.21
CV531125P9	44B5LL	175°F	79°C	Brass Low Lead	A\$ 183.40
CV532125P9	44C5LL	175°F	79°C	Chrome Low Lead	A\$ 192.21
CV538725P9	44W5LL	175°F	79°C	Poly White Low Lead	A\$ 192.21
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	A\$ 38.99
6800800000	GF2C	1/2" (15mm)		Chrome	A\$ 21.02
6800840000	GF2W	1/2" (15mm)		White	A\$ 21.02
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801412100	FPC	Push-On Thread Off		Chrome	A\$ 40.54
6801417200	FPW	Push-On Thread Off		White	A\$ 40.54

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES44LL SWC K4.4 (63) THREADS 1/2" (15MM) RA3331					
CM521725P9	SWC44LL	155°F	68°C	Brass	A\$ 192.21
MODEL F1RES44LL COVERPLATES 1/2" ADJUSTMENT					
6887131318	CHWNS	135°F	57°C	White	A\$ 67.24
6887131390	CHSPNS	135°F	57°C	Specialty	A\$ 100.81
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			A\$ 212.47
6880100120	WW4	Wrench, W4, Recessed, Concealed			A\$ 630.53



**F1RES 58 LL
 Pendent &
 Recessed Pendant**

- K-Factor = 5.8 (84)
- **SIN RA3313**
- See Bulletin 033



F1RES 58 LL CCP

- K-Factor = 5.8 (84)
- **SIN RA3333**
- See Bulletin 033



**F1RES 58 LL HSW
 & REC HSW**

- K-Factor = 5.8 (84)
- **SIN RA3333**
- See Bulletin 033

Part Number	Short Code	Temperature	Finish	List Price
MODEL F1RES58LL PENDENT K5.8 (84) THREADS 1/2" (15MM) RA3313				
CV151131P9	58P1BLL	155°F 68°C	Brass Low Lead	A\$ 177.46
CV152131P9	58P1CLL	155°F 68°C	Chrome Low Lead	A\$ 189.25
CV158731P9	58P1WLL	155°F 68°C	Poly White Low Lead	A\$ 189.25
CV171131P9	58P5BLL	175°F 79°C	Brass Low Lead	A\$ 177.46
CV172131P9	58P5CLL	175°F 79°C	Chrome Low Lead	A\$ 189.25
CV178731P9	58P5WLL	175°F 79°C	Poly White Low Lead	A\$ 189.25
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY				
6800630001	GF1B	1/2" (15mm)	Brass	A\$ 38.99
6800600001	GF1C	1/2" (15mm)	Chrome	A\$ 21.02
6800640001	GF1W	1/2" (15mm)	White	A\$ 21.02
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY				
6800830000	GF2B	1/2" (15mm)	Brass	A\$ 38.99
6800800000	GF2C	1/2" (15mm)	Chrome	A\$ 21.02
6800840000	GF2W	1/2" (15mm)	White	A\$ 21.02
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS				
6801412100	FPC	Push-On Thread Off	Chrome	A\$ 40.54
6801417200	FPW	Push-On Thread Off	White	A\$ 40.54

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	A\$ 212.47
6880100120	WW4	Wrench, W4, Recessed, Concealed	A\$ 630.53

Part Number	Short Code	Temperature	Finish	List Price
MODEL F1RES58LL CCP K5.8 (84) THREADS 1/2" (15MM) RA3333				
CM151731P9	58CCP1LL	155°F 68°C	Brass	A\$ 189.25
MODEL CCP CONICAL CONCEALED COVERPLATES				
6887161321	CCP0C76	135°F 57°C	Chrome	A\$ 168.49
6887161318	CCP0W76	135°F 57°C	Flat White	A\$ 65.66
6887161390	CCP0SP76	135°F 57°C	Specialty	A\$ 110.26
6887171321	CCP05C76	135°F 57°C	Chrome	A\$ 168.49
6887171318	CCP05W76	135°F 57°C	White	A\$ 65.66
6887171390	CCP05SP76	135°F 57°C	Specialty	A\$ 110.26

6880100120	WW4	Wrench, W4, Recessed, Concealed	A\$ 630.53
------------	-----	---------------------------------	------------

Part Number	Short Code	Temperature	Finish	List Price
MODEL F1RES58LL HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3333				
CV521131P9	58H1BLL	155°F 68°C	Brass Low Lead	A\$ 183.40
CV522131P9	58H1CLL	155°F 68°C	Chrome Low Lead	A\$ 192.21
CV528731P9	58H1WLL	155°F 68°C	Poly White Low Lead	A\$ 192.21
CV531131P9	58H5BLL	175°F 79°C	Brass Low Lead	A\$ 183.40
CV532131P9	58H5CLL	175°F 79°C	Chrome Low Lead	A\$ 192.21
CV538731P9	58H5WLL	175°F 79°C	Poly White Low Lead	A\$ 192.21
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY				
6800830000	GF2B	1/2" (15mm)	Brass	A\$ 38.99
6800800000	GF2C	1/2" (15mm)	Chrome	A\$ 21.02
6800840000	GF2W	1/2" (15mm)	White	A\$ 21.02
6801412100	FPC	Push-On Thread Off	Chrome	A\$ 40.54
6801417200	FPW	Push-On Thread Off	White	A\$ 40.54

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	A\$ 212.47
6880100120	WW4	Wrench, W4, Recessed, Concealed	A\$ 630.53
6880100100	WW1	Wrench, W1, Recessed, Pendent, CCP & HSW	A\$ 630.53



RFC30 LL Flat Concealed

- K-Factor = 3.0 (43)
- **SIN RA3211**
- See Bulletin 006


Part Number	Short Code	Temperature		Finish	List Price
MODEL RFC30LL FLAT CONCEALED K3.0 (43) THREADS 1/2" (15MM) RA3211					
18161721P7	RFC30LL	165°F	74°C	Brass	A\$ 221.82
MODEL RFC43LL FLAT CONCEALED K4.3 (62) THREADS 1/2" (15MM) RA3212					
18161725P7	RFC43LL	165°F	74°C	Brass	A\$ 221.82
MODEL RFC49LL FLAT CONCEALED K4.9 (70) THREADS 1/2" (15MM) RA3216					
18161726P7	RFC49LL	165°F	74°C	Brass	A\$ 221.82
18211726P7	RFC492LL	212°F	100°C	Brass	A\$ 221.82
REQUIRED COVERPLATES					
6887271372	CG50W	135°F	57°C	White	A\$ 71.13
6887271310	CG50SS	135°F	57°C	Stainless Steel	A\$ 122.79

Specifically Listed for use in Multi-Purpose Systems that serve both domestic water and fire protection



RFC43 LL Flat Concealed

- K-Factor = 4.3 (62)
- **SIN RA3212**
- See Bulletin 006



RFC49 LL Flat Concealed

- K-Factor = 4.9 (70)
- **SIN RA3216**
- See Bulletin 006