



F1RES 30 CCP

- K-Factor = 3.0 (43)
- SIN R3511
- See Bulletin 135



F1RES 30 PENDENT & RECESSED PENDENT

- K-FACTOR = 3.0 (43)
- SIN R3511
- See Bulletin 135



KRES 30 PENDENT

- K Factor =3.0 (43)
- SIN R3591
- Link Version
- See Bulletin 935

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES30 CCP K3.0 (43) THREADS 1/2" (15MM) R3511					
CM15172199	30CCP1	155°F	68°C	W/O	A\$ 85.25
MODEL CCP CONICAL CONCEALED COVERPLATES					
6887161321	CCP0C76	135°F	57°C	Chrome	A\$141.82
6887161318	CCP0W76	135°F	57°C	Flat White	A\$ 55.27
6887161390	CCP0SP76	135°F	57°C	Specialty	A\$ 92.82
6887171321	CCP05C76	135°F	57°C	Chrome	A\$141.82
6887171318	CCP05W76	135°F	57°C	White	A\$ 55.27
6887171390	CCP05SP76	135°F	57°C	Specialty	A\$ 92.82
MODEL F1RES30 PENDENT K3.0 (43) THREADS 1/2" (15MM) R3511					
CV151121S9	30BN	155°F	68°C	Brass	A\$ 94.15
CV152121S9	30CN	155°F	68°C	Chrome	A\$ 94.86
CV158721S9	30WN	155°F	68°C	Poly White	A\$ 94.86
CV171121S9	30B5N	175°F	79°C	Brass	A\$ 94.15
CV172121S9	30C5N	175°F	79°C	Chrome	A\$ 94.86
CV178721S9	30W5N	175°F	79°C	White	A\$ 94.86
6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			A\$ 521.79
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			A\$ 172.58
MODEL KRES30 PENDENT K3.0 (43) THREADS 1/2" (15MM) R3591					
MV161121R9	KRES301B	165°F	74°C	Brass	A\$ 94.15
MV162121R9	KRES301C	165°F	74°C	Chrome	A\$ 94.86
MV168721R9	KRES301W	165°F	74°C	Poly White	A\$ 94.86
MV211121R9	KRES302B	212°F	100°C	Brass	A\$ 94.15
MV212121R9	KRES302C	212°F	100°C	Chrome	A\$ 94.86
MV218721R9	KRES302W	212°F	100°C	Poly White	A\$ 94.86
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			A\$ 172.58
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			A\$ 521.79
6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			A\$ 521.79
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	A\$ 32.24
6800800000	GF2C	1/2" (15mm)		Chrome	A\$ 17.39
6800840000	GF2W	1/2" (15mm)		White	A\$ 17.39



F1RES 49 Pendant & Recessed Pendant

- K-Factor = 4.9 (71)
- **SIN R3516**
- See Bulletins 135



KRES49 Pendant & Recessed Pendant

- K-Factor = 4.9 (71)
- **SIN R3596**
- See Bulletin 935
- Link Version



F1RES 49 CCP

- K-Factor = 4.9 (71)
- **SIN R3516**
- See Bulletins 135

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES49 PENDENT K4.9 (71) THREADS 1/2" (15MM) R3516					
CV151128S9	49BN	155°F	68°C	Brass	A\$ 94.15
CV152128S9	49CN	155°F	68°C	Chrome	A\$ 94.86
CV158728S9	49WN	155°F	68°C	White	A\$ 94.86
CV171128S9	49B5N	175°F	79°C	Brass	A\$ 94.15
CV172128S9	49C5N	175°F	79°C	Chrome	A\$ 94.86
CV178728S9	49W5N	175°F	79°C	White	A\$ 94.86

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			A\$521.79
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			A\$172.58

MODEL KRES49 PENDENT K4.9 (71) THREADS 1/2" (15MM) R3596-LINK					
MV161128R9	KRES491B	165°F	74°C	Brass	A\$ 94.15
MV162128R9	KRES491C	165°F	74°C	Chrome	A\$ 94.86
MV168728R9	KRES491W	165°F	74°C	Poly White	A\$ 94.86
MV211128R9	KRES492B	212°F	100°C	Brass	A\$ 94.15
MV212128R9	KRES492C	212°F	100°C	Chrome	A\$ 94.86
MV218728R9	KRES492W	212°F	100°C	Poly White	A\$ 94.86

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			A\$521.79
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			A\$172.58
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			A\$521.79

MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	A\$ 32.24
6800600001	GF1C	1/2" (15mm)		Chrome	A\$ 17.39
6800640001	GF1W	1/2" (15mm)		White	A\$ 17.39

MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	A\$ 32.24
6800800000	GF2C	1/2" (15mm)		Chrome	A\$ 17.39
6800840000	GF2W	1/2" (15mm)		White	A\$ 17.39

MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801412100	FPC	Push-On Thread Off		Chrome	A\$ 33.55
6801417200	FPW	Push-On Thread Off		White	A\$ 33.55

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES49 CCP K4.9 (71) THREADS 1/2" (15MM) R3516					
CM151728S9	49CCP1N	155°F	68°C	W/O	A\$ 85.25

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			A\$ 521.79
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			A\$ 172.58

MODEL CCP CONICAL CONCEALED COVERPLATES					
6887161321	CCP0C76	135°F	57°C	Chrome	A\$ 141.82
6887161318	CCP0W76	135°F	57°C	Flat White	A\$ 55.27
6887161390	CCP0SP76	135°F	57°C	Specialty	A\$ 92.82
6887171321	CCP05C76	135°F	57°C	Chrome	A\$ 141.82
6887171318	CCP05W76	135°F	57°C	White	A\$ 55.27
6887171390	CCP05SP76	135°F	57°C	Specialty	A\$ 92.82




F1RES 44 HSW & REC HSW

- See Bulletins 135



KRES44 HSW & REC HSW

- See Bulletins 935
- SIN RA3591
- Link version



F1RES 44 SWC

- See Bulletins 135

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES44 HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) R3531					
CV521125S9	44BN	155°F	68°C	Brass	A\$ 97.11
CV522125S9	44CN	155°F	68°C	Chrome	A\$ 97.18
CV528725S9	44WN	155°F	68°C	White	A\$ 97.18
CV531125S9	44B5N	175°F	79°C	Brass	A\$ 97.11
CV532125S9	44C5N	175°F	79°C	Chrome	A\$ 97.18
CV538725S9	44W5N	175°F	79°C	Poly White	A\$ 97.18

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			A\$521.79
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			A\$ 172.58

MODEL KRES44 HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) RA3591					
MV521125R9	KRES441B	165°F	74°C	Brass	A\$ 97.11
MV522125R9	KRES441C	165°F	74°C	Chrome	A\$ 97.18
MV528725R9	KRES441W	165°F	74°C	Poly White	A\$ 97.18

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			A\$521.79
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			A\$ 172.58
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			A\$521.79

MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	A\$ 32.24
6800800000	GF2C	1/2" (15mm)		Chrome	A\$ 17.39
6800840000	GF2W	1/2" (15mm)		White	A\$ 17.39

MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801412100	FPC	Push-On Thread Off		Chrome	A\$ 33.55
6801417200	FPW	Push-On Thread Off		White	A\$ 33.55

Part Number	Short Code	Temperature		Finish	List Price
MODEL SWC 44 RES K4.4 (63) THREADS 1/2" R3531					
CM521725S9	SWC44N	155°F	68°C	W/O	A\$ 96.14
CM531725S9	SWC445N	175°F	79°C	W/O	A\$ 96.14
REQUIRED COVERPLATES (1/2" ADJUSTMENT) SWC					
6887131318	CHWNS	135°F	57°C	White	A\$ 57.66
6887131390	CHSPNS	135°F	57°C	Specialty	A\$ 86.46
REQUIRED COVERPLATES (1/2" ADJUSTMENT) SWC-2					
6887251318	SWC2W	135°F	57°C	Flat White	A\$ 57.66



F1RES 58 CCP

- K-Factor = 5.8 (84)
- **SIN R3513**
- See Bulletins 135 & 176

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES58 CONCEALED CCP K5.8 (84) THREADS 1/2" (15MM) R3513					
CM15173199	58CCP1	155°F	68°C	W/O	A\$ 85.25
MODEL CCP CONICAL CONCEALED COVERPLATES					
6887161321	CCP0C76	135°F	57°C	Chrome	A\$ 141.82
6887161318	CCP0W76	135°F	57°C	Flat White	A\$ 55.27
6887161390	CCP0SP76	135°F	57°C	Specialty	A\$ 92.82
6887171321	CCP05C76	135°F	57°C	Chrome	A\$ 141.82
6887171318	CCP05W76	135°F	57°C	White	A\$ 55.27
6887171390	CCP05SP76	135°F	57°C	Specialty	A\$ 92.82

6880100120 WW4 WRENCH,W4,RECESSED,CONCEALED A\$ 521.79



F1RES 58 HSW & REC HSW

- K-Factor = 5.8 (84)
- **SIN R3533**
- See Bulletins 135 & 176

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES58 HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) R3533					
CV521131S9	58H1BN	155°F	68°C	Brass	A\$ 97.11
CV522131S9	58H1CN	155°F	68°C	Chrome	A\$ 97.18
CV528731S9	58H1WN	155°F	68°C	White	A\$ 97.18
CV531131S9	58H5BN	175°F	79°C	Brass	A\$ 97.11
CV532131S9	58H5CN	175°F	79°C	Chrome	A\$ 97.18
CV538731S9	58H5WN	175°F	79°C	White	A\$ 97.18
MODEL KRES58 HORIZONTAL K5.8 (84) THREADS 1/2" RA3503 LINK					
MV521131R9	KRES58H1B	165°F	74°C	Brass	A\$ 97.11
MV522131R9	KRES58H1C	165°F	74°C	Chrome	A\$ 97.18
MV528731R9	KRES58H1W	165°F	74°C	Poly White	A\$ 97.18



KRES 58 HSW & REC HSW

- K-Factor = 5.8 (84)
- **SIN R3503**
- Link Version

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES58 PENDENT K5.8 (84) THREADS 1/2" R3513					
CV151131S9	58P1BN	155°F	68°C	Brass	A\$ 94.15
CV152131S9	58P1CN	155°F	68°C	Chrome	A\$ 94.86
CV158731S9	58P1WN	155°F	68°C	White	A\$ 94.86
CV17113199	58P5B	175°F	79°C	Brass	A\$ 94.15
CV17213199	58P5C	175°F	79°C	Chrome	A\$ 94.86
CV178731S9	58P5WN	175°F	79°C	White	A\$ 94.86
MODEL KRES58 PENDENT K5.8 (84) THREADS 1/2" R3593 LINK					
MV161131R9	KRES58P1B	165°F	74°C	Brass	A\$ 94.15
MV162131R9	KRES58P1C	165°F	74°C	Chrome	A\$ 94.86
MV168731R9	KRES58P1W	165°F	74°C	Poly White	A\$ 94.86
MV211131R9	KRES58P2B	212°F	100°C	Brass	A\$ 94.15
MV212131R9	KRES58P2C	212°F	100°C	Chrome	A\$ 94.86
MV218731R9	KRES58P2W	212°F	100°C	Poly White	A\$ 94.86



F1RES 58 SP PENDENT

- K-Factor = 5.8 (84)
- **SIN R3513**
- See Bulletin 135

Part Number	Short Code	Temperature		Finish	List Price
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	A\$ 32.24
6800800000	GF2C	1/2" (15mm)		Chrome	A\$ 17.39
6800840000	GF2W	1/2" (15mm)		White	A\$ 17.39
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801412100	FPC	Push-On Thread Off		Chrome	A\$ 33.55
6801417200	FPW	Push-On Thread Off		White	A\$ 33.55

6880050100 WW2 WRENCH,W2(PENDENT,UPRIGHT,HSW) A\$ 172.58
 6880100120 WW4 WRENCH,W4,RECESSED,CONCEALED A\$ 521.79
 6880100100 WW1 WRENCH,W1 (RECESSED PENDENT,CCP,& HSW) A\$ 521.79



F1RES 58 HSWX

- K-Factor = 5.8 (84)
- **SIN RA3533**
- See Bulletin 135
- **Bulb Version**



KRES 58 HSWX

- K-Factor = 5.8 (84)
- **SIN RA3593**
- See Bulletin 935
- **Link Version**

Part Number	Short Code	Temperature	Finish	List Price	
MODEL F1RES58X HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3533					
CV621131S9	58H1BXN	155°F	68°C	Brass	A\$ 125.76
CV622131S9	58H1CXN	155°F	68°C	Chrome	A\$ 137.38
CV628731S9	58H1WXN	155°F	68°C	Poly White	A\$ 137.38
CV63113199	58H5BX	175°F	79°C	Brass	A\$ 125.76
CV632131S9	58H5CXN	175°F	79°C	Chrome	A\$ 137.38
CV638731S9	58H5WXN	175°F	79°C	Poly White	A\$ 137.38
MODEL KRES58X HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3593					
MV62113199	K58H1BX	165°F	74°C	Brass	A\$ 125.76
MV62213199	K58H1CX	165°F	74°C	Chrome	A\$ 137.38
MV62873199	K58H1WX	165°F	74°C	Poly White	A\$ 137.38
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)	Brass	A\$ 32.24	
6800800000	GF2C	1/2" (15mm)	Chrome	A\$ 17.39	
6800840000	GF2W	1/2" (15mm)	White	A\$ 17.39	
MODEL FV RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6801720600	FVB	1/2" (15mm)	Brass	A\$ 30.46	
6801722100	FVC	1/2" (15mm)	Chrome	A\$ 20.30	
6801728700	FVW	1/2" (15mm)	Poly White	A\$ 20.30	

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW	A\$ 172.58
6880100120	WW4	Wrench, W4, Recessed, Concealed	A\$ 521.79
6880100100	WW1	Wrench, W1, Recessed, Pendant, CCP & HSW	A\$ 521.79

* Low flow residential horizontal sidewall sprinklers engineered to provide a minimum design density of 0.05 gpm/ft² over the listed coverage areas



F1RES 76 Pendant & Recessed Pendant

- K-Factor = 7.6 (109)
- **SIN R7618**
- See Bulletins 135 & 176



F1RES 76 CCP

- K-Factor = 7.6 (109)
- **SIN R7618**
- See Bulletins 135 & 176

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES76 PENDENT K7.6 (109) THREADS 3/4" (20MM) R7618					
CV15113298	76P1B	155°F	68°C	Brass	A\$ 95.79
CV15213298	76P1C	155°F	68°C	Chrome	A\$ 101.80
CV15873298	76P1W	155°F	68°C	White	A\$ 101.80
CV17113298	76P5B	175°F	79°C	Brass	A\$ 95.79
CV17213298	76P5C	175°F	79°C	Chrome	A\$ 101.80
CV17873298	76P5W	175°F	79°C	White	A\$ 101.80
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6801030000	GF1LB	3/4"Adjustment		Brass	A\$ 32.24
6801000000	GF1LC	3/4"Adjustment		Chrome	A\$ 17.39
6801040000	GF1LW	3/4"Adjustment		White	A\$ 17.39
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800880004	GF2LB	1/2"Adjustment		Brass	A\$ 32.24
6800880001	GF2LC	1/2"Adjustment		Chrome	A\$ 17.39
6800880005	GF2LW	1/2"Adjustment		White	A\$ 17.39
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801402100	FPLC	Push-On Thread Off		Chrome	A\$ 33.55
6801407200	FPLW	Push-On Thread Off		White	A\$ 33.55

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW			A\$ 172.58
6880100120	WW4	Wrench, W4, Recessed, Concealed			A\$ 521.79
6880100100	WW1	Wrench, W1, Recessed, Pendant, CCP & HSW			A\$ 521.79

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES76 HORIZONTAL CCP K7.6 (109) THREADS 3/4" (20MM) R7618					
CM15173298	76CCP1	155°F	68°C	W/O	A\$ 119.76
CM17173298	76CCP5	175°F	79°C	W/O	A\$ 119.76
MODEL CCP CONICAL CONCEALED COVERPLATES 5/16" ADJUSTMENT					
6887171321	CCP05C76	135°F	57°C	Chrome	A\$ 141.82
6887171318	CCP05W76	135°F	57°C	White	A\$ 55.27
6887171390	CCP05SP76	135°F	57°C	Specialty	A\$ 92.82
MODEL CCP CONICAL CONCEALED COVERPLATES 1/2" ADJUSTMENT					
6887161321	CCP0C76	135°F	57°C	Chrome	A\$ 141.82
6887161318	CCP0W76	135°F	57°C	Flat White	A\$ 55.27

6880100120	WW4	Wrench, W4, Recessed, Concealed			A\$ 521.79
------------	-----	---------------------------------	--	--	------------

Notes:

Sprinkler and coverplates sold and packaged separately



**RFC Series
 Residential
 Sprinklers Flat Cover
 Plate, Concealed
 Pendent Sprinklers**



Part Number	Short Code	Temperature		Finish	List Price
MODEL RFC30 FLAT CONCEALED K3.0 (43) THREADS 1/2" (15MM) RA0611					
1816172197	RFC30	165°F	74°C	W/O	A\$121.63
1821172197	RFC302	212°F	100°C	W/O	A\$121.63
MODEL RFC43 FLAT CONCEALED K4.3 (62) THREADS 1/2" (15MM) RA0612					
1816172597	RFC43	165°F	74°C	W/O	A\$121.63
1821172597	RFC432	212°F	100°C	W/O	A\$121.63
MODEL RFC49 FLAT CONCEALED K4.9 (70) THREADS 1/2" (15MM) RA0616					
1816172697	RFC49	165°F	74°C	W/O	A\$121.63
1821172697	RFC492	212°F	100°C	W/O	A\$121.63
MODEL RFC58 FLAT CONCEALED K5.8 (84) THREADS 1/2" (15MM) RA0613					
1816172997	RFC581	165°F	74°C	W/O	A\$121.63
1821172997	RFC582	212°F	100°C	W/O	A\$121.63
MODEL RFC76 FLAT CONCEALED K7.6 (109) THREADS 3/4" (20MM) RA0618					
1816173198	RFC761	165°F	74°C	W/O	A\$191.55
1821173198	RFC762	212°F	100°C	W/O	A\$191.55

RFC30

- K-Factor = 3.0 (43)
- **SIN RA0611**
- See Bulletin 006

6880170020	WFC	WRENCH,FC,CONCEALED	A\$ 524.58
6880100110	W3	WRENCH W3 FOR WRENCH-ABLE PROTECTIVE CAP	A\$ 524.58
6880103000	W8	WRENCH,W8, RFC PLASTIC SERVICE WRENCH	A\$ 325.28

RFC43

- K-Factor = 4.3 (62)
- **SIN RA0612**
- See Bulletin 006

MODEL G5 COVER PLATES					
6887271321	CG50C	135°F	57°C	Chrome	A\$ 66.93
6887271372	CG50W	135°F	57°C	White	A\$ 61.00
6887271311	CG50B	135°F	57°C	Finished Bronze	A\$ 83.86
6887271374	CG50OW	135°F	57°C	Off-White	A\$ 82.97
6887271390	CG50SP	135°F	57°C	Specialty	A\$ 83.18
6887271316	CG50FB	135°F	57°C	Black Painted	A\$ 83.07
6887271305	CG50BB	135°F	57°C	Bright Brass	A\$101.51
6887271323	CG50CD	135°F	57°C	Satin Chrome	A\$101.51
6887271310	CG50SS	135°F	57°C	Stainless Steel	A\$101.51

RFC49

- K-Factor = 4.9 (70)
- **SIN RA0616**
- See Bulletin 006

RFC58

- K-Factor = 5.8 (84)
- **SIN RA0613**
- See Bulletin 006

RFC76

- K-Factor = 7.6 (109)
- **SIN RA0618**
- See Bulletin 006

6887271621	CG51C	165°F	74°C	Chrome	A\$ 66.93
6887271672	CG51W	165°F	74°C	White	A\$ 61.00
6887271611	CG51B	165°F	74°C	Finished Bronze	A\$ 83.86
6887271674	CG51OW	165°F	74°C	Off-White	A\$ 82.97
6887271690	CG51SP	165°F	74°C	Specialty	A\$ 83.18
6887271616	CG51FB	165°F	74°C	Black Painted	A\$ 83.07
6887271605	CG51BB	165°F	74°C	Bright Brass	A\$101.51
6887271623	CG51CD	165°F	74°C	Satin Chrome	A\$101.51
6887271610	CG51SS	165°F	74°C	Stainless Steel	A\$101.51



RFC49plus

- K-Factor = 4.9 (70)
- **SIN R401 and R402 (Low Lead)**
- See Bulletin 188

Part Number	Short Code	Temperature		Finish	List Price
MODEL RFC49 PLUS FLAT CONCEALED K4.9 (70) THREADS 1/2" R401					
1816172799	RFC491P	165°F	74°C	W/O	A\$140.85
1821172799	RFC492P	212°F	100°C	W/O	A\$140.85
MODEL RFC49 PLUS FLAT CONCEALED K4.9 (70) BSPT THREADS 1/2" R401					
1816172792	RFC491M	165°F	74°C	W/O	A\$140.85
1821172792	RFC492PM	212°F	100°C	W/O	A\$140.85
MODEL RFC49LL PLUS FLAT CONCEALED K4.9 (70) THREADS 1/2" R402					
18161727P9	RFC491PLL	165°F	74°C	W/O	A\$211.27
18211727P9	RFC492PLL	212°F	100°C	W/O	A\$211.27
MODEL RFC49LL PLUS FLAT CONCEALED K4.9 (70) BSPT THREADS R402					
18161727P2		165°F	74°C	W/O	A\$211.27
18211727P2		212°F	100°C	W/O	A\$211.27
MODEL G5 COVER PLATES					
6887271321	CG50C	135°F	57°C	Chrome	A\$ 66.93
6887271621	CG51C	165°F	74°C	Chrome	A\$ 66.93
6887271372	CG50W	135°F	57°C	White	A\$ 61.00
6887271672	CG51W	165°F	74°C	White	A\$ 61.00
6880105000	W10	WRENCH,W10,WITH PROTECTIVE CAP,RFC49+			A\$ 524.58
6880107000	W11	WRENCH,W11,PLASTIC,RFC49+			A\$ 325.28



**RFS42 Residential
 Flat Plate
 Concealed HSW**

- K-Factor = 4.2 (60)
- **SIN RA4835**
- See Bulletin 048

NEW

Part Number	Short Code	Temperature		Finish	List Price
MODEL RFS42 HSW CONCEALED K4.2 (60) THREADS 1/2" (15MM) RA4835					
2216172499	RFS42	165°F	74°C	W/O	A\$ 242.87
6880101010	WG6	WRENCH,G6 HSW SOCKET			A\$ 519.76
MODEL RFS42 COVERPLATES					
6887231311	CRFS0B	135°F	57°C	Finished Bronze	A\$ 85.08
6887231321	CRFS0C	135°F	57°C	Chrome	A\$ 85.06
6887231372	CRFS0W	135°F	57°C	White	A\$ 85.06

Notes:

Sprinklers and coverplates sold and packaged separately



F3RES44 DRY HSW

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

Part Number	Size	Finish	List Price
MODEL F3RES44 DRY HORIZONTAL K4.4 (63) THREADS 1" (IS07-R1) RA5231			
HP[TEMP]11[DIM]	2" to 5-3/4"	Brass	A\$ 649.70
HP[TEMP]21[DIM]	2" to 5-3/4"	Chrome	A\$ 649.70
HP[TEMP]08[DIM]	2" to 5-3/4"	White	A\$ 649.70
HP[TEMP]11[DIM]	6" to 8-3/4"	Brass	A\$ 670.01
HP[TEMP]21[DIM]	6" to 8-3/4"	Chrome	A\$ 670.01
HP[TEMP]08[DIM]	6" to 8-3/4"	White	A\$ 670.01
HP[TEMP]11[DIM]	9" to 11-3/4"	Brass	A\$ 690.30
HP[TEMP]21[DIM]	9" to 11-3/4"	Chrome	A\$ 690.30
HP[TEMP]08[DIM]	9" to 11-3/4"	White	A\$ 690.30
HP[TEMP]11[DIM]	12" to 14-3/4"	Brass	A\$ 710.61
HP[TEMP]21[DIM]	12" to 14-3/4"	Chrome	A\$ 710.61
HP[TEMP]08[DIM]	12" to 14-3/4"	White	A\$ 710.61
HP[TEMP]11[DIM]	15" to 17-3/4"	Brass	A\$ 730.90
HP[TEMP]21[DIM]	15" to 17-3/4"	Chrome	A\$ 730.90
HP[TEMP]08[DIM]	15" to 17-3/4"	White	A\$ 730.90
HP[TEMP]11[DIM]	18" to 20-3/4"	Brass	A\$ 751.23
HP[TEMP]21[DIM]	18" to 20-3/4"	Chrome	A\$ 751.23
HP[TEMP]08[DIM]	18" to 20-3/4"	White	A\$ 751.23
HP[TEMP]11[DIM]	21" to 24"	Brass	A\$ 771.51
HP[TEMP]21[DIM]	21" to 24"	Chrome	A\$ 771.51
HP[TEMP]08[DIM]	21" to 24"	White	A\$ 771.51
MODEL F3RES44 DRY HORIZONTAL K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231			
HP5[TEMP]11[DIM]	2" to 5-3/4"	Brass	A\$ 649.70
HP5[TEMP]21[DIM]	2" to 5-3/4"	Chrome	A\$ 649.68
HP5[TEMP]08[DIM]	2" to 5-3/4"	White	A\$ 649.70
HP5[TEMP]11[DIM]	6" to 8-3/4"	Brass	A\$ 670.00
HP5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	A\$ 670.01
HP5[TEMP]08[DIM]	6" to 8-3/4"	White	A\$ 670.01
HP5[TEMP]11[DIM]	9" to 11-3/4"	Brass	A\$ 690.30
HP5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	A\$ 690.30
HP5[TEMP]08[DIM]	9" to 11-3/4"	White	A\$ 690.30
HP5[TEMP]11[DIM]	12" to 14-3/4"	Brass	A\$ 710.62
HP5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	A\$ 710.61
HP5[TEMP]08[DIM]	12" to 14-3/4"	White	A\$ 710.62
HP5[TEMP]11[DIM]	15" to 17-3/4"	Brass	A\$ 730.92
HP5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	A\$ 730.92
HP5[TEMP]08[DIM]	15" to 17-3/4"	White	A\$ 730.92
HP5[TEMP]11[DIM]	18" to 20-3/4"	Brass	A\$ 751.23
HP5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	A\$ 751.23
HP5[TEMP]08[DIM]	18" to 20-3/4"	White	A\$ 751.23
HP5[TEMP]11[DIM]	21" to 24"	Brass	A\$ 771.51
HP5[TEMP]21[DIM]	21" to 24"	Chrome	A\$ 771.51
HP5[TEMP]08[DIM]	21" to 24"	White	A\$ 771.51

6880130001 WF3R Requires Model F3R Wrench A\$ 276.11

* Note: Model F3 wrenches are not compatible with the F3RES44 Dry sprinklers.



**F3RES44 DRY
 RECESSED HSW /
 F2**

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

**PRICING
 INCLUDES F2
 ESCUTCHEON**

Part Number	Size	Finish	List Price
MODEL F3RES44 DRY REC HORIZONTAL K4.4 (63) THREADS 1"(ISO 7-R1) RA5231			
HR[TEMP]11[DIM]	2" to 5-3/4"	Brass	A\$ 592.69
HR[TEMP]21[DIM]	2" to 5-3/4"	Chrome	A\$ 584.08
HR[TEMP]08[DIM]	2" to 5-3/4"	White	A\$ 584.08
HR[TEMP]11[DIM]	6" to 8-3/4"	Brass	A\$ 633.30
HR[TEMP]21[DIM]	6" to 8-3/4"	Chrome	A\$ 624.68
HR[TEMP]08[DIM]	6" to 8-3/4"	White	A\$ 624.68
HR[TEMP]11[DIM]	9" to 11-3/4"	Brass	A\$ 657.63
HR[TEMP]21[DIM]	9" to 11-3/4"	Chrome	A\$ 649.04
HR[TEMP]08[DIM]	9" to 11-3/4"	White	A\$ 649.04
HR[TEMP]11[DIM]	12" to 14-3/4"	Brass	A\$ 682.00
HR[TEMP]21[DIM]	12" to 14-3/4"	Chrome	A\$ 673.42
HR[TEMP]08[DIM]	12" to 14-3/4"	White	A\$ 673.42
HR[TEMP]11[DIM]	15" to 17-3/4"	Brass	A\$ 710.44
HR[TEMP]21[DIM]	15" to 17-3/4"	Chrome	A\$ 701.85
HR[TEMP]08[DIM]	15" to 17-3/4"	White	A\$ 701.85
HR[TEMP]11[DIM]	18" to 20-3/4"	Brass	A\$ 734.79
HR[TEMP]21[DIM]	18" to 20-3/4"	Chrome	A\$ 726.20
HR[TEMP]08[DIM]	18" to 20-3/4"	White	A\$ 726.20
HR[TEMP]11[DIM]	21" to 24"	Brass	A\$ 759.15
HR[TEMP]21[DIM]	21" to 24"	Chrome	A\$ 750.56
HR[TEMP]08[DIM]	21" to 24"	White	A\$ 750.56
MODEL F3RES44 DRY REC HORIZONTAL K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231			
HR5[TEMP]11[DIM]	2" to 5-3/4"	Brass	A\$ 592.69
HR5[TEMP]21[DIM]	2" to 5-3/4"	Chrome	A\$ 568.48
HR5[TEMP]08[DIM]	2" to 5-3/4"	White	A\$ 584.08
HR5[TEMP]11[DIM]	6" to 8-3/4"	Brass	A\$ 633.30
HR5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	A\$ 624.68
HR5[TEMP]08[DIM]	6" to 8-3/4"	White	A\$ 609.07
HR5[TEMP]11[DIM]	9" to 11-3/4"	Brass	A\$ 657.63
HR5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	A\$ 633.45
HR5[TEMP]08[DIM]	9" to 11-3/4"	White	A\$ 633.45
HR5[TEMP]11[DIM]	12" to 14-3/4"	Brass	A\$ 682.00
HR5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	A\$ 673.42
HR5[TEMP]08[DIM]	12" to 14-3/4"	White	A\$ 657.80
HR5[TEMP]11[DIM]	15" to 17-3/4"	Brass	A\$ 710.44
HR5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	A\$ 686.23
HR5[TEMP]08[DIM]	15" to 17-3/4"	White	A\$ 686.23
HR5[TEMP]11[DIM]	18" to 20-3/4"	Brass	A\$ 734.79
HR5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	A\$ 710.62
HR5[TEMP]08[DIM]	18" to 20-3/4"	White	A\$ 710.62
HR5[TEMP]11[DIM]	21" to 24"	Brass	A\$ 759.15
HR5[TEMP]21[DIM]	21" to 24"	Chrome	A\$ 734.97
HR5[TEMP]08[DIM]	21" to 24"	White	A\$ 734.97
6880070100	WXLO	Requires Model XLO2 Wrench	A\$ 274.07



F3RES44 DRY HSW / HB

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

Part Number	Size	Finish	List Price
MODEL F3RES44 DRY HORIZONTAL HB K4.4 (63) THREADS 1" (ISO 7-R1) RA5231			
HQ[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	A\$ 588.79
HQ[TEMP]08[DIM]	3 1/2" to 5-3/4"	White	A\$ 588.79
HQ[TEMP]21[DIM]	6" to 8-3/4"	Chrome	A\$ 617.20
HQ[TEMP]08[DIM]	6" to 8-3/4"	White	A\$ 617.20
HQ[TEMP]21[DIM]	9" to 11-3/4"	Chrome	A\$ 641.58
HQ[TEMP]08[DIM]	9" to 11-3/4"	White	A\$ 641.58
HQ[TEMP]21[DIM]	12" to 14-3/4"	Chrome	A\$ 665.93
HQ[TEMP]08[DIM]	12" to 14-3/4"	White	A\$ 665.93
HQ[TEMP]21[DIM]	15" to 17-3/4"	Chrome	A\$ 690.30
HQ[TEMP]08[DIM]	15" to 17-3/4"	White	A\$ 690.30
HQ[TEMP]21[DIM]	18" to 20-3/4"	Chrome	A\$ 714.66
HQ[TEMP]08[DIM]	18" to 20-3/4"	White	A\$ 714.66
HQ[TEMP]21[DIM]	21" to 24"	Chrome	A\$ 739.01
HQ[TEMP]08[DIM]	21" to 24"	White	A\$ 739.01
MODEL F3RES44 DRY HORIZONTAL HB K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231			
HQ5[TEMP]21[DIM]	4-1/4" to 5-3/4"	Chrome	A\$ 588.79
HQ5[TEMP]08[DIM]	4-1/4" to 5-3/4"	White	A\$ 588.79
HQ5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	A\$ 617.20
HQ5[TEMP]08[DIM]	6" to 8-3/4"	White	A\$ 617.20
HQ5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	A\$ 641.58
HQ5[TEMP]08[DIM]	9" to 11-3/4"	White	A\$ 641.56
HQ5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	A\$ 665.93
HQ5[TEMP]08[DIM]	12" to 14-3/4"	White	A\$ 665.93
HQ5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	A\$ 690.30
HQ5[TEMP]08[DIM]	15" to 17-3/4"	White	A\$ 690.30
HQ5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	A\$ 714.66
HQ5[TEMP]08[DIM]	18" to 20-3/4"	White	A\$ 714.66
HQ5[TEMP]21[DIM]	21" to 24"	Chrome	A\$ 739.01
HQ5[TEMP]08[DIM]	21" to 24"	White	A\$ 739.01
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	A\$ 2.63
6999994881	SKIRTW	White	A\$ 2.72

6880130001 WF3R Requires Model F3R Wrench A\$ 276.11

* Note: Model F3 wrenches are not compatible with the F3RES44 Dry sprinklers.



**F1RES 30 LL
 Pendant &
 Recessed Pendant**

- K-Factor = 3.0 (43)
- **SIN RA3311**
- See Bulletin 033



F1RES 30 LL CCP

- K-Factor = 3.0 (43)
- **SIN RA3311**
- Low Lead Sprinklers
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES30LL PENDENT K3.0 (43) THREADS 1/2" (15MM) RA3311					
CV151121P9	30BLL	155°F	68°C	Brass Low Lead	A\$ 148.08
CV152121P9	30CLL	155°F	68°C	Chrome	A\$ 157.92
CV158721P9	30WLL	155°F	68°C	Poly White Low Lead	A\$ 157.92
CV171121P9	30B5LL	175°F	79°C	Brass Low Lead	A\$ 148.08
CV172121P9	30C5LL	175°F	79°C	Chrome	A\$ 157.92
CV178721P9	30W5LL	175°F	79°C	Poly White Low Lead	A\$ 157.92
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	A\$ 32.24
6800800000	GF2C	1/2" (15mm)		Chrome	A\$ 17.39
6800840000	GF2W	1/2" (15mm)		White	A\$ 17.39
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801412100	FPC	Push-On Thread Off		Chrome	A\$ 33.55
6801417200	FPW	Push-On Thread Off		White	A\$ 33.55

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW			A\$ 172.58
6880100120	WW4	Wrench, W4, Recessed, Concealed			A\$ 521.79

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES30LL HORIZONTAL CCP K3.0 (43) THREADS 1/2" (15MM) RA3311					
CM151721P9	30CCP1LL	155°F	68°C	Brass	A\$ 157.92
MODEL CCP CONICAL CONCEALED COVERPLATES					
6887161321	CCP0C76	135°F	57°C	Chrome	A\$ 141.82
6887161318	CCP0W76	135°F	57°C	Flat White	A\$ 55.27
6887161390	CCP0SP76	135°F	57°C	Specialty	A\$ 92.82
6887171321	CCP05C76	135°F	57°C	Chrome	A\$ 141.82
6887171318	CCP05W76	135°F	57°C	White	A\$ 55.27
6887171390	CCP05SP76	135°F	57°C	Specialty	A\$ 92.82

6880100120	WW4	Wrench, W4, Recessed, Concealed			A\$ 521.79
------------	-----	---------------------------------	--	--	------------



**F1RES 49 LL
 Pendant &
 Recessed Pendant**

- K-Factor = 4.9 (70)
- **SIN RA3316**
- See Bulletin 033



F1RES 49 LL CCP

- K-Factor = 4.9 (70)
- **SIN RA3316**
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES49LL PENDENT K4.9 (70) THREADS 1/2" (15MM) RA3316					
CV151128P9	49BLL	155°F	68°C	Brass Low Lead	A\$ 148.08
CV152128P9	49CLL	155°F	68°C	Chrome Low Lead	A\$ 157.92
CV158728P9	49WLL	155°F	68°C	Poly White Low Lead	A\$ 157.92
CV171128P9	49B5LL	175°F	79°C	Brass Low Lead	A\$ 148.08
CV172128P9	49C5LL	175°F	79°C	Chrome Low Lead	A\$ 157.92
CV178728P9	49W5LL	175°F	79°C	Poly White Low Lead	A\$ 157.92
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	A\$ 32.24
6800600001	GF1C	1/2" (15mm)		Chrome	A\$ 17.39
6800640001	GF1W	1/2" (15mm)		White	A\$ 17.39
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	A\$ 32.24
6800800000	GF2C	1/2" (15mm)		Chrome	A\$ 17.39
6800840000	GF2W	1/2" (15mm)		White	A\$ 17.39
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801412100	FPC	Push-On Thread Off		Chrome	A\$ 33.55
6801417200	FPW	Push-On Thread Off		White	A\$ 33.55

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW			A\$ 172.58
6880100120	WW4	Wrench, W4, Recessed, Concealed			A\$ 521.79

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES49LL PENDENT CCP K4.9 (70) THREADS 1/2" (15MM) RA3316					
CM151728P9	49CCP1LL	155°F	68°C	Brass	A\$ 157.92
MODEL CCP CONICAL CONCEALED COVERPLATES					
6887161321	CCP0C76	135°F	57°C	Chrome	A\$ 141.82
6887161318	CCP0W76	135°F	57°C	Flat White	A\$ 55.27
6887161390	CCP0SP76	135°F	57°C	Specialty	A\$ 92.82
6887171321	CCP05C76	135°F	57°C	Chrome	A\$ 141.82
6887171318	CCP05W76	135°F	57°C	White	A\$ 55.27
6887171390	CCP05SP76	135°F	57°C	Specialty	A\$ 92.82

6880100120	WW4	Wrench, W4, Recessed, Concealed			A\$ 521.79
------------	-----	---------------------------------	--	--	------------



F1RES 44 LL HSW & REC HSW

- K-Factor = 4.4 (63)
- SIN RA3331
- See Bulletin 033



F1RES 44 LL SWC

- K-Factor = 4.4 (63)
- SIN RA3331
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES44LL HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) RA3331					
CV521125P9	44BLL	155°F	68°C	Brass Low Lead	A\$ 153.03
CV522125P9	44CLL	155°F	68°C	Chrome Low Lead	A\$ 160.39
CV528725P9	44WLL	155°F	68°C	Poly White Low Lead	A\$ 160.39
CV531125P9	44B5LL	175°F	79°C	Brass Low Lead	A\$ 153.03
CV532125P9	44C5LL	175°F	79°C	Chrome Low Lead	A\$ 160.39
CV538725P9	44W5LL	175°F	79°C	Poly White Low Lead	A\$ 160.39
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	A\$ 32.24
6800800000	GF2C	1/2" (15mm)		Chrome	A\$ 17.39
6800840000	GF2W	1/2" (15mm)		White	A\$ 17.39
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801412100	FPC	Push-On Thread Off		Chrome	A\$ 33.55
6801417200	FPW	Push-On Thread Off		White	A\$ 33.55

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES44LL SWC K4.4 (63) THREADS 1/2" (15MM) RA3331					
CM521725P9	SWC44LL	155°F	68°C	Brass	A\$ 160.39
MODEL F1RES44LL COVERPLATES 1/2" ADJUSTMENT					
6887131318	CHWNS	135°F	57°C	White	A\$ 57.66
6887131390	CHSPNS	135°F	57°C	Specialty	A\$ 86.46

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			A\$ 172.58
6880100120	WW4	Wrench, W4, Recessed, Concealed			A\$ 521.79



**F1RES 58 LL
Pendent &
Recessed Pendant**

- K-Factor = 5.8 (84)
- **SIN RA3313**
- See Bulletin 033



F1RES 58 LL CCP

- K-Factor = 5.8 (84)
- **SIN RA3333**
- See Bulletin 033



**F1RES 58 LL HSW
& REC HSW**

- K-Factor = 5.8 (84)
- **SIN RA3333**
- See Bulletin 033

Part Number	Short Code	Temperature	Finish	List Price
MODEL F1RES58LL PENDENT K5.8 (84) THREADS 1/2" (15MM) RA3313				
CV151131P9	58P1BLL	155°F 68°C	Brass Low Lead	A\$ 148.08
CV152131P9	58P1CLL	155°F 68°C	Chrome Low Lead	A\$ 157.92
CV158731P9	58P1WLL	155°F 68°C	Poly White Low Lead	A\$ 157.92
CV171131P9	58P5BLL	175°F 79°C	Brass Low Lead	A\$ 148.08
CV172131P9	58P5CLL	175°F 79°C	Chrome Low Lead	A\$ 157.92
CV178731P9	58P5WLL	175°F 79°C	Poly White Low Lead	A\$ 157.92
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY				
6800630001	GF1B	1/2" (15mm)	Brass	A\$ 32.24
6800600001	GF1C	1/2" (15mm)	Chrome	A\$ 17.39
6800640001	GF1W	1/2" (15mm)	White	A\$ 17.39
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY				
6800830000	GF2B	1/2" (15mm)	Brass	A\$ 32.24
6800800000	GF2C	1/2" (15mm)	Chrome	A\$ 17.39
6800840000	GF2W	1/2" (15mm)	White	A\$ 17.39
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS				
6801412100	FPC	Push-On Thread Off	Chrome	A\$ 33.55
6801417200	FPW	Push-On Thread Off	White	A\$ 33.55

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	A\$ 172.58
6880100120	WW4	Wrench, W4, Recessed, Concealed	A\$ 521.79

Part Number	Short Code	Temperature	Finish	List Price
MODEL F1RES58LL CCP K5.8 (84) THREADS 1/2" (15MM) RA3333				
CM151731P9	58CCP1LL	155°F 68°C	Brass	A\$ 157.92
MODEL CCP CONICAL CONCEALED COVERPLATES				
6887161321	CCP0C76	135°F 57°C	Chrome	A\$ 141.82
6887161318	CCP0W76	135°F 57°C	Flat White	A\$ 55.27
6887161390	CCP0SP76	135°F 57°C	Specialty	A\$ 92.82
6887171321	CCP05C76	135°F 57°C	Chrome	A\$ 141.82
6887171318	CCP05W76	135°F 57°C	White	A\$ 55.27
6887171390	CCP05SP76	135°F 57°C	Specialty	A\$ 92.82

6880100120	WW4	Wrench, W4, Recessed, Concealed	A\$ 521.79
------------	-----	---------------------------------	------------

Part Number	Short Code	Temperature	Finish	List Price
MODEL F1RES58LL HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3333				
CV521131P9	58H1BLL	155°F 68°C	Brass Low Lead	A\$ 153.03
CV522131P9	58H1CLL	155°F 68°C	Chrome Low Lead	A\$ 160.39
CV528731P9	58H1WLL	155°F 68°C	Poly White Low Lead	A\$ 160.39
CV531131P9	58H5BLL	175°F 79°C	Brass Low Lead	A\$ 153.03
CV532131P9	58H5CLL	175°F 79°C	Chrome Low Lead	A\$ 160.39
CV538731P9	58H5WLL	175°F 79°C	Poly White Low Lead	A\$ 160.39
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY				
6800830000	GF2B	1/2" (15mm)	Brass	A\$ 32.24
6800800000	GF2C	1/2" (15mm)	Chrome	A\$ 17.39
6800840000	GF2W	1/2" (15mm)	White	A\$ 17.39
6801412100	FPC	Push-On Thread Off	Chrome	A\$ 33.55
6801417200	FPW	Push-On Thread Off	White	A\$ 33.55

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	A\$ 172.58
6880100120	WW4	Wrench, W4, Recessed, Concealed	A\$ 521.79
6880100100	WW1	Wrench, W1, Recessed, Pendent, CCP & HSW	A\$ 521.79



RFC30 LL Flat Concealed

- K-Factor = 3.0 (43)
- **SIN RA3211**
- See Bulletin 006


Part Number	Short Code	Temperature		Finish	List Price
MODEL RFC30LL FLAT CONCEALED K3.0 (43) THREADS 1/2" (15MM) RA3211					
18161721P7	RFC30LL	165°F	74°C	Brass	A\$ 185.10
MODEL RFC43LL FLAT CONCEALED K4.3 (62) THREADS 1/2" (15MM) RA3212					
18161725P7	RFC43LL	165°F	74°C	Brass	A\$ 185.10
MODEL RFC49LL FLAT CONCEALED K4.9 (70) THREADS 1/2" (15MM) RA3216					
18161726P7	RFC49LL	165°F	74°C	Brass	A\$ 185.10
18211726P7	RFC492LL	212°F	100°C	Brass	A\$ 185.10
REQUIRED COVERPLATES					
6887271372	CG50W	135°F	57°C	White	A\$ 61.00
6887271310	CG50SS	135°F	57°C	Stainless Steel	A\$ 101.51

Specifically Listed for use in Multi-Purpose Systems that serve both domestic water and fire protection



RFC43 LL Flat Concealed

- K-Factor = 4.3 (62)
- **SIN RA3212**
- See Bulletin 006



RFC49 LL Flat Concealed

- K-Factor = 4.9 (70)
- **SIN RA3216**
- See Bulletin 006