



## F1FR 56 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA1425**
- See Bulletin 014



## F1FR80 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA6322**
- See Bulletin 063

| Part Number                                                | Short Code | Temperature |       | Finish     | List Price |
|------------------------------------------------------------|------------|-------------|-------|------------|------------|
| MODEL F1FR56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA1425  |            |             |       |            |            |
| BA131132S9                                                 | F1FR56U0BN | 135°F       | 57°C  | Brass      | A\$ 95.87  |
| BA132132S9                                                 | F1FR56U0CN | 135°F       | 57°C  | Chrome     | A\$ 105.63 |
| BA138732S9                                                 | F1FR56U0WN | 135°F       | 57°C  | Poly White | A\$ 113.93 |
| BA151132S9                                                 | F1FR56U1BN | 155°F       | 68°C  | Brass      | A\$ 95.87  |
| BA152132S9                                                 | F1FR56U1CN | 155°F       | 68°C  | Chrome     | A\$ 105.63 |
| BA158732S9                                                 | F1FR56U1WN | 155°F       | 68°C  | Poly White | A\$ 113.93 |
| BA171132S9                                                 | F1FR56U5BN | 175°F       | 79°C  | Brass      | A\$ 95.87  |
| BA172132S9                                                 | F1FR56U5CN | 175°F       | 79°C  | Chrome     | A\$ 105.63 |
| BA178732S9                                                 | F1FR56U5WN | 175°F       | 79°C  | Poly White | A\$ 113.93 |
| BA201132S9                                                 | F1FR56U2BN | 200°F       | 93°C  | Brass      | A\$ 95.87  |
| BA202132S9                                                 | F1FR56U2CN | 200°F       | 93°C  | Chrome     | A\$ 105.63 |
| BA208732S9                                                 | F1FR56U2WN | 200°F       | 93°C  | White      | A\$ 113.93 |
| BA281132S9                                                 | F1FR56U3BN | 286°F       | 141°C | Brass      | A\$ 95.87  |
| BA282132S9                                                 | F1FR56U3CN | 286°F       | 141°C | Chrome     | A\$ 105.63 |
| BA288732S9                                                 | F1FR56U3WN | 286°F       | 141°C | White      | A\$ 113.93 |
| MODEL F1FR80 UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA6322 |            |             |       |            |            |
| B1131134S8                                                 | F1FRU0LBN  | 135°F       | 57°C  | Brass      | A\$ 116.59 |
| B1132134S8                                                 | F1FRU0LCN  | 135°F       | 57°C  | Chrome     | A\$ 131.54 |
| B1138734S8                                                 | F1FRU0LWN  | 135°F       | 57°C  | Poly White | A\$ 134.56 |
| B1151134S8                                                 | F1FRU1LBN  | 155°F       | 68°C  | Brass      | A\$ 116.59 |
| B1152134S8                                                 | F1FRU1LCN  | 155°F       | 68°C  | Chrome     | A\$ 131.54 |
| B1158734S8                                                 | F1FRU1LWN  | 155°F       | 68°C  | Poly White | A\$ 134.56 |
| B1171134S8                                                 | F1FRU5LBN  | 175°F       | 79°C  | Brass      | A\$ 116.59 |
| B1172134S8                                                 | F1FRU5LCN  | 175°F       | 79°C  | Chrome     | A\$ 131.54 |
| B1178734S8                                                 | F1FRU5LWN  | 175°F       | 79°C  | Poly White | A\$ 134.56 |
| B1201134S8                                                 | F1FRU2LBN  | 200°F       | 93°C  | Brass      | A\$ 116.59 |
| B1202134S8                                                 | F1FRU2LCN  | 200°F       | 93°C  | Chrome     | A\$ 131.54 |
| B1208734S8                                                 | F1FRU2LWN  | 200°F       | 93°C  | White      | A\$ 134.56 |
| B1281134S8                                                 | F1FRU3LBN  | 286°F       | 141°C | Brass      | A\$ 116.59 |
| B1282134S8                                                 | F1FRU3LCN  | 286°F       | 141°C | Chrome     | A\$ 131.54 |
| B1288734S8                                                 | F1FRU3LWN  | 286°F       | 141°C | White      | A\$ 134.56 |

|            |     |                                   |            |
|------------|-----|-----------------------------------|------------|
| 6880050100 | WW2 | Wrench, W2, Pendant, Upright, HSW | A\$ 212.48 |
|------------|-----|-----------------------------------|------------|



## F1FR80 LARGE ORIFICE QUICK RESPONSE

- K-Factor = 115 (8.0)
- **15MM(1/2) THREADS**
- Bulletin 038
- SIN RA3822

| Part Number                                                    | Short Code | Temperature |       | Finish | List Price |        |
|----------------------------------------------------------------|------------|-------------|-------|--------|------------|--------|
| MODEL F1FR80 UPRIGHT K8.0 (115) BSPT THREADS 1/2" (15MM) R3622 |            |             |       |        |            |        |
| B115113492                                                     |            | 155°F       | 68°C  | Brass  | A\$        | 116.59 |
| B117113492                                                     |            | 175°F       | 79°C  | Brass  | A\$        | 116.59 |
| B120113492                                                     |            | 200°F       | 93°C  | Brass  | A\$        | 116.59 |
| B128113492                                                     |            | 286°F       | 141°C | Brass  | A\$        | 116.59 |
| B113213492                                                     |            | 135°F       | 57°C  | Chrome | A\$        | 131.54 |
| B115213492                                                     |            | 155°F       | 68°C  | Chrome | A\$        | 131.54 |
| B117213492                                                     |            | 175°F       | 79°C  | Chrome | A\$        | 131.54 |
| B120213492                                                     |            | 200°F       | 93°C  | Chrome | A\$        | 131.54 |
| B128213492                                                     |            | 286°F       | 141°C | Chrome | A\$        | 131.54 |
| B113873492                                                     |            | 135°F       | 57°C  | White  | A\$        | 134.56 |
| B115873492                                                     |            | 155°F       | 68°C  | White  | A\$        | 134.56 |
| B117873492                                                     |            | 175°F       | 79°C  | White  | A\$        | 134.56 |
| B120873492                                                     |            | 200°F       | 93°C  | White  | A\$        | 134.56 |
| B128873492                                                     |            | 286°F       | 141°C | White  | A\$        | 134.56 |



## F1FR80 UPRIGHT

- SIN R3622
- See Bulletin 136
- K8.0

| Part Number                                                    | Short Code | Temperature                        |       | Finish     | List Price |
|----------------------------------------------------------------|------------|------------------------------------|-------|------------|------------|
| MODEL F1FR80 UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R3622      |            |                                    |       |            |            |
| B113113498                                                     | F1FRU0LB   | 135°F                              | 57°C  | Brass      | A\$ 116.59 |
| B113213498                                                     | F1FRU0LC   | 135°F                              | 57°C  | Chrome     | A\$ 131.54 |
| B113873498                                                     | F1FRU0LW   | 135°F                              | 57°C  | Poly White | A\$ 134.56 |
| B115113498                                                     | F1FRU1LB   | 155°F                              | 68°C  | Brass      | A\$ 116.59 |
| B115213498                                                     | F1FRU1LC   | 155°F                              | 68°C  | Chrome     | A\$ 131.54 |
| B115873498                                                     | F1FRU1LW   | 155°F                              | 68°C  | Poly White | A\$ 134.56 |
| B117113498                                                     | F1FRU5LB   | 175°F                              | 79°C  | Brass      | A\$ 116.59 |
| B117213498                                                     | F1FRU5LC   | 175°F                              | 79°C  | Chrome     | A\$ 131.54 |
| B117873498                                                     | F1FRU5LW   | 175°F                              | 79°C  | Poly White | A\$ 134.56 |
| B120113498                                                     | F1FRU2LB   | 200°F                              | 93°C  | Brass      | A\$ 116.59 |
| B120213498                                                     | F1FRU2LC   | 200°F                              | 93°C  | Chrome     | A\$ 131.54 |
| B120873498                                                     | F1FRU2LW   | 200°F                              | 93°C  | White      | A\$ 134.56 |
| B128113498                                                     | F1FRU3LB   | 286°F                              | 141°C | Brass      | A\$ 116.59 |
| B128213498                                                     | F1FRU3LC   | 286°F                              | 141°C | Chrome     | A\$ 131.54 |
| B128873498                                                     | F1FRU3LW   | 286°F                              | 141°C | White      | A\$ 134.56 |
| MODEL F1FR80 UPRIGHT K8.0 (115) BSPT THREADS 3/4" (20MM) R3622 |            |                                    |       |            |            |
| B113113495                                                     | F1FRU0LBM  | 135°F                              | 57°C  | Brass      | A\$ 116.59 |
| B113213495                                                     | F1FRU0LCM  | 135°F                              | 57°C  | Chrome     | A\$ 131.54 |
| B113873495                                                     | F1FRU0LWM  | 135°F                              | 57°C  | White      | A\$ 134.56 |
| B115113495                                                     | F1FRU1LBM  | 155°F                              | 68°C  | Brass      | A\$ 116.59 |
| B115213495                                                     | F1FRU1LCM  | 155°F                              | 68°C  | Chrome     | A\$ 131.54 |
| B115873495                                                     | F1FRU1LWM  | 155°F                              | 68°C  | Poly White | A\$ 134.56 |
| B117113495                                                     | F1FRU5LBM  | 175°F                              | 79°C  | Brass      | A\$ 116.59 |
| B117213495                                                     | F1FRU5LCM  | 175°F                              | 79°C  | Chrome     | A\$ 131.54 |
| B117873495                                                     | F1FRU5LWM  | 175°F                              | 79°C  | White      | A\$ 134.56 |
| B120113495                                                     | F1FRU2LBM  | 200°F                              | 93°C  | Brass      | A\$ 116.59 |
| B120213495                                                     | F1FRU2LCM  | 200°F                              | 93°C  | Chrome     | A\$ 131.54 |
| B120873495                                                     | F1FRU2LWM  | 200°F                              | 93°C  | Poly White | A\$ 134.56 |
| B128113495                                                     | F1FRU3LBM  | 286°F                              | 141°C | Brass      | A\$ 116.59 |
| B128213495                                                     | F1FRU3LCM  | 286°F                              | 141°C | Chrome     | A\$ 131.54 |
| B128873495                                                     | F1FRU3LWM  | 286°F                              | 141°C | White      | A\$ 134.56 |
| 6880050100                                                     | WW2        | Requires Model W2 Sprinkler Wrench |       |            | A\$ 212.48 |



## F1FR 28 UPRIGHT

- K-Factor = 2.8 (40)
- **SIN RA1421**
- See Bulletin 014



## F1FR 42 UPRIGHT

- K-Factor = 4.2 (60)
- **SIN RA1423**
- See Bulletin 014

| Part Number                                             | Short Code | Temperature |       | Finish     | List Price |
|---------------------------------------------------------|------------|-------------|-------|------------|------------|
| MODEL F1FR UPRIGHT K2.8 (40) THREADS 1/2" (15MM) RA1421 |            |             |       |            |            |
| BA151124S9                                              | F1FR28U1BN | 155°F       | 68°C  | Brass      | A\$ 124.07 |
| BA152124S9                                              | F1FR28U1CN | 155°F       | 68°C  | Chrome     | A\$ 133.83 |
| BA158724S9                                              | F1FR28U1WN | 155°F       | 68°C  | Poly White | A\$ 138.23 |
| BA171124S9                                              | F1FR28U5N  | 175°F       | 79°C  | Brass      | A\$ 124.07 |
| BA172124S9                                              | F1FR28U5CN | 175°F       | 79°C  | Chrome     | A\$ 133.83 |
| BA178724S9                                              | F1FR28U5WN | 175°F       | 79°C  | Poly White | A\$ 135.72 |
| BA201124S9                                              | F1FR28U2BN | 200°F       | 93°C  | Brass      | A\$ 124.07 |
| BA202124S9                                              | F1FR28U2CN | 200°F       | 93°C  | Chrome     | A\$ 133.83 |
| BA208724S9                                              | F1FR28U2WN | 200°F       | 93°C  | Poly White | A\$ 138.23 |
| BA281124S9                                              | F1FR28U3BN | 286°F       | 141°C | Brass      | A\$ 124.07 |
| BA282124S9                                              | F1FR28U3CN | 286°F       | 141°C | Chrome     | A\$ 133.83 |
| BA288724S9                                              | F1FR28U3WN | 286°F       | 141°C | White      | A\$ 138.23 |
| MODEL F1FR UPRIGHT K 4.2 (60) THREAD 1/2" (15MM) RA1423 |            |             |       |            |            |
| BA131128S9                                              | F1FR42U0BN | 135°F       | 57°C  | Brass      | A\$ 124.07 |
| BA132128S9                                              | F1FR42U0CN | 135°F       | 57°C  | Chrome     | A\$ 133.83 |
| BA138728S9                                              | F1FR42U0WN | 135°F       | 57°C  | Poly White | A\$ 138.23 |
| BA151128S9                                              | F1FR42U1BN | 155°F       | 68°C  | Brass      | A\$ 124.07 |
| BA152128S9                                              | F1FR42U1CN | 155°F       | 68°C  | Chrome     | A\$ 133.83 |
| BA158728S9                                              | F1FR42U1WN | 155°F       | 68°C  | Poly White | A\$ 138.23 |
| BA171128S9                                              | F1FR42U5BN | 175°F       | 79°C  | Brass      | A\$ 124.07 |
| BA172128S9                                              | F1FR42U5CN | 175°F       | 79°C  | Chrome     | A\$ 133.83 |
| BA178728S9                                              | F1FR42U5WN | 175°F       | 79°C  | Poly White | A\$ 138.23 |
| BA201128S9                                              | F1FR42U2BN | 200°F       | 93°C  | Brass      | A\$ 124.07 |
| BA202128S9                                              | F1FR42U2CN | 200°F       | 93°C  | Chrome     | A\$ 133.83 |
| BA208728S9                                              | F1FR42U2WN | 200°F       | 93°C  | Poly White | A\$ 138.23 |
| BA281128S9                                              | F1FR42U3BN | 286°F       | 141°C | Brass      | A\$ 124.07 |
| BA282128S9                                              | F1FR42U3CN | 286°F       | 141°C | Chrome     | A\$ 133.83 |
| BA288728S9                                              | F1FR42U3WN | 286°F       | 141°C | Poly White | A\$ 138.23 |

6880050100

WW2

Wrench, W2, Pendent, Upright, HSW

A\$ 212.48



## F1FR56-300 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA2625**
- See Bulletin 026



## F1FR80-300 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA7822**
- See Bulletin 078

| Part Number                                                      | Short Code  | Temperature                       |       | Finish     | List Price |
|------------------------------------------------------------------|-------------|-----------------------------------|-------|------------|------------|
| MODEL F1FR56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) 300PSI RA2625 |             |                                   |       |            |            |
| BF131132S9                                                       | F1FR56U0B3N | 155°F                             | 68°C  | Brass      | A\$ 100.76 |
| BF132132S9                                                       | F1FR56U0C3N | 135°F                             | 57°C  | Chrome     | A\$ 110.90 |
| BF138732S9                                                       | F1FR56U0W3N | 135°F                             | 57°C  | Poly White | A\$ 117.41 |
| BF151132S9                                                       | F1FR56U1B3N | 155°F                             | 68°C  | Brass      | A\$ 100.76 |
| BF152132S9                                                       | F1FR56U1C3N | 155°F                             | 68°C  | Chrome     | A\$ 110.90 |
| BF158732S9                                                       | F1FR56U1W3N | 155°F                             | 68°C  | Poly White | A\$ 119.56 |
| BF171132S9                                                       | F1FR56U5B3N | 175°F                             | 79°C  | Brass      | A\$ 100.76 |
| BF172132S9                                                       | F1FR56U5C3N | 175°F                             | 79°C  | Chrome     | A\$ 110.90 |
| BF178732S9                                                       | F1FR56U5W3N | 175°F                             | 79°C  | Poly White | A\$ 119.56 |
| BF201132S9                                                       | F1FR56U2B3N | 200°F                             | 93°C  | Brass      | A\$ 100.76 |
| BF202132S9                                                       | F1FR56U2C3N | 200°F                             | 93°C  | Chrome     | A\$ 110.90 |
| BF208732S9                                                       | F1FR56U2W3N | 200°F                             | 93°C  | Poly White | A\$ 119.56 |
| BF281132S9                                                       | F1FR56U3B3N | 286°F                             | 141°C | Brass      | A\$ 100.76 |
| BF282132S9                                                       | F1FR56U3C3N | 286°F                             | 141°C | Chrome     | A\$ 110.90 |
| BF288732S9                                                       | F1FR56U3W3N | 286°F                             | 141°C | Poly White | A\$ 119.56 |
| MODEL F1FR80 UPRIGHT K8.0 (115) THREADS 3/4" (20MM) 300PSI R5622 |             |                                   |       |            |            |
| BF131134S8                                                       | F1FRU0LB3N  | 135°F                             | 57°C  | Brass      | A\$ 122.24 |
| BF132134S8                                                       | F1FRU0LC3N  | 135°F                             | 57°C  | Chrome     | A\$ 138.51 |
| BF138734S8                                                       | F1FRU0LW3N  | 135°F                             | 57°C  | White      | A\$ 138.51 |
| BF151134S8                                                       | F1FRU1LB3N  | 155°F                             | 68°C  | Brass      | A\$ 122.24 |
| BF152134S8                                                       | F1FRU1LC3N  | 155°F                             | 68°C  | Chrome     | A\$ 138.51 |
| BF158734S8                                                       | F1FRU1LW3N  | 155°F                             | 68°C  | White      | A\$ 138.51 |
| BF171134S8                                                       | F1FRU5LB3N  | 175°F                             | 79°C  | Brass      | A\$ 122.24 |
| BF172134S8                                                       | F1FRU5LC3N  | 175°F                             | 79°C  | Chrome     | A\$ 138.51 |
| BF178734S8                                                       | F1FRU5LW3N  | 175°F                             | 79°C  | White      | A\$ 138.51 |
| BF201134S8                                                       | F1FRU2LB3N  | 200°F                             | 93°C  | Brass      | A\$ 122.24 |
| BF202134S8                                                       | F1FRU2LC3N  | 200°F                             | 93°C  | Chrome     | A\$ 138.51 |
| BF281134S8                                                       | F1FRU3LB3N  | 286°F                             | 141°C | Brass      | A\$ 122.24 |
| BF282134S8                                                       | F1FRU3LC3N  | 286°F                             | 141°C | Chrome     | A\$ 138.51 |
| BF288734S8                                                       | F1FRU3LW3N  | 286°F                             | 141°C | White      | A\$ 138.51 |
| 6880050100                                                       | WW2         | Wrench, W2, Pendent, Upright, HSW |       |            | A\$ 212.48 |



## F1FR56 PENDENT

- K-Factor = 5.6 (80)
- **SIN RA1414**
- See Bulletin 074



## F1FR80 PENDENT

- K-Factor = 8.0 (115)
- **SIN R6312**
- See Bulletin 063

| Part Number                                               | Short Code | Temperature                       |       | Finish     | List Price |
|-----------------------------------------------------------|------------|-----------------------------------|-------|------------|------------|
| MODEL F1FR56 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1414 |            |                                   |       |            |            |
| B2131132S9                                                | F1FR56P0BN | 135°F                             | 57°C  | Brass      | A\$ 95.87  |
| B2132132S9                                                | F1FR56P0CN | 135°F                             | 57°C  | Chrome     | A\$ 102.59 |
| B2138732S9                                                | F1FR56P0WN | 135°F                             | 57°C  | White      | A\$ 110.83 |
| B2151132S9                                                | F1FR56P1BN | 155°F                             | 68°C  | Brass      | A\$ 95.87  |
| B2152132S9                                                | F1FR56P1CN | 155°F                             | 68°C  | Chrome     | A\$ 102.59 |
| B2158732S9                                                | F1FR56P1WN | 155°F                             | 68°C  | Poly White | A\$ 110.83 |
| B2171132S9                                                | F1FR56P5BN | 175°F                             | 79°C  | Brass      | A\$ 95.87  |
| B2172132S9                                                | F1FR56P5CN | 175°F                             | 79°C  | Chrome     | A\$ 102.59 |
| B2178732S9                                                | F1FR56P5WN | 175°F                             | 79°C  | White      | A\$ 110.83 |
| B2201132S9                                                | F1FR56P2BN | 200°F                             | 93°C  | Brass      | A\$ 95.87  |
| B2202132S9                                                | F1FR56P2CN | 200°F                             | 93°C  | Chrome     | A\$ 102.59 |
| B2208732S9                                                | F1FR56P2WN | 200°F                             | 93°C  | White      | A\$ 110.83 |
| B2281132S9                                                | F1FR56P3BN | 286°F                             | 141°C | Brass      | A\$ 95.87  |
| B2282132S9                                                | F1FR56P3CN | 286°F                             | 141°C | Chrome     | A\$ 102.59 |
| B2288732S9                                                | F1FR56P3WN | 286°F                             | 141°C | White      | A\$ 110.83 |
| MODEL F1FR80 PENDENT K8.0 (115) THREADS 3/4" (20MM) R6312 |            |                                   |       |            |            |
| B2131134S8                                                | F1FRP0LBN  | 135°F                             | 57°C  | Brass      | A\$ 120.10 |
| B2132134S8                                                | F1FRP0LCN  | 135°F                             | 57°C  | Chrome     | A\$ 131.54 |
| B2138734S8                                                | F1FRP0LWN  | 135°F                             | 57°C  | White      | A\$ 133.32 |
| B2151134S8                                                | F1FRP1LBN  | 155°F                             | 68°C  | Brass      | A\$ 120.10 |
| B2152134S8                                                | F1FRP1LCN  | 155°F                             | 68°C  | Chrome     | A\$ 131.54 |
| B2158734S8                                                | F1FRP1LWN  | 155°F                             | 68°C  | White      | A\$ 133.32 |
| B2171134S8                                                | F1FRP5LBN  | 175°F                             | 79°C  | Brass      | A\$ 120.10 |
| B2172134S8                                                | F1FRP5LCN  | 175°F                             | 79°C  | Chrome     | A\$ 131.54 |
| B2178734S8                                                | F1FRP5LWN  | 175°F                             | 79°C  | White      | A\$ 133.32 |
| B2201134S8                                                | F1FRP2LBN  | 200°F                             | 93°C  | Brass      | A\$ 120.10 |
| B2202134S8                                                | F1FRP2LCN  | 200°F                             | 93°C  | Chrome     | A\$ 131.54 |
| B2208734S8                                                | F1FRP2LWN  | 200°F                             | 93°C  | White      | A\$ 133.32 |
| B2281134S8                                                | F1FRP3LBN  | 286°F                             | 141°C | Brass      | A\$ 120.10 |
| B2282134S8                                                | F1FRP3LCN  | 286°F                             | 141°C | Chrome     | A\$ 131.54 |
| B2288734S8                                                | F1FRP3LWN  | 286°F                             | 141°C | White      | A\$ 133.32 |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY           |            |                                   |       |            |            |
| 6800600001                                                | GF1C       | 1/2" (15mm)                       |       | Chrome     | A\$ 21.01  |
| 6800640001                                                | GF1W       | 1/2" (15mm)                       |       | White      | A\$ 21.01  |
| 6801000000                                                | GF1LC      | 3/4" (20mm)                       |       | Chrome     | A\$ 21.01  |
| 6801040000                                                | GF1LW      | 3/4" (20mm)                       |       | White      | A\$ 21.01  |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY           |            |                                   |       |            |            |
| 6800800000                                                | GF2C       | 1/2" (15mm)                       |       | Chrome     | A\$ 21.01  |
| 6800840000                                                | GF2W       | 1/2" (15mm)                       |       | White      | A\$ 21.01  |
| 6800880001                                                | GF2LC      | 3/4" (20mm)                       |       | Chrome     | A\$ 21.01  |
| 6800880005                                                | GF2LW      | 3/4" (20mm)                       |       | White      | A\$ 21.01  |
| 6880050100                                                | WW2        | Wrench, W2, Pendent, Upright, HSW |       |            | A\$ 212.48 |
| 6880100120                                                | WW4        | Wrench, W4, Recessed, Concealed   |       |            | A\$ 630.54 |
| MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS                 |            |                                   |       |            |            |
| 6801412100                                                | FPC        | 1/2" (15mm)                       |       | Chrome     | A\$ 40.55  |
| 6801417200                                                | FPW        | 1/2" (15mm)                       |       | White      | A\$ 40.55  |
| 6801402100                                                | FPLC       | 3/4" (20mm)                       |       | Chrome     | A\$ 40.55  |
| 6801407200                                                | FPLW       | 3/4" (20mm)                       |       | White      | A\$ 40.55  |



## F1FR 28 PENDENT

- K-Factor = 2.8 (40)
- **SIN RA1411**
- See Bulletin 014



## F1FR 42 PENDENT

- K-Factor = 4.2 (60)
- **SIN RA1413**
- See Bulletin 014



| Part Number                                                | Short Code | Temperature           |       | Finish     | List Price |
|------------------------------------------------------------|------------|-----------------------|-------|------------|------------|
| MODEL F1FR28 PENDENT K 2.8 (40) THREADS 1/2" (15MM) RA1411 |            |                       |       |            |            |
| BB151124S9                                                 | F1FR28P1BN | 155°F                 | 68°C  | Brass      | A\$ 124.07 |
| BB152124S9                                                 | F1FR28P1CN | 155°F                 | 68°C  | Chrome     | A\$ 133.83 |
| BB158724S9                                                 | F1FR28P1WN | 155°F                 | 68°C  | Poly White | A\$ 138.23 |
| BB171124S9                                                 | F1FR28P5BN | 175°F                 | 79°C  | Brass      | A\$ 126.38 |
| BB172124S9                                                 | F1FR28P5CN | 175°F                 | 79°C  | Chrome     | A\$ 133.83 |
| BB178724S9                                                 | F1FR28P5WN | 175°F                 | 79°C  | Poly White | A\$ 138.23 |
| BB201124S9                                                 | F1FR28P2BN | 200°F                 | 93°C  | Brass      | A\$ 124.07 |
| BB202124S9                                                 | F1FR28P2CN | 200°F                 | 93°C  | Chrome     | A\$ 133.83 |
| BB208724S9                                                 | F1FR28P2WN | 200°F                 | 93°C  | Poly White | A\$ 138.23 |
| BB281124S9                                                 | F1FR28P3BN | 286°F                 | 141°C | Brass      | A\$ 124.07 |
| BB282124S9                                                 | F1FR28P3CN | 286°F                 | 141°C | Chrome     | A\$ 135.10 |
| BB288724S9                                                 | F1FR28P3WN | 286°F                 | 141°C | Poly White | A\$ 138.23 |
| MODEL F1FR42 PENDENT K 4.2 (60) THREADS 1/2"(15MM) RA1413  |            |                       |       |            |            |
| BB131128S9                                                 | F1FR42P0BN | 135°F                 | 57°C  | Brass      | A\$ 124.07 |
| BB132128S9                                                 | F1FR42P0CN | 135°F                 | 57°C  | Chrome     | A\$ 133.83 |
| BB138728S9                                                 | F1FR42P0WN | 135°F                 | 57°C  | Poly White | A\$ 138.23 |
| BB151128S9                                                 | F1FR42P1BN | 155°F                 | 68°C  | Brass      | A\$ 124.07 |
| BB152128S9                                                 | F1FR42P1CN | 155°F                 | 68°C  | Chrome     | A\$ 133.83 |
| BB158728S9                                                 | F1FR42P1WN | 155°F                 | 68°C  | Poly White | A\$ 138.23 |
| BB171128S9                                                 | F1FR42P5BN | 175°F                 | 79°C  | Brass      | A\$ 124.07 |
| BB172128S9                                                 | F1FR42P5CN | 175°F                 | 79°C  | Chrome     | A\$ 133.83 |
| BB178728S9                                                 | F1FR42P5WN | 175°F                 | 79°C  | Poly White | A\$ 138.23 |
| BB201128S9                                                 | F1FR42P2BN | 200°F                 | 93°C  | Brass      | A\$ 124.07 |
| BB202128S9                                                 | F1FR42P2CN | 200°F                 | 93°C  | Chrome     | A\$ 133.83 |
| BB208728S9                                                 | F1FR42P2WN | 200°F                 | 93°C  | Poly White | A\$ 138.23 |
| BB281128S9                                                 | F1FR42P3BN | 286°F                 | 141°C | Brass      | A\$ 124.07 |
| BB282128S9                                                 | F1FR42P3CN | 286°F                 | 141°C | Chrome     | A\$ 133.83 |
| BB288728S9                                                 | F1FR42P3WN | 286°F                 | 141°C | Poly White | A\$ 138.23 |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY            |            |                       |       |            |            |
| 6800630001                                                 | GF1B       | 1/2" (15mm)           |       | Brass      | A\$ 39.00  |
| 6800600001                                                 | GF1C       | 1/2" (15mm)           |       | Chrome     | A\$ 21.01  |
| 6800640001                                                 | GF1W       | 1/2" (15mm)           |       | White      | A\$ 21.01  |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY            |            |                       |       |            |            |
| 6800830000                                                 | GF2B       | 1/2" (15mm)           |       | Brass      | A\$ 39.00  |
| 6800800000                                                 | GF2C       | 1/2" (15mm)           |       | Chrome     | A\$ 21.01  |
| 6800840000                                                 | GF2W       | 1/2" (15mm)           |       | White      | A\$ 21.01  |
| MODEL FP RECESSED PUSH-ON/THREAD-OFF ESCUTCHEONS           |            |                       |       |            |            |
| 6801412100                                                 | FPC        | FP PUSH-ON/THREAD-OFF |       | Chrome     | A\$ 40.55  |
| 6801417200                                                 | FPW        | FP PUSH-ON/THREAD-OFF |       | White      | A\$ 40.55  |

# F1FR LO LARGE ORIFICE QUICK RESPONSE

- K-Factor = 115 (8.0)
- 15MM(1/2) THREADS
- Bulletin 038

| Part Number                                            | Short Code | Temperature            |       | Finish | List Price |
|--------------------------------------------------------|------------|------------------------|-------|--------|------------|
| MODEL F1FR PENDENT K8.0 (115) BSPT THREADS 1/2" (15MM) |            |                        |       |        |            |
| B213113492                                             |            | 135°F                  | 57°C  | Brass  | A\$120.10  |
| B215113492                                             | F1FRP1LHBM | 155°F                  | 68°C  | Brass  | A\$120.10  |
| B217113492                                             |            | 175°F                  | 79°C  | Brass  | A\$120.10  |
| B220113492                                             |            | 200°F                  | 93°C  | Brass  | A\$120.10  |
| B228113492                                             |            | 286°F                  | 141°C | Brass  | A\$120.10  |
| B215213492                                             |            | 155°F                  | 68°C  | Chrome | A\$131.54  |
| B215873492                                             | F1FRP1LHWM | 155°F                  | 68°C  | White  | A\$133.32  |
|                                                        |            | °F                     | °C    |        | A\$ Call   |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY        |            |                        |       |        |            |
| 6800630001                                             | GF1B       | 15mm (1/2")            |       | Brass  | A\$ 39.00  |
| 6800600001                                             | GF1C       | 15mm (1/2")            |       | Chrome | A\$ 21.01  |
| 6800640001                                             | GF1W       | 15mm (1/2")            |       | White  | A\$ 21.01  |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY        |            |                        |       |        |            |
| 6800830000                                             | GF2B       | 15mm (1/2")            |       | Brass  | A\$ 39.00  |
| 6800800000                                             | GF2C       | 15mm (1/2")            |       | Chrome | A\$ 21.01  |
| 6800840000                                             | GF2W       | 15mm (1/2")            |       | White  | A\$ 21.01  |
| MODEL FP RECESSED ESCUTCHEONS & COLLAR ASSEMBLY        |            |                        |       |        |            |
| 6801412100                                             | FPC        | FP PUSH-ON/THREADS-OFF |       | Chrome | A\$ 40.55  |
| 6801417200                                             | FPW        | FP PUSH-ON/THREADS-OFF |       | White  | A\$ 40.55  |

|            |      |                                          |            |
|------------|------|------------------------------------------|------------|
| 6880050100 | WW2  | Requires Model W2 Sprinkler Wrench       | A\$ 212.48 |
| 6880060000 | WGFR | Recessed Use Model GFR2 Sprinkler Wrench | A\$ 630.54 |



## F1FR LO PENDENT

- Quick Response
- **SIN R3612**
- See Bulletin 136

| Part Number                                                     | Short Code | Temperature |       | Finish | List Price |
|-----------------------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL F1FR LO PENDENT K8.0 (115) THREADS 3/4" (20MM) R3612      |            |             |       |        |            |
| B213113498                                                      | F1FRP0LB   | 135°F       | 57°C  | Brass  | A\$ 120.10 |
| B213213498                                                      | F1FRP0LC   | 135°F       | 57°C  | Chrome | A\$ 131.54 |
| B213873498                                                      | F1FRP0LW   | 135°F       | 57°C  | White  | A\$ 133.32 |
| B215113498                                                      | F1FRP1LB   | 155°F       | 68°C  | Brass  | A\$ 120.10 |
| B215213498                                                      | F1FRP1LC   | 155°F       | 68°C  | Chrome | A\$ 131.54 |
| B215873498                                                      | F1FRP1LW   | 155°F       | 68°C  | White  | A\$ 133.32 |
| B217113498                                                      | F1FRP5LB   | 175°F       | 79°C  | Brass  | A\$ 120.10 |
| B217213498                                                      | F1FRP5LC   | 175°F       | 79°C  | Chrome | A\$ 131.54 |
| B217873498                                                      | F1FRP5LW   | 175°F       | 79°C  | White  | A\$ 133.32 |
| B220113498                                                      | F1FRP2LB   | 200°F       | 93°C  | Brass  | A\$ 120.10 |
| B220213498                                                      | F1FRP2LC   | 200°F       | 93°C  | Chrome | A\$ 131.54 |
| B220873498                                                      | F1FRP2LW   | 200°F       | 93°C  | White  | A\$ 133.32 |
| B228113498                                                      | F1FRP3LB   | 286°F       | 141°C | Brass  | A\$ 120.10 |
| B228213498                                                      | F1FRP3LC   | 286°F       | 141°C | Chrome | A\$ 131.54 |
| B228873498                                                      | F1FRP3LW   | 286°F       | 141°C | White  | A\$ 133.32 |
| MODEL F1FR LO PENDENT K8.0 (115) BSPT THREADS 3/4" (20MM) R3612 |            |             |       |        |            |
| B213113495                                                      |            | 135°F       | 57°C  | Brass  | A\$ 120.10 |
| B213213495                                                      | F1FRP0LCM  | 135°F       | 57°C  | Chrome | A\$ 131.54 |
| B213873495                                                      | F1FRP0LWM  | 135°F       | 57°C  | White  | A\$ 133.32 |
| B215113495                                                      | F1FRP1LBM  | 155°F       | 68°C  | Brass  | A\$ 120.10 |
| B215213495                                                      | F1FRP1LCM  | 155°F       | 68°C  | Chrome | A\$ 131.54 |
| B215873495                                                      |            | 155°F       | 68°C  | White  | A\$ 133.32 |
| B217113495                                                      | B217113495 | 175°F       | 79°C  | Brass  | A\$ 120.10 |
| B217213495                                                      | F1FRP5LCM  | 175°F       | 79°C  | Chrome | A\$ 131.54 |
| B217873495                                                      | F1FRP5LWM  | 175°F       | 79°C  | White  | A\$ 133.32 |
| B220113495                                                      | F1FRP2LBM  | 200°F       | 93°C  | Brass  | A\$ 120.10 |
| B220213495                                                      | F1FRP2LCM  | 200°F       | 93°C  | Chrome | A\$ 131.54 |
| B220873495                                                      | F1FRP2LWM  | 200°F       | 93°C  | White  | A\$ 133.32 |
| B228113495                                                      | F1FRP3LBM  | 286°F       | 141°C | Brass  | A\$ 120.10 |
| B228213495                                                      | F1FRP3LCM  | 286°F       | 141°C | Chrome | A\$ 131.54 |
| B228873495                                                      | F1FRP3LWM  | 286°F       | 141°C | White  | A\$ 133.32 |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                 |            |             |       |        |            |
| 6800880004                                                      | GF2LB      | 20mm (3/4") |       | Brass  | A\$ 39.00  |
| 6800880001                                                      | GF2LC      | 20mm (3/4") |       | Chrome | A\$ 21.01  |
| 6800880005                                                      | GF2LW      | 20mm (3/4") |       | White  | A\$ 21.01  |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                 |            |             |       |        |            |
| 6801030000                                                      | GF1LB      | 20mm (3/4") |       | Brass  | A\$ 39.00  |
| 6801000000                                                      | GF1LC      | 20mm (3/4") |       | Chrome | A\$ 21.01  |
| 6801040000                                                      | GF1LW      | 20mm (3/4") |       | White  | A\$ 21.01  |

|            |      |                                          |            |
|------------|------|------------------------------------------|------------|
| 6880050100 | WW2  | Requires Model W2 Sprinkler Wrench       | A\$ 212.48 |
| 6880060000 | WGFR | Recessed Use Model GFR2 Sprinkler Wrench | A\$ 630.54 |



## F1FR56-300 PENDENT

- K-Factor = 5.6 (80)
- **SIN RA2614**
- See Bulletin 026
- 300 PSI



## F1FR80-300 PENDENT

- K-Factor = 8.0 (115)
- **SIN RA7812**
- See Bulletin 078
- 300 PSI

| Part Number                                                      | Short Code  | Temperature |       | Finish     | List Price |
|------------------------------------------------------------------|-------------|-------------|-------|------------|------------|
| MODEL F1FR56 PENDENT K5.6 (80) THREADS 1/2" (15MM) 300PSI RA2614 |             |             |       |            |            |
| BG131132S9                                                       | F1FR56P0B3N | 135°F       | 57°C  | Brass      | A\$ 100.79 |
| BG132132S9                                                       | F1FR56P0C3N | 135°F       | 57°C  | Chrome     | A\$ 107.69 |
| BG138732S9                                                       | F1FR56P0W3N | 135°F       | 57°C  | Poly White | A\$ 116.10 |
| BG151132S9                                                       | F1FR56P1B3N | 155°F       | 68°C  | Brass      | A\$ 100.79 |
| BG152132S9                                                       | F1FR56P1C3N | 155°F       | 68°C  | Chrome     | A\$ 107.69 |
| BG158732S9                                                       | F1FR56P1W3N | 155°F       | 68°C  | White      | A\$ 116.10 |
| BG171132S9                                                       | F1FR56P5B3N | 175°F       | 79°C  | Brass      | A\$ 100.76 |
| BG172132S9                                                       | F1FR56P5C3N | 175°F       | 79°C  | Chrome     | A\$ 107.69 |
| BG178732S9                                                       | F1FR56P5W3N | 175°F       | 79°C  | Poly White | A\$ 116.10 |
| BG201132S9                                                       | F1FR56P2B3N | 200°F       | 93°C  | Brass      | A\$ 100.79 |
| BG202132S9                                                       | F1FR56P2C3N | 200°F       | 93°C  | Chrome     | A\$ 107.69 |
| BG208732S9                                                       | F1FR56P2W3N | 200°F       | 93°C  | Poly White | A\$ 116.10 |
| BG281132S9                                                       | F1FR56P3B3N | 286°F       | 141°C | Brass      | A\$ 100.79 |
| BG282132S9                                                       | F1FR56P3C3N | 286°F       | 141°C | Chrome     | A\$ 107.69 |
| BG288732S9                                                       | F1FR56P3W3N | 286°F       | 141°C | Poly White | A\$ 116.10 |
| MODEL F1FR80 PENDENT K8.0 (115) THREADS 3/4" (20MM) 300PSI R5612 |             |             |       |            |            |
| BG131134S8                                                       | F1FRP0LB3N  | 135°F       | 57°C  | Brass      | A\$ 125.83 |
| BG132134S8                                                       | F1FRP0LC3N  | 135°F       | 57°C  | Chrome     | A\$ 138.51 |
| BG138734S8                                                       | F1FRP0LW3N  | 135°F       | 57°C  | White      | A\$ 138.51 |
| BG151134S8                                                       | F1FRP1LB3N  | 155°F       | 68°C  | Brass      | A\$ 125.83 |
| BG152134S8                                                       | F1FRP1LC3N  | 155°F       | 68°C  | Chrome     | A\$ 138.51 |
| BG158734S8                                                       | F1FRP1LW3N  | 155°F       | 68°C  | White      | A\$ 138.51 |
| BG171134S8                                                       | F1FRP5LB3N  | 175°F       | 79°C  | Brass      | A\$ 125.83 |
| BG172134S8                                                       | F1FRP5LC3N  | 175°F       | 79°C  | Chrome     | A\$ 138.51 |
| BG178734S8                                                       | F1FRP5LW3N  | 175°F       | 79°C  | White      | A\$ 138.51 |
| BG201134S8                                                       | F1FRP2LB3N  | 200°F       | 93°C  | Brass      | A\$ 138.51 |
| BG202134S8                                                       | F1FRP2LC3N  | 200°F       | 93°C  | Chrome     | A\$ 138.51 |
| BG208734S8                                                       | F1FRP2LW3N  | 200°F       | 93°C  | White      | A\$ 138.51 |
| BG281134S8                                                       | F1FRP3LB3N  | 286°F       | 141°C | Brass      | A\$ 125.83 |
| BG282134S8                                                       | F1FRP3LC3N  | 286°F       | 141°C | Chrome     | A\$ 138.51 |
| BG288734S8                                                       | F1FRP3LW3N  | 286°F       | 141°C | White      | A\$ 138.51 |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                  |             |             |       |            |            |
| 6800630001                                                       | GF1B        | 1/2" (15mm) |       | Brass      | A\$ 39.00  |
| 6800600001                                                       | GF1C        | 1/2" (15mm) |       | Chrome     | A\$ 21.01  |
| 6800640001                                                       | GF1W        | 1/2" (15mm) |       | White      | A\$ 21.01  |
| 6801030000                                                       | GF1LB       | 3/4" (20mm) |       | Brass      | A\$ 39.00  |
| 6801000000                                                       | GF1LC       | 3/4" (20mm) |       | Chrome     | A\$ 21.01  |
| 6801040000                                                       | GF1LW       | 3/4" (20mm) |       | White      | A\$ 21.01  |

|            |     |                                   |            |
|------------|-----|-----------------------------------|------------|
| 6880050100 | WW2 | Wrench, W2, Pendent, Upright, HSW | A\$ 212.48 |
| 6880100120 | WW4 | Wrench, W4 Recessed, Concealed    | A\$ 630.54 |



## F1FR 56 HSW

- K-Factor = 5.6 (80)
- **SIN RA1435**
- See Bulletin 014

| Part Number                                                  | Short Code | Temperature                       |       | Finish     | List Price |
|--------------------------------------------------------------|------------|-----------------------------------|-------|------------|------------|
| MODEL F1FR56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1435 |            |                                   |       |            |            |
| BD131132S9                                                   | F1FR56H0BN | 135°F                             | 57°C  | Brass      | A\$ 110.48 |
| BD132132S9                                                   | F1FR56H0CN | 135°F                             | 57°C  | Chrome     | A\$ 118.31 |
| BD138732S9                                                   | F1FR56H0WN | 135°F                             | 57°C  | Poly White | A\$ 133.07 |
| BD151132S9                                                   | F1FR56H1BN | 155°F                             | 68°C  | Brass      | A\$ 110.48 |
| BD152132S9                                                   | F1FR56H1CN | 155°F                             | 68°C  | Chrome     | A\$ 118.31 |
| BD158732S9                                                   | F1FR56H1WN | 155°F                             | 68°C  | Poly White | A\$ 133.07 |
| BD171132S9                                                   | F1FR56H5BN | 175°F                             | 79°C  | Brass      | A\$ 110.48 |
| BD172132S9                                                   | F1FR56H5CN | 175°F                             | 79°C  | Chrome     | A\$ 118.31 |
| BD178732S9                                                   | F1FR56H5WN | 175°F                             | 79°C  | Poly White | A\$ 133.07 |
| BD201132S9                                                   | F1FR56H2BN | 200°F                             | 93°C  | Brass      | A\$ 110.48 |
| BD202132S9                                                   | F1FR56H2CN | 200°F                             | 93°C  | Chrome     | A\$ 118.31 |
| BD208732S9                                                   | F1FR56H2WN | 200°F                             | 93°C  | Poly White | A\$ 133.07 |
| BD281132S9                                                   | F1FR56H3BN | 286°F                             | 141°C | Brass      | A\$ 110.48 |
| BD282132S9                                                   | F1FR56H3CN | 286°F                             | 141°C | Chrome     | A\$ 118.31 |
| BD288732S9                                                   | F1FR56H3WN | 286°F                             | 141°C | Poly White | A\$ 133.07 |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY              |            |                                   |       |            |            |
| 6800630001                                                   | GF1B       | 1/2" (15mm)                       |       | Brass      | A\$ 39.00  |
| 6800600001                                                   | GF1C       | 1/2" (15mm)                       |       | Chrome     | A\$ 21.01  |
| 6800640001                                                   | GF1W       | 1/2" (15mm)                       |       | White      | A\$ 21.01  |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY              |            |                                   |       |            |            |
| 6800830000                                                   | GF2B       | 1/2" (15mm)                       |       | Brass      | A\$ 39.00  |
| 6800800000                                                   | GF2C       | 1/2" (15mm)                       |       | Chrome     | A\$ 21.01  |
| 6800840000                                                   | GF2W       | 1/2" (15mm)                       |       | White      | A\$ 21.01  |
| 6880050100                                                   | WW2        | Wrench, W2, Pendent, Upright, HSW |       |            | A\$ 212.48 |
| 6880100120                                                   | WW4        | Wrench, W4, Recessed, Concealed   |       |            | A\$ 630.54 |



## F1FR 56 HSW

- K-Factor = 80 (5.6)
- **SIN RA1435**
- See Bulletin 074

| Part Number                                                       | Short Code | Temperature |       | Finish     | List Price |
|-------------------------------------------------------------------|------------|-------------|-------|------------|------------|
| MODEL F1FR56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1435      |            |             |       |            |            |
| BD131132S9                                                        | F1FR56H0BN | 135°F       | 57°C  | Brass      | A\$ 110.48 |
| BD132132S9                                                        | F1FR56H0CN | 135°F       | 57°C  | Chrome     | A\$ 118.31 |
| BD138732S9                                                        | F1FR56H0WN | 135°F       | 57°C  | Poly White | A\$ 133.07 |
| BD151132S9                                                        | F1FR56H1BN | 155°F       | 68°C  | Brass      | A\$ 110.48 |
| BD152132S9                                                        | F1FR56H1CN | 155°F       | 68°C  | Chrome     | A\$ 118.31 |
| BD158732S9                                                        | F1FR56H1WN | 155°F       | 68°C  | Poly White | A\$ 133.07 |
| BD171132S9                                                        | F1FR56H5BN | 175°F       | 79°C  | Brass      | A\$ 110.48 |
| BD172132S9                                                        | F1FR56H5CN | 175°F       | 79°C  | Chrome     | A\$ 118.31 |
| BD178732S9                                                        | F1FR56H5WN | 175°F       | 79°C  | Poly White | A\$ 133.07 |
| BD201132S9                                                        | F1FR56H2BN | 200°F       | 93°C  | Brass      | A\$ 110.48 |
| BD202132S9                                                        | F1FR56H2CN | 200°F       | 93°C  | Chrome     | A\$ 118.31 |
| BD208732S9                                                        | F1FR56H2WN | 200°F       | 93°C  | Poly White | A\$ 133.07 |
| BD281132S9                                                        | F1FR56H3BN | 286°F       | 141°C | Brass      | A\$ 110.48 |
| BD282132S9                                                        | F1FR56H3CN | 286°F       | 141°C | Chrome     | A\$ 118.31 |
| BD288732S9                                                        | F1FR56H3WN | 286°F       | 141°C | Poly White | A\$ 133.07 |
| MODEL F1FR56 HORIZONTAL K5.6 (80) BSPT THREADS 1/2" (15MM) RA1435 |            |             |       |            |            |
| BD131132R2                                                        | F1FR56H0BM | 135°F       | 57°C  | Brass      | A\$ 110.48 |
| BD132132R2                                                        | F1FR56H0CM | 135°F       | 57°C  | Chrome     | A\$ 118.31 |
| BD138732R2                                                        | F1FR56H0WM | 135°F       | 57°C  | White      | A\$ 133.07 |
| BD151132R2                                                        | F1FR56H1BM | 155°F       | 68°C  | Brass      | A\$ 110.48 |
| BD152132R2                                                        | F1FR56H1CM | 155°F       | 68°C  | Chrome     | A\$ 118.31 |
| BD158732R2                                                        | F1FR56H1WM | 155°F       | 68°C  | Poly White | A\$ 133.07 |
| BD171132R2                                                        | F1FR56H5BM | 175°F       | 79°C  | Brass      | A\$ 110.48 |
| BD172132R2                                                        | F1FR56H5CM | 175°F       | 79°C  | Chrome     | A\$ 118.31 |
| BD178732R2                                                        | F1FR56H5WM | 175°F       | 79°C  | White      | A\$ 133.07 |
| BD201132R2                                                        | F1FR56H2BM | 200°F       | 93°C  | Brass      | A\$ 110.48 |
| BD202132R2                                                        | F1FR56H2CM | 200°F       | 93°C  | Chrome     | A\$ 118.31 |
| BD208732R2                                                        | F1FR56H2WM | 200°F       | 93°C  | Poly White | A\$ 133.07 |
| BD281132R2                                                        | F1FR56H3BM | 286°F       | 141°C | Brass      | A\$ 110.48 |
| BD282132R2                                                        | F1FR56H3CM | 286°F       | 141°C | Chrome     | A\$ 118.31 |
| BD288732R2                                                        | F1FR56H3WM | 286°F       | 141°C | White      | A\$ 133.07 |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                   |            |             |       |            |            |
| 6800630001                                                        | GF1B       | 1/2" (15mm) |       | Brass      | A\$ 39.00  |
| 6800600001                                                        | GF1C       | 1/2" (15mm) |       | Chrome     | A\$ 21.01  |
| 6800640001                                                        | GF1W       | 1/2" (15mm) |       | White      | A\$ 21.01  |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                   |            |             |       |            |            |
| 6800830000                                                        | GF2B       | 15mm (1/2") |       | Brass      | A\$ 39.00  |
| 6800800000                                                        | GF2C       | 15mm (1/2") |       | Chrome     | A\$ 21.01  |
| 6800840000                                                        | GF2W       | 15mm (1/2") |       | White      | A\$ 21.01  |

|            |      |                                          |            |
|------------|------|------------------------------------------|------------|
| 6880050100 | WW2  | Requires Model W2 Sprinkler Wrench       | A\$ 212.48 |
| 6880060000 | WGFR | Recessed Use Model GFR2 Sprinkler Wrench | A\$ 630.54 |



## F1FR56-300 HSW

- K-Factor = 5.6 (80)
- **SIN RA2634**
- See Bulletin 077



## F1FR56-300 REC HSW

- K-Factor = 5.6 (80)
- **SIN RA2634**
- See Bulletin 077



## SWC56 Concealed

- K-Factor = 5.6 (80)
- **SIN RA2634**
- See Bulletin 077

| Part Number                                                      | Short Code  | Temperature                       |       | Finish     | List Price |
|------------------------------------------------------------------|-------------|-----------------------------------|-------|------------|------------|
| MODEL F1FR56-300 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA2634 |             |                                   |       |            |            |
| BD131131S9                                                       | F1FR56H0B3N | 135°F                             | 57°C  | Brass      | A\$ 114.90 |
| BD132131S9                                                       | F1FR56H0C3N | 135°F                             | 57°C  | Chrome     | A\$ 122.86 |
| BD138731S9                                                       | F1FR56H0W3N | 135°F                             | 57°C  | White      | A\$ 137.99 |
| BD151131S9                                                       | F1FR56H1B3N | 155°F                             | 68°C  | Brass      | A\$ 114.90 |
| BD152131S9                                                       | F1FR56H1C3N | 155°F                             | 68°C  | Chrome     | A\$ 122.86 |
| BD158731S9                                                       | F1FR56H1W3N | 155°F                             | 68°C  | White      | A\$ 137.99 |
| BD171131S9                                                       | F1FR56H5B3N | 175°F                             | 79°C  | Brass      | A\$ 114.90 |
| BD172131S9                                                       | F1FR56H5C3N | 175°F                             | 79°C  | Chrome     | A\$ 122.86 |
| BD178731S9                                                       | F1FR56H5W3N | 175°F                             | 79°C  | White      | A\$ 137.99 |
| BD201131S9                                                       | F1FR56H2B3N | 200°F                             | 93°C  | Brass      | A\$ 114.90 |
| BD202131S9                                                       | F1FR56H2C3N | 200°F                             | 93°C  | Chrome     | A\$ 122.86 |
| BD208731S9                                                       | F1FR56H2W3N | 200°F                             | 93°C  | White      | A\$ 137.99 |
| BD281131S9                                                       | F1FR56H3B3N | 286°F                             | 141°C | Brass      | A\$ 114.90 |
| BD282131S9                                                       | F1FR56H3C3N | 286°F                             | 141°C | Chrome     | A\$ 122.86 |
| BD288731S9                                                       | F1FR56H3W3N | 286°F                             | 141°C | Poly White | A\$ 137.99 |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                  |             |                                   |       |            |            |
| 6800630001                                                       | GF1B        | 1/2" (15mm)                       |       | Brass      | A\$ 39.00  |
| 6800600001                                                       | GF1C        | 1/2" (15mm)                       |       | Chrome     | A\$ 21.01  |
| 6800640001                                                       | GF1W        | 1/2" (15mm)                       |       | White      | A\$ 21.01  |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                  |             |                                   |       |            |            |
| 6800830000                                                       | GF2B        | 1/2" (15mm)                       |       | Brass      | A\$ 39.00  |
| 6800800000                                                       | GF2C        | 1/2" (15mm)                       |       | Chrome     | A\$ 21.01  |
| 6800840000                                                       | GF2W        | 1/2" (15mm)                       |       | White      | A\$ 21.01  |
| MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS                          |             |                                   |       |            |            |
| 6801412100                                                       | FPC         | (15mm)                            |       | Chrome     | A\$ 40.55  |
| 6801417200                                                       | FPW         | (15mm)                            |       | White      | A\$ 40.55  |
| MODEL SWC56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA2634       |             |                                   |       |            |            |
| BS131732S9                                                       | SWC560N     | 135°F                             | 57°C  | W/O        | A\$ 116.59 |
| BS151732S9                                                       | SWC561N     | 155°F                             | 68°C  | W/O        | A\$ 116.59 |
| MODEL SWC CONCEALED COVERPLATES                                  |             |                                   |       |            |            |
| 6887131318                                                       | CHWNS       | 135°F                             | 57°C  | White      | A\$ 67.24  |
| 6887131390                                                       | CHSPNS      | 135°F                             | 57°C  | Specialty  | A\$ 100.82 |
| 6880050100                                                       | WW2         | Wrench, W2, Pendent, Upright, HSW |       |            | A\$ 212.48 |
| 6880100120                                                       | WW4         | Wrench, W4, Recessed, Concealed   |       |            | A\$ 630.54 |



## F1FR56 VSW

- K-Factor = 80 (5.6)
- **SIN RA1485**
- See Bulletin 014

| Part Number                                                  | Short Code | Temperature |      | Finish | List Price |
|--------------------------------------------------------------|------------|-------------|------|--------|------------|
| MODEL F1FR56 VERTICAL SIDEWALL K5.6 (80) THREADS 1/2" RA1485 |            |             |      |        |            |
| BE131132R9                                                   | F1FR56V0B  | 135°F       | 57°C | Brass  | A\$ 126.32 |
| BE132132R9                                                   | F1FR56V0C  | 135°F       | 57°C | Chrome | A\$ 136.49 |
| BE138732R9                                                   | F1FR56V0W  | 135°F       | 57°C | White  | A\$ 143.52 |
|                                                              |            | °F          | °C   |        | A\$ Call   |
|                                                              |            | °F          | °C   |        | A\$ Call   |
|                                                              |            | °F          | °C   |        | A\$ Call   |
|                                                              |            | °F          | °C   |        | A\$ Call   |
|                                                              |            | °F          | °C   |        | A\$ Call   |
|                                                              |            | °F          | °C   |        | A\$ Call   |
|                                                              |            | °F          | °C   |        | A\$ Call   |
| BE202132R9                                                   | F1FR56V2C  | 200°F       | 93°C | Chrome | A\$ 136.49 |
|                                                              |            | °F          | °C   |        | A\$ Call   |
|                                                              |            | °F          | °C   |        | A\$ Call   |
|                                                              |            | °F          | °C   |        | A\$ Call   |

|                                                                          |            |       |       |            |            |
|--------------------------------------------------------------------------|------------|-------|-------|------------|------------|
| <b>MODEL F1FR56 VERTICAL SIDEWALL K5.6 (80) BSPT THREADS 1/2" RA1485</b> |            |       |       |            |            |
| BE131132R2                                                               | F1FR56V0BM | 135°F | 57°C  | Brass      | A\$ 126.32 |
| BE132132R2                                                               | F1FR56V0CM | 135°F | 57°C  | Chrome     | A\$ 136.49 |
| BE138732R2                                                               | F1FR56V0WM | 135°F | 57°C  | White      | A\$ 143.52 |
| BE151132R2                                                               | F1FR56V1BM | 155°F | 68°C  | Brass      | A\$ 126.32 |
| BE152132R2                                                               | F1FR56V1CM | 155°F | 68°C  | Chrome     | A\$ 136.49 |
| BE158732R2                                                               | F1FR56V1WM | 155°F | 68°C  | Poly White | A\$ 143.52 |
| BE171132R2                                                               | F1FR56V5BM | 175°F | 79°C  | Brass      | A\$ 126.32 |
| BE172132R2                                                               | F1FR56V5CM | 175°F | 79°C  | Chrome     | A\$ 136.49 |
| BE178732R2                                                               | F1FR56V5WM | 175°F | 79°C  | White      | A\$ 143.52 |
| BE201132R2                                                               | F1FR56V2BM | 200°F | 93°C  | Brass      | A\$ 126.32 |
| BE202132R2                                                               | F1FR56V2CM | 200°F | 93°C  | Chrome     | A\$ 136.49 |
| BE208732R2                                                               | F1FR56V2WM | 200°F | 93°C  | Poly White | A\$ 143.52 |
| BE281132R2                                                               | F1FR56V3BM | 286°F | 141°C | Brass      | A\$ 126.32 |
| BE282132R2                                                               | F1FR56V3CM | 286°F | 141°C | Chrome     | A\$ 136.49 |
| BE288732R2                                                               | F1FR56V3WM | 286°F | 141°C | Poly White | A\$ 143.52 |

|            |     |                                    |            |
|------------|-----|------------------------------------|------------|
| 6880050100 | WW2 | Requires Model W2 Sprinkler Wrench | A\$ 212.48 |
|------------|-----|------------------------------------|------------|



## F1FR 56 CONVENTIONAL

- K-Factor = 80 (5.6)
- **SIN RA1475**
- See Bulletin 014

| Part Number                                                         | Short Code | Temperature |       | Finish     | List Price |
|---------------------------------------------------------------------|------------|-------------|-------|------------|------------|
| MODEL F1FR56 CONVENTIONAL K5.6 (80) THREADS 1/2" (15MM) RA1475      |            |             |       |            |            |
|                                                                     |            | °F          | °C    |            | A\$ Call   |
|                                                                     |            | °F          | °C    |            | A\$ Call   |
|                                                                     |            | °F          | °C    |            | A\$ Call   |
|                                                                     |            | °F          | °C    |            | A\$ Call   |
|                                                                     |            | °F          | °C    |            | A\$ Call   |
|                                                                     |            | °F          | °C    |            | A\$ Call   |
|                                                                     |            | °F          | °C    |            | A\$ Call   |
|                                                                     |            | °F          | °C    |            | A\$ Call   |
|                                                                     |            | °F          | °C    |            | A\$ Call   |
|                                                                     |            | °F          | °C    |            | A\$ Call   |
|                                                                     |            | °F          | °C    |            | A\$ Call   |
|                                                                     |            | °F          | °C    |            | A\$ Call   |
|                                                                     |            | °F          | °C    |            | A\$ Call   |
|                                                                     |            | °F          | °C    |            | A\$ Call   |
|                                                                     |            | °F          | °C    |            | A\$ Call   |
| MODEL F1FR56 CONVENTIONAL K5.6 (80) BSPT THREADS 1/2" (15MM) RA1475 |            |             |       |            |            |
| BC131132R2                                                          | F1FR56C0BM | 135°F       | 57°C  | Brass      | A\$ 95.87  |
| BC132132R2                                                          | F1FR56C0CM | 135°F       | 57°C  | Chrome     | A\$ 102.59 |
| BC138732R2                                                          | F1FR56C0WM | 135°F       | 57°C  | White      | A\$ 110.83 |
| BC151132R2                                                          | F1FR56C1BM | 155°F       | 68°C  | Brass      | A\$ 95.87  |
| BC152132R2                                                          | F1FR56C1CM | 155°F       | 68°C  | Chrome     | A\$ 102.59 |
| BC158732R2                                                          | F1FR56C1WM | 155°F       | 68°C  | Poly White | A\$ 110.83 |
| BC171132R2                                                          | F1FR56C5BM | 175°F       | 79°C  | Brass      | A\$ 95.87  |
| BC172132R2                                                          | F1FR56C5CM | 175°F       | 79°C  | Chrome     | A\$ 102.59 |
| BC178732R2                                                          | F1FR56C5WM | 175°F       | 79°C  | Poly White | A\$ 110.83 |
| BC201132R2                                                          | F1FR56C2BM | 200°F       | 93°C  | Brass      | A\$ 95.87  |
| BC202132R2                                                          | F1FR56C2CM | 200°F       | 93°C  | Chrome     | A\$ 102.59 |
| BC208732R2                                                          | F1FR56C2WM | 200°F       | 93°C  | Poly White | A\$ 110.83 |
| BC281132R2                                                          | F1FR56C3BM | 286°F       | 141°C | Brass      | A\$ 95.87  |
| BC282132R2                                                          | F1FR56C3CM | 286°F       | 141°C | Chrome     | A\$ 102.59 |
| BC288732R2                                                          | F1FR56C3WM | 286°F       | 141°C | Poly White | A\$ 110.83 |

6880050100      WW2      Requires Model W2 Sprinkler Wrench      A\$ 212.48



## F1FR LO CONVENTIONAL

- Quick Response
- **SIN R3672**
- See Bulletin 136

| Part Number                                                           | Short Code | Temperature |       | Finish | List Price |
|-----------------------------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL F1FR LO CONVENTIONAL K8.0 (115) THREADS 3/4" (20MM) RA3672      |            |             |       |        |            |
| B313113498                                                            | F1FRC0LB   | 135°F       | 57°C  | Brass  | A\$ 120.10 |
| B313213498                                                            | F1FRC0LC   | 135°F       | 57°C  | Chrome | A\$ 131.54 |
| B313873498                                                            | F1FRC0LW   | 135°F       | 57°C  | White  | A\$ 133.32 |
| B315113498                                                            | F1FRC1LB   | 155°F       | 68°C  | Brass  | A\$ 120.10 |
| B315213498                                                            | F1FRC1LC   | 155°F       | 68°C  | Chrome | A\$ 131.54 |
| B315873498                                                            | F1FRC1LW   | 155°F       | 68°C  | White  | A\$ 133.32 |
| B317113498                                                            | F1FRC5LB   | 175°F       | 79°C  | Brass  | A\$ 120.10 |
| B317213498                                                            | F1FRC5LC   | 175°F       | 79°C  | Chrome | A\$ 131.54 |
| B317873498                                                            | F1FRC5LW   | 175°F       | 79°C  | White  | A\$ 133.32 |
| B320113498                                                            | F1FRC2LB   | 200°F       | 93°C  | Brass  | A\$ 120.10 |
| B320213498                                                            | F1FRC2LC   | 200°F       | 93°C  | Chrome | A\$ 131.54 |
| B320873498                                                            | F1FRC2LW   | 200°F       | 93°C  | White  | A\$ 133.32 |
| B328113498                                                            | F1FRC3LB   | 286°F       | 141°C | Brass  | A\$ 120.10 |
| B328213498                                                            | F1FRC3LC   | 286°F       | 141°C | Chrome | A\$ 131.54 |
| B328873498                                                            | F1FRC3LW   | 286°F       | 141°C | White  | A\$ 133.32 |
| MODEL F1FR LO CONVENTIONAL K8.0 (115) BSPT THREADS 3/4" (20MM) RA3672 |            |             |       |        |            |
| B313113495                                                            | F1FRC0LBM  | 135°F       | 57°C  | Brass  | A\$ 120.10 |
|                                                                       |            | °F          | °C    |        | A\$ Call   |
|                                                                       |            | °F          | °C    |        | A\$ Call   |
| B315113495                                                            | F1FRC1LBM  | 155°F       | 68°C  | Brass  | A\$ 120.10 |
| B315213495                                                            | F1FRC1CM   | 155°F       | 68°C  | Chrome | A\$ 131.54 |
| B315873495                                                            | F1FRC1LWM  | 155°F       | 68°C  | White  | A\$ 133.32 |
|                                                                       |            | °F          | °C    |        | A\$ Call   |
| B317213495                                                            | F1FRC5LCM  | 175°F       | 79°C  | Chrome | A\$ 131.54 |
| B317873495                                                            | F1FRC5LWM  | 175°F       | 79°C  | White  | A\$ 133.32 |
| B320113495                                                            | F1FRC2LBM  | 200°F       | 93°C  | Brass  | A\$ 120.10 |
| B320213495                                                            | F1FRC2LCM  | 200°F       | 93°C  | Chrome | A\$ 131.54 |
| B320873495                                                            | F1FRC2LWM  | 200°F       | 93°C  | White  | A\$ 133.32 |
|                                                                       |            | °F          | °C    |        | A\$ Call   |
| B328213495                                                            | F1FRC35LCM | 286°F       | 141°C | Chrome | A\$ 131.54 |
| B328873495                                                            | F1FRC3LWM  | 286°F       | 141°C | White  | A\$ 133.32 |

|            |     |                                    |            |
|------------|-----|------------------------------------|------------|
| 6880050100 | WW2 | Requires Model W2 Sprinkler Wrench | A\$ 212.48 |
|------------|-----|------------------------------------|------------|



## F1FR-56SS UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA6524**
- See Bulletin 065



## F1FR-80SS UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA6522**
- See Bulletin 065



## F1FR-56SS PENDENT

- K-Factor = 5.6 (80)
- **SIN RA6514**
- See Bulletin 065



## F1FR-80SS PENDENT

- K-Factor = 8.0 (115)
- **SIN RA6512**
- See Bulletin 065

| Part Number                                                   | Short Code | Temperature |       | Finish          | List Price   |
|---------------------------------------------------------------|------------|-------------|-------|-----------------|--------------|
| MODEL F1FR56-SS UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA6524  |            |             |       |                 |              |
| BA131032R9                                                    | F1FR56U0SS | 135°F       | 57°C  | Stainless Steel | A\$ 1,166.41 |
| BA151032R9                                                    | F1FR56U1SS | 155°F       | 68°C  | Stainless Steel | A\$ 1,166.41 |
| BA171032R9                                                    | F1FR56U5SS | 175°F       | 79°C  | Stainless Steel | A\$ 1,166.41 |
|                                                               |            | °F          | °C    |                 | A\$ Call     |
| BA281032R9                                                    | F1FR56U3SS | 286°F       | 141°C | Stainless Steel | A\$ 1,166.41 |
| MODEL F1FR80-SS UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA6522 |            |             |       |                 |              |
| B113103498                                                    | F1FRU0LSS  | 135°F       | 57°C  | Stainless Steel | A\$ 1,227.82 |
| B115103498                                                    | F1FRU1LSS  | 155°F       | 68°C  | Stainless Steel | A\$ 1,227.82 |
| B117103498                                                    | F1FRU5LSS  | 175°F       | 79°C  | Stainless Steel | A\$ 1,227.82 |
| B120103498                                                    | F1FRU2LSS  | 200°F       | 93°C  | Stainless Steel | A\$ 1,227.82 |
| B128103498                                                    | F1FRU3LSS  | 286°F       | 141°C | Stainless Steel | A\$ 1,227.82 |

6880050100 WW2 Requires Model W2 Sprinkler Wrench A\$ 212.48

| Part Number                                                   | Short Code | Temperature |       | Finish          | List Price   |
|---------------------------------------------------------------|------------|-------------|-------|-----------------|--------------|
| MODEL F1FR56-SS PENDENT K5.6 (80) THREADS 1/2" (15MM) RA6514  |            |             |       |                 |              |
|                                                               |            | °F          | °C    |                 | A\$ Call     |
| B215103299                                                    | F1FR56P1SS | 155°F       | 68°C  | Stainless Steel | A\$ 1,166.41 |
| B217103299                                                    | F1FR56P5SS | 175°F       | 79°C  | Stainless Steel | A\$ 1,166.41 |
| B220103299                                                    | F1FR56P2SS | 200°F       | 93°C  | Stainless Steel | A\$ 1,166.41 |
| B228103299                                                    | F1FR56P3SS | 286°F       | 141°C | Stainless Steel | A\$ 1,166.41 |
| MODEL F1FR80-SS PENDENT K8.0 (115) THREADS 3/4" (20MM) RA6512 |            |             |       |                 |              |
| B213103498                                                    | F1FRP0LSS  | 135°F       | 57°C  | Stainless Steel | A\$ 1,227.82 |
| B215103498                                                    | F1FRP1LSS  | 155°F       | 68°C  | Stainless Steel | A\$ 1,227.82 |
| B217103498                                                    | F1FRP5LSS  | 175°F       | 79°C  | Stainless Steel | A\$ 1,227.82 |
| B220103498                                                    | F1FRP2LSS  | 200°F       | 93°C  | Stainless Steel | A\$ 1,227.82 |
| B228103498                                                    | F1FRP3LSS  | 286°F       | 141°C | Stainless Steel | A\$ 1,227.82 |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY               |            |             |       |                 |              |
| 6800610010                                                    | GF1SS      | 1/2" (15mm) |       | Stainless Steel | A\$ 123.79   |
| 6800970010                                                    | GF1LSS     | 3/4" (20mm) |       | Stainless Steel | A\$ 123.79   |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY               |            |             |       |                 |              |
| 6800840010                                                    | GF2SS      | 1/2" (15mm) |       | Stainless Steel | A\$ 123.79   |
| 6800880110                                                    | GF2LSS     | 3/4" (20mm) |       | Stainless Steel | A\$ 123.79   |
| MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS                       |            |             |       |                 |              |
| 6801411000                                                    | FPSS       | 1/2" (15mm) |       | Stainless Steel | A\$ 185.70   |
| 6801401000                                                    | FPLSS      | 3/4" (20mm) |       | Stainless Steel | A\$ 185.70   |
| MODEL B ONE PIECE ESCUTCHEONS                                 |            |             |       |                 |              |
| 6800121002                                                    | BSS        | 1/2" (15mm) |       | Stainless Steel | A\$ 74.31    |
| 6800091002                                                    | BLSS       | 3/4" (20mm) |       | Stainless Steel | A\$ 74.31    |

6880050100 WW2 Wrench, W2, Pendent, Upright, HSW A\$ 212.48  
6880100120 WW4 Wrench, W4, Recessed, Concealed A\$ 630.54



## F1FR42 LL PENDENT

- K-Factor = 4.2 (60)
- **SIN RA1413**
- See Bulletin 014



## F1FR56 LL PENDENT

- K-Factor = 5.6 (80)
- **SIN RA1414**
- See Bulletin 014



## F1FR56 LL CCP

- K-Factor = 5.6 (80)
- **SIN RA1414**
- See Bulletin 014

| Part Number                                                  | Short Code | Temperature           |      | Finish              | List Price |
|--------------------------------------------------------------|------------|-----------------------|------|---------------------|------------|
| MODEL F1FR42-LL PENDENT K4.2 (60) ? THREADS ? RA1413         |            |                       |      |                     |            |
| BB201128P9                                                   | FR42P2BLL  | 200°F                 | 93°C | Brass Low Lead      | A\$183.04  |
| BB202128P9                                                   | FR42P2CLL  | 200°F                 | 93°C | Chrome Low Lead     | A\$188.75  |
| BB208728P9                                                   | FR42P2WLL  | 200°F                 | 93°C | Poly White Low Lead | A\$211.24  |
| MODEL F1FR56-LL PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1414 |            |                       |      |                     |            |
| B2201132P9                                                   | FR56P2BLL  | 200°F                 | 93°C | Brass Low Lead      | A\$183.04  |
| B2202132P9                                                   | FR56P2CLL  | 200°F                 | 93°C | Chrome Low Lead     | A\$188.75  |
| B2208732P9                                                   | FR56P2WLL  | 200°F                 | 93°C | Poly White Low Lead | A\$211.24  |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY              |            |                       |      |                     |            |
| 6800630001                                                   | GF1B       | 1/2" (15mm)           |      | Brass               | A\$ 39.00  |
| 6800600001                                                   | GF1C       | 1/2" (15mm)           |      | Chrome              | A\$ 21.01  |
| 6800640001                                                   | GF1W       | 1/2" (15mm)           |      | White               | A\$ 21.01  |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY              |            |                       |      |                     |            |
| 6800830000                                                   | GF2B       | 1/2" (15mm)           |      | Brass               | A\$ 39.00  |
| 6800800000                                                   | GF2C       | 1/2" (15mm)           |      | Chrome              | A\$ 21.01  |
| 6800840000                                                   | GF2W       | 1/2" (15mm)           |      | White               | A\$ 21.01  |
| MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS                      |            |                       |      |                     |            |
| 6801412100                                                   | FPC        | FP PUSH-ON/THREAD-OFF |      | Chrome              | A\$ 40.55  |
| 6801417200                                                   | FPW        | FP PUSH-ON/THREAD-OFF |      | White               | A\$ 40.55  |

|            |     |                                   |            |
|------------|-----|-----------------------------------|------------|
| 6880050100 | WW2 | Wrench, W2, Pendent, Upright, HSW | A\$ 212.48 |
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed   | A\$ 630.54 |

| Part Number                                                    | Short Code | Temperature |      | Finish         | List Price |
|----------------------------------------------------------------|------------|-------------|------|----------------|------------|
| MODEL F1FR56-LL CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA1414 |            |             |      |                |            |
| BV201732P9                                                     | F1FR56C2LL | 200°F       | 93°C | Brass Low Lead | A\$ 191.83 |
| MODEL CCP CONICAL CONCEALED COVERPLATES                        |            |             |      |                |            |
| 6887161621                                                     | CCP1C76    | 165°F       | 74°C | Chrome         | A\$ 168.49 |
| 6887161618                                                     | CCP1W76    | 165°F       | 74°C | Flat White     | A\$ 65.66  |
| 6887161690                                                     | CCP1SP76   | 165°F       | 74°C | Specialty      | A\$ 110.27 |

|            |     |                                     |            |
|------------|-----|-------------------------------------|------------|
| 6880100000 | WRC | Requires Model RC1 Sprinkler Wrench | A\$ 630.54 |
|------------|-----|-------------------------------------|------------|



**F1FR-FS LO  
LARGE ORIFICE  
QUICK RESPONSE  
with 1/2"  
CONNECTION  
THREADS**

- **SIN RA3712**
- K-Factor = 115 (8.0)
- Thread Size = R1/2
- Bulletin 037

| Part Number                                                         | Short Code | Temperature |       | Finish | List Price   |
|---------------------------------------------------------------------|------------|-------------|-------|--------|--------------|
| MODEL F1FR-FS LO PENDENT K8.0 (115 ) BSPT THREADS 1/2 (20MM) RA3712 |            |             |       |        |              |
|                                                                     |            | °F          | °C    |        | A\$     Call |
| B215114492                                                          | B215114492 | 155°F       | 68°C  | Brass  | A\$ 143.10   |
| B217114492                                                          |            | 175°F       | 79°C  | Brass  | A\$ 143.10   |
|                                                                     |            | °F          | °C    |        | A\$     Call |
| B228114492                                                          |            | 286°F       | 141°C | Brass  | A\$ 143.10   |

|            |     |                                    |            |
|------------|-----|------------------------------------|------------|
| 6880050100 | WW2 | Requires Model W2 Sprinkler Wrench | A\$ 212.48 |
|------------|-----|------------------------------------|------------|



## F1FR-FS56 FLAT SPRAY

- QUICK RESPONSE
- **SIN RA2214**
- K-Factor = 80 (5.6)
- Thread Size = 15mm (1/2")
- Bulletin 022

## F1FR-FS42 FLAT SPRAY

- QUICK RESPONSE
- **SIN RA2215**
- K-Factor = 57 (4.2)
- Thread Size = 15mm (1/2")
- Bulletin 022



| Part Number                                                         | Short Code | Temperature |       | Finish     | List Price |
|---------------------------------------------------------------------|------------|-------------|-------|------------|------------|
| MODEL F1FR-FS56 I-PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2214      |            |             |       |            |            |
|                                                                     |            | °F          | °C    |            | A\$ Call   |
| B215114399                                                          |            | 155°F       | 68°C  | Brass      | A\$ 111.46 |
|                                                                     |            | °F          | °C    |            | A\$ Call   |
| B220114399                                                          |            | 200°F       | 93°C  | Brass      | A\$ 111.46 |
| B228114399                                                          |            | 286°F       | 141°C | Brass      | A\$ 111.46 |
| MODEL F1FR-FS56 I-PENDENT K5.6 (80) BSPT THREADS 1/2" (15MM) RA2214 |            |             |       |            |            |
| B213114392                                                          |            | 135°F       | 57°C  | Brass      | A\$ 111.46 |
| B215114392                                                          |            | 155°F       | 68°C  | Brass      | A\$ 111.46 |
| B217114392                                                          |            | 175°F       | 79°C  | Brass      | A\$ 111.46 |
| B220114392                                                          | B220114392 | 200°F       | 93°C  | Brass      | A\$ 111.46 |
|                                                                     |            | °F          | °C    |            | A\$ Call   |
| MODEL F1FR-FS42 PENDENT K4.2 (57) THREADS 1/2" (15MM) RA2214        |            |             |       |            |            |
|                                                                     |            | °F          | °C    |            | A\$ Call   |
| B215114592                                                          | B215114592 | 155°F       | 68°C  | Brass      | A\$ 111.46 |
|                                                                     |            | °F          | °C    |            | A\$ Call   |
|                                                                     |            | °F          | °C    |            | A\$ Call   |
|                                                                     |            | °F          | °C    |            | A\$ Call   |
| REQUIRED PENDENT SHIELD                                             |            |             |       |            |            |
|                                                                     |            |             |       | Galvanized | A\$ Call   |

6880050100  
6880060000

WW2  
WGFR

Requires Model W2 Sprinkler Wrench  
With Shield Use Model GFR2 Wrench

A\$ 212.48  
A\$ 630.54



## KFR56 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA3624**
- See Bulletin 036



## KFR56 PENDENT

- K-Factor = 5.6 (80)
- **SIN RA3614**
- See Bulletin 036

| Part Number                                              | Short Code | Temperature           |       | Finish     | List Price |
|----------------------------------------------------------|------------|-----------------------|-------|------------|------------|
| MODEL KFR56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA3624 |            |                       |       |            |            |
| MA161132R9                                               | KFR56U1B   | 165°F                 | 74°C  | Brass      | A\$ 95.87  |
| MA162132R9                                               | KFR56U1C   | 165°F                 | 74°C  | Chrome     | A\$105.63  |
| MA168732R9                                               | KFR56U1W   | 165°F                 | 74°C  | Poly White | A\$113.93  |
| MA211132R9                                               | KFR56U2B   | 212°F                 | 100°C | Brass      | A\$ 95.87  |
| MA212132R9                                               | KFR56U2C   | 212°F                 | 100°C | Chrome     | A\$105.63  |
| MA218732R9                                               | KFR56U2W   | 212°F                 | 100°C | Poly White | A\$113.93  |
| MODEL KFR56 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA3614 |            |                       |       |            |            |
| M2161132R9                                               | KFR56P1B   | 165°F                 | 74°C  | Brass      | A\$ 95.87  |
| M2162132R9                                               | KFR56P1C   | 165°F                 | 74°C  | Chrome     | A\$102.59  |
| M2168732R9                                               | KFR56P1W   | 165°F                 | 74°C  | Poly White | A\$110.83  |
| M2211132R9                                               | KFR56P2B   | 212°F                 | 100°C | Brass      | A\$ 95.87  |
| M2212132R9                                               | KFR56P2C   | 212°F                 | 100°C | Chrome     | A\$102.59  |
| M2218732R9                                               | KFR56P2W   | 212°F                 | 100°C | Poly White | A\$110.83  |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY          |            |                       |       |            |            |
| 6800630001                                               | GF1B       | 1/2" (15mm)           |       | Brass      | A\$ 39.00  |
| 6800600001                                               | GF1C       | 1/2" (15mm)           |       | Chrome     | A\$ 21.01  |
| 6800640001                                               | GF1W       | 1/2" (15mm)           |       | White      | A\$ 21.01  |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY          |            |                       |       |            |            |
| 6800830000                                               | GF2B       | 1/2" (15mm)           |       | Brass      | A\$ 39.00  |
| 6800800000                                               | GF2C       | 1/2" (15mm)           |       | Chrome     | A\$ 21.01  |
| 6800840000                                               | GF2W       | 1/2" (15mm)           |       | White      | A\$ 21.01  |
| MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS                  |            |                       |       |            |            |
| 6801412100                                               | FPC        | FP PUSH-ON/THREAD-OFF |       | Chrome     | A\$ 40.55  |
| 6801417200                                               | FPW        | FP PUSH-ON/THREAD-OFF |       | White      | A\$ 40.55  |

|            |     |                                        |  |            |
|------------|-----|----------------------------------------|--|------------|
| 6880050100 | WW2 | WRENCH,W2(PENDENT,UPRIGHT,HSW)         |  | A\$ 212.48 |
| 6880100100 | WW1 | WRENCH,W1 (RECESSED PENDENT,CCP,& HSW) |  | A\$ 630.54 |
| 6880080000 | WJ  | WRENCH,J(WITH INSTALLED GUARD)         |  | A\$ 299.32 |
| 6880100120 | WW4 | WRENCH,W4,RECESSED,CONCEALED           |  | A\$ 630.54 |



## KFR56-300 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA3924**
- See Bulletin 039
- 300 PSI



## KFR56-300 PENDENT

- K-Factor = 5.6 (80)
- **SIN RA3914**
- See Bulletin 039
- 300 PSI

| Part Number                                                  | Short Code | Temperature           |       | Finish     | List Price |
|--------------------------------------------------------------|------------|-----------------------|-------|------------|------------|
| MODEL KFR56-300 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA3924 |            |                       |       |            |            |
| MF161132R9                                                   | KFR56U1B3  | 165°F                 | 74°C  | Brass      | A\$100.76  |
| MF162132R9                                                   | KFR56U1C3  | 165°F                 | 74°C  | Chrome     | A\$110.90  |
| MF168732R9                                                   | KFR56U1W3  | 165°F                 | 74°C  | Poly White | A\$119.56  |
| MF211132R9                                                   | KFR56U2B3  | 212°F                 | 100°C | Brass      | A\$100.76  |
| MF212132R9                                                   | KFR56U2C3  | 212°F                 | 100°C | Chrome     | A\$110.90  |
| MF218732R9                                                   | KFR56U2W3  | 212°F                 | 100°C | Poly White | A\$119.56  |
| MODEL KFR56-300 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA3914 |            |                       |       |            |            |
| MG161132R9                                                   | KFR56P1B3  | 165°F                 | 74°C  | Brass      | A\$100.79  |
| MG162132R9                                                   | KFR56P1C3  | 165°F                 | 74°C  | Chrome     | A\$107.69  |
| MG168732R9                                                   | KFR56P1W3  | 165°F                 | 74°C  | Poly White | A\$116.10  |
| MG211132R9                                                   | KFRP562B3  | 212°F                 | 100°C | Brass      | A\$100.79  |
| MG212132R9                                                   | KFR56P2C3  | 212°F                 | 100°C | Chrome     | A\$107.69  |
| MG218732R9                                                   | KFR56P2W3  | 212°F                 | 100°C | Poly White | A\$116.10  |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY              |            |                       |       |            |            |
| 6800630001                                                   | GF1B       | 1/2" (15mm)           |       | Brass      | A\$ 39.00  |
| 6800600001                                                   | GF1C       | 1/2" (15mm)           |       | Chrome     | A\$ 21.01  |
| 6800640001                                                   | GF1W       | 1/2" (15mm)           |       | White      | A\$ 21.01  |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY              |            |                       |       |            |            |
| 6800830000                                                   | GF2B       | 1/2" (15mm)           |       | Brass      | A\$ 39.00  |
| 6800800000                                                   | GF2C       | 1/2" (15mm)           |       | Chrome     | A\$ 21.01  |
| 6800840000                                                   | GF2W       | 1/2" (15mm)           |       | White      | A\$ 21.01  |
| MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS                      |            |                       |       |            |            |
| 6801412100                                                   | FPC        | FP PUSH-ON/THREAD-OFF |       | Chrome     | A\$ 40.55  |
| 6801417200                                                   | FPW        | FP PUSH-ON/THREAD-OFF |       | White      | A\$ 40.55  |

|            |     |                                           |            |
|------------|-----|-------------------------------------------|------------|
| 6880050100 | WW2 | WRENCH, W2 (PENDENT, UPRIGHT, HSW)        | A\$ 212.48 |
| 6880100100 | WW1 | WRENCH, W1 (RECESSED PENDENT, CCP, & HSW) | A\$ 630.54 |
| 6880080000 | WJ  | WRENCH, J (WITH INSTALLED GUARD)          | A\$ 299.32 |
| 6880100120 | WW4 | WRENCH, W4, RECESSED, CONCEALED           | A\$ 630.54 |



## KFR56-300 HSW

- K-Factor = 5.6 (80)
- **SIN RA3934**
- See Bulletin 039

| Part Number                                                     | Short Code | Temperature           |       | Finish     | List Price |
|-----------------------------------------------------------------|------------|-----------------------|-------|------------|------------|
| MODEL KFR56-300 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA3934 |            |                       |       |            |            |
| MD161131R9                                                      | KFR56H1B3  | 165°F                 | 74°C  | Brass      | A\$ 114.90 |
| MD162131R9                                                      | KFR56H1C3  | 165°F                 | 74°C  | Chrome     | A\$122.86  |
| MD168731R9                                                      | KFRH1W3    | 165°F                 | 74°C  | Poly White | A\$137.99  |
| MD211131R9                                                      | KFR56H2B3  | 212°F                 | 100°C | Brass      | A\$ 114.90 |
| MD212131R9                                                      | KFR56H2C3  | 212°F                 | 100°C | Chrome     | A\$122.86  |
| MD218731R9                                                      | KFR56H2W3  | 212°F                 | 100°C | Poly White | A\$137.99  |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                 |            |                       |       |            |            |
| 6800630001                                                      | GF1B       | 1/2" (15mm)           |       | Brass      | A\$ 39.00  |
| 6800600001                                                      | GF1C       | 1/2" (15mm)           |       | Chrome     | A\$ 21.01  |
| 6800640001                                                      | GF1W       | 1/2" (15mm)           |       | White      | A\$ 21.01  |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                 |            |                       |       |            |            |
| 6800830000                                                      | GF2B       | 1/2" (15mm)           |       | Brass      | A\$ 39.00  |
| 6800800000                                                      | GF2C       | 1/2" (15mm)           |       | Chrome     | A\$ 21.01  |
| 6800840000                                                      | GF2W       | 1/2" (15mm)           |       | White      | A\$ 21.01  |
| MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS                         |            |                       |       |            |            |
| 6801412100                                                      | FPC        | FP PUSH-ON/THREAD-OFF |       | Chrome     | A\$ 40.55  |
| 6801417200                                                      | FPW        | FP PUSH-ON/THREAD-OFF |       | White      | A\$ 40.55  |

|            |     |                                           |  |  |            |
|------------|-----|-------------------------------------------|--|--|------------|
| 6880050100 | WW2 | WRENCH, W2 (PENDENT, UPRIGHT, HSW)        |  |  | A\$ 212.48 |
| 6880100100 | WW1 | WRENCH, W1 (RECESSED PENDENT, CCP, & HSW) |  |  | A\$ 630.54 |
| 6880100120 | WW4 | WRENCH, W4, RECESSED, CONCEALED           |  |  | A\$ 630.54 |



## MODEL CCP

| Part Number                                              | Short Code | Temperature |       | Finish     | List Price |
|----------------------------------------------------------|------------|-------------|-------|------------|------------|
| MODEL KFR56-300 CCP K5.6 (80) THREADS 1/2" (15MM) RA3914 |            |             |       |            |            |
| MP161732R9                                               | KFR56C13   | 165°F       | 74°C  | Brass      | A\$ 81.51  |
| MP211732R9                                               | KFR56C23   | 212°F       | 100°C | Brass      | A\$ 81.51  |
| MODEL CCP CONICAL CONCEALED COVERPLATES                  |            |             |       |            |            |
| 6887161321                                               | CCP0C76    | 135°F       | 57°C  | Chrome     | A\$168.49  |
| 6887161318                                               | CCP0W76    | 135°F       | 57°C  | Flat White | A\$ 65.66  |
| 6887161390                                               | CCP0SP76   | 135°F       | 57°C  | Specialty  | A\$110.27  |
| 6887161621                                               | CCP1C76    | 165°F       | 74°C  | Chrome     | A\$168.49  |
| 6887161618                                               | CCP1W76    | 165°F       | 74°C  | Flat White | A\$ 65.66  |
| 6887161690                                               | CCP1SP76   | 165°F       | 74°C  | Specialty  | A\$110.27  |

|            |     |                                           |  |  |            |
|------------|-----|-------------------------------------------|--|--|------------|
| 6880100100 | WW1 | WRENCH, W1 (RECESSED PENDENT, CCP, & HSW) |  |  | A\$ 630.54 |
| 6880100120 | WW4 | WRENCH, W4, RECESSED, CONCEALED           |  |  | A\$ 630.54 |



## KFR56 HSW

- K-Factor = 5.6 (80)
- **SIN RA3634**
- See Bulletin 036



## KFR56 CCP

- K-Factor = 5.6 (80)
- **SIN RA3614**
- See Bulletin 036

| Part Number                                                 | Short Code | Temperature           |       | Finish     | List Price |
|-------------------------------------------------------------|------------|-----------------------|-------|------------|------------|
| MODEL KFR56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA3634 |            |                       |       |            |            |
| MD161132R9                                                  | KFR56H1B   | 165°F                 | 74°C  | Brass      | A\$ 110.48 |
| MD162132R9                                                  | KFR56H1C   | 165°F                 | 74°C  | Chrome     | A\$ 118.31 |
| MD168732R9                                                  | KFR56H1W   | 165°F                 | 74°C  | Poly White | A\$133.07  |
| MD211132R9                                                  | KFR56H2B   | 212°F                 | 100°C | Brass      | A\$ 110.48 |
| MD212132R9                                                  | KFR56H2C   | 212°F                 | 100°C | Chrome     | A\$ 118.31 |
| MD218732R9                                                  | KFR56H2W   | 212°F                 | 100°C | Poly White | A\$133.07  |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY             |            |                       |       |            |            |
| 6800630001                                                  | GF1B       | 1/2" (15mm)           |       | Brass      | A\$ 39.00  |
| 6800600001                                                  | GF1C       | 1/2" (15mm)           |       | Chrome     | A\$ 21.01  |
| 6800640001                                                  | GF1W       | 1/2" (15mm)           |       | White      | A\$ 21.01  |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY             |            |                       |       |            |            |
| 6800830000                                                  | GF2B       | 1/2" (15mm)           |       | Brass      | A\$ 39.00  |
| 6800800000                                                  | GF2C       | 1/2" (15mm)           |       | Chrome     | A\$ 21.01  |
| 6800840000                                                  | GF2W       | 1/2" (15mm)           |       | White      | A\$ 21.01  |
| MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS                     |            |                       |       |            |            |
| 6801412100                                                  | FPC        | FP PUSH-ON/THREAD-OFF |       | Chrome     | A\$ 40.55  |
| 6801417200                                                  | FPW        | FP PUSH-ON/THREAD-OFF |       | White      | A\$ 40.55  |

|            |     |                                           |  |  |            |
|------------|-----|-------------------------------------------|--|--|------------|
| 6880050100 | WW2 | WRENCH, W2 (PENDENT, UPRIGHT, HSW)        |  |  | A\$ 212.48 |
| 6880100100 | WW1 | WRENCH, W1 (RECESSED PENDENT, CCP, & HSW) |  |  | A\$ 630.54 |
| 6880100120 | WW4 | WRENCH, W4, RECESSED, CONCEALED           |  |  | A\$ 630.54 |

| Part Number                                          | Short Code | Temperature |       | Finish     | List Price |
|------------------------------------------------------|------------|-------------|-------|------------|------------|
| MODEL KFR56 CCP K5.6 (80) THREADS 1/2" (15MM) RA3614 |            |             |       |            |            |
| MM161732R9                                           | KFR56C1    | 165°F       | 74°C  | Brass      | A\$ 77.30  |
| MM211732R9                                           | KFR56C2    | 212°F       | 100°C | Brass      | A\$ 77.30  |
| MODEL CCP CONICAL CONCEALED COVERPLATES              |            |             |       |            |            |
| 6887161321                                           | CCP0C76    | 135°F       | 57°C  | Chrome     | A\$168.49  |
| 6887161318                                           | CCP0W76    | 135°F       | 57°C  | Flat White | A\$ 65.66  |
| 6887161390                                           | CCP0SP76   | 135°F       | 57°C  | Specialty  | A\$110.27  |
| 6887161621                                           | CCP1C76    | 165°F       | 74°C  | Chrome     | A\$168.49  |
| 6887161618                                           | CCP1W76    | 165°F       | 74°C  | Flat White | A\$ 65.66  |
| 6887161690                                           | CCP1SP76   | 165°F       | 74°C  | Specialty  | A\$110.27  |

|            |     |                                           |  |  |            |
|------------|-----|-------------------------------------------|--|--|------------|
| 6880100100 | WW1 | WRENCH, W1 (RECESSED PENDENT, CCP, & HSW) |  |  | A\$ 630.54 |
| 6880100120 | WW4 | WRENCH, W4, RECESSED, CONCEALED           |  |  | A\$ 630.54 |



## KFR80 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA5422**
- See Bulletin 054



## KFR80 PENDENT

- K-Factor = 8.0 (115)
- **SIN RA5412**
- See Bulletin 054

| Part Number                                               | Short Code | Temperature                              |       | Finish     | List Price |
|-----------------------------------------------------------|------------|------------------------------------------|-------|------------|------------|
| MODEL KFR80 UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA5422 |            |                                          |       |            |            |
| MA16113498                                                | KFR80U1B   | 165°F                                    | 74°C  | Brass      | A\$ 116.59 |
| MA16213498                                                | KFR80U1C   | 165°F                                    | 74°C  | Chrome     | A\$ 131.54 |
| MA16873498                                                | KFR80U1W   | 165°F                                    | 74°C  | Poly White | A\$ 134.56 |
| MA21113498                                                | KFR80U2B   | 212°F                                    | 100°C | Brass      | A\$ 116.59 |
| MA21213498                                                | KFR80U2C   | 212°F                                    | 100°C | Chrome     | A\$ 131.54 |
| MA21873498                                                | KFR80U2W   | 212°F                                    | 100°C | Poly White | A\$ 134.56 |
| MODEL KFR80 PENDENT K8.0 (115) THREADS 3/4" (20MM) RA5412 |            |                                          |       |            |            |
| M216113498                                                | KFR80P1B   | 165°F                                    | 74°C  | Brass      | A\$ 120.10 |
| M216213498                                                | KFR80P1C   | 165°F                                    | 74°C  | Chrome     | A\$ 131.54 |
| M216873498                                                | KFR80P1W   | 165°F                                    | 74°C  | Poly White | A\$ 133.32 |
| M221113498                                                | KFR80P2B   | 212°F                                    | 100°C | Brass      | A\$ 120.10 |
| M221213498                                                | KFR80P2C   | 212°F                                    | 100°C | Chrome     | A\$ 131.54 |
| M221873498                                                | KFR80P2W   | 212°F                                    | 100°C | Poly White | A\$ 133.32 |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY           |            |                                          |       |            |            |
| 6801000000                                                | GF1LC      | 3/4" (20mm)                              |       | Chrome     | A\$ 21.01  |
| 6801040000                                                | GF1LW      | 3/4" (20mm)                              |       | White      | A\$ 21.01  |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY           |            |                                          |       |            |            |
| 6800880001                                                | GF2LC      | 3/4" (20mm)                              |       | Chrome     | A\$ 21.01  |
| 6800880005                                                | GF2LW      | 3/4" (20mm)                              |       | White      | A\$ 21.01  |
| 6880050100                                                | WW2        | Wrench, W2, Pendent, Upright, HSW        |       |            | A\$ 212.48 |
| 6880100100                                                | WW1        | Recessed Use Model GFR2 Sprinkler Wrench |       |            | A\$ 630.54 |
| 6880100120                                                | WW4        | WRENCH,W4,RECESSED,CONCEALED             |       |            | A\$ 630.54 |
| MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS                 |            |                                          |       |            |            |
| 6801402100                                                | FPLC       | 3/4" (20mm)                              |       | Chrome     | A\$ 40.55  |
| 6801407200                                                | FPLW       | 3/4" (20mm)                              |       | White      | A\$ 40.55  |



## GFR UPRIGHT

- K5.6 = SIN R3125
- K8.0 = SIN R3127
- K2.8 = SIN R3121
- K4.2 = SIN R3123
- K4.2/10mm = SIN R3124
- See Bulletin 131

| Part Number                                            | Short Code | Temperature |       | Finish | List Price |
|--------------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL GFR UPRIGHT K5.6 (80) THREADS 1/2" (15MM) R3125  |            |             |       |        |            |
| 0116113299                                             | GFRUB      | 165°F       | 74°C  | Brass  | A\$ 138.11 |
| 0116213299                                             | GFRUC      | 165°F       | 74°C  | Chrome | A\$ 151.63 |
| 0121113299                                             | GFRU2B     | 212°F       | 100°C | Brass  | A\$ 138.11 |
| 0121213299                                             | GFRU2C     | 212°F       | 100°C | Chrome | A\$ 151.63 |
| MODEL GFR UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R3127 |            |             |       |        |            |
| 0116113498                                             | GFRULB     | 165°F       | 74°C  | Brass  | A\$ 171.87 |
| 0116213498                                             | GFRULC     | 165°F       | 74°C  | Chrome | A\$ 193.96 |
| MODEL GFR UPRIGHT K2.8 (40) THREADS 1/2" (15MM) R3121  |            |             |       |        |            |
| 0116112499                                             | GFRU3B     | 165°F       | 74°C  | Brass  | A\$ 172.45 |
| 0116212499                                             | GFRU3C     | 165°F       | 74°C  | Chrome | A\$ 199.90 |
| MODEL GFR UPRIGHT K4.2 (60) THREADS 1/2" (15MM) R3123  |            |             |       |        |            |
| 0116112899                                             | GFRU7B     | 165°F       | 74°C  | Brass  | A\$ 172.45 |
| 0116212899                                             | GFRU7C     | 165°F       | 74°C  | Chrome | A\$ 199.90 |
| MODEL GFR UPRIGHT K4.2 (60) THREADS 1/2" (10MM) R3124  |            |             |       |        |            |
| 0116212496                                             | GFRUCMM    | 165°F       | 74°C  | Chrome | A\$ 168.66 |

|            |     |                                   |            |
|------------|-----|-----------------------------------|------------|
| 6880050100 | WW2 | Wrench, W2, Pendent, Upright, HSW | A\$ 212.48 |
|------------|-----|-----------------------------------|------------|

\* Please note that all of the GFR's are offered in 212°F



## GFR PENDENT

- K5.6 = SIN R3115
- K8.0 = SIN R3117
- K2.8 = SIN R3111
- K4.2 = SIN R3113
- See Bulletin 131

| Part Number                                            | Short Code | Temperature |       | Finish | List Price |
|--------------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL GFR PENDENT K5.6 (80) THREADS 1/2" (15MM) R3115  |            |             |       |        |            |
| 0216113299                                             | GFRPB      | 165°F       | 74°C  | Brass  | A\$ 138.11 |
| 0216213299                                             | GFRPC      | 165°F       | 74°C  | Chrome | A\$ 151.63 |
| 0221113299                                             | GFRP2B     | 212°F       | 100°C | Brass  | A\$ 138.11 |
| 0221213299                                             | GFRP2C     | 212°F       | 100°C | Chrome | A\$ 151.63 |
| MODEL GFR PENDENT K8.0 (115) THREADS 3/4" (20MM) R3117 |            |             |       |        |            |
| 0216113498                                             | GFRPLB     | 165°F       | 74°C  | Brass  | A\$ 171.87 |
| 0216213498                                             | GFRPLC     | 165°F       | 74°C  | Chrome | A\$ 193.96 |
| MODEL GFR PENDENT K2.8 (40) THREADS 1/2" (10MM) R3111  |            |             |       |        |            |
| 0216112499                                             | GFRP3B     | 165°F       | 74°C  | Brass  | A\$ 170.41 |
| 0216212499                                             | GFRP3C     | 165°F       | 74°C  | Chrome | A\$ 192.37 |
| MODEL GFR PENDENT K4.2 (60) THREADS 1/2" (10MM) R3113  |            |             |       |        |            |
| 0216112899                                             | GFRP7B     | 165°F       | 74°C  | Brass  | A\$ 170.41 |
| 0216212899                                             | GFRP7C     | 165°F       | 74°C  | Chrome | A\$ 192.37 |
| 10MM THREADS                                           |            |             |       |        |            |
| 0216112496                                             | GFRPBMM    | 165°F       | 74°C  | Brass  | A\$ 149.92 |
| 0216212496                                             | GFRPCMM    | 165°F       | 74°C  | Chrome | A\$ 168.66 |



## GFR HSW

- K5.6 = SIN R3135
- K8.0 = SIN R3137
- K2.8 = SIN R3131
- K4.2 = SIN R3133
- See Bulletin 131

\* Also available in 212°F

|                                                                  |         |             |       |        |            |
|------------------------------------------------------------------|---------|-------------|-------|--------|------------|
| <b>MODEL GFR HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) R3135</b>  |         |             |       |        |            |
| 0416113299                                                       | GFRHB   | 165°F       | 74°C  | Brass  | A\$ 151.63 |
| 0416213299                                                       | GFRHC   | 165°F       | 74°C  | Chrome | A\$ 165.07 |
| 0421113299                                                       | GFRH2B  | 212°F       | 100°C | Brass  | A\$ 151.63 |
| 0421213299                                                       | GFRH2C  | 212°F       | 100°C | Chrome | A\$ 165.07 |
| <b>MODEL GFR HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) R3137</b> |         |             |       |        |            |
| 0416113498                                                       | GFRHLB  | 165°F       | 74°C  | Brass  | A\$ 157.14 |
| 0416213498                                                       | GFRHLC  | 165°F       | 74°C  | Chrome | A\$ 177.10 |
| 0421113498                                                       | GFRH2LB | 212°F       | 100°C | Brass  | A\$ 157.14 |
| 0421213498                                                       | GFRH2LC | 212°F       | 100°C | Chrome | A\$ 157.14 |
| <b>MODEL GFR HORIZONTAL K2.8 (40) THREADS 1/2" (10MM) R3131</b>  |         |             |       |        |            |
| 0416112499                                                       | GFRH3B  | 165°F       | 74°C  | Brass  | A\$ 179.13 |
| 0416212499                                                       | GFRH3C  | 165°F       | 74°C  | Chrome | A\$ 192.37 |
| <b>MODEL GFR HORIZONTAL K4.2 (60) THREADS 1/2" (10MM) R3133</b>  |         |             |       |        |            |
| 0416112899                                                       | GFRH7B  | 165°F       | 74°C  | Brass  | A\$ 179.13 |
| 0416212899                                                       | GFRH7C  | 165°F       | 74°C  | Chrome | A\$ 192.37 |
| <b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>       |         |             |       |        |            |
| 6800830000                                                       | GF2B    | 1/2" (15mm) |       | Brass  | A\$ 39.00  |
| 6800800000                                                       | GF2C    | 1/2" (15mm) |       | Chrome | A\$ 21.01  |
| 6800840000                                                       | GF2W    | 1/2" (15mm) |       | White  | A\$ 21.01  |
| 6800880004                                                       | GF2LB   | 3/4" (20mm) |       | Brass  | A\$ 39.00  |
| 6800880001                                                       | GF2LC   | 3/4" (20mm) |       | Chrome | A\$ 21.01  |
| 6800880005                                                       | GF2LW   | 3/4" (20mm) |       | White  | A\$ 21.01  |

|            |     |                                   |            |
|------------|-----|-----------------------------------|------------|
| 6880050100 | WW2 | Wrench, W2, Pendent, Upright, HSW | A\$ 212.48 |
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed   | A\$ 630.54 |



## G5-80

- K-Factor = 8.0 (115)
- **SIN RA3412**
- See Bulletin 034

## G5-80F

- K-Factor = 8.0(115)
- **SIN RA3417**
- See Bulletin 034

## G5-56

- K-Factor = 5.6 (80)
- **SIN RA3415**
- See Bulletin 034

## G5-42

- K-Factor = 4.2 (60)
- **SIN RA3413**
- See Bulletin 034

## G5-28

- K-Factor = 2.8 (40)
- **SIN RA3411**
- See Bulletin 034
- Sprinklers and Covers packaged and sold separately

| Part Number                                                       | Short Code | Temperature |       | Finish          | List Price |
|-------------------------------------------------------------------|------------|-------------|-------|-----------------|------------|
| MODEL G5-80 CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3412       |            |             |       |                 |            |
| 1916173498                                                        | G5801B     | 165°F       | 74°C  | W/O             | A\$137.00  |
| 1921173498                                                        | G5802B     | 212°F       | 100°C | W/O             | A\$137.00  |
| MODEL G5-80F CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3417      |            |             |       |                 |            |
| 1916173497                                                        | G5801BFM   | 165°F       | 74°C  | W/O             | A\$144.52  |
| 1921173497                                                        | G5802BFM   | 212°F       | 100°C | W/O             | A\$144.52  |
| MODEL G5-80F CONCEALED K8.0 (115) THREADS BSPT 3/4" (20MM) RA3417 |            |             |       |                 |            |
| 1916173494                                                        | G5801MFM   | 165°F       | 74°C  | W/O             | A\$144.52  |
| 1921173494                                                        | G5802MFM   | 212°F       | 100°C | W/O             | A\$144.52  |
| MODEL G5-56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA3415        |            |             |       |                 |            |
| 1916173299                                                        | G51B       | 165°F       | 74°C  | W/O             | A\$ 110.48 |
| 1921173299                                                        | G52B       | 212°F       | 100°C | W/O             | A\$ 110.48 |
| MODEL G5-42 CONCEALED K4.2 (60) THREADS 1/2" (15MM) RA3413        |            |             |       |                 |            |
| 1916172899                                                        | G5421B     | 165°F       | 74°C  | W/O             | A\$137.00  |
| 1921172899                                                        | G5422B     | 212°F       | 100°C | W/O             | A\$137.00  |
| MODEL G5-28 CONCEALED K2.8 (40) THREADS 1/2" (15MM) RA3411        |            |             |       |                 |            |
| 1916172499                                                        | G5281B     | 165°F       | 74°C  | W/O             | A\$137.00  |
| 1921172499                                                        | G5282B     | 212°F       | 100°C | W/O             | A\$137.00  |
| MODEL G5 COVERPLATES                                              |            |             |       |                 |            |
| 6887271321                                                        | CG50C      | 135°F       | 57°C  | Chrome          | A\$ 78.04  |
| 6887271372                                                        | CG50W      | 135°F       | 57°C  | White           | A\$ 71.13  |
| 6887271311                                                        | CG50B      | 135°F       | 57°C  | Finished Bronze | A\$101.44  |
| 6887271374                                                        | CG50OW     | 135°F       | 57°C  | Off-White       | A\$ 96.73  |
| 6887271390                                                        | CG50SP     | 135°F       | 57°C  | Specialty       | A\$100.61  |
| 6887271316                                                        | CG50FB     | 135°F       | 57°C  | Black Painted   | A\$ 96.86  |
| 6887271305                                                        | CG50BB     | 135°F       | 57°C  | Bright Brass    | A\$122.79  |
| 6887271323                                                        | CG50CD     | 135°F       | 57°C  | Satin Chrome    | A\$122.79  |
| 6887271310                                                        | CG50SS     | 135°F       | 57°C  | Stainless Steel | A\$122.79  |
| 6887271319                                                        | CG50EW     | 135°F       | 57°C  | Euro White      | A\$ 71.13  |
| 6887271621                                                        | CG51C      | 165°F       | 74°C  | Chrome          | A\$ 78.04  |
| 6887271672                                                        | CG51W      | 165°F       | 74°C  | White           | A\$ 71.13  |
| 6887271611                                                        | CG51B      | 165°F       | 74°C  | Finished Bronze | A\$101.44  |
| 6887271674                                                        | CG51OW     | 165°F       | 74°C  | Off-White       | A\$ 96.73  |
| 6887271690                                                        | CG51SP     | 165°F       | 74°C  | Specialty       | A\$100.61  |
| 6887271616                                                        | CG51FB     | 165°F       | 74°C  | Black Painted   | A\$ 96.86  |
| 6887271605                                                        | CG51BB     | 165°F       | 74°C  | Bright Brass    | A\$122.79  |
| 6887271610                                                        | CG51SS     | 165°F       | 74°C  | Stainless Steel | A\$122.79  |
| 6887271623                                                        | CG51CD     | 165°F       | 74°C  | Satin Chrome    | A\$122.79  |
| 6887271619                                                        | CG51EW     | 165°F       | 74°C  | Euro White      | A\$ 71.13  |

|            |     |                                          |            |
|------------|-----|------------------------------------------|------------|
| 6880170020 | WFC | WRENCH,FC,CONCEALED                      | A\$ 633.90 |
| 6880100110 | W3  | WRENCH W3 FOR WRENCH-ABLE PROTECTIVE CAP | A\$ 633.90 |

### Notes:

Factory Mutual does not recognize or approve fully concealed as Quick Response. sprinklers



## G6-56 HSW QR

- K-Factor = 5.6 (80)
- **SIN RA5035**
- See Bulletin 050

| Part Number                                                    | Short Code | Temperature                        |      | Finish          | List Price |
|----------------------------------------------------------------|------------|------------------------------------|------|-----------------|------------|
| MODEL G6-56 HSW CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA5035 |            |                                    |      |                 |            |
| 2116173299                                                     | G6H1B      | 165°F                              | 74°C | W/O             | A\$ 221.63 |
| MODEL G6 COVERPLATES                                           |            |                                    |      |                 |            |
| 6887211311                                                     | CG60B      | 135°F                              | 57°C | Finished Bronze | A\$ 102.92 |
| 6887211321                                                     | CG60C      | 135°F                              | 57°C | Chrome          | A\$ 71.13  |
| 6887211372                                                     | CG60W      | 135°F                              | 57°C | White           | A\$ 71.13  |
| 6887211390                                                     | CG60SP     | 135°F                              | 57°C | Specialty       | A\$ 107.31 |
|                                                                |            |                                    |      |                 |            |
| 6880101010                                                     | WG6        | Requires Model G6 Sprinkler Wrench |      |                 | A\$ 628.07 |

### **Notes:**

Sprinkler and coverplates sold and packaged separately



## G5-80 QR "Sealing" Concealed

- K-Factor = 8.0 (115)
- **SIN RA3412**
- See Bulletin 034

## G5-56 QR "Sealing" Concealed

- K-Factor = 5.6 (80)
- **SIN RA3415**
- See Bulletin 034

## G5-42 QR "Sealing" Concealed

- K-Factor = 4.2(60)
- **SIN RA3413**
- See Bulletin 034

## G5-28 QR "Sealing" Concealed

- K-Factor = 2.8 (40)
- **SIN RA3411**
- See Bulletin 034

| Part Number                                                 | Short Code | Temperature              |       | Finish          | List Price |
|-------------------------------------------------------------|------------|--------------------------|-------|-----------------|------------|
| MODEL G5-80 CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3412 |            |                          |       |                 |            |
| 1916173498                                                  | G5801B     | 165°F                    | 74°C  | W/O             | A\$ 137.00 |
| 1921173498                                                  | G5802B     | 212°F                    | 100°C | W/O             | A\$ 137.00 |
| MODEL G5-56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA3415  |            |                          |       |                 |            |
| 1916173299                                                  | G51B       | 165°F                    | 74°C  | W/O             | A\$ 110.48 |
| 1921173299                                                  | G52B       | 212°F                    | 100°C | W/O             | A\$ 110.48 |
| MODEL G5-42 CONCEALED K4.2 (60) THREADS 7/16" (10MM) RA3413 |            |                          |       |                 |            |
| 1916172899                                                  | G5421B     | 165°F                    | 74°C  | W/O             | A\$ 137.00 |
| 1921172899                                                  | G5422B     | 212°F                    | 100°C | W/O             | A\$ 137.00 |
| MODEL G5-28 CONCEALED K2.8 (40) THREADS 3/8" (10MM) RA3411  |            |                          |       |                 |            |
| 1916172499                                                  | G5281B     | 165°F                    | 74°C  | W/O             | A\$ 137.00 |
| 1921172499                                                  | G5282B     | 212°F                    | 100°C | W/O             | A\$ 137.00 |
| MODEL G5 SEALING CONCEALED COVERPLATE                       |            |                          |       |                 |            |
| 6887201372                                                  | CG5S0W     | 135°F                    | 57°C  | White           | A\$ 181.92 |
| 6887201672                                                  | CG5S1W     | 165°F                    | 74°C  | White           | A\$ 181.92 |
| 6887201310                                                  | CG5S0SS    | 135°F                    | 57°C  | Stainless Steel | A\$ 196.48 |
| 6887201610                                                  | CG5S1SS    | 165°F                    | 74°C  | Stainless Steel | A\$ 196.48 |
| 6880170020                                                  | WFC        | Requires Model FC Wrench |       |                 | A\$ 633.90 |

### Notes:

Sprinkler and coverplates sold separately



## G5-56 Concealed

- K-Factor = 5.6 (80)
- **SIN RA4014**
- See Bulletin 034

| Part Number                                                        | Short Code | Temperature |      | Finish          | List Price |
|--------------------------------------------------------------------|------------|-------------|------|-----------------|------------|
| MODEL G5-56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA4014 300 PSI |            |             |      |                 |            |
| 2016173299                                                         | G51B3      | 165°F       | 74°C | W/O             | A\$ 116.76 |
| MODEL G5 SEALING CONCEALED COVERPLATE REQUIRED                     |            |             |      |                 |            |
| 6887201372                                                         | CG5S0W     | 135°F       | 57°C | White           | A\$ 181.92 |
| 6887201672                                                         | CG5S1W     | 165°F       | 74°C | White           | A\$ 181.92 |
| 6887201310                                                         | CG5S0SS    | 135°F       | 57°C | Stainless Steel | A\$ 196.48 |
| 6887201610                                                         | CG5S1SS    | 165°F       | 74°C | Stainless Steel | A\$ 196.48 |

|            |     |                          |            |
|------------|-----|--------------------------|------------|
| 6880170020 | WFC | Requires Model FC Wrench | A\$ 633.90 |
|------------|-----|--------------------------|------------|



## G5-56 300 QR "Sealing" Concealed

- K-Factor = 5.6 (80)
- **SIN RA4014**
- See Bulletin 034
- **300 PSI**



## G5-56 300 Concealer

- K-Factor = 5.6 (80)
- **SIN RA4014**
- See Bulletin 034

| Part Number                                                    | Short Code | Temperature              |      | Finish          | List Price |
|----------------------------------------------------------------|------------|--------------------------|------|-----------------|------------|
| MODEL G5-56 300 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA4014 |            |                          |      |                 |            |
| 2016173299                                                     | G51B3      | 165°F                    | 74°C | W/O             | A\$ 116.76 |
| MODEL G5 COVERPLATES                                           |            |                          |      |                 |            |
| 6887271321                                                     | CG50C      | 135°F                    | 57°C | Chrome          | A\$ 78.04  |
| 6887271372                                                     | CG50W      | 135°F                    | 57°C | White           | A\$ 71.13  |
| 6887271311                                                     | CG50B      | 135°F                    | 57°C | Finished Bronze | A\$ 101.44 |
| 6887271374                                                     | CG50OW     | 135°F                    | 57°C | Off-White       | A\$ 96.73  |
| 6887271390                                                     | CG50SP     | 135°F                    | 57°C | Specialty       | A\$ 100.61 |
| 6887271316                                                     | CG50FB     | 135°F                    | 57°C | Black Painted   | A\$ 96.86  |
| 6887271305                                                     | CG50BB     | 135°F                    | 57°C | Bright Brass    | A\$ 122.79 |
| 6887271323                                                     | CG50CD     | 135°F                    | 57°C | Satin Chrome    | A\$ 122.79 |
| 6887271310                                                     | CG50SS     | 135°F                    | 57°C | Stainless Steel | A\$ 122.79 |
| 6887271319                                                     | CG50EW     | 135°F                    | 57°C | Euro White      | A\$ 71.13  |
| 6887271621                                                     | CG51C      | 165°F                    | 74°C | Chrome          | A\$ 78.04  |
| 6887271672                                                     | CG51W      | 165°F                    | 74°C | White           | A\$ 71.13  |
| 6887271611                                                     | CG51B      | 165°F                    | 74°C | Finished Bronze | A\$ 101.44 |
| 6887271674                                                     | CG51OW     | 165°F                    | 74°C | Off-White       | A\$ 96.73  |
| 6887271690                                                     | CG51SP     | 165°F                    | 74°C | Specialty       | A\$ 100.61 |
| 6887271616                                                     | CG51FB     | 165°F                    | 74°C | Black Painted   | A\$ 96.86  |
| 6887271605                                                     | CG51BB     | 165°F                    | 74°C | Bright Brass    | A\$ 122.79 |
| 6887271623                                                     | CG51CD     | 165°F                    | 74°C | Satin Chrome    | A\$ 122.79 |
| 6887271610                                                     | CG51SS     | 165°F                    | 74°C | Stainless Steel | A\$ 122.79 |
| 6887271619                                                     | CG51EW     | 165°F                    | 74°C | Euro White      | A\$ 71.13  |
| 6880170020                                                     | WFC        | Requires Model FC Wrench |      |                 | A\$ 633.90 |



## F1FR56 CCP

- K-Factor = 5.6 (80)
- **SIN RA1414**
- See Bulletin 014

## F1FR56-300/CCP

- K-Factor = 5.6 (80)
- **SIN RA2614**
- See Bulletin 026
- 300 PSI

| Part Number                                                     | Short Code | Temperature |      | Finish     | List Price |
|-----------------------------------------------------------------|------------|-------------|------|------------|------------|
| MODEL F1FR56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA1414     |            |             |      |            |            |
| BV131732S9                                                      | F1FR56C0N  | 135°F       | 57°C | Brass      | A\$ 77.30  |
| BV151732S9                                                      | F1FR56C1N  | 155°F       | 68°C | Brass      | A\$ 77.30  |
| BV171732S9                                                      | F1FR56C5N  | 175°F       | 79°C | Brass      | A\$ 77.30  |
| BV201732S9                                                      | F1FR56C2N  | 200°F       | 93°C | Brass      | A\$ 77.30  |
| MODEL F1FR56-300 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA2614 |            |             |      |            |            |
| BP131732S9                                                      | F1FR56C03N | 135°F       | 57°C | Brass      | A\$ 81.51  |
| BP151732S9                                                      | F1FR56C13N | 155°F       | 68°C | Brass      | A\$ 81.51  |
| BP171732S9                                                      | F1FR56C53N | 175°F       | 79°C | Brass      | A\$ 81.51  |
| BP201732S9                                                      | F1FR56C23N | 200°F       | 93°C | Brass      | A\$ 81.51  |
| MODEL CCP COVERPLATES (1/2" ADJ)                                |            |             |      |            |            |
| 6887161321                                                      | CCP0C76    | 135°F       | 57°C | Chrome     | A\$ 168.49 |
| 6887161318                                                      | CCP0W76    | 135°F       | 57°C | Flat White | A\$ 65.66  |
| 6887161390                                                      | CCP0SP76   | 135°F       | 57°C | Specialty  | A\$ 110.27 |
| 6887161621                                                      | CCP1C76    | 165°F       | 74°C | Chrome     | A\$ 168.49 |
| 6887161618                                                      | CCP1W76    | 165°F       | 74°C | Flat White | A\$ 65.66  |
| 6887161690                                                      | CCP1SP76   | 165°F       | 74°C | Specialty  | A\$ 110.27 |

|            |     |                                     |            |
|------------|-----|-------------------------------------|------------|
| 6880100000 | WRC | Requires Model RC1 Sprinkler Wrench | A\$ 630.54 |
|------------|-----|-------------------------------------|------------|

### Notes:

Sprinklers and coverplates sold and packaged separately



## XL Commercial

- K-Factor = 5.6 (80)
- Pendent = SIN R4514
- HSW = SIN R4534
- See Bulletin 145

| Part Number                                              | Short Code | Temperature |      | Finish | List Price |
|----------------------------------------------------------|------------|-------------|------|--------|------------|
| MODEL XL PENDENT K5.6 (80) THREADS 1/2" (15MM) RA4514    |            |             |      |        |            |
| 1212213299                                               | XLQRPC     | 165°F       | 74°C | Chrome | A\$302.63  |
| 1212723299                                               | XLQRPW     | 165°F       | 74°C | White  | A\$302.63  |
| MODEL XL HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA4534 |            |             |      |        |            |
| 1352213299                                               | XLQRHC     | 165°F       | 74°C | Chrome | A\$375.70  |
| 1352723299                                               | XLQRHW     | 165°F       | 74°C | White  | A\$375.70  |
| REQUIRED ESCUTCHEONS FOR MODEL XL FLAT                   |            |             |      |        |            |
| 6801210000                                               | ZXFPC      |             |      | Chrome | A\$ 58.79  |
| 6801220000                                               | ZXFPW      |             |      | White  | A\$ 58.79  |
| REQUIRED ESCUTCHEONS FOR MODEL XL HSW                    |            |             |      |        |            |
| 6801120000                                               | ZXCHC      |             |      | Chrome | A\$ 58.79  |
| 6801140000                                               | ZXCHW      |             |      | White  | A\$ 58.79  |

|            |      |                                                 |            |
|------------|------|-------------------------------------------------|------------|
| 6880160000 | WZXP | Requires Model ZX (Pendent) Sprinkler Wrench    | A\$ 628.07 |
| 6880160010 | WZXH | Requires Model ZX (Horizontal) Sprinkler Wrench | A\$ 628.07 |



## F1-56 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA1325**
- See Bulletin 071



## F1-80 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA6222**
- See Bulletin 062

| Part Number                                               | Short Code | Temperature |       | Finish     | List Price |
|-----------------------------------------------------------|------------|-------------|-------|------------|------------|
| MODEL F1-56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA1325  |            |             |       |            |            |
| AA131132S9                                                | F56U0BN    | 135°F       | 57°C  | Brass      | A\$ 50.13  |
| AA132132S9                                                | F56U0CN    | 135°F       | 57°C  | Chrome     | A\$ 61.10  |
| AA138732S9                                                | F56U0WN    | 135°F       | 57°C  | White      | A\$ 70.63  |
| AA151132S9                                                | F56U1BN    | 155°F       | 68°C  | Brass      | A\$ 50.13  |
| AA152132S9                                                | F56U1CN    | 155°F       | 68°C  | Chrome     | A\$ 61.10  |
| AA158732S9                                                | F56U1WN    | 155°F       | 68°C  | Poly White | A\$ 70.63  |
| AA171132S9                                                | F56U5BN    | 175°F       | 79°C  | Brass      | A\$ 50.13  |
| AA172132S9                                                | F56U5CN    | 175°F       | 79°C  | Chrome     | A\$ 61.10  |
| AA178732S9                                                | F56U5WN    | 175°F       | 79°C  | White      | A\$ 70.63  |
| AA201132S9                                                | F56U2BN    | 200°F       | 93°C  | Brass      | A\$ 50.13  |
| AA202132S9                                                | F56U2CN    | 200°F       | 93°C  | Chrome     | A\$ 61.10  |
| AA208732S9                                                | F56U2WN    | 200°F       | 93°C  | Poly White | A\$ 70.63  |
| AA281132S9                                                | F56U3BN    | 286°F       | 141°C | Brass      | A\$ 50.13  |
| AA282132S9                                                | F56U3CN    | 286°F       | 141°C | Chrome     | A\$ 61.10  |
| AA288732S9                                                | F56U3WN    | 286°F       | 141°C | Poly White | A\$ 70.63  |
| AA361132S9                                                | F56U6BN    | 360°F       | 182°C | Brass      | A\$ 56.37  |
| AA362132S9                                                | F56U6CN    | 360°F       | 182°C | Chrome     | A\$ 67.07  |
| AA368732S9                                                | F56U6WN    | 360°F       | 182°C | White      | A\$ 76.79  |
| MODEL F1-80 UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA6222 |            |             |       |            |            |
| A1131134S8                                                | FU0LBN     | 135°F       | 57°C  | Brass      | A\$ 61.65  |
| A1132134S8                                                | FU0LCN     | 135°F       | 57°C  | Chrome     | A\$ 76.56  |
| A1138734S8                                                | FU0LWN     | 135°F       | 57°C  | Poly White | A\$ 91.48  |
| A1151134S8                                                | FU1LBN     | 155°F       | 68°C  | Brass      | A\$ 61.65  |
| A1152134S8                                                | FU1LCN     | 155°F       | 68°C  | Chrome     | A\$ 76.56  |
| A1158734S8                                                | FU1LWN     | 155°F       | 68°C  | Poly White | A\$ 91.48  |
| A1171134S8                                                | FU5LBN     | 175°F       | 79°C  | Brass      | A\$ 61.65  |
| A1172134S8                                                | FU5LCN     | 175°F       | 79°C  | Chrome     | A\$ 76.56  |
| A1178734S8                                                | FU5LWN     | 175°F       | 79°C  | Poly White | A\$ 91.48  |
| A1201134S8                                                | FU2LBN     | 200°F       | 93°C  | Brass      | A\$ 61.65  |
| A1202134S8                                                | FU2LCN     | 200°F       | 93°C  | Chrome     | A\$ 76.56  |
| A1208734S8                                                | FU2LWN     | 200°F       | 93°C  | Poly White | A\$ 91.48  |
| A1281134S8                                                | FU3LBN     | 286°F       | 141°C | Brass      | A\$ 61.65  |
| A1282134S8                                                | FU3LCN     | 286°F       | 141°C | Chrome     | A\$ 76.56  |
| A1288734S8                                                | FU3LWN     | 286°F       | 141°C | Poly White | A\$ 91.48  |
| A1361134S8                                                | FU6LBN     | 360°F       | 182°C | Brass      | A\$ 61.65  |
| A1362134S8                                                | FU6LCN     | 360°F       | 182°C | Chrome     | A\$ 76.56  |
| A1368734S8                                                | FU6LWN     | 360°F       | 182°C | White      | A\$ 91.48  |

6880050100

WW2

Wrench, W2, Pendent, Upright, HSW

A\$ 212.48



## F1 56 UPRIGHT

- K-Factor = 80 (5.6)
- **SIN RA1325**
- See Bulletin 013

| Part Number                                                  | Short Code | Temperature |       | Finish     | List Price |
|--------------------------------------------------------------|------------|-------------|-------|------------|------------|
| MODEL F156 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA1325      |            |             |       |            |            |
|                                                              |            | °F          | °C    |            | A\$ Call   |
|                                                              |            | °F          | °C    |            | A\$ Call   |
| AA138732R9                                                   | F56U0W     | 135°F       | 57°C  | Poly White | A\$ 70.63  |
|                                                              |            | °F          | °C    |            | A\$ Call   |
|                                                              |            | °F          | °C    |            | A\$ Call   |
| AA158732R9                                                   | F56U1W     | 155°F       | 68°C  | Poly White | A\$ 70.63  |
|                                                              |            | °F          | °C    |            | A\$ Call   |
|                                                              |            | °F          | °C    |            | A\$ Call   |
|                                                              |            | °F          | °C    |            | A\$ Call   |
|                                                              |            | °F          | °C    |            | A\$ Call   |
|                                                              |            | °F          | °C    |            | A\$ Call   |
|                                                              |            | °F          | °C    |            | A\$ Call   |
|                                                              |            | °F          | °C    |            | A\$ Call   |
|                                                              |            | °F          | °C    |            | A\$ Call   |
|                                                              |            | °F          | °C    |            | A\$ Call   |
| AA282132R9                                                   | F56U3C     | 286°F       | 141°C | Chrome     | A\$ 61.10  |
|                                                              |            | °F          | °C    |            | A\$ Call   |
|                                                              |            | °F          | °C    |            | A\$ Call   |
|                                                              |            | °F          | °C    |            | A\$ Call   |
|                                                              |            | °F          | °C    |            | A\$ Call   |
| MODEL F156 UPRIGHT K5.6 (80) BSPT THREADS 1/2" (15MM) RA1325 |            |             |       |            |            |
| AA131132R2                                                   | F56U0BM    | 135°F       | 57°C  | Brass      | A\$ 50.13  |
|                                                              |            | °F          | °C    |            | A\$ Call   |
| AA138732R2                                                   | F56U0WM    | 135°F       | 57°C  | Poly White | A\$ 70.63  |
| AA151132R2                                                   | F56U1BM    | 155°F       | 68°C  | Brass      | A\$ 50.13  |
| AA152132R2                                                   | F56U1CM    | 155°F       | 68°C  | Chrome     | A\$ 61.10  |
| AA158732R2                                                   | F56U1WM    | 155°F       | 68°C  | Poly White | A\$ 70.63  |
| AA171132R2                                                   | F56U5BM    | 175°F       | 79°C  | Brass      | A\$ 50.13  |
| AA172132R2                                                   | F56U5CM    | 175°F       | 79°C  | Chrome     | A\$ 61.10  |
| AA178732R2                                                   | F56U5WM    | 175°F       | 79°C  | White      | A\$ 70.63  |
| AA201132R2                                                   | F56U2BM    | 200°F       | 93°C  | Brass      | A\$ 50.13  |
| AA202132R2                                                   | F56U2CM    | 200°F       | 93°C  | Chrome     | A\$ 61.10  |
| AA208732R2                                                   | F56U2WM    | 200°F       | 93°C  | Poly White | A\$ 70.63  |
| AA281132R2                                                   | F56U3BM    | 286°F       | 141°C | Brass      | A\$ 50.13  |
| AA282132R2                                                   | F56U3CM    | 286°F       | 141°C | Chrome     | A\$ 61.10  |
| AA288732R2                                                   | F56U3WM    | 286°F       | 141°C | Poly White | A\$ 70.63  |
| AA361132R2                                                   | F56U6BM    | 360°F       | 182°C | Brass      | A\$ 56.37  |
| AA362132R2                                                   | F56U6CM    | 360°F       | 182°C | Chrome     | A\$ 67.07  |
|                                                              |            | °F          | °C    |            | A\$ Call   |

6880050100

WW2

Requires Model W2 Sprinkler Wrench

A\$ 212.48



## F1 LO UPRIGHT

- Upright
- **SIN R1722**
- See Bulletin 117

| Part Number                                                   | Short Code | Temperature                        |       | Finish     | List Price |
|---------------------------------------------------------------|------------|------------------------------------|-------|------------|------------|
| MODEL F1 LO UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R1722      |            |                                    |       |            |            |
| A113113498                                                    | FU0LB      | 135°F                              | 57°C  | Brass      | A\$ 61.65  |
| A113213498                                                    | FU0LC      | 135°F                              | 57°C  | Chrome     | A\$ 76.56  |
| A113873498                                                    | FU0LW      | 135°F                              | 57°C  | White      | A\$ 91.48  |
| A115113498                                                    | FU1LB      | 155°F                              | 68°C  | Brass      | A\$ 61.65  |
|                                                               |            | °F                                 | °C    |            | A\$ Call   |
| A115873498                                                    | FU1LW      | 155°F                              | 68°C  | White      | A\$ 91.48  |
| A117113498                                                    | FU5LB      | 175°F                              | 79°C  | Brass      | A\$ 61.65  |
| A117213498                                                    | FU5LC      | 175°F                              | 79°C  | Chrome     | A\$ 76.56  |
| A117873498                                                    | FU5LW      | 175°F                              | 79°C  | Poly White | A\$ 91.48  |
| A120113498                                                    | FU2LB      | 200°F                              | 93°C  | Brass      | A\$ 61.65  |
| A120213498                                                    | FU2LC      | 200°F                              | 93°C  | Chrome     | A\$ 76.56  |
| A120873498                                                    | FU2LW      | 200°F                              | 93°C  | Poly White | A\$ 91.48  |
| A128113498                                                    |            | 286°F                              | 141°C | Brass      | A\$ 61.65  |
| A128213498                                                    | FU3LC      | 286°F                              | 141°C | Chrome     | A\$ 76.56  |
| A128873498                                                    | FU3LW      | 286°F                              | 141°C | White      | A\$ 91.48  |
| A136113498                                                    | FU6LB      | 360°F                              | 182°C | Brass      | A\$ 61.65  |
| A136213498                                                    | FU6LC      | 360°F                              | 182°C | Chrome     | A\$ 76.56  |
| A136873498                                                    | FU6LW      | 360°F                              | 182°C | White      | A\$ 91.48  |
| MODEL F1 LO UPRIGHT K8.0 (115) BSPT THREADS 3/4" (20MM) R1722 |            |                                    |       |            |            |
| A113113495                                                    | FU0LBM     | 135°F                              | 57°C  | Brass      | A\$ 61.65  |
| A113213495                                                    | FU0LCM     | 135°F                              | 57°C  | Chrome     | A\$ 76.56  |
| A113873495                                                    | FU0LWM     | 135°F                              | 57°C  | White      | A\$ 91.48  |
| A115113495                                                    | FU1LBM     | 155°F                              | 68°C  | Brass      | A\$ 61.65  |
| A115213495                                                    | FU1LCM     | 155°F                              | 68°C  | Chrome     | A\$ 76.56  |
| A115873495                                                    | FU1LWM     | 155°F                              | 68°C  | Poly White | A\$ 91.48  |
| A117113495                                                    | FU5LBM     | 175°F                              | 79°C  | Brass      | A\$ 61.65  |
| A117213495                                                    | FU5LCM     | 175°F                              | 79°C  | Chrome     | A\$ 76.56  |
| A117873495                                                    | FU5LWM     | 175°F                              | 79°C  | White      | A\$ 91.48  |
| A120113495                                                    | FU2LBM     | 200°F                              | 93°C  | Brass      | A\$ 61.65  |
| A120213495                                                    | FU2LCM     | 200°F                              | 93°C  | Chrome     | A\$ 76.56  |
| A120873495                                                    | FU2LWM     | 200°F                              | 93°C  | White      | A\$ 91.48  |
| A128113495                                                    | FU3LBM     | 286°F                              | 141°C | Brass      | A\$ 61.65  |
| A128213495                                                    | FU3LCM     | 286°F                              | 141°C | Chrome     | A\$ 76.56  |
| A128873495                                                    | FU3LWM     | 286°F                              | 141°C | Poly White | A\$ 91.48  |
| A136113495                                                    | FU6LBM     | 360°F                              | 182°C | Brass      | A\$ 61.65  |
| A136213495                                                    | FU6LCM     | 360°F                              | 182°C | Chrome     | A\$ 76.56  |
| A136873495                                                    | FU6LWM     | 360°F                              | 182°C | White      | A\$ 91.48  |
| 6880050100                                                    | WW2        | Requires Model W2 Sprinkler Wrench |       |            | A\$ 212.48 |



## F1 28 UPRIGHT

- K-Factor = 2.8 (40)
- **SIN RA1321**
- See Bulletin 066



## F1 42 UPRIGHT

- K-Factor = 4.2 (60)
- **SIN RA1323**
- See Bulletin 067

| Part Number                                              | Short Code | Temperature                       |       | Finish     | List Price |
|----------------------------------------------------------|------------|-----------------------------------|-------|------------|------------|
| MODEL F128 UPRIGHT K 2.8 (40) THREADS 1/2" (15MM) RA1321 |            |                                   |       |            |            |
| AA151124S9                                               | F28U1BN    | 155°F                             | 68°C  | Brass      | A\$ 75.82  |
|                                                          |            | °F                                | °C    |            | A\$ Call   |
|                                                          |            | °F                                | °C    |            | A\$ Call   |
| AA171124S9                                               | F28U5BN    | 175°F                             | 79°C  | Brass      | A\$ 75.82  |
| AA172124R9                                               | F28U5C     | 175°F                             | 79°C  | Chrome     | A\$ 89.27  |
| AA178724R9                                               | F28U5W     | 175°F                             | 79°C  | Poly White | A\$ 95.93  |
| AA201124S9                                               | F28U2BN    | 200°F                             | 93°C  | Brass      | A\$ 75.82  |
|                                                          |            | °F                                | °C    |            | A\$ Call   |
|                                                          |            | °F                                | °C    |            | A\$ Call   |
| AA281124S9                                               | F28U3BN    | 286°F                             | 141°C | Brass      | A\$ 75.82  |
| AA282124R9                                               | F28U3C     | 286°F                             | 141°C | Chrome     | A\$ 89.27  |
| AA288724R9                                               | F28U3W     | 286°F                             | 141°C | Poly White | A\$ 95.93  |
| MODEL F142 UPRIGHT K4.2 (60) THREADS 1/2" (15MM) RA1323  |            |                                   |       |            |            |
|                                                          |            | °F                                | °C    |            | A\$ Call   |
|                                                          |            | °F                                | °C    |            | A\$ Call   |
| AA138728R9                                               | F42U0W     | 135°F                             | 57°C  | White      | A\$ 95.93  |
|                                                          |            | °F                                | °C    |            | A\$ Call   |
|                                                          |            | °F                                | °C    |            | A\$ Call   |
|                                                          |            | °F                                | °C    |            | A\$ Call   |
|                                                          |            | °F                                | °C    |            | A\$ Call   |
|                                                          |            | °F                                | °C    |            | A\$ Call   |
| AA178728R9                                               | F42U5W     | 175°F                             | 79°C  | White      | A\$ 95.93  |
|                                                          |            | °F                                | °C    |            | A\$ Call   |
|                                                          |            | °F                                | °C    |            | A\$ Call   |
| AA208728R9                                               | F42U2W     | 200°F                             | 93°C  | White      | A\$ 95.93  |
| AA288728R9                                               | F42U3BN    | 286°F                             | 141°C | White      | A\$ 75.82  |
|                                                          |            | °F                                | °C    |            | A\$ Call   |
| AA288728R9                                               | F42U3W     | 286°F                             | 141°C | White      | A\$ 95.93  |
| AA362128R9                                               | F42U6C     | 360°F                             | 182°C | Chrome     | A\$ 95.42  |
| AA368728R9                                               | F42U6W     | 360°F                             | 182°C | White      | A\$ 102.75 |
| 6880050100                                               | WW2        | Wrench, W2, Pendent, Upright, HSW |       |            | A\$ 212.48 |



## F1-56SS PENDENT

- K-Factor = 5.6 (80)
- **SIN RA6414**
- See Bulletin 064
- Stainless Steel



## F1-80SS PENDENT

- K-Factor = 8.0 (115)
- **SIN RA6412**
- See Bulletin 064
- Stainless Steel

## F1-56SS UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA6424**
- See Bulletin 064
- Stainless Steel

## F1-80SS UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA6422**
- See Bulletin 064
- Stainless Steel

| Part Number                                                 | Short Code | Temperature |       | Finish          | List Price   |
|-------------------------------------------------------------|------------|-------------|-------|-----------------|--------------|
| MODEL F156-SS PENDENT K5.6 (80) THREADS 1/2" (15MM) RA6414  |            |             |       |                 |              |
| A213103299                                                  | F56P0SS    | 135°F       | 57°C  | Stainless Steel | A\$ 1,105.04 |
|                                                             |            | °F          | °C    |                 | A\$ Call     |
| A217103299                                                  | F56P5SS    | 175°F       | 79°C  | Stainless Steel | A\$ 1,105.04 |
| A220103299                                                  | F56P2SS    | 200°F       | 93°C  | Stainless Steel | A\$ 1,105.04 |
| A228103299                                                  | F56P3SS    | 286°F       | 141°C | Stainless Steel | A\$ 1,105.04 |
| A236103299                                                  | F56P6SS    | 360°F       | 182°C | Stainless Steel | A\$ 1,105.04 |
| A250103299                                                  | F56P7SS    | 500°F       | 260°C | Stainless Steel | A\$ 1,105.04 |
| MODEL F180-SS PENDENT K8.0 (115) THREADS 3/4" (20MM) RA6412 |            |             |       |                 |              |
| A213103498                                                  | FP0LSS     | 135°F       | 57°C  | Stainless Steel | A\$ 1,166.41 |
| A215103498                                                  | FP1LSS     | 155°F       | 68°C  | Stainless Steel | A\$ 1,166.41 |
| A217103498                                                  | FP5LSS     | 175°F       | 79°C  | Stainless Steel | A\$ 1,166.41 |
| A220103498                                                  | FP2LSS     | 200°F       | 93°C  | Stainless Steel | A\$ 1,166.41 |
| A228103498                                                  | FP3LSS     | 286°F       | 141°C | Stainless Steel | A\$ 1,166.41 |
| A236103498                                                  | FP6LSS     | 360°F       | 182°C | Stainless Steel | A\$ 1,166.41 |
| MODEL F156-SS UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA6424  |            |             |       |                 |              |
| AA131032R9                                                  | F56U0SS    | 135°F       | 57°C  | Stainless Steel | A\$ 1,105.04 |
| AA151032R9                                                  | F56U1SS    | 155°F       | 68°C  | Stainless Steel | A\$ 1,105.04 |
| AA171032R9                                                  | F56U5SS    | 175°F       | 79°C  | Stainless Steel | A\$ 1,105.04 |
| AA201032R9                                                  | F56U2SS    | 200°F       | 93°C  | Stainless Steel | A\$ 1,105.04 |
| AA281032R9                                                  | F56U3SS    | 286°F       | 141°C | Stainless Steel | A\$ 1,105.04 |
| AA361032R9                                                  | F56U6SS    | 360°F       | 182°C | Stainless Steel | A\$ 1,105.04 |
| AA501032R9                                                  | F56U7SS    | 500°F       | 260°C | Stainless Steel | A\$ 1,105.04 |
| MODEL F180-SS UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA6422 |            |             |       |                 |              |
| A113103498                                                  | FU0LSS     | 135°F       | 57°C  | Stainless Steel | A\$ 1,166.41 |
| A115103498                                                  | FU1LSS     | 155°F       | 68°C  | Stainless Steel | A\$ 1,166.41 |
| A117103498                                                  | FU5LSS     | 175°F       | 79°C  | Stainless Steel | A\$ 1,166.41 |
| A120103498                                                  | FU2LSS     | 200°F       | 93°C  | Stainless Steel | A\$ 1,166.41 |
| A128103498                                                  | FU3LSS     | 286°F       | 141°C | Stainless Steel | A\$ 1,166.41 |
| A136103498                                                  | FU6LSS     | 360°F       | 182°C | Stainless Steel | A\$ 1,166.41 |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY             |            |             |       |                 |              |
| 6800610010                                                  | GF1SS      | 1/2" (15mm) |       | Stainless Steel | A\$ 123.79   |
| 6800970010                                                  | GF1LSS     | 3/4" (20mm) |       | Stainless Steel | A\$ 123.79   |
| MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS                   |            |             |       |                 |              |
| 6801411000                                                  | FPSS       | 1/2" (15mm) |       | Stainless Steel | A\$ 185.70   |
| 6801401000                                                  | FPLSS      | 3/4" (20mm) |       | Stainless Steel | A\$ 185.70   |
| MODEL B ONE PIECE ESCUTCHEONS                               |            |             |       |                 |              |
| 6800121002                                                  | BSS        | 1/2" (15mm) |       | Stainless Steel | A\$ 74.31    |
| 6800091002                                                  | BLSS       | 3/4" (20mm) |       | Stainless Steel | A\$ 74.31    |

|            |     |                                   |            |
|------------|-----|-----------------------------------|------------|
| 6880050100 | WW2 | Wrench, W2, Pendent, Upright, HSW | A\$ 212.48 |
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed   | A\$ 630.54 |



## F156-300 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA2525**
- See Bulletin 025
- 300 PSI



## F180-300 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA7622**
- See Bulletin 076
- 300 PSI

| Part Number                                                      | Short Code | Temperature |       | Finish     | List Price |       |
|------------------------------------------------------------------|------------|-------------|-------|------------|------------|-------|
| MODEL F156 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA2525 300PSI   |            |             |       |            |            |       |
| AF131132R9                                                       | F56U0B3    | 135°F       | 57°C  | Brass      | A\$        | 54.99 |
| AF132132R9                                                       | F56U0C3    | 135°F       | 57°C  | Chrome     | A\$        | 66.61 |
| AF138732R9                                                       | F56U0W3    | 135°F       | 57°C  | White      | A\$        | 75.89 |
| AF151132S9                                                       | F56U1B3N   | 155°F       | 68°C  | Brass      | A\$        | 54.99 |
| AF152132S9                                                       | F56U1C3N   | 155°F       | 68°C  | Chrome     | A\$        | 66.61 |
| AF158732S9                                                       | F56U1W3N   | 155°F       | 68°C  | Poly White | A\$        | 76.56 |
| AF171132S9                                                       | F56U5B3N   | 175°F       | 79°C  | Brass      | A\$        | 54.99 |
|                                                                  |            | °F          | °C    |            | A\$        | Call  |
| AF178732R9                                                       | F56U5W3    | 175°F       | 79°C  | Poly White | A\$        | 76.56 |
| AF201132S9                                                       | F56U2B3N   | 200°F       | 93°C  | Brass      | A\$        | 54.99 |
| AF202132S9                                                       | F56U2C3N   | 200°F       | 93°C  | Chrome     | A\$        | 66.61 |
|                                                                  |            | °F          | °C    |            | A\$        | Call  |
| AF281132S9                                                       | F56U3B3N   | 286°F       | 141°C | Brass      | A\$        | 54.99 |
| AF282132S9                                                       | F56U3C3N   | 286°F       | 141°C | Chrome     | A\$        | 66.61 |
| AF288732S9                                                       | F56U3W3N   | 286°F       | 141°C | Poly White | A\$        | 76.56 |
| MODEL F1 LO UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA7622 300PSI |            |             |       |            |            |       |
| AF13113498                                                       | FU0LB3     | 135°F       | 57°C  | Brass      | A\$        | 67.06 |
| AF13213498                                                       | FU0LC3     | 135°F       | 57°C  | Chrome     | A\$        | 82.58 |
| AF13873498                                                       | FU0LW3     | 135°F       | 57°C  | White      | A\$        | 92.14 |
| AF151134S8                                                       | FU1LB3N    | 155°F       | 68°C  | Brass      | A\$        | 66.44 |
| AF152134S8                                                       | FU1LC3N    | 155°F       | 68°C  | Brass      | A\$        | 82.58 |
| AF15873498                                                       | FU1LW3     | 155°F       | 68°C  | Poly White | A\$        | 94.70 |
| AF171134S8                                                       | FU5LB3N    | 175°F       | 79°C  | Brass      | A\$        | 66.44 |
| AF17213498                                                       | FU5LC3     | 175°F       | 79°C  | Chrome     | A\$        | 82.58 |
| AF17873498                                                       | FU5LW3     | 175°F       | 79°C  | White      | A\$        | 92.14 |
| AF201134S8                                                       | FU2LB3N    | 200°F       | 93°C  | Brass      | A\$        | 66.44 |
| AF20213498                                                       | FU2LC3     | 200°F       | 93°C  | Chrome     | A\$        | 82.58 |
| AF20873498                                                       | FU2LW3     | 200°F       | 93°C  | Poly White | A\$        | 94.70 |
| AF281134S8                                                       | FU3LB3N    | 286°F       | 141°C | Brass      | A\$        | 66.44 |
| AF28213498                                                       | FU3LC3     | 286°F       | 141°C | Chrome     | A\$        | 82.58 |
| AF28873498                                                       | FU3LW3     | 286°F       | 141°C | White      | A\$        | 92.14 |
| AF36113498                                                       | FU6LB3     | 360°F       | 182°C | Brass      | A\$        | 75.24 |
| AF36213498                                                       | FU6LC3     | 360°F       | 182°C | Chrome     | A\$        | 89.38 |
| AF36873498                                                       | FU6LW3     | 360°F       | 182°C | White      | A\$        | 99.77 |

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      A\$ 212.48



- K-Factor = 80 (5.6)
- **SIN RA1314**
- See Bulletin 013

| <b>Part Number</b>                                                  | <b>Short Code</b> | <b>Temperature</b>                 |       | <b>Finish</b> | <b>List Price</b> |
|---------------------------------------------------------------------|-------------------|------------------------------------|-------|---------------|-------------------|
| <b>MODEL F156 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1314</b>      |                   |                                    |       |               |                   |
| A213113299                                                          | F56P0B            | 135°F                              | 57°C  | Brass         | A\$ 50.13         |
|                                                                     |                   | °F                                 | °C    |               | A\$ Call          |
|                                                                     |                   | °F                                 | °C    |               | A\$ Call          |
|                                                                     |                   | °F                                 | °C    |               | A\$ Call          |
|                                                                     |                   | °F                                 | °C    |               | A\$ Call          |
|                                                                     |                   | °F                                 | °C    |               | A\$ Call          |
|                                                                     |                   | °F                                 | °C    |               | A\$ Call          |
|                                                                     |                   | °F                                 | °C    |               | A\$ Call          |
|                                                                     |                   | °F                                 | °C    |               | A\$ Call          |
|                                                                     |                   | °F                                 | °C    |               | A\$ Call          |
|                                                                     |                   | °F                                 | °C    |               | A\$ Call          |
|                                                                     |                   | °F                                 | °C    |               | A\$ Call          |
|                                                                     |                   | °F                                 | °C    |               | A\$ Call          |
|                                                                     |                   | °F                                 | °C    |               | A\$ Call          |
|                                                                     |                   | °F                                 | °C    |               | A\$ Call          |
|                                                                     |                   | °F                                 | °C    |               | A\$ Call          |
|                                                                     |                   | °F                                 | °C    |               | A\$ Call          |
| A236213299                                                          | F56P6C            | 360°F                              | 182°C | Chrome        | A\$ 65.21         |
|                                                                     |                   | °F                                 | °C    |               | A\$ Call          |
| <b>MODEL F156 PENDENT K5.6 (80) BSPT THREADS 1/2" (15MM) RA1314</b> |                   |                                    |       |               |                   |
| A213113292                                                          | F56P0BM           | 135°F                              | 57°C  | Brass         | A\$ 50.13         |
| A213213292                                                          | F56P0CM           | 135°F                              | 57°C  | Chrome        | A\$ 59.34         |
| A213873292                                                          | F56P0WM           | 135°F                              | 57°C  | Poly White    | A\$ 70.63         |
| A215113292                                                          | F56P1BM           | 155°F                              | 68°C  | Brass         | A\$ 50.13         |
| A215213292                                                          | F56P1CM           | 155°F                              | 68°C  | Chrome        | A\$ 59.34         |
| A215873292                                                          | F56P1WM           | 155°F                              | 68°C  | Poly White    | A\$ 70.63         |
| A217113292                                                          | F56P5BM           | 175°F                              | 79°C  | Brass         | A\$ 50.13         |
| A217213292                                                          | F56P5CM           | 175°F                              | 79°C  | Chrome        | A\$ 59.34         |
| A217873292                                                          | F56P5WM           | 175°F                              | 79°C  | Poly White    | A\$ 70.63         |
| A220113292                                                          | F56P2BM           | 200°F                              | 93°C  | Brass         | A\$ 50.13         |
| A220213292                                                          | F56P2CM           | 200°F                              | 93°C  | Chrome        | A\$ 59.34         |
| A220873292                                                          | F56P2WM           | 200°F                              | 93°C  | Poly White    | A\$ 70.63         |
| A228113292                                                          | F56P3BM           | 286°F                              | 141°C | Brass         | A\$ 50.13         |
| A228213292                                                          | F56P3CM           | 286°F                              | 141°C | Chrome        | A\$ 59.34         |
| A228873292                                                          | F56P3WM           | 360°F                              | 182°C | White         | A\$ 70.63         |
| A236113292                                                          | F56P3BM           | 360°F                              | 182°C | Brass         | A\$ 56.37         |
| A236213292                                                          | F56P6CM           | 360°F                              | 182°C | Chrome        | A\$ 65.21         |
| A236873292                                                          | F56P6WM           | 360°F                              | 182°C | White         | A\$ 76.79         |
| 6880050100                                                          | WW2               | Requires Model W2 Sprinkler Wrench |       |               | A\$ 212.48        |



## F1 LO

- K-Factor = 115 (8.0)
- **SIN R1712**
- See Bulletin 117

| Part Number                                                   | Short Code | Temperature                        |       | Finish     | List Price |
|---------------------------------------------------------------|------------|------------------------------------|-------|------------|------------|
| MODEL F1 LO PENDENT K8.0 (115) THREADS 3/4" (20MM) R1712      |            |                                    |       |            |            |
| A213113498                                                    | FP0LB      | 135°F                              | 57°C  | Brass      | A\$ 63.48  |
| A213213498                                                    | FP0LC      | 135°F                              | 57°C  | Chrome     | A\$ 76.56  |
| A213873498                                                    | FP0LW      | 135°F                              | 57°C  | White      | A\$ 91.48  |
| A215113498                                                    | FP1LB      | 155°F                              | 68°C  | Brass      | A\$ 63.48  |
| A215213498                                                    | FP1LC      | 155°F                              | 68°C  | Chrome     | A\$ 76.56  |
| A215873498                                                    | FP1LW      | 155°F                              | 68°C  | White      | A\$ 91.48  |
| A217113498                                                    | FP5LB      | 175°F                              | 79°C  | Brass      | A\$ 63.48  |
| A217213498                                                    | FP5LC      | 175°F                              | 79°C  | Chrome     | A\$ 76.56  |
| A217873498                                                    | FP5LW      | 175°F                              | 79°C  | White      | A\$ 91.48  |
| A220113498                                                    | FP2LB      | 200°F                              | 93°C  | Brass      | A\$ 63.48  |
| A220213498                                                    | FP2LC      | 200°F                              | 93°C  | Chrome     | A\$ 76.56  |
| A220873498                                                    | FP2LW      | 200°F                              | 93°C  | Poly White | A\$ 91.48  |
| A228113498                                                    | FP3LB      | 286°F                              | 141°C | Brass      | A\$ 63.48  |
| A228213498                                                    | FP3LC      | 286°F                              | 141°C | Chrome     | A\$ 76.56  |
| A228873498                                                    | FP3LW      | 286°F                              | 141°C | White      | A\$ 91.48  |
| A236113498                                                    | FP6LB      | 360°F                              | 182°C | Brass      | A\$ 63.48  |
| A236213498                                                    | FP6LC      | 360°F                              | 182°C | Chrome     | A\$ 76.56  |
| A236873498                                                    | FP6LW      | 360°F                              | 182°C | White      | A\$ 91.48  |
| MODEL F1 LO PENDENT K8.0 (115) BSPT THREADS 3/4" (20MM) R1712 |            |                                    |       |            |            |
| A213113495                                                    | FP0LBM     | 135°F                              | 57°C  | Brass      | A\$ 63.48  |
| A213213495                                                    | FP0LCM     | 135°F                              | 57°C  | Chrome     | A\$ 76.56  |
| A213873495                                                    | FP0LWM     | 135°F                              | 57°C  | White      | A\$ 91.48  |
| A215113495                                                    | FP1LBM     | 155°F                              | 68°C  | Brass      | A\$ 63.48  |
| A215213495                                                    | FP1LCM     | 155°F                              | 68°C  | Chrome     | A\$ 76.56  |
| A215873495                                                    | FP1LWM     | 155°F                              | 68°C  | White      | A\$ 91.48  |
| A217113495                                                    | FP5LBM     | 175°F                              | 79°C  | Brass      | A\$ 63.48  |
| A217213495                                                    | FP5LCM     | 175°F                              | 79°C  | Chrome     | A\$ 76.56  |
| A217873495                                                    | FP5LWM     | 175°F                              | 79°C  | Poly White | A\$ 91.48  |
| A220113495                                                    | FP2LBM     | 200°F                              | 93°C  | Brass      | A\$ 63.48  |
| A220213495                                                    | FP2LCM     | 200°F                              | 93°C  | Chrome     | A\$ 76.56  |
| A220873495                                                    | FP2LWM     | 200°F                              | 93°C  | White      | A\$ 91.48  |
| A228113495                                                    | FP3LBM     | 286°F                              | 141°C | Brass      | A\$ 63.48  |
| A228213495                                                    | FP3LCM     | 286°F                              | 141°C | Chrome     | A\$ 76.56  |
| A228873495                                                    | FP3LWM     | 286°F                              | 141°C | Poly White | A\$ 91.48  |
| A236113495                                                    | FP6LBM     | 360°F                              | 182°C | Brass      | A\$ 63.48  |
| A236213495                                                    | FP6LCM     | 360°F                              | 182°C | Chrome     | A\$ 76.56  |
| A236873495                                                    | FP6LWM     | 360°F                              | 182°C | Poly White | A\$ 91.48  |
| 6880050100                                                    | WW2        | Requires Model W2 Sprinkler Wrench |       |            | A\$ 212.48 |



## F1 28 PENDENT

- K-Factor = 2.8 (40)
- **SIN RA1311**
- See Bulletin 066



## F1 42 PENDENT

- K-Factor = 4.2 (60)
- **SIN RA1313**
- See Bulletin 067



| Part Number                                              | Short Code | Temperature           |       | Finish     | List Price |
|----------------------------------------------------------|------------|-----------------------|-------|------------|------------|
| MODEL F128 PENDENT K 2.8 (40) THREADS 1/2" (15MM) RA1311 |            |                       |       |            |            |
| AB151124S9                                               | F28P1BN    | 155°F                 | 68°C  | Brass      | A\$ 75.82  |
| AB152124S9                                               | F28P1CN    | 155°F                 | 68°C  | Chrome     | A\$ 89.27  |
| AB158724S9                                               | F28P1WN    | 155°F                 | 68°C  | Poly White | A\$ 95.93  |
| AB172124S9                                               | F28P5CN    | 175°F                 | 79°C  | Chrome     | A\$ 89.27  |
| AB178724S9                                               | F28P5WN    | 175°F                 | 79°C  | Poly White | A\$ 95.93  |
| AB201124S9                                               | F28P2BN    | 200°F                 | 93°C  | Brass      | A\$ 75.82  |
| AB202124S9                                               | F28P2CN    | 200°F                 | 93°C  | Chrome     | A\$ 89.27  |
| AB208724S9                                               | F28P2WN    | 200°F                 | 93°C  | Poly White | A\$ 95.93  |
| AB281124S9                                               | F28P3BN    | 286°F                 | 141°C | Brass      | A\$ 75.82  |
| AB282124S9                                               | F28P3CN    | 286°F                 | 141°C | Chrome     | A\$ 89.27  |
| AB288724S9                                               | F28P3WN    | 286°F                 | 141°C | Poly White | A\$ 95.93  |
| MODEL F142 PENDENT K4.2 (60) THREADS 1/2" (15MM) RA1313  |            |                       |       |            |            |
| AB131128S9                                               | F42P0BN    | 135°F                 | 57°C  | Brass      | A\$ 75.82  |
| AB132128S9                                               | F42POCN    | 135°F                 | 57°C  | Chrome     | A\$ 89.27  |
| AB138728S9                                               | F42POWN    | 135°F                 | 57°C  | White      | A\$ 95.93  |
| AB151128S9                                               | F42P1BN    | 155°F                 | 68°C  | Brass      | A\$ 75.82  |
| AB152128S9                                               | F42P1CN    | 155°F                 | 68°C  | Chrome     | A\$ 89.27  |
| AB171128S9                                               |            | 175°F                 | 79°C  | Brass      | A\$ 75.82  |
|                                                          |            | °F                    | °C    |            | A\$ Call   |
| AB178728S9                                               | F42P5WN    | 175°F                 | 79°C  | Poly White | A\$ 95.93  |
|                                                          |            | °F                    | °C    |            | A\$ Call   |
| AB202128S9                                               | F42P2CN    | 200°F                 | 93°C  | Chrome     | A\$ 89.27  |
| AB208728S9                                               | F42P2WN    | 200°F                 | 93°C  | White      | A\$ 95.93  |
| AB361128S9                                               | F42P6BN    | 360°F                 | 182°C | Brass      | A\$ 81.90  |
| AB362128S9                                               | F42P6CN    | 360°F                 | 182°C | Chrome     | A\$ 95.42  |
| AB368728S9                                               | F42P6WN    | 360°F                 | 182°C | White      | A\$ 102.75 |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY          |            |                       |       |            |            |
| 6800630001                                               | GF1B       | 1/2" (15mm)           |       | Brass      | A\$ 39.00  |
| 6800600001                                               | GF1C       | 1/2" (15mm)           |       | Chrome     | A\$ 21.01  |
| 6800640001                                               | GF1W       | 1/2" (15mm)           |       | White      | A\$ 21.01  |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY          |            |                       |       |            |            |
| 6800830000                                               | GF2B       | 1/2" (15mm)           |       | Brass      | A\$ 39.00  |
| 6800800000                                               | GF2C       | 1/2" (15mm)           |       | Chrome     | A\$ 21.01  |
| 6800840000                                               | GF2W       | 1/2" (15mm)           |       | White      | A\$ 21.01  |
| MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS                  |            |                       |       |            |            |
| 6801412100                                               | FPC        | FP PUSH-ON/THREAD-OFF |       | Chrome     | A\$ 40.55  |
| 6801417200                                               | FPW        | FP PUSH-ON/THREAD-OFF |       | White      | A\$ 40.55  |

|            |     |                                   |            |
|------------|-----|-----------------------------------|------------|
| 6880050100 | WW2 | Wrench, W2, Pendent, Upright, HSW | A\$ 212.48 |
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed   | A\$ 630.54 |



## F156-300

- K-Factor = 5.6 (80)
- **SIN RA2514**
- See Bulletin 075
- **300 PSI**



## F1-300

- K-Factor = 8.0 (115)
- **SIN R5512**
- See Bulletin 076
- **300 PSI**

| Part Number                                                     | Short Code | Temperature |       | Finish     | List Price |       |
|-----------------------------------------------------------------|------------|-------------|-------|------------|------------|-------|
| MODEL F156 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2514 300 PSI |            |             |       |            |            |       |
| AG131132S9                                                      | F56P0B3N   | 135°F       | 57°C  | Brass      | A\$        | 54.99 |
| AG132132S9                                                      | F56P0C3N   | 135°F       | 57°C  | Chrome     | A\$        | 64.65 |
| AG138732S9                                                      | F56P0W3N   | 135°F       | 57°C  | Poly White | A\$        | 74.41 |
| AG151132S9                                                      | F56P1B3N   | 155°F       | 68°C  | Brass      | A\$        | 54.99 |
| AG152132S9                                                      | F56P1C3N   | 155°F       | 68°C  | Chrome     | A\$        | 64.65 |
| AG158732S9                                                      | F56P1W3N   | 155°F       | 68°C  | Poly White | A\$        | 74.41 |
| AG171132S9                                                      | F56P5B3N   | 175°F       | 79°C  | Brass      | A\$        | 54.99 |
| AG172132S9                                                      | F56P5C3N   | 175°F       | 79°C  | Chrome     | A\$        | 64.65 |
| AG178732S9                                                      | F56P5W3N   | 175°F       | 79°C  | Poly White | A\$        | 74.27 |
| AG201132S9                                                      | F56P2B3N   | 200°F       | 93°C  | Brass      | A\$        | 54.99 |
| AG202132S9                                                      | F56P2C3N   | 200°F       | 93°C  | Chrome     | A\$        | 64.65 |
| AG208732S9                                                      | F56P2W3N   | 200°F       | 93°C  | Poly White | A\$        | 74.41 |
| AG281132S9                                                      | F56P3B3N   | 286°F       | 141°C | Brass      | A\$        | 64.65 |
| AG282132S9                                                      | F56P3C3N   | 286°F       | 141°C | Chrome     | A\$        | 64.65 |
| AG288732S9                                                      | F56P3W3N   | 286°F       | 141°C | Poly White | A\$        | 74.41 |
| AG361132S9                                                      | F56P6B3N   | 360°F       | 182°C | Brass      | A\$        | 54.99 |
| AG362132S9                                                      | F56P6C3N   | 360°F       | 182°C | Chrome     | A\$        | 70.59 |
| AG368732S9                                                      | F56P6W3N   | 360°F       | 182°C | White      | A\$        | 80.41 |
| MODEL F180 PENDENT K8.0 (115) THREADS 3/4" (20MM) R5512 300 PSI |            |             |       |            |            |       |
| AG13113498                                                      | FP0LB3     | 135°F       | 57°C  | Brass      | A\$        | 69.11 |
| AG13213498                                                      | FP0LC3     | 135°F       | 57°C  | Chrome     | A\$        | 82.58 |
| AG13873498                                                      | FP0LW3     | 135°F       | 57°C  | White      | A\$        | 93.00 |
| AG151134S8                                                      | FP1LB3N    | 155°F       | 68°C  | Brass      | A\$        | 69.11 |
| AG152134S8                                                      | FP1LC3N    | 155°F       | 68°C  | Chrome     | A\$        | 82.58 |
| AG158734S8                                                      | FP1LW3N    | 155°F       | 68°C  | Poly White | A\$        | 98.24 |
| AG17113498                                                      | FP5LB3     | 175°F       | 79°C  | Brass      | A\$        | 69.11 |
| AG17213498                                                      | FP5LC3     | 175°F       | 79°C  | Chrome     | A\$        | 82.58 |
| AG17873498                                                      | FP5LW3     | 175°F       | 79°C  | White      | A\$        | 93.00 |
| AG20113498                                                      | FP2LB3     | 200°F       | 93°C  | Brass      | A\$        | 69.11 |
| AG20213498                                                      | FP2LC3     | 200°F       | 93°C  | Chrome     | A\$        | 82.58 |
| AG20873498                                                      | FP2LW3     | 200°F       | 93°C  | Poly White | A\$        | 98.24 |
| AG28113498                                                      | FP3LB3     | 286°F       | 141°C | Brass      | A\$        | 69.11 |
| AG28213498                                                      | FP3LC3     | 286°F       | 141°C | Chrome     | A\$        | 82.58 |
| AG28873498                                                      | FP3LW3     | 286°F       | 141°C | White      | A\$        | 98.24 |
| AG36113498                                                      | FP6LB3     | 360°F       | 182°C | Brass      | A\$        | 75.24 |
| AG36213498                                                      | FP6LC3     | 360°F       | 182°C | Chrome     | A\$        | 89.38 |
| AG36873498                                                      | FP6LW3     | 360°F       | 182°C | White      | A\$        | 99.77 |

6880050100

WW2

Wrench, W2, Pendent, Upright, HSW

A\$ 212.48



## F1 56

- K-Factor = 5.6 (80)
- **SIN RA1375**
- See Bulletin 013



## F1 LO

- K-Factor = 8.0 (115)
- **SIN R1772**
- See Bulletin 117

| Part Number                                                   | Short Code | Temperature                       |       | Finish     | List Price |
|---------------------------------------------------------------|------------|-----------------------------------|-------|------------|------------|
| MODEL F156 CONVENTIONAL K 5.6 (80) THREADS 1/2" (15MM) RA1375 |            |                                   |       |            |            |
| AC131132S9                                                    | F56C0BN    | 135°F                             | 57°C  | Brass      | A\$ 50.13  |
| AC132132S9                                                    | F56C0CN    | 135°F                             | 57°C  | Chrome     | A\$ 59.34  |
| AC138732S9                                                    | F56C0WN    | 135°F                             | 57°C  | Poly White | A\$ 70.63  |
| AC151132S9                                                    | F56C1BN    | 155°F                             | 68°C  | Brass      | A\$ 50.13  |
| AC152132S9                                                    | F56C1CN    | 155°F                             | 68°C  | Chrome     | A\$ 59.34  |
| AC158732S9                                                    | F56C1WN    | 155°F                             | 68°C  | Poly White | A\$ 70.63  |
| AC171132S9                                                    | F56C5BN    | 175°F                             | 79°C  | Brass      | A\$ 50.13  |
| AC172132S9                                                    | F56C5CN    | 175°F                             | 79°C  | Chrome     | A\$ 59.34  |
| AC178732S9                                                    | F56C5WN    | 175°F                             | 79°C  | Poly White | A\$ 70.63  |
| AC201132S9                                                    | F56C2BN    | 200°F                             | 93°C  | Brass      | A\$ 50.13  |
| AC202132S9                                                    | F56C2CN    | 200°F                             | 93°C  | Chrome     | A\$ 59.34  |
| AC208732S9                                                    | F56C2WN    | 200°F                             | 93°C  | Poly White | A\$ 70.63  |
| AC281132S9                                                    | F56C3BN    | 286°F                             | 141°C | Brass      | A\$ 50.13  |
| AC282132S9                                                    | F56C3CN    | 286°F                             | 141°C | Chrome     | A\$ 59.34  |
| AC288732S9                                                    | F56C3WN    | 286°F                             | 141°C | Poly White | A\$ 70.63  |
| AC361132S9                                                    | F56C6BN    | 360°F                             | 182°C | Brass      | A\$ 50.13  |
| AC362132S9                                                    | F56C6CN    | 360°F                             | 182°C | Chrome     | A\$ 59.34  |
| AC368732S9                                                    | F56C6WN    | 360°F                             | 182°C | Poly White | A\$ 70.63  |
| MODEL F1-80 CONVENTIONAL K8.0 (115) THREADS 3/4" (20MM) R1772 |            |                                   |       |            |            |
| A313113498                                                    | FC0LB      | 135°F                             | 57°C  | Brass      | A\$ 63.48  |
| A313213498                                                    | FC0LC      | 135°F                             | 57°C  | Chrome     | A\$ 76.56  |
| A313873498                                                    | FC0LW      | 135°F                             | 57°C  | White      | A\$ 91.48  |
| A315113498                                                    | FC1LB      | 155°F                             | 68°C  | Brass      | A\$ 63.48  |
| A315213498                                                    | FC1LC      | 155°F                             | 68°C  | Chrome     | A\$ 76.56  |
| A315873498                                                    | FC1LW      | 155°F                             | 68°C  | White      | A\$ 91.48  |
| A317113498                                                    | FC5LB      | 175°F                             | 79°C  | Brass      | A\$ 63.48  |
| A317213498                                                    | FC5LC      | 175°F                             | 79°C  | Chrome     | A\$ 76.56  |
| A320113498                                                    | FC2LB      | 200°F                             | 93°C  | Brass      | A\$ 63.48  |
| A320213498                                                    | FC2LC      | 200°F                             | 93°C  | Chrome     | A\$ 76.56  |
| A320873498                                                    | FC2LW      | 200°F                             | 93°C  | White      | A\$ 91.48  |
| A328113498                                                    | FC3LB      | 286°F                             | 141°C | Brass      | A\$ 63.48  |
| A328213498                                                    | FC3LC      | 286°F                             | 141°C | Chrome     | A\$ 76.56  |
| A328873498                                                    | FC3LW      | 286°F                             | 141°C | White      | A\$ 91.48  |
| 6880050100                                                    | WW2        | Wrench, W2, Pendent, Upright, HSW |       |            | A\$ 212.48 |



## F1 56

- K-Factor = 80 (5.6)
- **SIN RA1375**
- See Bulletin 013

| Part Number                                                        | Short Code | Temperature                        |       | Finish     | List Price |
|--------------------------------------------------------------------|------------|------------------------------------|-------|------------|------------|
| MODEL F156 CONVENTIONAL K 5.6 (80) THREADS 1/2" (15MM) RA1375      |            |                                    |       |            |            |
|                                                                    |            | °F                                 | °C    |            | A\$ Call   |
|                                                                    |            | °F                                 | °C    |            | A\$ Call   |
|                                                                    |            | °F                                 | °C    |            | A\$ Call   |
|                                                                    |            | °F                                 | °C    |            | A\$ Call   |
|                                                                    |            | °F                                 | °C    |            | A\$ Call   |
|                                                                    |            | °F                                 | °C    |            | A\$ Call   |
|                                                                    |            | °F                                 | °C    |            | A\$ Call   |
| AC178732R9                                                         | F56C5W     | 175°F                              | 79°C  | Poly White | A\$ 70.63  |
|                                                                    |            | °F                                 | °C    |            | A\$ Call   |
|                                                                    |            | °F                                 | °C    |            | A\$ Call   |
|                                                                    |            | °F                                 | °C    |            | A\$ Call   |
|                                                                    |            | °F                                 | °C    |            | A\$ Call   |
|                                                                    |            | °F                                 | °C    |            | A\$ Call   |
|                                                                    |            | °F                                 | °C    |            | A\$ Call   |
|                                                                    |            | °F                                 | °C    |            | A\$ Call   |
|                                                                    |            | °F                                 | °C    |            | A\$ Call   |
|                                                                    |            | °F                                 | °C    |            | A\$ Call   |
| MODEL F156 CONVENTIONAL K 5.6 (80) BSPT THREADS 1/2" (15MM) RA1375 |            |                                    |       |            |            |
| AC131132R2                                                         | F56C0BM    | 135°F                              | 57°C  | Brass      | A\$ 50.13  |
| AC132132R2                                                         | F56C0CM    | 135°F                              | 57°C  | Chrome     | A\$ 59.34  |
| AC138732R2                                                         | F56C0WM    | 135°F                              | 57°C  | White      | A\$ 70.63  |
| AC151132R2                                                         | F56C1BM    | 155°F                              | 68°C  | Brass      | A\$ 50.13  |
| AC152132R2                                                         | F56C1CM    | 155°F                              | 68°C  | Chrome     | A\$ 59.34  |
| AC158732R2                                                         | F56C1WM    | 155°F                              | 68°C  | Poly White | A\$ 70.63  |
|                                                                    |            | °F                                 | °C    |            | A\$ Call   |
| AC172132R2                                                         | F56C5CM    | 175°F                              | 79°C  | Chrome     | A\$ 59.34  |
| AC178732R2                                                         | F56C5WM    | 175°F                              | 79°C  | White      | A\$ 70.63  |
| AC201132R2                                                         | F56C2BM    | 200°F                              | 93°C  | Brass      | A\$ 50.13  |
| AC202132R2                                                         | F56C2CM    | 200°F                              | 93°C  | Chrome     | A\$ 59.34  |
| AC208732R2                                                         | F56C2WM    | 200°F                              | 93°C  | Poly White | A\$ 70.63  |
| AC281132R2                                                         | F56C3BM    | 286°F                              | 141°C | Brass      | A\$ 50.13  |
| AC282132R2                                                         | F56C3CM    | 286°F                              | 141°C | Chrome     | A\$ 59.34  |
|                                                                    |            | °F                                 | °C    |            | A\$ Call   |
| 6880050100                                                         | WW2        | Requires Model W2 Sprinkler Wrench |       |            | A\$ 212.48 |



## F1 LO

- Conventional
- **SIN R1772**
- See Bulletin 117

| Part Number                                                        | Short Code | Temperature                        |       | Finish     | List Price |
|--------------------------------------------------------------------|------------|------------------------------------|-------|------------|------------|
| MODEL F1 LO CONVENTIONAL K8.0 (115) THREADS 3/4" (20MM) R1772      |            |                                    |       |            |            |
| A313113498                                                         | FC0LB      | 135°F                              | 57°C  | Brass      | A\$ 63.48  |
| A313213498                                                         | FC0LC      | 135°F                              | 57°C  | Chrome     | A\$ 76.56  |
| A313873498                                                         | FC0LW      | 135°F                              | 57°C  | White      | A\$ 91.48  |
| A315113498                                                         | FC1LB      | 155°F                              | 68°C  | Brass      | A\$ 63.48  |
| A315213498                                                         | FC1LC      | 155°F                              | 68°C  | Chrome     | A\$ 76.56  |
| A315873498                                                         | FC1LW      | 155°F                              | 68°C  | White      | A\$ 91.48  |
| A317113498                                                         | FC5LB      | 175°F                              | 79°C  | Brass      | A\$ 63.48  |
| A317213498                                                         | FC5LC      | 175°F                              | 79°C  | Chrome     | A\$ 76.56  |
|                                                                    |            | °F                                 | °C    |            | A\$ Call   |
| A320113498                                                         | FC2LB      | 200°F                              | 93°C  | Brass      | A\$ 63.48  |
| A320213498                                                         | FC2LC      | 200°F                              | 93°C  | Chrome     | A\$ 76.56  |
| A320873498                                                         | FC2LW      | 200°F                              | 93°C  | White      | A\$ 91.48  |
| A328113498                                                         | FC3LB      | 286°F                              | 141°C | Brass      | A\$ 63.48  |
| A328213498                                                         | FC3LC      | 286°F                              | 141°C | Chrome     | A\$ 76.56  |
| A328873498                                                         | FC3LW      | 286°F                              | 141°C | White      | A\$ 91.48  |
| MODEL F1 LO CONVENTIONAL K8.0 (115) BSPT THREADS 3/4" (20MM) R1772 |            |                                    |       |            |            |
| A313113495                                                         | FC0LBM     | 135°F                              | 57°C  | Brass      | A\$ 63.48  |
| A313213495                                                         | FC0LCM     | 135°F                              | 57°C  | Chrome     | A\$ 76.56  |
| A313873495                                                         | FC0LWM     | 135°F                              | 57°C  | White      | A\$ 91.48  |
| A315113495                                                         | FC1LBM     | 155°F                              | 68°C  | Brass      | A\$ 63.48  |
| A315213495                                                         | FC1LCM     | 155°F                              | 68°C  | Chrome     | A\$ 79.44  |
| A315873495                                                         | FC1LWM     | 155°F                              | 68°C  | White      | A\$ 91.48  |
| A317113495                                                         | FC5LBM     | 175°F                              | 79°C  | Brass      | A\$ 63.48  |
| A317213495                                                         | FC5LCM     | °F                                 | °C    |            | A\$ 76.56  |
| A317873495                                                         | FC5LWM     | °F                                 | °C    |            | A\$ 91.48  |
| A320113495                                                         | FC2LBM     | 200°F                              | 93°C  | Brass      | A\$ 63.48  |
| A320213495                                                         | FC2LCM     | °F                                 | °C    |            | A\$ 76.56  |
| A320873495                                                         | EC2LWM     | °F                                 | °C    |            | A\$ 91.48  |
| A328113495                                                         | FC3LBM     | 286°F                              | 141°C | Brass      | A\$ 63.48  |
| A328213495                                                         | FC3LCM     | 286°F                              | 141°C | Chrome     | A\$ 76.56  |
| A328873495                                                         | FC3LWM     | 286°F                              | 141°C | Poly White | A\$ 91.48  |
| 6880050100                                                         | WW2        | Requires Model W2 Sprinkler Wrench |       |            | A\$ 212.48 |



## F1 56 HSW

- K-Factor = 80 (5.6)
- **SIN RA1375**
- See Bulletin 013

| Part Number                                                     | Short Code | Temperature                        |       | Finish     | List Price |
|-----------------------------------------------------------------|------------|------------------------------------|-------|------------|------------|
| MODEL F156 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1335      |            |                                    |       |            |            |
|                                                                 |            | °F                                 | °C    |            | A\$ Call   |
|                                                                 |            | °F                                 | °C    |            | A\$ Call   |
|                                                                 |            | °F                                 | °C    |            | A\$ Call   |
|                                                                 |            | °F                                 | °C    |            | A\$ Call   |
|                                                                 |            | °F                                 | °C    |            | A\$ Call   |
|                                                                 |            | °F                                 | °C    |            | A\$ Call   |
|                                                                 |            | °F                                 | °C    |            | A\$ Call   |
|                                                                 |            | °F                                 | °C    |            | A\$ Call   |
|                                                                 |            | °F                                 | °C    |            | A\$ Call   |
|                                                                 |            | °F                                 | °C    |            | A\$ Call   |
|                                                                 |            | °F                                 | °C    |            | A\$ Call   |
|                                                                 |            | °F                                 | °C    |            | A\$ Call   |
|                                                                 |            | °F                                 | °C    |            | A\$ Call   |
|                                                                 |            | °F                                 | °C    |            | A\$ Call   |
|                                                                 |            | °F                                 | °C    |            | A\$ Call   |
|                                                                 |            | °F                                 | °C    |            | A\$ Call   |
|                                                                 |            | °F                                 | °C    |            | A\$ Call   |
|                                                                 |            | °F                                 | °C    |            | A\$ Call   |
| MODEL F156 HORIZONTAL K5.6 (80) BSPT THREADS 1/2" (15MM) RA1335 |            |                                    |       |            |            |
| AD131132R2                                                      | F56H0BM    | 135°F                              | 57°C  | Brass      | A\$ 77.93  |
| AD132132R2                                                      | F56H0CM    | 135°F                              | 57°C  | Chrome     | A\$ 89.27  |
| AD138732R2                                                      | F56H0WM    | 135°F                              | 57°C  | Poly White | A\$ 95.85  |
| AD151132R2                                                      | F56H1BM    | 155°F                              | 68°C  | Brass      | A\$ 77.93  |
| AD152132R2                                                      | F56H1CM    | 155°F                              | 68°C  | Chrome     | A\$ 89.27  |
| AD158732R2                                                      | F56H1WM    | 155°F                              | 68°C  | Poly White | A\$ 95.85  |
| AD171132R2                                                      | F56H5BM    | 175°F                              | 79°C  | Brass      | A\$ 77.93  |
| AD172132R2                                                      | F56H5CM    | 175°F                              | 79°C  | Bronze     | A\$ 89.27  |
| AD178732R2                                                      | F56H5WM    | 175°F                              | 79°C  | Bronze     | A\$ 95.85  |
| AD201132R2                                                      | F56H2BM    | 200°F                              | 93°C  | Brass      | A\$ 77.93  |
| AD202132R2                                                      | F56H2CM    | 200°F                              | 93°C  | Chrome     | A\$ 89.27  |
| AD208732R2                                                      | F56H2WM    | 200°F                              | 93°C  | White      | A\$ 95.85  |
| AD281132R2                                                      | F56H3BM    | 286°F                              | 141°C | Brass      | A\$ 77.93  |
| AD282132R2                                                      | F56H3CM    | 286°F                              | 141°C | Chrome     | A\$ 89.27  |
| AD288732R2                                                      | F56H3WM    | 286°F                              | 141°C | Poly White | A\$ 95.85  |
| AD361132R2                                                      | F56H6BM    | 360°F                              | 182°C | Brass      | A\$ 77.93  |
| AD362132R2                                                      | F56H6CM    | 360°F                              | 182°C | Chrome     | A\$ 89.27  |
| AD368732R2                                                      | F56H6WM    | 360°F                              | 182°C | White      | A\$ 95.85  |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                 |            |                                    |       |            |            |
| 6800630001                                                      | GF1B       | 1/2" (15MM)                        |       | Brass      | A\$ 39.00  |
| 6800600001                                                      | GF1C       | 1/2" (15MM)                        |       | Chrome     | A\$ 21.01  |
| 6800640001                                                      | GF1W       | 1/2" (15MM)                        |       | White      | A\$ 21.01  |
| 6880050100                                                      | WW2        | Requires Model W2 Sprinkler Wrench |       |            | A\$ 212.48 |
| 6880060000                                                      | WGFR       | For Recessed Use Model GFR2 Wrench |       |            | A\$ 630.54 |



## F1 56

- K-Factor = 5.6 (80)
- Vertical Sidewall
- **SIN RA1385**
- See Bulletin 013

| Part Number                                                   | Short Code | Temperature                        |       | Finish     | List Price |
|---------------------------------------------------------------|------------|------------------------------------|-------|------------|------------|
| MODEL F156 VERTICAL K5.6 (80) THREADS 1/2" (15MM) RA1385      |            |                                    |       |            |            |
|                                                               |            | °F                                 | °C    |            | A\$ Call   |
|                                                               |            | °F                                 | °C    |            | A\$ Call   |
| AE138732R9                                                    | F56V0W     | 135°F                              | 57°C  | White      | A\$ 100.30 |
|                                                               |            | °F                                 | °C    |            | A\$ Call   |
|                                                               |            | °F                                 | °C    |            | A\$ Call   |
|                                                               |            | °F                                 | °C    |            | A\$ Call   |
|                                                               |            | °F                                 | °C    |            | A\$ Call   |
|                                                               |            | °F                                 | °C    |            | A\$ Call   |
|                                                               |            | °F                                 | °C    |            | A\$ Call   |
|                                                               |            | °F                                 | °C    |            | A\$ Call   |
|                                                               |            | °F                                 | °C    |            | A\$ Call   |
|                                                               |            | °F                                 | °C    |            | A\$ Call   |
|                                                               |            | °F                                 | °C    |            | A\$ Call   |
|                                                               |            | °F                                 | °C    |            | A\$ Call   |
|                                                               |            | °F                                 | °C    |            | A\$ Call   |
|                                                               |            | °F                                 | °C    |            | A\$ Call   |
|                                                               |            | °F                                 | °C    |            | A\$ Call   |
| AE368732R9                                                    | F56V6W     | 360°F                              | 182°C | White      | A\$ 100.30 |
| MODEL F156 VERTICAL K5.6 (80) BSPT THREADS 1/2" (15MM) RA1385 |            |                                    |       |            |            |
| AE131132R2                                                    | F56V0BM    | 135°F                              | 57°C  | Brass      | A\$ 80.08  |
| AE132132R2                                                    | F56V0CM    | 135°F                              | 57°C  | Chrome     | A\$ 91.75  |
| AE138732R2                                                    | F56V0WM    | 135°F                              | 57°C  | White      | A\$ 100.30 |
| AE151132R2                                                    |            | 155°F                              | 68°C  | Brass      | A\$ 80.08  |
| AE152132R2                                                    | F56V1CM    | 155°F                              | 68°C  | Chrome     | A\$ 91.75  |
| AE158732R2                                                    | F56V1WM    | 155°F                              | 68°C  | Poly White | A\$ 100.30 |
| AE171132R2                                                    | F56V5BM    | 175°F                              | 79°C  | Brass      | A\$ 80.08  |
| AE172132R2                                                    | F56V5CM    | 175°F                              | 79°C  | Chrome     | A\$ 91.75  |
| AE178732R2                                                    | F56V5WM    | 175°F                              | 79°C  | White      | A\$ 100.30 |
| AE201132R2                                                    | F56V2BM    | 200°F                              | 93°C  | Brass      | A\$ 80.08  |
| AE202132R2                                                    | F56V2CM    | 200°F                              | 93°C  | Chrome     | A\$ 91.75  |
| AE208732R2                                                    | F56V2WM    | 200°F                              | 93°C  | Poly White | A\$ 100.30 |
| AE281132R2                                                    | F56V3BM    | 286°F                              | 141°C | Brass      | A\$ 80.08  |
| AE282132R2                                                    | F56V3CM    | 286°F                              | 141°C | Chrome     | A\$ 91.75  |
| AE288732R2                                                    | F56V3WM    | 286°F                              | 141°C | Poly White | A\$ 100.30 |
| AE361132R2                                                    | F56V6BM    | 360°F                              | 182°C | Brass      | A\$ 80.08  |
| AE362132R2                                                    | F56V6CM    | 360°F                              | 182°C | Chrome     | A\$ 91.75  |
| AE368732R2                                                    | F56V6WM    | 360°F                              | 182°C | White      | A\$ 100.30 |
| 6880050100                                                    | WW2        | Requires Model W2 Sprinkler Wrench |       |            | A\$ 212.48 |



## G UPRIGHT

- K5.6 = SIN R1025
- K7.96 = SIN R1026 (17/32"x1/2")
- K8.2 = SIN R1027
- See Bulletin 110

| Part Number                                          | Short Code | Temperature                       |       | Finish     | List Price |
|------------------------------------------------------|------------|-----------------------------------|-------|------------|------------|
| MODEL G UPRIGHT K5.6 (80) THREADS 1/2" (15MM) R1025  |            |                                   |       |            |            |
| 5113113299                                           | GU0B       | 135°F                             | 57°C  | Brass      | A\$ 75.01  |
| 5113213299                                           | GU0C       | 135°F                             | 57°C  | Chrome     | A\$ 89.24  |
| 5113873299                                           | GU0W       | 135°F                             | 57°C  | White      | A\$ 98.15  |
| 5116113299                                           | GU1B       | 165°F                             | 74°C  | Brass      | A\$ 75.01  |
| 5116213299                                           | GU1C       | 165°F                             | 74°C  | Chrome     | A\$ 89.24  |
| 5116873299                                           | GU1W       | 165°F                             | 74°C  | Poly White | A\$ 98.15  |
| 5121113299                                           | GU2B       | 212°F                             | 100°C | Brass      | A\$ 75.01  |
| 5121213299                                           | GU2C       | 212°F                             | 100°C | Chrome     | A\$ 89.24  |
| 5121873299                                           | GU2W       | 212°F                             | 100°C | White      | A\$ 98.15  |
| 5128113299                                           | GU3B       | 286°F                             | 141°C | Brass      | A\$ 75.01  |
| 5128213299                                           | GU3C       | 286°F                             | 141°C | Chrome     | A\$ 89.24  |
| 5128873299                                           | GU3W       | 286°F                             | 141°C | White      | A\$ 98.15  |
| MODEL G UPRIGHT K8.2 (115) THREADS 3/4" (20MM) R1027 |            |                                   |       |            |            |
| 5113113498                                           | GU0LB      | 135°F                             | 57°C  | Brass      | A\$ 90.00  |
| 5113213498                                           | GU0LC      | 135°F                             | 57°C  | Chrome     | A\$ 108.13 |
| 5116113498                                           | GU1LB      | 165°F                             | 74°C  | Brass      | A\$ 90.00  |
| 5116213498                                           | GU1LC      | 165°F                             | 74°C  | Chrome     | A\$ 108.13 |
| 5121113498                                           | GU2LB      | 212°F                             | 100°C | Brass      | A\$ 90.00  |
| 5121213498                                           | GU2LC      | 212°F                             | 100°C | Chrome     | A\$ 108.13 |
| 5128113498                                           | GU3LB      | 286°F                             | 141°C | Brass      | A\$ 90.00  |
| 5128213498                                           | GU3LC      | 286°F                             | 141°C | Chrome     | A\$ 108.13 |
| MODEL G UPRIGHT K8.0 (115) THREADS 1/2" (15MM) R1026 |            |                                   |       |            |            |
| 5113113499                                           | GU0LHB     | 135°F                             | 57°C  | Brass      | A\$ 115.58 |
| 5113213499                                           | GU0LHC     | 135°F                             | 57°C  | Chrome     | A\$ 132.35 |
| 5116113499                                           | GU1LHB     | 165°F                             | 74°C  | Brass      | A\$ 115.58 |
| 5116213499                                           | GU1LHC     | 165°F                             | 74°C  | Chrome     | A\$ 132.35 |
| 5121113499                                           | GU2LHB     | 212°F                             | 100°C | Brass      | A\$ 115.58 |
| 5121213499                                           | GU2LHC     | 212°F                             | 100°C | Chrome     | A\$ 132.35 |
| 5128113499                                           | GU3LHB     | 286°F                             | 141°C | Brass      | A\$ 115.58 |
| 5128213499                                           | GU3LHC     | 286°F                             | 141°C | Chrome     | A\$ 132.35 |
| 6880050100                                           | WW2        | Wrench, W2, Pendent, Upright, HSW |       |            | A\$ 212.48 |



## G UPRIGHT

- K2.82 = SIN R1021
- K4.24 = SIN R1023
- K4.10 = SIN R1024
- See Bulletin 110

| Part Number                                         | Short Code | Temperature                    |       | Finish | List Price |
|-----------------------------------------------------|------------|--------------------------------|-------|--------|------------|
| MODEL G UPRIGHT K2.8 (40) THREADS 1/2" (15MM) R1021 |            |                                |       |        |            |
| 5113112499                                          | GU03B      | 135°F                          | 57°C  | Brass  | A\$ 102.75 |
| 5113212499                                          | GU03C      | 135°F                          | 57°C  | Chrome | A\$ 119.24 |
| 5116112499                                          | GU13B      | 165°F                          | 74°C  | Brass  | A\$ 102.75 |
| 5116212499                                          | GU13C      | 165°F                          | 74°C  | Chrome | A\$ 119.24 |
| 5121112499                                          | GU23B      | 212°F                          | 100°C | Brass  | A\$ 102.75 |
| 5121212499                                          | GU23C      | 212°F                          | 100°C | Chrome | A\$ 119.24 |
| 5128112499                                          | GU33B      | 286°F                          | 141°C | Brass  | A\$ 102.75 |
| 5128212499                                          | GU33C      | 286°F                          | 141°C | Chrome | A\$ 119.24 |
| MODEL G UPRIGHT K4.2 (60) THREADS 1/2" (15MM) R1023 |            |                                |       |        |            |
| 5113112899                                          | GU07B      | 135°F                          | 57°C  | Brass  | A\$ 102.75 |
| 5113212899                                          | GU07C      | 135°F                          | 57°C  | Chrome | A\$ 119.24 |
| 5116112899                                          | GU17B      | 165°F                          | 74°C  | Brass  | A\$ 102.75 |
| 5116212899                                          | GU17C      | 165°F                          | 74°C  | Chrome | A\$ 119.24 |
| 5121112899                                          | GU27B      | 212°F                          | 100°C | Brass  | A\$ 102.75 |
| 5128112899                                          | GU37B      | 286°F                          | 141°C | Brass  | A\$ 102.75 |
| 5128212899                                          | GU37C      | 286°F                          | 141°C | Chrome | A\$ 119.24 |
| 6880050100                                          | WW2        | WRENCH,W2(PENDENT,UPRIGHT,HSW) |       |        | A\$ 212.48 |



## G PENDENT

- K5.6 = SIN R1015
- K8.2 = SIN R1017
- See Bulletin 110

| Part Number                                          | Short Code | Temperature                       |       | Finish     | List Price |
|------------------------------------------------------|------------|-----------------------------------|-------|------------|------------|
| MODEL G PENDENT K5.6 (80) THREADS 1/2" (15MM) R1015  |            |                                   |       |            |            |
| 5213113299                                           | GP0B       | 135°F                             | 57°C  | Brass      | A\$ 75.01  |
| 5213213299                                           | GP0C       | 135°F                             | 57°C  | Chrome     | A\$ 86.92  |
| 5213873299                                           | GP0W       | 135°F                             | 57°C  | White      | A\$ 98.15  |
| 5216113299                                           | GP1B       | 165°F                             | 74°C  | Brass      | A\$ 75.01  |
| 5216213299                                           | GP1C       | 165°F                             | 74°C  | Chrome     | A\$ 86.92  |
| 5216873299                                           | GP1W       | 165°F                             | 74°C  | Poly White | A\$ 98.15  |
| 5221113299                                           | GP2B       | 212°F                             | 100°C | Brass      | A\$ 75.01  |
| 5221213299                                           | GP2C       | 212°F                             | 100°C | Chrome     | A\$ 86.92  |
| 5221873299                                           | GP2W       | 212°F                             | 100°C | White      | A\$ 98.15  |
| 5228113299                                           | GP3B       | 286°F                             | 141°C | Brass      | A\$ 75.01  |
| 5228213299                                           | GP3C       | 286°F                             | 141°C | Chrome     | A\$ 86.92  |
| 5228873299                                           | GP3W       | 286°F                             | 141°C | White      | A\$ 98.15  |
| MODEL G PENDENT K8.0 (115) THREADS 3/4" (20MM) R1017 |            |                                   |       |            |            |
| 5213113498                                           | GP0LB      | 135°F                             | 57°C  | Brass      | A\$ 92.44  |
| 5213213498                                           | GP0LC      | 135°F                             | 57°C  | Chrome     | A\$ 108.13 |
| 5216113498                                           | GP1LB      | 165°F                             | 74°C  | Brass      | A\$ 92.44  |
| 5216213498                                           | GP1LC      | 165°F                             | 74°C  | Chrome     | A\$ 108.13 |
| 5221113498                                           | GP2LB      | 212°F                             | 100°C | Brass      | A\$ 92.44  |
| 5221213498                                           | GP2LC      | 212°F                             | 100°C | Chrome     | A\$ 108.13 |
| 5228113498                                           | GP3LB      | 286°F                             | 141°C | Brass      | A\$ 92.44  |
| 5228213498                                           | GP3LC      | 286°F                             | 141°C | Chrome     | A\$ 108.13 |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY      |            |                                   |       |            |            |
| 6800630001                                           | GF1B       | 1/2" (15mm)                       |       | Brass      | A\$ 39.00  |
| 6800600001                                           | GF1C       | 1/2" (15mm)                       |       | Chrome     | A\$ 21.01  |
| 6800640001                                           | GF1W       | 1/2" (15mm)                       |       | White      | A\$ 21.01  |
| 6801030000                                           | GF1LB      | 3/4" (20mm)                       |       | Brass      | A\$ 39.00  |
| 6801000000                                           | GF1LC      | 3/4" (20mm)                       |       | Chrome     | A\$ 21.01  |
| 6801040000                                           | GF1LW      | 3/4" (20mm)                       |       | White      | A\$ 21.01  |
| 6800930000                                           | GF1MB      | 10mm                              |       | Brass      | A\$ 38.96  |
| 6800900000                                           | GF1MC      | 10mm                              |       | Chrome     | A\$ 20.75  |
| 6800940003                                           | GF1MW      | 10mm                              |       | Poly White | A\$ 20.75  |
| 6880050100                                           | WW2        | Wrench, W2, Pendent, Upright, HSW |       |            | A\$ 212.48 |
| 6880100000                                           | WRC        | For Recessed Use RC1 Wrench       |       |            | A\$ 630.54 |



## G PENDENT

- K2.82 = SIN R1011
- K4.24 = SIN R1013
- K4.10 = SIN R1014
- See Bulletin 110

| Part Number                                         | Short Code | Temperature                        |       | Finish | List Price |
|-----------------------------------------------------|------------|------------------------------------|-------|--------|------------|
| MODEL G PENDENT K2.8 (40) THREADS 1/2" (15MM) R1011 |            |                                    |       |        |            |
| 5213112499                                          | GP03B      | 135°F                              | 57°C  | Brass  | A\$ 102.75 |
| 5213212499                                          | GP03C      | 135°F                              | 57°C  | Chrome | A\$ 119.24 |
| 5216112499                                          | GP13B      | 165°F                              | 74°C  | Brass  | A\$ 102.75 |
| 5216212499                                          | GP13C      | 165°F                              | 74°C  | Chrome | A\$ 119.24 |
| 5221112499                                          | GP23B      | 212°F                              | 100°C | Brass  | A\$ 102.75 |
| 5221212499                                          | GP23C      | 212°F                              | 100°C | Chrome | A\$ 119.24 |
| 5228112499                                          | GP33B      | 286°F                              | 141°C | Brass  | A\$ 102.75 |
| 5228212499                                          | GP33C      | 286°F                              | 141°C | Chrome | A\$ 119.24 |
| MODEL G PENDENT K4.2 (60) THREADS 1/2" (15MM) R1013 |            |                                    |       |        |            |
| 5213112899                                          | GP07B      | 135°F                              | 57°C  | Brass  | A\$ 102.75 |
| 5213212899                                          | GP07C      | 135°F                              | 57°C  | Chrome | A\$ 119.24 |
| 5216112899                                          | GP17B      | 165°F                              | 74°C  | Brass  | A\$ 102.75 |
| 5216212899                                          | GP17C      | 165°F                              | 74°C  | Chrome | A\$ 119.24 |
| 5221112899                                          | GP27B      | 212°F                              | 100°C | Brass  | A\$ 102.75 |
| 5221212899                                          | GP27C      | 212°F                              | 100°C | Chrome | A\$ 119.24 |
| 5228112899                                          | GP37B      | 286°F                              | 141°C | Brass  | A\$ 102.75 |
| 5228212899                                          | GP37C      | 286°F                              | 141°C | Chrome | A\$ 119.24 |
| 6880050100                                          | WW2        | Wrench, W2, Pendent, Upright, HSW  |       |        | A\$ 212.48 |
| 6880100000                                          | WRC        | For Recessed, Use Model RC1 Wrench |       |        | A\$ 630.54 |



## G VSW

- K-Factor = 5.6 (80)
- **SIN R1285**
- See Bulletin 112


| Part Number                                          | Short Code | Temperature                       |       | Finish | List Price |
|------------------------------------------------------|------------|-----------------------------------|-------|--------|------------|
| MODEL G VERTICAL K5.6 (80) THREADS 1/2" (15MM) R1285 |            |                                   |       |        |            |
| 5413113292                                           | GV0B       | 135°F                             | 57°C  | Brass  | A\$ 108.73 |
| 5413213292                                           | GV0C       | 135°F                             | 57°C  | Chrome | A\$ 123.00 |
| 5416113292                                           | GV1B       | 165°F                             | 74°C  | Brass  | A\$ 108.73 |
| 5416213292                                           | GV1C       | 165°F                             | 74°C  | Chrome | A\$ 123.00 |
| 5421113292                                           | GV2B       | 212°F                             | 100°C | Brass  | A\$ 108.73 |
| 5421213292                                           | GV2C       | 212°F                             | 100°C | Chrome | A\$ 123.00 |
| 5428113292                                           | GV3B       | 286°F                             | 141°C | Brass  | A\$ 108.73 |
| 5428213292                                           | GV3C       | 286°F                             | 141°C | Chrome | A\$ 123.00 |
| 6880050100                                           | WW2        | Wrench, W2, Pendent, Upright, HSW |       |        | A\$ 212.48 |



## G HSW

- K5.6 = SIN R1235
- K8.0 w 3/4"NPT = SIN R1237
- K8.0 w 1/2"NPT = SIN R1236
- See Bulletin 112


| Part Number                                             | Short Code | Temperature                       |       | Finish     | List Price |
|---------------------------------------------------------|------------|-----------------------------------|-------|------------|------------|
| MODEL G HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) R1235  |            |                                   |       |            |            |
| 5413113299                                              | GH0B       | 135°F                             | 57°C  | Brass      | A\$ 106.18 |
| 5413213299                                              | GH0C       | 135°F                             | 57°C  | Chrome     | A\$ 120.08 |
| 5416113299                                              | GH1B       | 165°F                             | 74°C  | Brass      | A\$ 106.18 |
| 5416213299                                              | GH1C       | 165°F                             | 74°C  | Chrome     | A\$ 120.08 |
| 5421113299                                              | GH2B       | 212°F                             | 100°C | Brass      | A\$ 106.18 |
| 5421213299                                              | GH2C       | 212°F                             | 100°C | Chrome     | A\$ 120.08 |
| 5428113299                                              | GH3B       | 286°F                             | 141°C | Brass      | A\$ 106.18 |
| 5428213299                                              | GH3C       | 286°F                             | 141°C | Chrome     | A\$ 120.08 |
| MODEL G HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) R1237 |            |                                   |       |            |            |
| 5413113498                                              | GH0LB      | 135°F                             | 57°C  | Brass      | A\$ 119.93 |
| 5413213498                                              | GH0LC      | 135°F                             | 57°C  | Chrome     | A\$ 132.72 |
| 5416113498                                              | GH1LB      | 165°F                             | 74°C  | Brass      | A\$ 119.93 |
| 5416213498                                              | GH1LC      | 165°F                             | 74°C  | Chrome     | A\$ 132.72 |
| 5421113498                                              | GH2LB      | 212°F                             | 100°C | Brass      | A\$ 119.93 |
| 5421213498                                              | GH2LC      | 212°F                             | 100°C | Chrome     | A\$ 132.72 |
| 5428113498                                              | GH3LB      | 286°F                             | 141°C | Brass      | A\$ 119.93 |
| 5428213498                                              | GH3LC      | 286°F                             | 141°C | Chrome     | A\$ 132.72 |
| MODEL G HORIZONTAL K8.0 (115) THREADS 1/2" (15MM) 1236  |            |                                   |       |            |            |
| 5413113499                                              | GH0LHB     | 135°F                             | 57°C  | Brass      | A\$ 143.28 |
| 5413213499                                              | GH0LHC     | 135°F                             | 57°C  | Chrome     | A\$ 155.93 |
| 5416113499                                              | GH1LHB     | 165°F                             | 74°C  | Brass      | A\$ 143.28 |
| 5416213499                                              | GH1LHC     | 165°F                             | 74°C  | Chrome     | A\$ 155.93 |
| 5421113499                                              | GH2LHB     | 212°F                             | 100°C | Brass      | A\$ 143.28 |
| 5421213499                                              | GH2LHC     | 212°F                             | 100°C | Chrome     | A\$ 155.93 |
| 5428113499                                              | GH3LHB     | 286°F                             | 141°C | Brass      | A\$ 143.28 |
| 5428213499                                              | GH3LHC     | 286°F                             | 141°C | Chrome     | A\$ 155.93 |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY         |            |                                   |       |            |            |
| 6800630001                                              | GF1B       | 1/2" (15mm)                       |       | Brass      | A\$ 39.00  |
| 6800600001                                              | GF1C       | 1/2" (15mm)                       |       | Chrome     | A\$ 21.01  |
| 6800640001                                              | GF1W       | 1/2" (15mm)                       |       | White      | A\$ 21.01  |
| 6801030000                                              | GF1LB      | 3/4" (20mm)                       |       | Brass      | A\$ 39.00  |
| 6801000000                                              | GF1LC      | 3/4" (20mm)                       |       | Chrome     | A\$ 21.01  |
| 6801040000                                              | GF1LW      | 3/4" (20mm)                       |       | White      | A\$ 21.01  |
| 6800930000                                              | GF1MB      | 10mm                              |       | Brass      | A\$ 38.96  |
| 6800900000                                              | GF1MC      | 10mm                              |       | Chrome     | A\$ 20.75  |
| 6800940003                                              | GF1MW      | 10mm                              |       | Poly White | A\$ 20.75  |
| 6880050100                                              | WW2        | Wrench, W2, Pendent, Upright, HSW |       |            | A\$ 212.48 |
| 6880100120                                              | WW4        | Wrench. W4, Recessed. Concealed   |       |            | A\$ 630.54 |



## G HSW

- K2.8 = SIN R1231
- K4.2 = SIN R1233
- See Bulletin 112

| Part Number                                            | Short Code | Temperature                       |       | Finish     | List Price |
|--------------------------------------------------------|------------|-----------------------------------|-------|------------|------------|
| MODEL G HORIZONTAL K2.8 (40) THREADS 1/2" (15MM) R1231 |            |                                   |       |            |            |
| 5413112499                                             | GH03B      | 135°F                             | 57°C  | Brass      | A\$ 132.72 |
| 5413212499                                             | GH03C      | 135°F                             | 57°C  | Chrome     | A\$ 144.82 |
| 5416112499                                             | GH13B      | 165°F                             | 74°C  | Brass      | A\$ 132.72 |
| 5416212499                                             | GH13C      | 165°F                             | 74°C  | Chrome     | A\$ 144.82 |
| 5421112499                                             | GH23B      | 212°F                             | 100°C | Brass      | A\$ 132.72 |
| 5421212499                                             | GH23C      | 212°F                             | 100°C | Chrome     | A\$ 144.82 |
| 5428112499                                             | GH33B      | 286°F                             | 141°C | Brass      | A\$ 132.72 |
| 5428212499                                             | GH33C      | 286°F                             | 141°C | Chrome     | A\$ 144.82 |
| MODEL G HORIZONTAL K4.2 (60) THREADS 1/2" (15MM) R1233 |            |                                   |       |            |            |
| 5413112899                                             | GH07B      | 135°F                             | 57°C  | Brass      | A\$ 132.72 |
| 5413212899                                             | GH07C      | 135°F                             | 57°C  | Chrome     | A\$ 144.82 |
| 5416112899                                             | GH17B      | 165°F                             | 74°C  | Brass      | A\$ 132.72 |
| 5416212899                                             | GH17C      | 165°F                             | 74°C  | Chrome     | A\$ 144.82 |
| 5421112899                                             | GH27B      | 212°F                             | 100°C | Brass      | A\$ 132.72 |
| 5421212899                                             | GH27C      | 212°F                             | 100°C | Chrome     | A\$ 144.82 |
| 5428112899                                             | GH37B      | 286°F                             | 141°C | Brass      | A\$ 132.72 |
| 5428212899                                             | GH37C      | 286°F                             | 141°C | Chrome     | A\$ 144.82 |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY        |            |                                   |       |            |            |
| 6800630001                                             | GF1B       | 1/2" (15mm)                       |       | Brass      | A\$ 39.00  |
| 6800600001                                             | GF1C       | 1/2" (15mm)                       |       | Chrome     | A\$ 21.01  |
| 6800640001                                             | GF1W       | 1/2" (15mm)                       |       | White      | A\$ 21.01  |
| 6801030000                                             | GF1LB      | 3/4" (20mm)                       |       | Brass      | A\$ 39.00  |
| 6801000000                                             | GF1LC      | 3/4" (20mm)                       |       | Chrome     | A\$ 21.01  |
| 6801040000                                             | GF1LW      | 3/4" (20mm)                       |       | White      | A\$ 21.01  |
| 6800930000                                             | GF1MB      | 10mm                              |       | Brass      | A\$ 38.96  |
| 6800900000                                             | GF1MC      | 10mm                              |       | Chrome     | A\$ 20.75  |
| 6800940003                                             | GF1MW      | 10mm                              |       | Poly White | A\$ 20.75  |
| 6880050100                                             | WW2        | Wrench, W2, Pendent, Upright, HSW |       |            | A\$ 212.48 |
| 6880100120                                             | WW4        | Wrench, W4, Recessed, Concealed   |       |            | A\$ 630.54 |



## G RECESSED

### Non-Adjustable -

- K2.8 = SIN R1011
- K4.2 = SIN R1013
- K5.6 = SIN R1015
- See Bulletin 110

| Part Number                                          | Short Code | Temperature |       | Finish     | List Price |
|------------------------------------------------------|------------|-------------|-------|------------|------------|
| MODEL G RECESSED K5.6 (80) THREADS 1/2" (15MM) R1015 |            |             |       |            |            |
| 5513343270                                           | GR0B       | 135°F       | 57°C  | W/O        | A\$ 110.39 |
| 5513323270                                           | GR0C       | 135°F       | 57°C  | W/O        | A\$ 101.96 |
| 5513463270                                           | GR0W       | 135°F       | 57°C  | Poly White | A\$ 110.39 |
| 5516343270                                           | GR1B       | 165°F       | 74°C  | Brass      | A\$ 110.39 |
| 5516323270                                           | GR1C       | 165°F       | 74°C  | Chrome     | A\$ 101.96 |
| 5516463270                                           | GR1W       | 165°F       | 74°C  | Poly White | A\$ 110.39 |
| 5521343270                                           | GR2B       | 212°F       | 100°C | W/O        | A\$ 110.39 |
| 5521323270                                           | GR2C       | 212°F       | 100°C | Chrome     | A\$ 101.96 |
| 5521463270                                           | GR2W       | 212°F       | 100°C | W/O        | A\$ 110.39 |
| MODEL G RECESSED K2.8 (40) THREADS 1/2" (15MM) R1011 |            |             |       |            |            |
| 5513342470                                           | GR03B      | 135°F       | 57°C  | W/O        | A\$ 150.30 |
| 5513322470                                           | GR03C      | 135°F       | 57°C  | W/O        | A\$ 142.62 |
| 5516342470                                           | GR13B      | 165°F       | 74°C  | Brass      | A\$ 150.30 |
|                                                      |            | °F          | °C    |            | A\$ Call   |
| 5521342470                                           | GR23B      | 212°F       | 100°C | W/O        | A\$ 150.30 |
| 5521322470                                           | GR23C      | 212°F       | 100°C | Chrome     | A\$ 142.62 |
| MODEL G RECESSED ESCUTCHEONS                         |            |             |       |            |            |
| 6801361101                                           | GRB        | Threaded    |       | Brass      | A\$ 62.28  |
| 6801362101                                           | GRC        | Threaded    |       | Chrome     | A\$ 32.58  |
| 6801367201                                           | GRW        | Threaded    |       | White      | A\$ 32.58  |
| 6801369001                                           | GRSP       | Threaded    |       | Specialty  | A\$ 80.10  |

6880100000      WRC      Requires Model RC1 Sprinkler Wrench      A\$ 630.54

### Notes:

Sprinklers and Escutcheons sold and packaged separately



## G (CONT.)

- K4.2 = SIN R1013
- K5.6 1"M AND 1"F SIN R1118
- See Bulletin 111

| Part Number                                          | Short Code | Temperature |       | Finish    | List Price |
|------------------------------------------------------|------------|-------------|-------|-----------|------------|
| MODEL G RECESSED K4.2 (40) THREADS 1/2" (15MM) R1013 |            |             |       |           |            |
| 5513342870                                           | GR07B      | 135°F       | 57°C  | W/O       | A\$ 150.30 |
| 5513322870                                           | GR07C      | 135°F       | 57°C  | W/O       | A\$ 142.62 |
| 5516342870                                           | GR17B      | 165°F       | 74°C  | Brass     | A\$ 150.30 |
|                                                      |            | °F          | °C    |           | A\$ Call   |
| 5521342870                                           | GR27B      | 212°F       | 100°C | W/O       | A\$ 150.30 |
| 5521322870                                           | GR27C      | 212°F       | 100°C | Chrome    | A\$ 142.62 |
| MODEL G RECESSED ESCUTCHEONS                         |            |             |       |           |            |
| 6801361101                                           | GRB        | Threaded    |       | Brass     | A\$ 62.28  |
| 6801362101                                           | GRC        | Threaded    |       | Chrome    | A\$ 32.58  |
| 6801367201                                           | GRW        | Threaded    |       | White     | A\$ 32.58  |
| 6801369001                                           | GRSP       | Threaded    |       | Specialty | A\$ 80.10  |

6880100000      WRC      For Recessed Use Model RC1 Wrench      A\$ 630.54

### Notes:

Sprinklers and Escutcheons sold and packaged separately



## G4 CONCEALED

- K2.8 = SIN R2111
- K4.2 = SIN R2113
- K5.6 = SIN R2115
- See Bulletin 121

| Sprinkler   | Coverplate |
|-------------|------------|
| 135°F/57°C  | 135°F/57°C |
| 165°F/74°C  | 165°F/74°C |
| 212°F/100°C | 165°F/74°C |

| Part Number                                            | Short Code | Temperature |       | Finish          | List Price |
|--------------------------------------------------------|------------|-------------|-------|-----------------|------------|
| MODEL G4 CONCEALED K5.6 (80) THREADS 1/2" (15MM) R2115 |            |             |       |                 |            |
| 5713173299                                             | G40        | 135°F       | 57°C  | W/O             | A\$ 108.03 |
| 5716173299                                             | G41        | 165°F       | 74°C  | W/O             | A\$ 104.82 |
| 5721173299                                             | G42        | 212°F       | 100°C | W/O             | A\$ 108.03 |
| MODEL G4 CONCEALED K2.8 (40) THREADS 1/2" (15MM) R2111 |            |             |       |                 |            |
| 5713172499                                             | G403       | 135°F       | 57°C  | W/O             | A\$ 115.27 |
| 5716172499                                             | G413       | 165°F       | 74°C  | W/O             | A\$ 115.27 |
| 5721172499                                             | G423       | 212°F       | 100°C | W/O             | A\$ 115.27 |
| MODEL G4 CONCEALED K4.2 (60) THREADS 1/2" (15MM) R2113 |            |             |       |                 |            |
| 5713172899                                             | G407       | 135°F       | 57°C  | W/O             | A\$ 115.27 |
| 5716172899                                             | G417       | 165°F       | 74°C  | W/O             | A\$ 115.27 |
| 5721172899                                             | G427       | 212°F       | 100°C | W/O             | A\$ 115.27 |
| MODEL G5 COVER PLATES                                  |            |             |       |                 |            |
| 6887271321                                             | CG50C      | 135°F       | 57°C  | Chrome          | A\$ 78.04  |
| 6887271372                                             | CG50W      | 135°F       | 57°C  | White           | A\$ 71.13  |
| 6887271390                                             | CG50SP     | 135°F       | 57°C  | Specialty       | A\$ 100.61 |
| 6887271374                                             | CG50OW     | 135°F       | 57°C  | Off-White       | A\$ 96.73  |
| 6887271316                                             | CG50FB     | 135°F       | 57°C  | Black Painted   | A\$ 96.86  |
| 6887271305                                             | CG50BB     | 135°F       | 57°C  | Bright Brass    | A\$ 122.79 |
| 6887271323                                             | CG50CD     | 135°F       | 57°C  | Satin Chrome    | A\$ 122.79 |
| 6887271310                                             | CG50SS     | 135°F       | 57°C  | Stainless Steel | A\$ 122.79 |
| 6887271311                                             | CG50B      | 135°F       | 57°C  | Finished Bronze | A\$ 101.44 |
| 6887271319                                             | CG50EW     | 135°F       | 57°C  | Euro White      | A\$ 71.13  |
| 6887271621                                             | CG51C      | 165°F       | 74°C  | Chrome          | A\$ 78.04  |
| 6887271672                                             | CG51W      | 165°F       | 74°C  | White           | A\$ 71.13  |
| 6887271690                                             | CG51SP     | 165°F       | 74°C  | Specialty       | A\$ 100.61 |
| 6887271674                                             | CG51OW     | 165°F       | 74°C  | Off-White       | A\$ 96.73  |
| 6887271690                                             | CG51SP     | 165°F       | 74°C  | Specialty       | A\$ 100.61 |
| 6887271616                                             | CG51FB     | 165°F       | 74°C  | Black Painted   | A\$ 96.86  |
| 6887271605                                             | CG51BB     | 165°F       | 74°C  | Bright Brass    | A\$ 122.79 |
| 6887271623                                             | CG51CD     | 165°F       | 74°C  | Satin Chrome    | A\$ 122.79 |
| 6887271610                                             | CG51SS     | 165°F       | 74°C  | Stainless Steel | A\$ 122.79 |
| 6887271619                                             | CG51EW     | 165°F       | 74°C  | Euro White      | A\$ 71.13  |

6880170000      WG4      Requires Model G4 Sprinkler Wrench      A\$ 628.07

### Notes:

Sprinklers and coverplates sold and packaged separately



## G4 -11CONCEALED

- K11.2 = SIN R101
- See Bulletin 086

| Part Number                                          | Short Code | Temperature                        |       | Finish          | List Price |
|------------------------------------------------------|------------|------------------------------------|-------|-----------------|------------|
| MODEL G4 -11 CONCEALED K11.2 (160) THREADS 3/4" R101 |            |                                    |       |                 |            |
| 1716173698                                           | G4111      | 165°F                              | 74°C  | W/O             | A\$ 231.70 |
| 1721173698                                           | G4112      | 212°F                              | 100°C | W/O             | A\$ 231.70 |
| MODEL G5 SR GASKET COVER PLATES                      |            |                                    |       |                 |            |
| 6887031372                                           | CG4S0W     | 135°F                              | 57°C  | White           | A\$ 181.92 |
| 6887031672                                           | CG4S1W     | 165°F                              | 74°C  | White           | A\$ 181.92 |
| MODEL G5 QR GASKET COVER PLATES                      |            |                                    |       |                 |            |
| 6887201372                                           | CG5S0W     | 135°F                              | 57°C  | White           | A\$ 181.92 |
| 6887201672                                           | CG5S1W     | 165°F                              | 74°C  | White           | A\$ 181.92 |
| MODEL G5 COVER PLATES                                |            |                                    |       |                 |            |
| 6887271321                                           | CG50C      | 135°F                              | 57°C  | Chrome          | A\$ 78.04  |
| 6887271372                                           | CG50W      | 135°F                              | 57°C  | White           | A\$ 71.13  |
| 6887271390                                           | CG50SP     | 135°F                              | 57°C  | Specialty       | A\$ 100.61 |
| 6887271374                                           | CG50OW     | 135°F                              | 57°C  | Off-White       | A\$ 96.73  |
| 6887271316                                           | CG50FB     | 135°F                              | 57°C  | Black Painted   | A\$ 96.86  |
| 6887271305                                           | CG50BB     | 135°F                              | 57°C  | Bright Brass    | A\$ 122.79 |
| 6887271323                                           | CG50CD     | 135°F                              | 57°C  | Satin Chrome    | A\$ 122.79 |
| 6887271310                                           | CG50SS     | 135°F                              | 57°C  | Stainless Steel | A\$ 122.79 |
| 6887271311                                           | CG50B      | 135°F                              | 57°C  | Finished Bronze | A\$ 101.44 |
| 6887271319                                           | CG50EW     | 135°F                              | 57°C  | Euro White      | A\$ 71.13  |
| 6887271621                                           | CG51C      | 165°F                              | 74°C  | Chrome          | A\$ 78.04  |
| 6887271672                                           | CG51W      | 165°F                              | 74°C  | White           | A\$ 71.13  |
| 6887271690                                           | CG51SP     | 165°F                              | 74°C  | Specialty       | A\$ 100.61 |
| 6887271674                                           | CG51OW     | 165°F                              | 74°C  | Off-White       | A\$ 96.73  |
| 6887271690                                           | CG51SP     | 165°F                              | 74°C  | Specialty       | A\$ 100.61 |
| 6887271616                                           | CG51FB     | 165°F                              | 74°C  | Black Painted   | A\$ 96.86  |
| 6887271605                                           | CG51BB     | 165°F                              | 74°C  | Bright Brass    | A\$ 122.79 |
| 6887271623                                           | CG51CD     | 165°F                              | 74°C  | Satin Chrome    | A\$ 122.79 |
| 6887271610                                           | CG51SS     | 165°F                              | 74°C  | Stainless Steel | A\$ 122.79 |
| 6887271619                                           | CG51EW     | 165°F                              | 74°C  | Euro White      | A\$ 71.13  |
| 6880170000                                           | WG4        | Requires Model G4 Sprinkler Wrench |       |                 | A\$ 628.07 |

### Notes:

Sprinklers and coverplates sold and packaged separately



## G4-300 CONCEALED

- K-Factor = 5.6 (80)
- **SIN R6115**
- See Bulletin 161

| Sprinkler   | Coverplate |
|-------------|------------|
| 135°F/57°C  | 135°F/57°C |
| 165°F/74°C  | 165°F/74°C |
| 212°F/100°C | 165°F/74°C |

| Part Number                                                  | Short Code | Temperature                        |       | Finish          | List Price |
|--------------------------------------------------------------|------------|------------------------------------|-------|-----------------|------------|
| MODEL G4 - 300 CONCEALED K5.6 (80) THREADS 1/2" (15MM) R6115 |            |                                    |       |                 |            |
| 57A1173299                                                   | G40300     | 135°F                              | 57°C  | W/O             | A\$ 111.92 |
| 57A2173299                                                   | G41300     | 165°F                              | 74°C  | W/O             | A\$ 111.92 |
| 57A6173299                                                   | G42300     | 212°F                              | 100°C | W/O             | A\$ 111.92 |
| MODEL G5 COVER PLATES                                        |            |                                    |       |                 |            |
| 6887271321                                                   | CG50C      | 135°F                              | 57°C  | Chrome          | A\$ 78.04  |
| 6887271372                                                   | CG50W      | 135°F                              | 57°C  | White           | A\$ 71.13  |
| 6887271311                                                   | CG50B      | 135°F                              | 57°C  | Finished Bronze | A\$ 101.44 |
| 6887271374                                                   | CG50OW     | 135°F                              | 57°C  | Off-White       | A\$ 96.73  |
| 6887271390                                                   | CG50SP     | 135°F                              | 57°C  | Specialty       | A\$ 100.61 |
| 6887271316                                                   | CG50FB     | 135°F                              | 57°C  | Black Painted   | A\$ 96.86  |
| 6887271305                                                   | CG50BB     | 135°F                              | 57°C  | Bright Brass    | A\$ 122.79 |
| 6887271323                                                   | CG50CD     | 135°F                              | 57°C  | Satin Chrome    | A\$ 122.79 |
| 6887271310                                                   | CG50SS     | 135°F                              | 57°C  | Stainless Steel | A\$ 122.79 |
| 6887271319                                                   | CG50EW     | 135°F                              | 57°C  | Euro White      | A\$ 71.13  |
| 6887271621                                                   | CG51C      | 165°F                              | 74°C  | Chrome          | A\$ 78.04  |
| 6887271672                                                   | CG51W      | 165°F                              | 74°C  | White           | A\$ 71.13  |
| 6887271611                                                   | CG51B      | 165°F                              | 74°C  | Finished Bronze | A\$ 101.44 |
| 6887271674                                                   | CG51OW     | 165°F                              | 74°C  | Off-White       | A\$ 96.73  |
| 6887271690                                                   | CG51SP     | 165°F                              | 74°C  | Specialty       | A\$ 100.61 |
| 6887271616                                                   | CG51FB     | 165°F                              | 74°C  | Black Painted   | A\$ 96.86  |
| 6887271605                                                   | CG51BB     | 165°F                              | 74°C  | Bright Brass    | A\$ 122.79 |
| 6887271623                                                   | CG51CD     | 165°F                              | 74°C  | Satin Chrome    | A\$ 122.79 |
| 6887271610                                                   | CG51SS     | 165°F                              | 74°C  | Stainless Steel | A\$ 122.79 |
| 6887271619                                                   | CG51EW     | 165°F                              | 74°C  | Euro White      | A\$ 71.13  |
| 6880170000                                                   | WG4        | Requires Model G4 Sprinkler Wrench |       |                 | A\$ 628.07 |

### Notes:

Sprinklers and coverplates sold and packaged separately



## G5-80F

- K-Factor = 8.0(115)
- **SIN RA3417**
- See Bulletin 034

| Part Number                                                       | Short Code | Temperature |       | Finish          | List Price |
|-------------------------------------------------------------------|------------|-------------|-------|-----------------|------------|
| MODEL G5-80F CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3417      |            |             |       |                 |            |
| 1916173497                                                        | G5801BFM   | 165°F       | 74°C  | W/O             | A\$144.52  |
| 1921173497                                                        | G5802BFM   | 212°F       | 100°C | W/O             | A\$144.52  |
| MODEL G5-80F CONCEALED K8.0 (115) THREADS BSPT 3/4" (20MM) RA3417 |            |             |       |                 |            |
| 1916173494                                                        | G5801MFM   | 165°F       | 74°C  | W/O             | A\$144.52  |
| 1921173494                                                        | G5802MFM   | 212°F       | 100°C | W/O             | A\$144.52  |
| MODEL G5 COVERPLATES                                              |            |             |       |                 |            |
| 6887271321                                                        | CG50C      | 135°F       | 57°C  | Chrome          | A\$ 78.04  |
| 6887271372                                                        | CG50W      | 135°F       | 57°C  | White           | A\$ 71.13  |
| 6887271311                                                        | CG50B      | 135°F       | 57°C  | Finished Bronze | A\$101.44  |
| 6887271374                                                        | CG50OW     | 135°F       | 57°C  | Off-White       | A\$ 96.73  |
| 6887271390                                                        | CG50SP     | 135°F       | 57°C  | Specialty       | A\$100.61  |
| 6887271316                                                        | CG50FB     | 135°F       | 57°C  | Black Painted   | A\$ 96.86  |
| 6887271305                                                        | CG50BB     | 135°F       | 57°C  | Bright Brass    | A\$122.79  |
| 6887271323                                                        | CG50CD     | 135°F       | 57°C  | Satin Chrome    | A\$122.79  |
| 6887271310                                                        | CG50SS     | 135°F       | 57°C  | Stainless Steel | A\$122.79  |
| 6887271319                                                        | CG50EW     | 135°F       | 57°C  | Euro White      | A\$ 71.13  |
| 6887271621                                                        | CG51C      | 165°F       | 74°C  | Chrome          | A\$ 78.04  |
| 6887271672                                                        | CG51W      | 165°F       | 74°C  | White           | A\$ 71.13  |
| 6887271611                                                        | CG51B      | 165°F       | 74°C  | Finished Bronze | A\$101.44  |
| 6887271674                                                        | CG51OW     | 165°F       | 74°C  | Off-White       | A\$ 96.73  |
| 6887271690                                                        | CG51SP     | 165°F       | 74°C  | Specialty       | A\$100.61  |
| 6887271616                                                        | CG51FB     | 165°F       | 74°C  | Black Painted   | A\$ 96.86  |
| 6887271605                                                        | CG51BB     | 165°F       | 74°C  | Bright Brass    | A\$122.79  |
| 6887271610                                                        | CG51SS     | 165°F       | 74°C  | Stainless Steel | A\$122.79  |
| 6887271623                                                        | CG51CD     | 165°F       | 74°C  | Satin Chrome    | A\$122.79  |
| 6887271619                                                        | CG51EW     | 165°F       | 74°C  | Euro White      | A\$ 71.13  |

|            |     |                                          |            |
|------------|-----|------------------------------------------|------------|
| 6880170020 | WFC | WRENCH,FC,CONCEALED                      | A\$ 633.90 |
| 6880100110 | W3  | WRENCH W3 FOR WRENCH-ABLE PROTECTIVE CAP | A\$ 633.90 |

### Notes:

Factory Mutual does not recognize or approve fully concealed as Quick Response. sprinklers



## G5-80 SR "Sealing" Concealed

- K-Factor = 8.0 (115)
- **SIN RA3412**
- See Bulletin 034

## G5-80F "Sealing" Concealed

- K-Factor = 8.0 (115)
- **SIN RA3417**
- See Bulletin 034

## G5-56 SR "Sealing" Concealed

- K-Factor = 5.6 (80)
- **SIN RA3415**
- See Bulletin 034

## G5-42 SR "Sealing" Concealed

- K-Factor = 4.2 (60)
- **SIN RA3413**
- See Bulletin 034

## G5-28 SR "Sealing" Concealed

- K-Factor = 2.8 (40)
- **SIN RA3411**
- See Bulletin 034

| Part Number                                                            | Short Code | Temperature              |       | Finish          | List Price |
|------------------------------------------------------------------------|------------|--------------------------|-------|-----------------|------------|
| MODEL G5-80 SR SEALING CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3412 |            |                          |       |                 |            |
| 1916173498                                                             | G5801B     | 165°F                    | 74°C  | W/O             | A\$ 137.00 |
| 1921173498                                                             | G5802B     | 212°F                    | 100°C | W/O             | A\$ 137.00 |
| MODEL G5-80F SEALING CONCEALED K8.0 (115) 3/4" (20MM) RA3417           |            |                          |       |                 |            |
| 1916173497                                                             | G5801BFM   | 165°F                    | 74°C  | W/O             | A\$ 144.52 |
| 1921173497                                                             | G5802BFM   | 212°F                    | 100°C | W/O             | A\$ 144.52 |
| MODEL G5-80F SEALING CONCEALED K8.0 (115) BSPT 3/4" (20MM) RA3417      |            |                          |       |                 |            |
| 1916173494                                                             | G5801MFM   | 165°F                    | 74°C  | W/O             | A\$ 144.52 |
| 1921173494                                                             | G5802MFM   | 212°F                    | 100°C | W/O             | A\$ 144.52 |
| MODEL G5-56 SR SEALING CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA3415  |            |                          |       |                 |            |
| 1916173299                                                             | G51B       | 165°F                    | 74°C  | W/O             | A\$ 110.48 |
| 1921173299                                                             | G52B       | 212°F                    | 100°C | W/O             | A\$ 110.48 |
| MODEL G5-42 SR SEALING CONCEALED K4.2 (60) THREADS 1/2" RA3413         |            |                          |       |                 |            |
| 1916172899                                                             | G5421B     | 165°F                    | 74°C  | W/O             | A\$ 137.00 |
| 1921172899                                                             | G5422B     | 212°F                    | 100°C | W/O             | A\$ 137.00 |
| MODEL G5-28 SR SEALING CONCEALED K2.8 (40) THREADS 1/2" (15MM) RA3411  |            |                          |       |                 |            |
| 1916172499                                                             | G5281B     | 165°F                    | 74°C  | W/O             | A\$ 137.00 |
| 1921172499                                                             | G5282B     | 212°F                    | 100°C | W/O             | A\$ 137.00 |
| MODEL G5 SEALING CONCEALED COVER PLATES                                |            |                          |       |                 |            |
| 6887031372                                                             | CG4S0W     | 135°F                    | 57°C  | White           | A\$ 181.92 |
| 6887031672                                                             | CG4S1W     | 165°F                    | 74°C  | White           | A\$ 181.92 |
| 6887031310                                                             | CG4S0SS    | 135°F                    | 57°C  | Stainless Steel | A\$ 196.48 |
| 6887031610                                                             | CG4S1SS    | 165°F                    | 74°C  | Stainless Steel | A\$ 196.48 |
| 6880170020                                                             | WFC        | Requires Model FC Wrench |       |                 | A\$ 633.90 |

### Notes:

Sprinklers and coverplates sold and packaged separately



**G5-56 300 SR**  
**"Sealing"**  
**Concealed**

- K-Factor = 5.6 (80)
- **SIN RA4014**
- See Bulletin 034

| Part Number                                                               | Short Code | Temperature |      | Finish          | List Price |
|---------------------------------------------------------------------------|------------|-------------|------|-----------------|------------|
| MODEL G5-56 300 SR SEALING CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA4014 |            |             |      |                 |            |
| 2016173299                                                                | G51B3      | 165°F       | 74°C | W/O             | A\$ 116.76 |
| MODEL G5 SEALING CONCEALED COVER PLATE                                    |            |             |      |                 |            |
| 6887031372                                                                | CG4S0W     | 135°F       | 57°C | White           | A\$ 181.92 |
| 6887031672                                                                | CG4S1W     | 165°F       | 74°C | White           | A\$ 181.92 |
| 6887031310                                                                | CG4S0SS    | 135°F       | 57°C | Stainless Steel | A\$ 196.48 |
| 6887031610                                                                | CG4S1SS    | 165°F       | 74°C | Stainless Steel | A\$ 196.48 |

|            |     |                          |            |
|------------|-----|--------------------------|------------|
| 6880170020 | WFC | Requires Model FC Wrench | A\$ 633.90 |
|------------|-----|--------------------------|------------|

**Notes:**

Sprinklers and coverplates sold and packaged separately



## G6-80 HSW QR EC


- K-Factor = 8.0 (115)
- **SIN RA4762**
- See Bulletin 047

| Part Number                                                       | Short Code | Temperature |      | Finish          | List Price |
|-------------------------------------------------------------------|------------|-------------|------|-----------------|------------|
| MODEL G6-80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA4762      |            |             |      |                 |            |
| 2116173498                                                        | G61B       | 165°F       | 74°C | W/O             | A\$ 258.56 |
| MODEL G6-80 HORIZONTAL K8.0 (115) BSPT THREADS 3/4" (20MM) RA4762 |            |             |      |                 |            |
| 2116173495                                                        | G61BM      | 165°F       | 74°C | W/O             | A\$ 258.56 |
| MODEL G6 PLAIN COVERPLATES                                        |            |             |      |                 |            |
| 6887211311                                                        | CG60B      | 135°F       | 57°C | Finished Bronze | A\$ 102.92 |
| 6887211321                                                        | CG60C      | 135°F       | 57°C | Chrome          | A\$ 71.13  |
| 6887211372                                                        | CG60W      | 135°F       | 57°C | White           | A\$ 71.13  |
| 6887211390                                                        | CG60SP     | 135°F       | 57°C | Specialty       | A\$ 107.31 |

|            |     |                                    |            |
|------------|-----|------------------------------------|------------|
| 6880101010 | WG6 | Requires Model G6 Sprinkler Wrench | A\$ 628.07 |
|------------|-----|------------------------------------|------------|

### Notes:

Sprinkler and cover plates packaged and sold separately



## JL112 & J112 UPRIGHT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7326**
- **J112 (Bulb) = SIN RA7326**
- See Bulletin 172
- **J112 (Stainless Steel) = SIN R7826**
- See Bulletin 178
- 286 degree available upon request

| Part Number                                               | Short Code | Temperature |       | Finish          | List Price |          |
|-----------------------------------------------------------|------------|-------------|-------|-----------------|------------|----------|
| MODEL JL112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R7326 |            |             |       |                 |            |          |
| L192114198                                                | JL112U1B   | 165°F       | 74°C  | Brass           | A\$        | 148.86   |
| L192214198                                                | JL112U1C   | 165°F       | 74°C  | Chrome          | A\$        | 154.59   |
| L192874198                                                | JL112U1W   | 165°F       | 74°C  | White           | A\$        | 154.59   |
| L194114198                                                | JL112U2B   | 212°F       | 100°C | Brass           | A\$        | 148.86   |
| L194214198                                                | JL112U2C   | 212°F       | 100°C | Chrome          | A\$        | 154.59   |
| L194874198                                                | JL112U2W   | 212°F       | 100°C | White           | A\$        | 154.59   |
| MODEL J112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) RA7326 |            |             |       |                 |            |          |
| L292114198                                                | J112U1B    | 155°F       | 68°C  | Brass           | A\$        | 150.83   |
| L292214198                                                | J112U1C    | 155°F       | 68°C  | Chrome          | A\$        | 156.46   |
| L292874198                                                | J112U1W    | 155°F       | 68°C  | White           | A\$        | 156.46   |
| L292104198                                                | J112U1SS   | 155°F       | 68°C  | Stainless Steel | A\$        | 1,403.20 |
| L294114198                                                | J112U2B    | 200°F       | 93°C  | Brass           | A\$        | 150.83   |
| L294214198                                                | J112U2C    | 200°F       | 93°C  | Chrome          | A\$        | 156.46   |
| L294874198                                                | J112U2W    | 200°F       | 93°C  | Poly White      | A\$        | 156.46   |
| L294104198                                                | J112U2SS   | 200°F       | 93°C  | Stainless Steel | A\$        | 1,403.20 |



## JL112 & J112 PENDENT & RECESSED PENDENT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7216**
- **J112 (Bulb) = SIN RA7216**
- See Bulletin 172
- **J112 (Stainless Steel) = SIN R7816**
- See Bulletin 178
- 286 degree available upon request

| Part Number                                               | Short Code | Temperature |       | Finish          | List Price |          |
|-----------------------------------------------------------|------------|-------------|-------|-----------------|------------|----------|
| MODEL JL112 PENDENT K11.2 (160) THREADS 3/4" (20MM) R7216 |            |             |       |                 |            |          |
| L172114198                                                | JL112P1B   | 165°F       | 74°C  | Brass           | A\$        | 148.86   |
| L172214198                                                | JL112P1C   | 165°F       | 74°C  | Chrome          | A\$        | 154.59   |
| L172874198                                                | JL112P1W   | 165°F       | 74°C  | Poly White      | A\$        | 154.59   |
| L174114198                                                | JL112P2B   | 212°F       | 100°C | Brass           | A\$        | 148.86   |
| L174214198                                                | JL112P2C   | 212°F       | 100°C | Chrome          | A\$        | 154.59   |
| L174874198                                                | JL112P2W   | 212°F       | 100°C | Poly White      | A\$        | 154.59   |
| MODEL J112 PENDENT K11.2 (160) THREADS 3/4" RA7216        |            |             |       |                 |            |          |
| L272114198                                                | J112P1B    | 155°F       | 68°C  | Brass           | A\$        | 150.83   |
| L272214198                                                | J112P1C    | 155°F       | 68°C  | Chrome          | A\$        | 156.46   |
| L272874198                                                | J112P1W    | 155°F       | 68°C  | Poly White      | A\$        | 156.46   |
| L272104198                                                | J112P1SS   | 155°F       | 68°C  | Stainless Steel | A\$        | 1,403.20 |
| L274114198                                                | J112P2B    | 200°F       | 93°C  | Brass           | A\$        | 150.83   |
| L274214198                                                | J112P2C    | 200°F       | 93°C  | Chrome          | A\$        | 156.46   |
| L274874198                                                | J112P2W    | 200°F       | 93°C  | White           | A\$        | 156.46   |
| L274104198                                                | J112P2SS   | 200°F       | 93°C  | Stainless Steel | A\$        | 1,403.20 |

| Part Number                                    | Short Code | Temperature | Finish          | List Price |
|------------------------------------------------|------------|-------------|-----------------|------------|
| MODEL F1 RECESSED ESCUTCHEON & COLLAR ASSEMBLY |            |             |                 |            |
| 6801030000                                     | GF1LB      | 3/4" (20mm) | Brass           | A\$ 39.00  |
| 6801000000                                     | GF1LC      | 3/4" (20mm) | Chrome          | A\$ 21.01  |
| 6801040000                                     | GF1LW      | 3/4" (20mm) | White           | A\$ 21.01  |
| 6800970010                                     | GF1LSS     | 3/4" (20mm) | Stainless Steel | A\$123.79  |
| MODEL F2 RECESSED ESCUTCHEON & COLLAR ASSEMBLY |            |             |                 |            |
| 6800880004                                     | GF2LB      | 3/4" (20mm) | Brass           | A\$ 39.00  |
| 6800880001                                     | GF2LC      | 3/4" (20mm) | Chrome          | A\$ 21.01  |
| 6800880005                                     | GF2LW      | 3/4" (20mm) | White           | A\$ 21.01  |
| MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEON         |            |             |                 |            |
| 6801402100                                     | FPLC       | 3/4" (20mm) | Chrome          | A\$ 40.55  |
| 6801407200                                     | FPLW       | 3/4" (20mm) | White           | A\$ 40.55  |
| 6801401000                                     | FPLSS      | 3/4" (20mm) | Stainless Steel | A\$185.70  |

6880090000  
6880170032

WJ1  
WRJ

Upright & Pendent Requires Model J1 Sprinkler Wrench A\$ 252.70  
Rec Pendent Requires Model J112 Sprinkler Wrench A\$ 628.07



## F1FR56 QREC

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028



## F1FR80 QREC PENDENT

- K-Factor = 8.0  
(115)
- **SIN R4842**
- See Bulletin 148

| Part Number                                                     | Short Code  | Temperature                       |      | Finish     | List Price |
|-----------------------------------------------------------------|-------------|-----------------------------------|------|------------|------------|
| MODEL F1FR56 QREC PENDANT K 5.6 (80) THREADS 1/2" (15MM) RA2845 |             |                                   |      |            |            |
| BB131130S9                                                      | F1FR56EC0BN | 135°F                             | 57°C | Brass      | A\$ 114.30 |
| BB132130S9                                                      | F1FR56EC0CN | 135°F                             | 57°C | Chrome     | A\$ 125.30 |
| BB138730S9                                                      | F1FR56EC0WN | 135°F                             | 57°C | White      | A\$ 131.04 |
| BB151130S9                                                      | F1FR56EC1BN | 155°F                             | 68°C | Brass      | A\$ 114.30 |
| BB152130S9                                                      | F1FR56EC1CN | 155°F                             | 68°C | Chrome     | A\$ 125.30 |
| BB158730S9                                                      | F1FR56EC1WN | 155°F                             | 68°C | Poly White | A\$ 131.04 |
| MODEL F1FR80 QREC PENDENT K8.0 (115) THREADS 3/4" (20MM) RA4842 |             |                                   |      |            |            |
| BJ131139S8                                                      | F1FREC0LBN  | 135°F                             | 57°C | Brass      | A\$ 121.24 |
| BJ132139S8                                                      | F1FREC0LCN  | 135°F                             | 57°C | Chrome     | A\$ 132.10 |
| BJ138739S8                                                      | F1FREC0LWN  | 135°F                             | 57°C | White      | A\$ 142.58 |
| BJ151139S8                                                      | F1FREC1LBN  | 155°F                             | 68°C | Brass      | A\$ 121.24 |
| BJ152139S8                                                      | F1FREC1LCN  | 155°F                             | 68°C | Chrome     | A\$ 132.10 |
| BJ158739S8                                                      | F1FREC1LWN  | 155°F                             | 68°C | White      | A\$ 142.58 |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                 |             |                                   |      |            |            |
| 6800830000                                                      | GF2B        | 1/2" (15mm)                       |      | Brass      | A\$ 39.00  |
| 6800800000                                                      | GF2C        | 1/2" (15mm)                       |      | Chrome     | A\$ 21.01  |
| 6800840000                                                      | GF2W        | 1/2" (15mm)                       |      | White      | A\$ 21.01  |
| 6800880004                                                      | GF2LB       | 3/4" (20mm)                       |      | Brass      | A\$ 39.00  |
| 6800880001                                                      | GF2LC       | 3/4" (20mm)                       |      | Chrome     | A\$ 21.01  |
| 6800880005                                                      | GF2LW       | 3/4" (20mm)                       |      | White      | A\$ 21.01  |
| 6880050100                                                      | WW2         | Wrench, W2, Pendent, Upright, HSW |      |            | A\$ 212.48 |
| 6880100120                                                      | WW4         | Wrench, W4, Recessed, Concealed   |      |            | A\$ 630.54 |



## F1FR56-300 QREC

- K-Factor = 5.6 (80)
- **SIN RA3045**
- See Bulletin 030
- **300 PSI**



## F1FR80-300 QREC

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 159
- **300 PSI**

| Part Number                                                        | Short Code   | Temperature                       |      | Finish     | List Price |
|--------------------------------------------------------------------|--------------|-----------------------------------|------|------------|------------|
| MODEL F1FR56-300 QREC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA3045 |              |                                   |      |            |            |
| BH131132S9                                                         | F1FR56EC0B3N | 135°F                             | 57°C | Brass      | A\$ 126.20 |
| BH132132S9                                                         | F1FR56EC0C3N | 135°F                             | 57°C | Chrome     | A\$ 126.20 |
| BH138732S9                                                         | F1FR56EC0W3N | 135°F                             | 57°C | Poly White | A\$ 126.20 |
| BH151132S9                                                         | F1FR56EC1B3N | 155°F                             | 68°C | Brass      | A\$ 126.20 |
| BH152132S9                                                         | F1FR56EC1C3N | 155°F                             | 68°C | Chrome     | A\$ 131.27 |
| BH158732S9                                                         | F1FR56EC1W3N | 155°F                             | 68°C | Poly White | A\$ 137.14 |
| MODEL F1FR80-300 QREC PENDENT K8.0 (115) THREADS 3/4" (20MM) R5942 |              |                                   |      |            |            |
| BH131139S8                                                         | F1FREC0LB3N  | 135°F                             | 57°C | Brass      | A\$ 125.83 |
| BH132139S8                                                         | F1FREC0LC3N  | 135°F                             | 57°C | Chrome     | A\$ 137.14 |
| BH138739S8                                                         | F1FREC0LW3N  | 135°F                             | 57°C | Poly White | A\$ 148.07 |
| BH151139S8                                                         | F1FREC1LB3N  | 155°F                             | 68°C | Brass      | A\$ 125.83 |
| BH152139S8                                                         | F1FREC1LC3N  | 155°F                             | 68°C | Chrome     | A\$ 137.14 |
| BH158739S8                                                         | F1FREC1LW3N  | 155°F                             | 68°C | Poly White | A\$ 148.07 |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                    |              |                                   |      |            |            |
| 6800630001                                                         | GF1B         | 1/2" (15mm)                       |      | Brass      | A\$ 39.00  |
| 6800600001                                                         | GF1C         | 1/2" (15mm)                       |      | Chrome     | A\$ 21.01  |
| 6800640001                                                         | GF1W         | 1/2" (15mm)                       |      | White      | A\$ 21.01  |
| 6801030000                                                         | GF1LB        | 3/4" (20mm)                       |      | Brass      | A\$ 39.00  |
| 6801000000                                                         | GF1LC        | 3/4" (20mm)                       |      | Chrome     | A\$ 21.01  |
| 6801040000                                                         | GF1LW        | 3/4" (20mm)                       |      | White      | A\$ 21.01  |
| 6880050100                                                         | WW2          | Wrench, W2, Pendent, Upright, HSW |      |            | A\$ 212.48 |
| 6880100120                                                         | WW4          | Wrench, W4, Recessed, Concealed   |      |            | A\$ 630.54 |



## F1FR80-300 QREC HORIZONTAL SIDEWALL (EC-9 DEFLECTOR)

- K-Factor = 8.0  
(115)
- **SIN RA5962**
- See Bulletin 159
- 300 PSI



## F1FR80-300 QREC RECESSED HORIZONTAL SIDEWALL (EC-9 DEFLECTOR)

- K-Factor = 8.0  
(115)
- **SIN R5962**
- See Bulletin 159
- 300 PSI

| Part Number                                                          | Short Code  | Temperature |      | Finish     | List Price |
|----------------------------------------------------------------------|-------------|-------------|------|------------|------------|
| MODEL F1FR80-300 QREC SIDEWALL K8.0 (115) THREADS 3/4" (20MM) RA5962 |             |             |      |            |            |
| BH131135S8                                                           | F1FREC90B3N | 135°F       | 57°C | Brass      | A\$ 116.87 |
| BH132135S8                                                           | F1FREC90C3N | 135°F       | 57°C | Chrome     | A\$ 124.07 |
| BH138735S8                                                           | F1FREC90W3N | 135°F       | 57°C | Poly White | A\$ 131.87 |
| BH151135S8                                                           | F1FREC91B3N | 155°F       | 68°C | Brass      | A\$ 116.87 |
| BH152135S8                                                           | F1FREC91C3N | 155°F       | 68°C | Chrome     | A\$ 124.07 |
| BH158735S8                                                           | F1FREC91W3N | 155°F       | 68°C | White      | A\$ 131.87 |
| BH171135S8                                                           | F1FREC95B3N | 175°F       | 79°C | Brass      | A\$ 116.87 |
| BH172135S8                                                           | F1FREC95C3N | 175°F       | 79°C | Chrome     | A\$ 124.07 |
| BH178735S8                                                           | F1FREC95W3N | 175°F       | 79°C | Poly White | A\$ 131.87 |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                      |             |             |      |            |            |
| 6800880004                                                           | GF2LB       | 3/4" (20mm) |      | Brass      | A\$ 39.00  |
| 6800880001                                                           | GF2LC       | 3/4" (20mm) |      | Chrome     | A\$ 21.01  |
| 6800880005                                                           | GF2LW       | 3/4" (20mm) |      | White      | A\$ 21.01  |

|            |     |                                   |            |
|------------|-----|-----------------------------------|------------|
| 6880050100 | WW2 | Wrench, W2, Pendent, Upright, HSW | A\$ 212.48 |
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed   | A\$ 630.54 |



## F1FR56 QREC HORIZONTAL SIDEWALL (EC-8 DEFLECTOR)

- K-Factor = 5.6 (80)
- **SIN RA2865**
- See Bulletin 028



## F1FR80 QREC HORIZONTAL SIDEWALL (EC-9 DEFLECTOR)

- K-Factor = 8.0 (115)
- **SIN R4862**
- See Bulletin 148

| Part Number                                                      | Short Code   | Temperature |      | Finish     | List Price |
|------------------------------------------------------------------|--------------|-------------|------|------------|------------|
| MODEL F1FR56 QREC SIDEWALL K5.6 (80) THREADS 1/2" (15MM) RA2865  |              |             |      |            |            |
| BD131130S9                                                       | F1FR56EC80BN | 135°F       | 57°C | Brass      | A\$ 103.79 |
| BD132130S9                                                       | F1FR56EC80CN | 135°F       | 57°C | Chrome     | A\$ 110.30 |
| BD138730S9                                                       | F1FR56EC80WN | 135°F       | 57°C | Poly White | A\$ 118.32 |
| BD151130S9                                                       | F1FR56EC81BN | 155°F       | 68°C | Brass      | A\$ 103.79 |
| BD152130S9                                                       | F1FR56EC81CN | 155°F       | 68°C | Chrome     | A\$ 110.30 |
| BD158730S9                                                       | F1FR56EC81WN | 155°F       | 68°C | Poly White | A\$ 118.32 |
| BD171130S9                                                       | F1FR56EC85BN | 175°F       | 79°C | Brass      | A\$ 103.79 |
| BD172130S9                                                       | F1FR56EC85CN | 175°F       | 79°C | Chrome     | A\$ 110.30 |
| BD178730S9                                                       | F1FR56EC85WN | 175°F       | 79°C | Poly White | A\$ 118.32 |
| MODEL F1FR80 QREC SIDEWALL K8.0 (115) THREADS 3/4" (20MM) RA4862 |              |             |      |            |            |
| BK131135S8                                                       | F1FREC90B    | 135°F       | 57°C | Brass      | A\$ 111.38 |
| BK132135S8                                                       | F1FREC90CN   | 135°F       | 57°C | Chrome     | A\$ 118.32 |
| BK138735S8                                                       | F1FREC90WN   | 135°F       | 57°C | Poly White | A\$ 125.80 |
| BK151135S8                                                       | F1FREC91BN   | 155°F       | 68°C | Brass      | A\$ 111.38 |
| BK152135S8                                                       | F1FREC91CN   | 155°F       | 68°C | Chrome     | A\$ 118.32 |
| BK158735S8                                                       | F1FREC91WN   | 155°F       | 68°C | Poly White | A\$ 125.80 |
| BK171135S8                                                       | F1FREC95BN   | 175°F       | 79°C | Brass      | A\$ 111.38 |
| BK172135S8                                                       | F1FREC95CN   | 175°F       | 79°C | Chrome     | A\$ 118.32 |
| BK178735S8                                                       | F1FREC95WN   | 175°F       | 79°C | White      | A\$ 125.80 |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                  |              |             |      |            |            |
| 6800830000                                                       | GF2B         | 1/2" (15mm) |      | Brass      | A\$ 39.00  |
| 6800800000                                                       | GF2C         | 1/2" (15mm) |      | Chrome     | A\$ 21.01  |
| 6800840000                                                       | GF2W         | 1/2" (15mm) |      | White      | A\$ 21.01  |
| 6800880004                                                       | GF2LB        | 3/4" (20mm) |      | Brass      | A\$ 39.00  |
| 6800880001                                                       | GF2LC        | 3/4" (20mm) |      | Chrome     | A\$ 21.01  |
| 6800880005                                                       | GF2LW        | 3/4" (20mm) |      | White      | A\$ 21.01  |

|            |     |                                   |            |
|------------|-----|-----------------------------------|------------|
| 6880050100 | WW2 | Wrench, W2, Pendent, Upright, HSW | A\$ 212.48 |
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed   | A\$ 630.54 |



## F1FR56 QREC CCP

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028

## F1FR80 QREC CCP

- K-Factor = 8.0 (115)
- **SIN RA4842**
- See Bulletin 148

## F1FR56-300 QREC CCP

- K-Factor = 5.6 (80)
- SIN RA3045
- See Bulletin 030
- **300 PSI**

## F1FR80-300 QREC CCP

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 159
- **300 PSI**

| Part Number                                                     | Short Code  | Temperature |      | Finish     | List Price |
|-----------------------------------------------------------------|-------------|-------------|------|------------|------------|
| MODEL F1FR56 QREC CCP K5.6 (80) THREADS 1/2" (15MM) RA2845      |             |             |      |            |            |
| BM131730S9                                                      | F1FR56CE0N  | 135°F       | 57°C | W/O        | A\$ 98.10  |
| BM151730S9                                                      | F1FR56CE1N  | 155°F       | 68°C | W/O        | A\$ 98.10  |
| MODEL F1FR80 QREC CCP K8.0 (115) THREADS 3/4" (20MM) RA4842     |             |             |      |            |            |
| BM131739S8                                                      | F1FRCEL0N   | 135°F       | 57°C | W/O        | A\$ 96.42  |
| BM151739S8                                                      | F1FRCEL1N   | 155°F       | 68°C | W/O        | A\$ 96.42  |
| MODEL F1FR56-300 QREC CCP K5.6 (80) THREADS 1/2" (15MM) RA3045  |             |             |      |            |            |
| BH131730S9                                                      | F1FR56CE03N | 135°F       | 57°C | W/O        | A\$ 101.89 |
| BH151730S9                                                      | F1FR56CE13N | 155°F       | 68°C | W/O        | A\$ 101.89 |
| MODEL F1FR80-300 QREC CCP K8.0 (115) THREADS 3/4" (20MM) RA5942 |             |             |      |            |            |
| BH131739S8                                                      | F1FRCE0L3N  | 135°F       | 57°C | W/O        | A\$ 101.89 |
| BH151739S8                                                      | F1FRCE1L3N  | 155°F       | 68°C | W/O        | A\$ 101.89 |
| REQUIRED MODEL CCP COVERPLATES 1/2" ADJUSTMENT                  |             |             |      |            |            |
| 6887161321                                                      | CCP0C76     | 135°F       | 57°C | Chrome     | A\$ 168.49 |
| 6887161318                                                      | CCP0W76     | 135°F       | 57°C | Flat White | A\$ 65.66  |
| REQUIRED MODEL CCP COVERPLATES 5/16" ADJUSTMENT                 |             |             |      |            |            |
| 6887171321                                                      | CCP05C76    | 135°F       | 57°C | Chrome     | A\$ 168.49 |
| 6887171318                                                      | CCP05W76    | 135°F       | 57°C | White      | A\$ 65.66  |
| 6887171390                                                      | CCP05SP76   | 135°F       | 57°C | Specialty  | A\$ 110.27 |

6880100000 WRC Requires Model RC1 Sprinkler Wrench A\$ 630.54

### Notes:

Sprinkler and cup are factory assembled and a plastic protective cap is included.

Sprinkler and cover plates sold and packaged separately



## DH56

- K-Factor = 5.6 (80)
- **SIN RA1564**
- See Bulletin 015



## DH56 CONCEALED

## DH56 CONCEALED

- SIN RA1564
- See Bulletin 015

| Part Number                                                | Short Code | Temperature |      | Finish     | List Price |
|------------------------------------------------------------|------------|-------------|------|------------|------------|
| MODEL DH56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1564 |            |             |      |            |            |
| BU151132S9                                                 | DH561BN    | 155°F       | 68°C | Brass      | A\$ 122.68 |
| BU152132S9                                                 | DH561CN    | 155°F       | 68°C | Chrome     | A\$ 134.56 |
| BU158732S9                                                 | DH561WN    | 155°F       | 68°C | Poly White | A\$ 134.56 |
| BU201132S9                                                 | DH562BN    | 200°F       | 93°C | Brass      | A\$ 122.68 |
| BU202132S9                                                 | DH562CN    | 200°F       | 93°C | Chrome     | A\$ 134.56 |
| BU208732S9                                                 | DH562WN    | 200°F       | 93°C | Poly White | A\$ 134.56 |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY            |            |             |      |            |            |
| 6800830000                                                 | GF2B       | 1/2" (15mm) |      | Brass      | A\$ 39.00  |
| 6800800000                                                 | GF2C       | 1/2" (15mm) |      | Chrome     | A\$ 21.01  |
| 6800840000                                                 | GF2W       | 1/2" (15mm) |      | White      | A\$ 21.01  |

|                                                                  |        |       |      |            |            |
|------------------------------------------------------------------|--------|-------|------|------------|------------|
| <b>MODEL DH56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA1564</b> |        |       |      |            |            |
| BT15173299                                                       | DH56C1 | 155°F | 68°C | W/O        | A\$ 130.58 |
| BT20173299                                                       | DH56C2 | 200°F | 93°C | W/O        | A\$ 130.58 |
| <b>REQUIRED SWC COVERPLATE</b>                                   |        |       |      |            |            |
| 6887131318                                                       | CHWNS  | 135°F | 57°C | White      | A\$ 67.24  |
| 6887131618                                                       | CHWNS1 | 165°F | 74°C | Flat White | A\$ 67.24  |

|            |     |                                 |            |
|------------|-----|---------------------------------|------------|
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed | A\$ 630.54 |
|------------|-----|---------------------------------|------------|

### Notes:

Sprinkler and cover plates sold and packaged separately



## DH80

- K-Factor = 8.0 (115)
- **SIN RA0362**
- See Bulletin 003



## DH80 CONCEALED

- K Factor 8.0
- SIN RA0362
- See Bulletin 003

| Part Number                                                 | Short Code | Temperature |      | Finish | List Price |
|-------------------------------------------------------------|------------|-------------|------|--------|------------|
| MODEL DH80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA0362 |            |             |      |        |            |
| BU151139S8                                                  | DH1BN      | 155°F       | 68°C | Brass  | A\$ 132.00 |
| BU152139S8                                                  | DH1CN      | 155°F       | 68°C | Chrome | A\$ 142.65 |
| BU158739S8                                                  | DH1WN      | 155°F       | 68°C | White  | A\$ 142.65 |
| FP PUSH-ON/THREAD-OFF ESCUTCHEON (FOR RECESSED)             |            |             |      |        |            |
| 6801402100                                                  | FPLC       | 3/4" (20mm) |      | Chrome | A\$ 40.55  |
| 6801407200                                                  | FPLW       | 3/4" (20mm) |      | White  | A\$ 40.55  |
| MODEL F2 RECESSED ESCUTCHEON & COLLAR ASSEMBLY              |            |             |      |        |            |
| 6800880004                                                  | GF2LB      | 3/4" (20mm) |      | Brass  | A\$ 39.00  |
| 6800880001                                                  | GF2LC      | 3/4" (20mm) |      | Chrome | A\$ 21.01  |
| 6800880005                                                  | GF2LW      | 3/4" (20mm) |      | White  | A\$ 21.01  |

|                                                                   |       |       |      |       |            |
|-------------------------------------------------------------------|-------|-------|------|-------|------------|
| <b>MODEL DH80 CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA0362</b> |       |       |      |       |            |
| BT15173998                                                        | DHC1  | 155°F | 68°C | W/O   | A\$ 140.06 |
| <b>MODEL SWC-NS COVERPLATE</b>                                    |       |       |      |       |            |
| 6887131318                                                        | CHWNS | 135°F | 57°C | White | A\$ 67.24  |

|            |     |                                 |            |
|------------|-----|---------------------------------|------------|
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed | A\$ 630.54 |
|------------|-----|---------------------------------|------------|

### Notes:

Sprinkler and coverplates sold and packaged separately



## G4XLO EC QUICK RESPONSE

- K-Factor = 11.2 (160)
- **SIN R7146**
- See Bulletin 171

# NEW



## KFR-CCS Combustible Concealed Space

- K-Factor = 5.6 (80)
- **SIN RA4454**
- See Bulletin 044

| Part Number                                            | Short Code | Temperature |       | Finish          | List Price |
|--------------------------------------------------------|------------|-------------|-------|-----------------|------------|
| MODEL G4XLO QREC K11.2 (160) THREADS 3/4" (20MM) R7146 |            |             |       |                 |            |
| 1716174198                                             | G4XLO      | 165°F       | 74°C  | W/O             | A\$ 147.76 |
| 1721174198                                             | G4XLO2     | 212°F       | 100°C | W/O             | A\$ 147.76 |
| MODEL G5 COVER PLATES                                  |            |             |       |                 |            |
| 6887271321                                             | CG50C      | 135°F       | 57°C  | Chrome          | A\$ 78.04  |
| 6887271372                                             | CG50W      | 135°F       | 57°C  | White           | A\$ 71.13  |
| 6887271311                                             | CG50B      | 135°F       | 57°C  | Finished Bronze | A\$ 101.44 |
| 6887271374                                             | CG50OW     | 135°F       | 57°C  | Off-White       | A\$ 96.73  |
| 6887271390                                             | CG50SP     | 135°F       | 57°C  | Specialty       | A\$ 100.61 |
| 6887271316                                             | CG50FB     | 135°F       | 57°C  | Black Painted   | A\$ 96.86  |
| 6887271305                                             | CG50BB     | 135°F       | 57°C  | Bright Brass    | A\$ 122.79 |
| 6887271323                                             | CG50CD     | 135°F       | 57°C  | Satin Chrome    | A\$ 122.79 |
| 6887271310                                             | CG50SS     | 135°F       | 57°C  | Stainless Steel | A\$ 122.79 |
| 6887271321                                             | CG50C      | 135°F       | 57°C  | Chrome          | A\$ 78.04  |
| 6887271372                                             | CG50W      | 135°F       | 57°C  | White           | A\$ 71.13  |
| 6887271390                                             | CG50SP     | 135°F       | 57°C  | Specialty       | A\$ 100.61 |

6880170000      WG4      Wrench, W4, Recessed, Concealed      A\$ 628.07

| Part Number                                        | Short Code | Temperature |       | Finish | List Price |
|----------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL KFR-CCS K5.6 (80) THREADS 1/2" (15MM) RA4454 |            |             |       |        |            |
| MN211132R9                                         | KFRCCS     | 212°F       | 100°C | Brass  | A\$ 135.69 |

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      A\$ 212.48



## SWC QREC

- "SWC Concealer"
- K-Factor = 8.0 (115)
- **SIN R5962**
- See Bulletin 163

| Part Number                                                   | Short Code | Temperature |      | Finish    | List Price |
|---------------------------------------------------------------|------------|-------------|------|-----------|------------|
| MODEL SWC QREC CONCEALED K8.0 (115) THREADS 3/4" (20MM) R5962 |            |             |      |           |            |
| BM13173498                                                    | CEC9       | 135°F       | 57°C | W/O       | A\$ 116.38 |
| BM15173498                                                    | CEC91      | 155°F       | 68°C | W/O       | A\$ 116.38 |
| MODEL SWC-NS COVERPLATES                                      |            |             |      |           |            |
| 6887131318                                                    | CHWNS      | 135°F       | 57°C | White     | A\$ 67.24  |
| 6887131390                                                    | CHSPNS     | 135°F       | 57°C | Specialty | A\$ 100.82 |

|            |     |                                 |            |
|------------|-----|---------------------------------|------------|
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed | A\$ 630.54 |
|------------|-----|---------------------------------|------------|

### Notes:

Covers can not be plated - only painted.  
Sprinkler and coverplates sold and packaged separately



## F156 EC

- K-Factor = 5.6 (80)
- **SIN RA2745**
- See Bulletin 027



## F1 LO EC PENDENT

- K-Factor = 8.0 (115)
- **SIN R1742**
- See Bulletin 117

| Part Number                                                 | Short Code | Temperature                        |      | Finish     | List Price |
|-------------------------------------------------------------|------------|------------------------------------|------|------------|------------|
| MODEL F156 EC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2745  |            |                                    |      |            |            |
| AB131130S9                                                  | F56ECP0BN  | 135°F                              | 57°C | Brass      | A\$ 102.18 |
| AB138730S9                                                  | F56ECP0WN  | 135°F                              | 57°C | Poly White | A\$ 102.18 |
| AB151130S9                                                  | F56ECP1BN  | 155°F                              | 68°C | Brass      | A\$ 102.18 |
| AB152130S9                                                  | F56ECP1CN  | 155°F                              | 68°C | Chrome     | A\$ 102.18 |
| AB158730S9                                                  | F56ECP1WN  | 155°F                              | 68°C | White      | A\$ 102.18 |
| MODEL F1 LO EC PENDENT K8.0 (115) THREADS 3/4" (20MM) R1742 |            |                                    |      |            |            |
| AJ13113998                                                  | FECP0LB    | 135°F                              | 57°C | Brass      | A\$ 111.49 |
| AJ13213998                                                  | FECP0LC    | 135°F                              | 57°C | Chrome     | A\$ 111.49 |
| AJ13873998                                                  | FECP0LW    | 135°F                              | 57°C | Poly White | A\$ 119.80 |
| AJ15113998                                                  | FECP1LB    | 155°F                              | 68°C | Brass      | A\$ 111.49 |
| AJ15213998                                                  | FECP1LC    | 155°F                              | 68°C | Chrome     | A\$ 111.49 |
| AJ15873998                                                  | FECP1LW    | 155°F                              | 68°C | White      | A\$ 119.80 |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY             |            |                                    |      |            |            |
| 6800630001                                                  | GF1B       | 1/2" (15mm)                        |      | Brass      | A\$ 39.00  |
| 6800600001                                                  | GF1C       | 1/2" (15mm)                        |      | Chrome     | A\$ 21.01  |
| 6800640001                                                  | GF1W       | 1/2" (15mm)                        |      | White      | A\$ 21.01  |
| 6801030000                                                  | GF1LB      | 3/4" (20mm)                        |      | Brass      | A\$ 39.00  |
| 6801000000                                                  | GF1LC      | 3/4" (20mm)                        |      | Chrome     | A\$ 21.01  |
| 6801040000                                                  | GF1LW      | 3/4" (20mm)                        |      | White      | A\$ 21.01  |
| 6800930000                                                  | GF1MB      | 10mm                               |      | Bronze     | A\$ 38.96  |
| 6800900000                                                  | GF1MC      | 10mm                               |      | Chrome     | A\$ 20.75  |
| 6800940003                                                  | GF1MW      | 10mm                               |      | Poly White | A\$ 20.75  |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY             |            |                                    |      |            |            |
| 6800830000                                                  | GF2B       | 1/2" (15mm)                        |      | Brass      | A\$ 39.00  |
| 6800800000                                                  | GF2C       | 1/2" (15mm)                        |      | Chrome     | A\$ 21.01  |
| 6800840000                                                  | GF2W       | 1/2" (15mm)                        |      | White      | A\$ 21.01  |
| 6800880004                                                  | GF2LB      | 3/4" (20mm)                        |      | Brass      | A\$ 39.00  |
| 6800880001                                                  | GF2LC      | 3/4" (20mm)                        |      | Chrome     | A\$ 21.01  |
| 6800880005                                                  | GF2LW      | 3/4" (20mm)                        |      | White      | A\$ 21.01  |
| 6880050100                                                  | WW2        | Requires Model W2 Sprinkler Wrench |      |            | A\$ 212.48 |
| 6880060000                                                  | WGFR       | For Recessed Use Model GFR2 Wrench |      |            | A\$ 630.54 |



## F156-300 SREC

- K-Factor = 5.6 (80)
- **SIN RA2945**
- See Bulletin 029
- 300 PSI



## F1-300 EC PENDENT

- K-Factor = 8.0 (115)
- **SIN R5842**
- See Bulletin 158
- 300 PSI

| Part Number                                                         | Short Code  | Temperature                        |      | Finish | List Price |
|---------------------------------------------------------------------|-------------|------------------------------------|------|--------|------------|
| MODEL F156 EC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2945 300 PSI  |             |                                    |      |        |            |
| AH131132S9                                                          | F56EC3P0B3N | 135°F                              | 57°C | Brass  | A\$ 109.39 |
| AH132132S9                                                          | F56EC3P0C3N | 135°F                              | 57°C | Chrome | A\$ 109.39 |
| AH138732S9                                                          | F56EC3P0W3N | 135°F                              | 57°C | White  | A\$ 109.39 |
| AH151132S9                                                          | F56EC3P1B3N | 155°F                              | 68°C | Brass  | A\$ 109.39 |
| AH152132S9                                                          | F56EC3P1C3N | 155°F                              | 68°C | Chrome | A\$ 109.39 |
| AH158732S9                                                          | F56EC3P1W3N | 155°F                              | 68°C | White  | A\$ 109.39 |
| MODEL F1 LO EC PENDENT K8.0 (115) THREADS 3/4" (20MM) R5842 300 PSI |             |                                    |      |        |            |
| AH13113998                                                          | FEC3P0LB3   | 135°F                              | 57°C | Brass  | A\$ 109.39 |
| AH13213998                                                          | FEC3P0LC3   | 135°F                              | 57°C | Chrome | A\$ 118.87 |
| AH13873998                                                          | FEC3P0LW3   | 135°F                              | 57°C | White  | A\$ 127.28 |
| AH15113998                                                          | FEC3P1LB3   | 155°F                              | 68°C | Brass  | A\$ 109.39 |
| AH15213998                                                          | FEC3P1LC3   | 155°F                              | 68°C | Chrome | A\$ 118.87 |
| AH15873998                                                          | FEC3P1LW3   | 155°F                              | 68°C | White  | A\$ 127.28 |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                     |             |                                    |      |        |            |
| 6800630001                                                          | GF1B        | 1/2" (15mm)                        |      | Brass  | A\$ 39.00  |
| 6800600001                                                          | GF1C        | 1/2" (15mm)                        |      | Chrome | A\$ 21.01  |
| 6800640001                                                          | GF1W        | 1/2" (15mm)                        |      | White  | A\$ 21.01  |
| 6801030000                                                          | GF1LB       | 3/4" (20mm)                        |      | Brass  | A\$ 39.00  |
| 6801000000                                                          | GF1LC       | 3/4" (20mm)                        |      | Chrome | A\$ 21.01  |
| 6801040000                                                          | GF1LW       | 3/4" (20mm)                        |      | White  | A\$ 21.01  |
| 6880050100                                                          | WW2         | Requires Model W2 Sprinkler Wrench |      |        | A\$ 212.48 |
| 6880060000                                                          | WGFR        | For Recessed Use Model GFR2 Wrench |      |        | A\$ 630.54 |



## GFR VELO-ECOH

- K-Factor = 14 (200)
- **SIN R6553**
- See Bulletin 165



## GFR VELO ECOH

- K-Factor = 14 (200)
- **SIN R6043**
- See Bulletin 160

| Part Number                                                     | Short Code | Temperature |       | Finish | List Price |
|-----------------------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL GFR VELO-ECOH UPRIGHT K14 (200) THREADS 3/4" (20MM) R6553 |            |             |       |        |            |
| 0116114598                                                      | GFRUV1B    | 165°F       | 74°C  | Brass  | A\$ 230.27 |
| 0116214598                                                      | GFRUV1C    | 165°F       | 74°C  | Chrome | A\$ 239.39 |
| 0121114598                                                      | GFRUV2B    | 212°F       | 100°C | Brass  | A\$ 230.27 |
| 0121214598                                                      | GFRUV2C    | 212°F       | 100°C | Chrome | A\$ 239.39 |

6880070000 WH Requires Model H Sprinkler Wrench A\$ 252.70

| Part Number                                                     | Short Code | Temperature |       | Finish | List Price |
|-----------------------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL GFR VELO-ECOH PENDENT K14 (200) THREADS 3/4" (20MM) R6043 |            |             |       |        |            |
| FB16114598                                                      | GFRPV1B    | 165°F       | 74°C  | Brass  | A\$176.15  |
| FB16214598                                                      | GFRPV1C    | 165°F       | 74°C  | Chrome | A\$183.24  |
| FB16874598                                                      | GFRPV1W    | 165°F       | 74°C  | White  | A\$191.10  |
| FB21114598                                                      | GFRPV2B    | 212°F       | 100°C | Brass  | A\$176.15  |
| FB21214598                                                      | GFRPV2C    | 212°F       | 100°C | Chrome | A\$183.24  |
| FB21874598                                                      | GFRPV2W    | 212°F       | 100°C | White  | A\$191.10  |

6880070000 WH Requires Model H Sprinkler Wrench A\$ 252.70

6880070100 WXLO Requires Model XLO Sprinkler Wrench for Recessing A\$ 331.20

\*Recessing available.



## MBEC-14

- K-Factor = 14 (200)
- **SIN R6932**
- See Bulletin 169

| Part Number                                                   | Short Code | Temperature                       |       | Finish | List Price |
|---------------------------------------------------------------|------------|-----------------------------------|-------|--------|------------|
| MODEL MB-EC 14 HORIZONTAL K14 (200) THREADS 3/4" (20MM) R6932 |            |                                   |       |        |            |
| 4816114597                                                    | MB1B       | 165°F                             | 74°C  | Brass  | A\$ 191.39 |
| 4816214597                                                    | MB1C       | 165°F                             | 74°C  | Chrome | A\$ 219.59 |
| 4816874597                                                    | MB1W       | 165°F                             | 74°C  | White  | A\$ 219.59 |
| 4821114597                                                    | MB2B       | 212°F                             | 100°C | Brass  | A\$ 191.39 |
| 4821214597                                                    | MB2C       | 212°F                             | 100°C | Chrome | A\$ 219.59 |
| 4821874597                                                    | MB2W       | 212°F                             | 100°C | White  | A\$ 219.59 |
| 6880070000                                                    | WH         | Requires Model H Sprinkler Wrench |       |        | A\$ 252.70 |



## F1RES 30 CCP

- K-Factor = 3.0 (43)
- SIN R3511
- See Bulletin 135



## F1RES 30 PENDENT & RECESSED PENDENT

- K-FACTOR = 3.0 (43)
- SIN R3511
- See Bulletin 135



## KRES 30 PENDENT

- K Factor =3.0 (43)
- SIN R3591
- Link Version
- See Bulletin 935

| Part Number                                               | Short Code | Temperature                            |       | Finish     | List Price |
|-----------------------------------------------------------|------------|----------------------------------------|-------|------------|------------|
| MODEL F1RES30 CCP K3.0 (43) THREADS 1/2" (15MM) R3511     |            |                                        |       |            |            |
| CM15172199                                                | 30CCP1     | 155°F                                  | 68°C  | W/O        | A\$101.28  |
| MODEL CCP CONICAL CONCEALED COVERPLATES                   |            |                                        |       |            |            |
| 6887161321                                                | CCP0C76    | 135°F                                  | 57°C  | Chrome     | A\$168.49  |
| 6887161318                                                | CCP0W76    | 135°F                                  | 57°C  | Flat White | A\$ 65.66  |
| 6887161390                                                | CCP0SP76   | 135°F                                  | 57°C  | Specialty  | A\$110.27  |
| 6887171321                                                | CCP05C76   | 135°F                                  | 57°C  | Chrome     | A\$168.49  |
| 6887171318                                                | CCP05W76   | 135°F                                  | 57°C  | White      | A\$ 65.66  |
| 6887171390                                                | CCP05SP76  | 135°F                                  | 57°C  | Specialty  | A\$110.27  |
| MODEL F1RES30 PENDENT K3.0 (43) THREADS 1/2" (15MM) R3511 |            |                                        |       |            |            |
| CV151121S9                                                | 30BN       | 155°F                                  | 68°C  | Brass      | A\$113.89  |
| CV152121S9                                                | 30CN       | 155°F                                  | 68°C  | Chrome     | A\$110.61  |
| CV158721S9                                                | 30WN       | 155°F                                  | 68°C  | Poly White | A\$110.61  |
| CV171121S9                                                | 30B5N      | 175°F                                  | 79°C  | Brass      | A\$113.89  |
| CV172121S9                                                | 30C5N      | 175°F                                  | 79°C  | Chrome     | A\$110.61  |
| CV178721S9                                                | 30W5N      | 175°F                                  | 79°C  | White      | A\$110.61  |
| 6880100120                                                | WW4        | WRENCH,W4,RECESSED,CONCEALED           |       |            | A\$ 630.54 |
| 6880050100                                                | WW2        | WRENCH,W2(PENDENT,UPRIGHT,HSW)         |       |            | A\$ 212.48 |
| MODEL KRES30 PENDENT K3.0 (43) THREADS 1/2" (15MM) R3591  |            |                                        |       |            |            |
| MV161121R9                                                | KRES301B   | 165°F                                  | 74°C  | Brass      | A\$113.89  |
| MV162121R9                                                | KRES301C   | 165°F                                  | 74°C  | Chrome     | A\$110.61  |
| MV168721R9                                                | KRES301W   | 165°F                                  | 74°C  | Poly White | A\$110.61  |
| MV211121R9                                                | KRES302B   | 212°F                                  | 100°C | Brass      | A\$113.89  |
| MV212121R9                                                | KRES302C   | 212°F                                  | 100°C | Chrome     | A\$110.61  |
| MV218721R9                                                | KRES302W   | 212°F                                  | 100°C | Poly White | A\$110.61  |
| 6880050100                                                | WW2        | WRENCH,W2(PENDENT,UPRIGHT,HSW)         |       |            | A\$ 212.48 |
| 6880100100                                                | WW1        | WRENCH,W1 (RECESSED PENDENT,CCP,& HSW) |       |            | A\$ 630.54 |
| 6880100120                                                | WW4        | WRENCH,W4,RECESSED,CONCEALED           |       |            | A\$ 630.54 |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY           |            |                                        |       |            |            |
| 6800830000                                                | GF2B       | 1/2" (15mm)                            |       | Brass      | A\$ 39.00  |
| 6800800000                                                | GF2C       | 1/2" (15mm)                            |       | Chrome     | A\$ 21.01  |
| 6800840000                                                | GF2W       | 1/2" (15mm)                            |       | White      | A\$ 21.01  |



## F1RES 49 Pendant & Recessed Pendant

- K-Factor = 4.9 (71)
- **SIN R3516**
- See Bulletins 135



## KRES49 Pendant & Recessed Pendant

- K-Factor = 4.9 (71)
- **SIN R3596**
- See Bulletin 935
- Link Version



## F1RES 49 CCP

- K-Factor = 4.9 (71)
- **SIN R3516**
- See Bulletins 135

| Part Number                                               | Short Code | Temperature |      | Finish | List Price |
|-----------------------------------------------------------|------------|-------------|------|--------|------------|
| MODEL F1RES49 PENDENT K4.9 (71) THREADS 1/2" (15MM) R3516 |            |             |      |        |            |
| CV151128S9                                                | 49BN       | 155°F       | 68°C | Brass  | A\$113.89  |
| CV152128S9                                                | 49CN       | 155°F       | 68°C | Chrome | A\$110.61  |
| CV158728S9                                                | 49WN       | 155°F       | 68°C | White  | A\$110.61  |
| CV171128S9                                                | 49B5N      | 175°F       | 79°C | Brass  | A\$113.89  |
| CV172128S9                                                | 49C5N      | 175°F       | 79°C | Chrome | A\$110.61  |
| CV178728S9                                                | 49W5N      | 175°F       | 79°C | White  | A\$110.61  |

|            |     |                                   |           |
|------------|-----|-----------------------------------|-----------|
| 6880100120 | WW4 | WRENCH, W4, RECESSED, CONCEALED   | A\$630.54 |
| 6880050100 | WW2 | WRENCH, W2(PENDENT, UPRIGHT, HSW) | A\$212.48 |

|                                                                      |          |       |       |            |           |
|----------------------------------------------------------------------|----------|-------|-------|------------|-----------|
| <b>MODEL KRES49 PENDENT K4.9 (71) THREADS 1/2" (15MM) R3596-LINK</b> |          |       |       |            |           |
| MV161128R9                                                           | KRES491B | 165°F | 74°C  | Brass      | A\$113.89 |
| MV162128R9                                                           | KRES491C | 165°F | 74°C  | Chrome     | A\$110.61 |
| MV168728R9                                                           | KRES491W | 165°F | 74°C  | Poly White | A\$110.61 |
| MV211128R9                                                           | KRES492B | 212°F | 100°C | Brass      | A\$113.89 |
| MV212128R9                                                           | KRES492C | 212°F | 100°C | Chrome     | A\$110.61 |
| MV218728R9                                                           | KRES492W | 212°F | 100°C | Poly White | A\$110.61 |

|            |     |                                           |           |
|------------|-----|-------------------------------------------|-----------|
| 6880100120 | WW4 | WRENCH, W4, RECESSED, CONCEALED           | A\$630.54 |
| 6880050100 | WW2 | WRENCH, W2(PENDENT, UPRIGHT, HSW)         | A\$212.48 |
| 6880100100 | WW1 | WRENCH, W1 (RECESSED PENDENT, CCP, & HSW) | A\$630.54 |

| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY |      |             |        |           |
|-------------------------------------------------|------|-------------|--------|-----------|
| 6800630001                                      | GF1B | 1/2" (15mm) | Brass  | A\$ 39.00 |
| 6800600001                                      | GF1C | 1/2" (15mm) | Chrome | A\$ 21.01 |
| 6800640001                                      | GF1W | 1/2" (15mm) | White  | A\$ 21.01 |

| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY |      |             |        |           |
|-------------------------------------------------|------|-------------|--------|-----------|
| 6800830000                                      | GF2B | 1/2" (15mm) | Brass  | A\$ 39.00 |
| 6800800000                                      | GF2C | 1/2" (15mm) | Chrome | A\$ 21.01 |
| 6800840000                                      | GF2W | 1/2" (15mm) | White  | A\$ 21.01 |

| MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS |     |                    |        |           |
|-------------------------------------------|-----|--------------------|--------|-----------|
| 6801412100                                | FPC | Push-On Thread Off | Chrome | A\$ 40.55 |
| 6801417200                                | FPW | Push-On Thread Off | White  | A\$ 40.55 |

| Part Number                                           | Short Code | Temperature |      | Finish | List Price |
|-------------------------------------------------------|------------|-------------|------|--------|------------|
| MODEL F1RES49 CCP K4.9 (71) THREADS 1/2" (15MM) R3516 |            |             |      |        |            |
| CM151728S9                                            | 49CCP1N    | 155°F       | 68°C | W/O    | A\$ 101.28 |

|            |     |                                   |            |
|------------|-----|-----------------------------------|------------|
| 6880100120 | WW4 | WRENCH, W4, RECESSED, CONCEALED   | A\$ 630.54 |
| 6880050100 | WW2 | WRENCH, W2(PENDENT, UPRIGHT, HSW) | A\$ 212.48 |

|                                                |           |       |      |            |            |
|------------------------------------------------|-----------|-------|------|------------|------------|
| <b>MODEL CCP CONICAL CONCEALED COVERPLATES</b> |           |       |      |            |            |
| 6887161321                                     | CCP0C76   | 135°F | 57°C | Chrome     | A\$ 168.49 |
| 6887161318                                     | CCP0W76   | 135°F | 57°C | Flat White | A\$ 65.66  |
| 6887161390                                     | CCP0SP76  | 135°F | 57°C | Specialty  | A\$ 110.27 |
| 6887171321                                     | CCP05C76  | 135°F | 57°C | Chrome     | A\$ 168.49 |
| 6887171318                                     | CCP05W76  | 135°F | 57°C | White      | A\$ 65.66  |
| 6887171390                                     | CCP05SP76 | 135°F | 57°C | Specialty  | A\$ 110.27 |




## F1RES 44 HSW & REC HSW

- See Bulletins 135



## KRES44 HSW & REC HSW

- See Bulletins 935
- SIN RA3591
- Link version



## F1RES 44 SWC

- See Bulletins 135

| Part Number                                                  | Short Code | Temperature |      | Finish     | List Price |
|--------------------------------------------------------------|------------|-------------|------|------------|------------|
| MODEL F1RES44 HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) R3531 |            |             |      |            |            |
| CV521125S9                                                   | 44BN       | 155°F       | 68°C | Brass      | A\$117.48  |
| CV522125S9                                                   | 44CN       | 155°F       | 68°C | Chrome     | A\$115.45  |
| CV528725S9                                                   | 44WN       | 155°F       | 68°C | Poly White | A\$115.45  |
| CV531125S9                                                   | 44B5N      | 175°F       | 79°C | Brass      | A\$117.48  |
| CV532125S9                                                   | 44C5N      | 175°F       | 79°C | Chrome     | A\$115.45  |
| CV538725S9                                                   | 44W5N      | 175°F       | 79°C | Poly White | A\$115.45  |

|            |     |                                   |           |
|------------|-----|-----------------------------------|-----------|
| 6880100120 | WW4 | WRENCH, W4, RECESSED, CONCEALED   | A\$630.54 |
| 6880050100 | WW2 | WRENCH, W2(PENDENT, UPRIGHT, HSW) | A\$212.48 |

|                                                                     |          |       |      |            |           |
|---------------------------------------------------------------------|----------|-------|------|------------|-----------|
| <b>MODEL KRES44 HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) RA3591</b> |          |       |      |            |           |
| MV521125R9                                                          | KRES441B | 165°F | 74°C | Brass      | A\$117.48 |
| MV522125R9                                                          | KRES441C | 165°F | 74°C | Chrome     | A\$115.45 |
| MV528725R9                                                          | KRES441W | 165°F | 74°C | Poly White | A\$115.45 |

|            |     |                                           |           |
|------------|-----|-------------------------------------------|-----------|
| 6880100120 | WW4 | WRENCH, W4, RECESSED, CONCEALED           | A\$630.54 |
| 6880050100 | WW2 | WRENCH, W2(PENDENT, UPRIGHT, HSW)         | A\$212.48 |
| 6880100100 | WW1 | WRENCH, W1 (RECESSED PENDENT, CCP, & HSW) | A\$630.54 |

| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY |      |             |        |           |
|-------------------------------------------------|------|-------------|--------|-----------|
| 6800830000                                      | GF2B | 1/2" (15mm) | Brass  | A\$ 39.00 |
| 6800800000                                      | GF2C | 1/2" (15mm) | Chrome | A\$ 21.01 |
| 6800840000                                      | GF2W | 1/2" (15mm) | White  | A\$ 21.01 |

| MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS |     |                    |        |           |
|-------------------------------------------|-----|--------------------|--------|-----------|
| 6801412100                                | FPC | Push-On Thread Off | Chrome | A\$ 40.55 |
| 6801417200                                | FPW | Push-On Thread Off | White  | A\$ 40.55 |

| Part Number                                   | Short Code | Temperature |      | Finish     | List Price |
|-----------------------------------------------|------------|-------------|------|------------|------------|
| MODEL SWC 44 RES K4.4 (63) THREADS 1/2" R3531 |            |             |      |            |            |
| CM521725S9                                    | SWC44N     | 155°F       | 68°C | W/O        | A\$ 112.11 |
| CM531725S9                                    | SWC445N    | 175°F       | 79°C | W/O        | A\$ 112.11 |
| REQUIRED COVERPLATES (1/2" ADJUSTMENT) SWC    |            |             |      |            |            |
| 6887131318                                    | CHWNS      | 135°F       | 57°C | White      | A\$ 67.24  |
| 6887131390                                    | CHSPNS     | 135°F       | 57°C | Specialty  | A\$ 100.82 |
| REQUIRED COVERPLATES (1/2" ADJUSTMENT) SWC-2  |            |             |      |            |            |
| 6887251318                                    | SWC2W      | 135°F       | 57°C | Flat White | A\$ 67.24  |



## F1RES 58 CCP

- K-Factor = 5.8 (84)
- **SIN R3513**
- See Bulletins 135 & 176



## F1RES 58 HSW & REC HSW

- K-Factor = 5.8 (84)
- **SIN R3533**
- See Bulletins 135 & 176



## KRES 58 HSW & REC HSW

- K-Factor = 5.8 (84)
- **SIN R3503**
- Link Version



## F1RES 58 SP PENDENT

- K-Factor = 5.8 (84)
- **SIN R3513**
- See Bulletin 135

| Part Number                                                     | Short Code | Temperature |      | Finish     | List Price |
|-----------------------------------------------------------------|------------|-------------|------|------------|------------|
| MODEL F1RES58 CONCEALED CCP K5.8 (84) THREADS 1/2" (15MM) R3513 |            |             |      |            |            |
| CM15173199                                                      | 58CCP1     | 155°F       | 68°C | W/O        | A\$ 101.28 |
| MODEL CCP CONICAL CONCEALED COVERPLATES                         |            |             |      |            |            |
| 6887161321                                                      | CCP0C76    | 135°F       | 57°C | Chrome     | A\$ 168.49 |
| 6887161318                                                      | CCP0W76    | 135°F       | 57°C | Flat White | A\$ 65.66  |
| 6887161390                                                      | CCP0SP76   | 135°F       | 57°C | Specialty  | A\$ 110.27 |
| 6887171321                                                      | CCP05C76   | 135°F       | 57°C | Chrome     | A\$ 168.49 |
| 6887171318                                                      | CCP05W76   | 135°F       | 57°C | White      | A\$ 65.66  |
| 6887171390                                                      | CCP05SP76  | 135°F       | 57°C | Specialty  | A\$ 110.27 |

6880100120 WW4 WRENCH,W4,RECESSED,CONCEALED A\$ 630.54

| Part Number                                                  | Short Code | Temperature        |       | Finish     | List Price |
|--------------------------------------------------------------|------------|--------------------|-------|------------|------------|
| MODEL F1RES58 HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) R3533 |            |                    |       |            |            |
| CV521131S9                                                   | 58H1BN     | 155°F              | 68°C  | Brass      | A\$117.48  |
| CV522131S9                                                   | 58H1CN     | 155°F              | 68°C  | Chrome     | A\$115.45  |
| CV528731S9                                                   | 58H1WN     | 155°F              | 68°C  | White      | A\$115.45  |
| CV531131S9                                                   | 58H5BN     | 175°F              | 79°C  | Brass      | A\$117.48  |
| CV532131S9                                                   | 58H5CN     | 175°F              | 79°C  | Chrome     | A\$115.45  |
| CV538731S9                                                   | 58H5WN     | 175°F              | 79°C  | White      | A\$115.45  |
| MODEL KRES58 HORIZONTAL K5.8 (84) THREADS 1/2" RA3503 LINK   |            |                    |       |            |            |
| MV521131R9                                                   | KRES58H1B  | 165°F              | 74°C  | Brass      | A\$117.48  |
| MV522131R9                                                   | KRES58H1C  | 165°F              | 74°C  | Chrome     | A\$115.45  |
| MV528731R9                                                   | KRES58H1W  | 165°F              | 74°C  | Poly White | A\$115.45  |
| MODEL F1RES58 PENDENT K5.8 (84) THREADS 1/2" R3513           |            |                    |       |            |            |
| CV151131S9                                                   | 58P1BN     | 155°F              | 68°C  | Brass      | A\$113.89  |
| CV152131S9                                                   | 58P1CN     | 155°F              | 68°C  | Chrome     | A\$110.61  |
| CV158731S9                                                   | 58P1WN     | 155°F              | 68°C  | White      | A\$110.61  |
| CV17113199                                                   | 58P5B      | 175°F              | 79°C  | Brass      | A\$113.89  |
| CV172131S9                                                   | 58P5CN     | 175°F              | 79°C  | Chrome     | A\$110.61  |
| CV178731S9                                                   | 58P5WN     | 175°F              | 79°C  | White      | A\$110.61  |
| MODEL KRES58 PENDENT K5.8 (84) THREADS 1/2" R3593 LINK       |            |                    |       |            |            |
| MV161131R9                                                   | KRES58P1B  | 165°F              | 74°C  | Brass      | A\$113.89  |
| MV162131R9                                                   | KRES58P1C  | 165°F              | 74°C  | Chrome     | A\$110.61  |
| MV168731R9                                                   | KRES58P1W  | 165°F              | 74°C  | Poly White | A\$110.61  |
| MV211131R9                                                   | KRES58P2B  | 212°F              | 100°C | Brass      | A\$113.89  |
| MV212131R9                                                   | KRES58P2C  | 212°F              | 100°C | Chrome     | A\$110.61  |
| MV218731R9                                                   | KRES58P2W  | 212°F              | 100°C | Poly White | A\$110.61  |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY              |            |                    |       |            |            |
| 6800830000                                                   | GF2B       | 1/2" (15mm)        |       | Brass      | A\$ 39.00  |
| 6800800000                                                   | GF2C       | 1/2" (15mm)        |       | Chrome     | A\$ 21.01  |
| 6800840000                                                   | GF2W       | 1/2" (15mm)        |       | White      | A\$ 21.01  |
| MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS                    |            |                    |       |            |            |
| 6801412100                                                   | FPC        | Push-On Thread Off |       | Chrome     | A\$ 40.55  |
| 6801417200                                                   | FPW        | Push-On Thread Off |       | White      | A\$ 40.55  |

6880050100 WW2 WRENCH,W2(PENDENT,UPRIGHT,HSW) A\$212.48  
6880100120 WW4 WRENCH,W4,RECESSED,CONCEALED A\$630.54  
6880100100 WW1 WRENCH,W1 (RECESSED PENDENT,CCP,& HSW) A\$630.54



## F1RES 58 HSWX

- K-Factor = 5.8 (84)
- **SIN RA3533**
- See Bulletin 135
- **Bulb Version**



## KRES 58 HSWX

- K-Factor = 5.8 (84)
- **SIN RA3593**
- See Bulletin 935
- **Link Version**

| Part Number                                                    | Short Code | Temperature |      | Finish     | List Price |
|----------------------------------------------------------------|------------|-------------|------|------------|------------|
| MODEL F1RES58X HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3533 |            |             |      |            |            |
| CV621131S9                                                     | 58H1BXN    | 155°F       | 68°C | Brass      | A\$ 152.11 |
| CV622131S9                                                     | 58H1CXN    | 155°F       | 68°C | Chrome     | A\$ 163.20 |
| CV628731S9                                                     | 58H1WXN    | 155°F       | 68°C | Poly White | A\$ 163.20 |
| CV63113199                                                     | 58H5BX     | 175°F       | 79°C | Brass      | A\$ 152.11 |
| CV632131S9                                                     | 58H5CXN    | 175°F       | 79°C | Chrome     | A\$ 163.20 |
| CV638731S9                                                     | 58H5WXN    | 175°F       | 79°C | Poly White | A\$ 163.20 |
| MODEL KRES58X HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3593  |            |             |      |            |            |
| MV62113199                                                     | K58H1BX    | 165°F       | 74°C | Brass      | A\$ 152.11 |
| MV62213199                                                     | K58H1CX    | 165°F       | 74°C | Chrome     | A\$ 163.20 |
| MV62873199                                                     | K58H1WX    | 165°F       | 74°C | Poly White | A\$ 163.20 |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                |            |             |      |            |            |
| 6800830000                                                     | GF2B       | 1/2" (15mm) |      | Brass      | A\$ 39.00  |
| 6800800000                                                     | GF2C       | 1/2" (15mm) |      | Chrome     | A\$ 21.01  |
| 6800840000                                                     | GF2W       | 1/2" (15mm) |      | White      | A\$ 21.01  |
| MODEL FV RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                |            |             |      |            |            |
| 6801720600                                                     | FVB        | 1/2" (15mm) |      | Brass      | A\$ 36.82  |
| 6801722100                                                     | FVC        | 1/2" (15mm) |      | Chrome     | A\$ 24.52  |
| 6801728700                                                     | FVW        | 1/2" (15mm) |      | Poly White | A\$ 24.52  |

|            |     |                                          |            |
|------------|-----|------------------------------------------|------------|
| 6880050100 | WW2 | Wrench, W2, Pendent, Upright, HSW        | A\$ 212.48 |
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed          | A\$ 630.54 |
| 6880100100 | WW1 | Wrench, W1, Recessed, Pendent, CCP & HSW | A\$ 630.54 |

\* Low flow residential horizontal sidewall sprinklers engineered to provide a minimum design density of 0.05 gpm/ft² over the listed coverage areas



## F1RES 76 Pendant & Recessed Pendant

- K-Factor = 7.6 (109)
- **SIN R7618**
- See Bulletins 135 & 176



## F1RES 76 CCP

- K-Factor = 7.6 (109)
- **SIN R7618**
- See Bulletins 135 & 176

| Part Number                                                | Short Code | Temperature        |      | Finish | List Price |
|------------------------------------------------------------|------------|--------------------|------|--------|------------|
| MODEL F1RES76 PENDENT K7.6 (109) THREADS 3/4" (20MM) R7618 |            |                    |      |        |            |
| CV15113298                                                 | 76P1B      | 155°F              | 68°C | Brass  | A\$ 115.86 |
| CV15213298                                                 | 76P1C      | 155°F              | 68°C | Chrome | A\$ 118.70 |
| CV15873298                                                 | 76P1W      | 155°F              | 68°C | White  | A\$ 118.70 |
| CV17113298                                                 | 76P5B      | 175°F              | 79°C | Brass  | A\$ 115.86 |
| CV17213298                                                 | 76P5C      | 175°F              | 79°C | Chrome | A\$ 118.70 |
| CV17873298                                                 | 76P5W      | 175°F              | 79°C | White  | A\$ 118.70 |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY            |            |                    |      |        |            |
| 6801030000                                                 | GF1LB      | 3/4"Adjustment     |      | Brass  | A\$ 39.00  |
| 6801000000                                                 | GF1LC      | 3/4"Adjustment     |      | Chrome | A\$ 21.01  |
| 6801040000                                                 | GF1LW      | 3/4"Adjustment     |      | White  | A\$ 21.01  |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY            |            |                    |      |        |            |
| 6800880004                                                 | GF2LB      | 1/2"Adjustment     |      | Brass  | A\$ 39.00  |
| 6800880001                                                 | GF2LC      | 1/2"Adjustment     |      | Chrome | A\$ 21.01  |
| 6800880005                                                 | GF2LW      | 1/2"Adjustment     |      | White  | A\$ 21.01  |
| MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS                  |            |                    |      |        |            |
| 6801402100                                                 | FPLC       | Push-On Thread Off |      | Chrome | A\$ 40.55  |
| 6801407200                                                 | FPLW       | Push-On Thread Off |      | White  | A\$ 40.55  |

|            |     |                                          |  |  |            |
|------------|-----|------------------------------------------|--|--|------------|
| 6880050100 | WW2 | Wrench, W2, Pendant, Upright, HSW        |  |  | A\$ 212.48 |
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed          |  |  | A\$ 630.54 |
| 6880100100 | WW1 | Wrench, W1, Recessed, Pendant, CCP & HSW |  |  | A\$ 630.54 |

| Part Number                                                       | Short Code | Temperature |      | Finish     | List Price |
|-------------------------------------------------------------------|------------|-------------|------|------------|------------|
| MODEL F1RES76 HORIZONTAL CCP K7.6 (109) THREADS 3/4" (20MM) R7618 |            |             |      |            |            |
| CM15173298                                                        | 76CCP1     | 155°F       | 68°C | W/O        | A\$ 142.27 |
| CM17173298                                                        | 76CCP5     | 175°F       | 79°C | W/O        | A\$ 142.27 |
| MODEL CCP CONICAL CONCEALED COVERPLATES 5/16" ADJUSTMENT          |            |             |      |            |            |
| 6887171321                                                        | CCP05C76   | 135°F       | 57°C | Chrome     | A\$ 168.49 |
| 6887171318                                                        | CCP05W76   | 135°F       | 57°C | White      | A\$ 65.66  |
| 6887171390                                                        | CCP05SP76  | 135°F       | 57°C | Specialty  | A\$ 110.27 |
| MODEL CCP CONICAL CONCEALED COVERPLATES 1/2" ADJUSTMENT           |            |             |      |            |            |
| 6887161321                                                        | CCP0C76    | 135°F       | 57°C | Chrome     | A\$ 168.49 |
| 6887161318                                                        | CCP0W76    | 135°F       | 57°C | Flat White | A\$ 65.66  |

|            |     |                                 |  |  |            |
|------------|-----|---------------------------------|--|--|------------|
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed |  |  | A\$ 630.54 |
|------------|-----|---------------------------------|--|--|------------|

### Notes:

Sprinkler and coverplates sold and packaged separately



**RFC Series  
Residential  
Sprinklers Flat Cover  
Plate, Concealed  
Pendent Sprinklers**



## RFC30

- K-Factor = 3.0 (43)
- **SIN RA0611**
- See Bulletin 006

## RFC43

- K-Factor = 4.3 (62)
- **SIN RA0612**
- See Bulletin 006

## RFC49

- K-Factor = 4.9 (70)
- **SIN RA0616**
- See Bulletin 006

## RFC58

- K-Factor = 5.8 (84)
- **SIN RA0613**
- See Bulletin 006

## RFC76

- K-Factor = 7.6 (109)
- **SIN RA0618**
- See Bulletin 006

| Part Number                                                      | Short Code | Temperature |       | Finish | List Price |
|------------------------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL RFC30 FLAT CONCEALED K3.0 (43) THREADS 1/2" (15MM) RA0611  |            |             |       |        |            |
| 1816172197                                                       | RFC30      | 165°F       | 74°C  | W/O    | A\$143.17  |
| 1821172197                                                       | RFC302     | 212°F       | 100°C | W/O    | A\$143.17  |
| MODEL RFC43 FLAT CONCEALED K4.3 (62) THREADS 1/2" (15MM) RA0612  |            |             |       |        |            |
| 1816172597                                                       | RFC43      | 165°F       | 74°C  | W/O    | A\$143.17  |
| 1821172597                                                       | RFC432     | 212°F       | 100°C | W/O    | A\$143.17  |
| MODEL RFC49 FLAT CONCEALED K4.9 (70) THREADS 1/2" (15MM) RA0616  |            |             |       |        |            |
| 1816172697                                                       | RFC49      | 165°F       | 74°C  | W/O    | A\$143.17  |
| 1821172697                                                       | RFC492     | 212°F       | 100°C | W/O    | A\$143.17  |
| MODEL RFC58 FLAT CONCEALED K5.8 (84) THREADS 1/2" (15MM) RA0613  |            |             |       |        |            |
| 1816172997                                                       | RFC581     | 165°F       | 74°C  | W/O    | A\$143.17  |
| 1821172997                                                       | RFC582     | 212°F       | 100°C | W/O    | A\$143.17  |
| MODEL RFC76 FLAT CONCEALED K7.6 (109) THREADS 3/4" (20MM) RA0618 |            |             |       |        |            |
| 1816173198                                                       | RFC761     | 165°F       | 74°C  | W/O    | A\$225.45  |
| 1821173198                                                       | RFC762     | 212°F       | 100°C | W/O    | A\$225.45  |

|            |     |                                          |            |
|------------|-----|------------------------------------------|------------|
| 6880170020 | WFC | WRENCH,FC,CONCEALED                      | A\$ 633.90 |
| 6880100110 | W3  | WRENCH W3 FOR WRENCH-ABLE PROTECTIVE CAP | A\$ 633.90 |
| 6880103000 | W8  | WRENCH,W8, RFC PLASTIC SERVICE WRENCH    | A\$ 393.07 |

| <b>MODEL G5 COVER PLATES</b> |        |       |      |                 |           |
|------------------------------|--------|-------|------|-----------------|-----------|
| 6887271321                   | CG50C  | 135°F | 57°C | Chrome          | A\$ 78.04 |
| 6887271372                   | CG50W  | 135°F | 57°C | White           | A\$ 71.13 |
| 6887271311                   | CG50B  | 135°F | 57°C | Finished Bronze | A\$101.44 |
| 6887271374                   | CG50OW | 135°F | 57°C | Off-White       | A\$ 96.73 |
| 6887271390                   | CG50SP | 135°F | 57°C | Specialty       | A\$100.61 |
| 6887271316                   | CG50FB | 135°F | 57°C | Black Painted   | A\$ 96.86 |
| 6887271305                   | CG50BB | 135°F | 57°C | Bright Brass    | A\$122.79 |
| 6887271323                   | CG50CD | 135°F | 57°C | Satin Chrome    | A\$122.79 |
| 6887271310                   | CG50SS | 135°F | 57°C | Stainless Steel | A\$122.79 |
| 6887271621                   | CG51C  | 165°F | 74°C | Chrome          | A\$ 78.04 |
| 6887271672                   | CG51W  | 165°F | 74°C | White           | A\$ 71.13 |
| 6887271611                   | CG51B  | 165°F | 74°C | Finished Bronze | A\$101.44 |
| 6887271674                   | CG51OW | 165°F | 74°C | Off-White       | A\$ 96.73 |
| 6887271690                   | CG51SP | 165°F | 74°C | Specialty       | A\$100.61 |
| 6887271616                   | CG51FB | 165°F | 74°C | Black Painted   | A\$ 96.86 |
| 6887271605                   | CG51BB | 165°F | 74°C | Bright Brass    | A\$122.79 |
| 6887271623                   | CG51CD | 165°F | 74°C | Satin Chrome    | A\$122.79 |
| 6887271610                   | CG51SS | 165°F | 74°C | Stainless Steel | A\$122.79 |



## RFC49plus

- K-Factor = 4.9 (70)
- **SIN R401 and R402 (Low Lead)**
- See Bulletin 188

| Part Number                                                      | Short Code | Temperature |       | Finish | List Price |
|------------------------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL RFC49 PLUS FLAT CONCEALED K4.9 (70) THREADS 1/2" R401      |            |             |       |        |            |
| 1816172799                                                       | RFC491P    | 165°F       | 74°C  | W/O    | A\$164.23  |
| 1821172799                                                       | RFC492P    | 212°F       | 100°C | W/O    | A\$164.23  |
| MODEL RFC49 PLUS FLAT CONCEALED K4.9 (70) BSPT THREADS 1/2" R401 |            |             |       |        |            |
| 1816172792                                                       | RFC491M    | 165°F       | 74°C  | W/O    | A\$164.23  |
| 1821172792                                                       | RFC492PM   | 212°F       | 100°C | W/O    | A\$164.23  |
| MODEL RFC49LL PLUS FLAT CONCEALED K4.9 (70) THREADS 1/2" R402    |            |             |       |        |            |
| 18161727P9                                                       | RFC491PLL  | 165°F       | 74°C  | W/O    | A\$253.18  |
| 18211727P9                                                       | RFC492PLL  | 212°F       | 100°C | W/O    | A\$253.18  |
| MODEL RFC49LL PLUS FLAT CONCEALED K4.9 (70) BSPT THREADS R402    |            |             |       |        |            |
| 18161727P2                                                       |            | 165°F       | 74°C  | W/O    | A\$253.18  |
| 18211727P2                                                       |            | 212°F       | 100°C | W/O    | A\$253.18  |
| MODEL G5 COVER PLATES                                            |            |             |       |        |            |
| 6887271321                                                       | CG50C      | 135°F       | 57°C  | Chrome | A\$ 78.04  |
| 6887271621                                                       | CG51C      | 165°F       | 74°C  | Chrome | A\$ 78.04  |
| 6887271372                                                       | CG50W      | 135°F       | 57°C  | White  | A\$ 71.13  |
| 6887271672                                                       | CG51W      | 165°F       | 74°C  | White  | A\$ 71.13  |

|            |     |                                       |            |
|------------|-----|---------------------------------------|------------|
| 6880105000 | W10 | WRENCH,W10,WITH PROTECTIVE CAP,RFC49+ | A\$ 633.90 |
| 6880107000 | W11 | WRENCH,W11,PLASTIC,RFC49+             | A\$ 393.07 |



**RFS42 Residential  
Flat Plate  
Concealed HSW**

- K-Factor = 4.2 (60)
- **SIN RA4835**
- See Bulletin 048

**NEW**

| Part Number                                                    | Short Code | Temperature          |      | Finish          | List Price |
|----------------------------------------------------------------|------------|----------------------|------|-----------------|------------|
| MODEL RFS42 HSW CONCEALED K4.2 (60) THREADS 1/2" (15MM) RA4835 |            |                      |      |                 |            |
| 2216172499                                                     | RFS42      | 165°F                | 74°C | W/O             | A\$ 283.20 |
|                                                                |            |                      |      |                 |            |
| 6880101010                                                     | WG6        | WRENCH,G6 HSW SOCKET |      |                 | A\$ 628.07 |
| MODEL RFS42 COVERPLATES                                        |            |                      |      |                 |            |
| 6887231311                                                     | CRFS0B     | 135°F                | 57°C | Finished Bronze | A\$ 102.92 |
| 6887231321                                                     | CRFS0C     | 135°F                | 57°C | Chrome          | A\$ 99.17  |
| 6887231372                                                     | CRFS0W     | 135°F                | 57°C | White           | A\$ 99.17  |

**Notes:**

Sprinklers and coverplates sold and packaged separately



## F3RES44 DRY HSW

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

| Part Number                                                                    | Size           | Finish | List Price |
|--------------------------------------------------------------------------------|----------------|--------|------------|
| <b>MODEL F3RES44 DRY HORIZONTAL K4.4 (63) THREADS 1" (IS07-R1) RA5231</b>      |                |        |            |
| HP[TEMP]11[DIM]                                                                | 2" to 5-3/4"   | Brass  | A\$ 785.11 |
| HP[TEMP]21[DIM]                                                                | 2" to 5-3/4"   | Chrome | A\$ 785.11 |
| HP[TEMP]08[DIM]                                                                | 2" to 5-3/4"   | White  | A\$ 785.11 |
| HP[TEMP]11[DIM]                                                                | 6" to 8-3/4"   | Brass  | A\$ 809.65 |
| HP[TEMP]21[DIM]                                                                | 6" to 8-3/4"   | Chrome | A\$ 809.65 |
| HP[TEMP]08[DIM]                                                                | 6" to 8-3/4"   | White  | A\$ 809.65 |
| HP[TEMP]11[DIM]                                                                | 9" to 11-3/4"  | Brass  | A\$ 834.15 |
| HP[TEMP]21[DIM]                                                                | 9" to 11-3/4"  | Chrome | A\$ 834.15 |
| HP[TEMP]08[DIM]                                                                | 9" to 11-3/4"  | White  | A\$ 834.15 |
| HP[TEMP]11[DIM]                                                                | 12" to 14-3/4" | Brass  | A\$ 858.69 |
| HP[TEMP]21[DIM]                                                                | 12" to 14-3/4" | Chrome | A\$ 858.69 |
| HP[TEMP]08[DIM]                                                                | 12" to 14-3/4" | White  | A\$ 858.69 |
| HP[TEMP]11[DIM]                                                                | 15" to 17-3/4" | Brass  | A\$ 883.23 |
| HP[TEMP]21[DIM]                                                                | 15" to 17-3/4" | Chrome | A\$ 883.23 |
| HP[TEMP]08[DIM]                                                                | 15" to 17-3/4" | White  | A\$ 883.23 |
| HP[TEMP]11[DIM]                                                                | 18" to 20-3/4" | Brass  | A\$ 907.77 |
| HP[TEMP]21[DIM]                                                                | 18" to 20-3/4" | Chrome | A\$ 907.77 |
| HP[TEMP]08[DIM]                                                                | 18" to 20-3/4" | White  | A\$ 907.77 |
| HP[TEMP]11[DIM]                                                                | 21" to 24"     | Brass  | A\$ 932.30 |
| HP[TEMP]21[DIM]                                                                | 21" to 24"     | Chrome | A\$ 932.30 |
| HP[TEMP]08[DIM]                                                                | 21" to 24"     | White  | A\$ 932.30 |
| <b>MODEL F3RES44 DRY HORIZONTAL K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231</b> |                |        |            |
| HP5[TEMP]11[DIM]                                                               | 2" to 5-3/4"   | Brass  | A\$ 785.11 |
| HP5[TEMP]21[DIM]                                                               | 2" to 5-3/4"   | Chrome | A\$ 785.07 |
| HP5[TEMP]08[DIM]                                                               | 2" to 5-3/4"   | White  | A\$ 785.11 |
| HP5[TEMP]11[DIM]                                                               | 6" to 8-3/4"   | Brass  | A\$ 809.62 |
| HP5[TEMP]21[DIM]                                                               | 6" to 8-3/4"   | Chrome | A\$ 809.65 |
| HP5[TEMP]08[DIM]                                                               | 6" to 8-3/4"   | White  | A\$ 809.65 |
| HP5[TEMP]11[DIM]                                                               | 9" to 11-3/4"  | Brass  | A\$ 834.15 |
| HP5[TEMP]21[DIM]                                                               | 9" to 11-3/4"  | Chrome | A\$ 834.15 |
| HP5[TEMP]08[DIM]                                                               | 9" to 11-3/4"  | White  | A\$ 834.15 |
| HP5[TEMP]11[DIM]                                                               | 12" to 14-3/4" | Brass  | A\$ 858.70 |
| HP5[TEMP]21[DIM]                                                               | 12" to 14-3/4" | Chrome | A\$ 858.69 |
| HP5[TEMP]08[DIM]                                                               | 12" to 14-3/4" | White  | A\$ 858.69 |
| HP5[TEMP]11[DIM]                                                               | 15" to 17-3/4" | Brass  | A\$ 883.24 |
| HP5[TEMP]21[DIM]                                                               | 15" to 17-3/4" | Chrome | A\$ 883.24 |
| HP5[TEMP]08[DIM]                                                               | 15" to 17-3/4" | White  | A\$ 883.24 |
| HP5[TEMP]11[DIM]                                                               | 18" to 20-3/4" | Brass  | A\$ 907.77 |
| HP5[TEMP]21[DIM]                                                               | 18" to 20-3/4" | Chrome | A\$ 907.77 |
| HP5[TEMP]08[DIM]                                                               | 18" to 20-3/4" | White  | A\$ 907.77 |
| HP5[TEMP]11[DIM]                                                               | 21" to 24"     | Brass  | A\$ 932.30 |
| HP5[TEMP]21[DIM]                                                               | 21" to 24"     | Chrome | A\$ 932.30 |
| HP5[TEMP]08[DIM]                                                               | 21" to 24"     | White  | A\$ 932.30 |

6880130001      WF3R      Requires Model F3R Wrench      A\$      333.65

\* Note: Model F3 wrenches are not compatible with the F3RES44 Dry sprinklers.



## F3RES44 DRY RECESSED HSW / F2

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

## PRICING INCLUDES F2 ESCUTCHEON

| Part Number                                                                        | Size           | Finish                     | List Price |
|------------------------------------------------------------------------------------|----------------|----------------------------|------------|
| <b>MODEL F3RES44 DRY REC HORIZONTAL K4.4 (63) THREADS 1"(ISO 7-R1) RA5231</b>      |                |                            |            |
| HR[TEMP]11[DIM]                                                                    | 2" to 5-3/4"   | Brass                      | A\$ 716.21 |
| HR[TEMP]21[DIM]                                                                    | 2" to 5-3/4"   | Chrome                     | A\$ 705.80 |
| HR[TEMP]08[DIM]                                                                    | 2" to 5-3/4"   | White                      | A\$ 705.80 |
| HR[TEMP]11[DIM]                                                                    | 6" to 8-3/4"   | Brass                      | A\$ 765.28 |
| HR[TEMP]21[DIM]                                                                    | 6" to 8-3/4"   | Chrome                     | A\$ 754.86 |
| HR[TEMP]08[DIM]                                                                    | 6" to 8-3/4"   | White                      | A\$ 754.86 |
| HR[TEMP]11[DIM]                                                                    | 9" to 11-3/4"  | Brass                      | A\$ 794.69 |
| HR[TEMP]21[DIM]                                                                    | 9" to 11-3/4"  | Chrome                     | A\$ 784.31 |
| HR[TEMP]08[DIM]                                                                    | 9" to 11-3/4"  | White                      | A\$ 784.31 |
| HR[TEMP]11[DIM]                                                                    | 12" to 14-3/4" | Brass                      | A\$ 824.13 |
| HR[TEMP]21[DIM]                                                                    | 12" to 14-3/4" | Chrome                     | A\$ 813.76 |
| HR[TEMP]08[DIM]                                                                    | 12" to 14-3/4" | White                      | A\$ 813.76 |
| HR[TEMP]11[DIM]                                                                    | 15" to 17-3/4" | Brass                      | A\$ 858.48 |
| HR[TEMP]21[DIM]                                                                    | 15" to 17-3/4" | Chrome                     | A\$ 848.11 |
| HR[TEMP]08[DIM]                                                                    | 15" to 17-3/4" | White                      | A\$ 848.11 |
| HR[TEMP]11[DIM]                                                                    | 18" to 20-3/4" | Brass                      | A\$ 887.92 |
| HR[TEMP]21[DIM]                                                                    | 18" to 20-3/4" | Chrome                     | A\$ 877.55 |
| HR[TEMP]08[DIM]                                                                    | 18" to 20-3/4" | White                      | A\$ 877.55 |
| HR[TEMP]11[DIM]                                                                    | 21" to 24"     | Brass                      | A\$ 917.37 |
| HR[TEMP]21[DIM]                                                                    | 21" to 24"     | Chrome                     | A\$ 906.97 |
| HR[TEMP]08[DIM]                                                                    | 21" to 24"     | White                      | A\$ 906.97 |
| <b>MODEL F3RES44 DRY REC HORIZONTAL K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231</b> |                |                            |            |
| HR5[TEMP]11[DIM]                                                                   | 2" to 5-3/4"   | Brass                      | A\$ 716.21 |
| HR5[TEMP]21[DIM]                                                                   | 2" to 5-3/4"   | Chrome                     | A\$ 686.96 |
| HR5[TEMP]08[DIM]                                                                   | 2" to 5-3/4"   | White                      | A\$ 705.80 |
| HR5[TEMP]11[DIM]                                                                   | 6" to 8-3/4"   | Brass                      | A\$ 765.28 |
| HR5[TEMP]21[DIM]                                                                   | 6" to 8-3/4"   | Chrome                     | A\$ 754.86 |
| HR5[TEMP]08[DIM]                                                                   | 6" to 8-3/4"   | White                      | A\$ 736.00 |
| HR5[TEMP]11[DIM]                                                                   | 9" to 11-3/4"  | Brass                      | A\$ 794.69 |
| HR5[TEMP]21[DIM]                                                                   | 9" to 11-3/4"  | Chrome                     | A\$ 765.46 |
| HR5[TEMP]08[DIM]                                                                   | 9" to 11-3/4"  | White                      | A\$ 765.46 |
| HR5[TEMP]11[DIM]                                                                   | 12" to 14-3/4" | Brass                      | A\$ 824.13 |
| HR5[TEMP]21[DIM]                                                                   | 12" to 14-3/4" | Chrome                     | A\$ 813.76 |
| HR5[TEMP]08[DIM]                                                                   | 12" to 14-3/4" | White                      | A\$ 794.89 |
| HR5[TEMP]11[DIM]                                                                   | 15" to 17-3/4" | Brass                      | A\$ 858.48 |
| HR5[TEMP]21[DIM]                                                                   | 15" to 17-3/4" | Chrome                     | A\$ 829.23 |
| HR5[TEMP]08[DIM]                                                                   | 15" to 17-3/4" | White                      | A\$ 829.23 |
| HR5[TEMP]11[DIM]                                                                   | 18" to 20-3/4" | Brass                      | A\$ 887.92 |
| HR5[TEMP]21[DIM]                                                                   | 18" to 20-3/4" | Chrome                     | A\$ 858.70 |
| HR5[TEMP]08[DIM]                                                                   | 18" to 20-3/4" | White                      | A\$ 858.70 |
| HR5[TEMP]11[DIM]                                                                   | 21" to 24"     | Brass                      | A\$ 917.37 |
| HR5[TEMP]21[DIM]                                                                   | 21" to 24"     | Chrome                     | A\$ 888.14 |
| HR5[TEMP]08[DIM]                                                                   | 21" to 24"     | White                      | A\$ 888.14 |
| 6880070100                                                                         | WXLO           | Requires Model XLO2 Wrench | A\$ 331.20 |



## F3RES44 DRY HSW / HB

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

| Part Number                                                                       | Size             | Finish | List Price |
|-----------------------------------------------------------------------------------|------------------|--------|------------|
| <b>MODEL F3RES44 DRY HORIZONTAL HB K4.4 (63) THREADS 1" (ISO 7-R1) RA5231</b>     |                  |        |            |
| HQ[TEMP]21[DIM]                                                                   | 3-1/2" to 5-3/4" | Chrome | A\$ 711.49 |
| HQ[TEMP]08[DIM]                                                                   | 3 1/2" to 5-3/4" | White  | A\$ 711.49 |
| HQ[TEMP]21[DIM]                                                                   | 6" to 8-3/4"     | Chrome | A\$ 745.82 |
| HQ[TEMP]08[DIM]                                                                   | 6" to 8-3/4"     | White  | A\$ 745.82 |
| HQ[TEMP]21[DIM]                                                                   | 9" to 11-3/4"    | Chrome | A\$ 775.28 |
| HQ[TEMP]08[DIM]                                                                   | 9" to 11-3/4"    | White  | A\$ 775.28 |
| HQ[TEMP]21[DIM]                                                                   | 12" to 14-3/4"   | Chrome | A\$ 804.72 |
| HQ[TEMP]08[DIM]                                                                   | 12" to 14-3/4"   | White  | A\$ 804.72 |
| HQ[TEMP]21[DIM]                                                                   | 15" to 17-3/4"   | Chrome | A\$ 834.15 |
| HQ[TEMP]08[DIM]                                                                   | 15" to 17-3/4"   | White  | A\$ 834.15 |
| HQ[TEMP]21[DIM]                                                                   | 18" to 20-3/4"   | Chrome | A\$ 863.59 |
| HQ[TEMP]08[DIM]                                                                   | 18" to 20-3/4"   | White  | A\$ 863.59 |
| HQ[TEMP]21[DIM]                                                                   | 21" to 24"       | Chrome | A\$ 893.03 |
| HQ[TEMP]08[DIM]                                                                   | 21" to 24"       | White  | A\$ 893.03 |
| <b>MODEL F3RES44 DRY HORIZONTAL HB K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231</b> |                  |        |            |
| HQ5[TEMP]21[DIM]                                                                  | 4-1/4" to 5-3/4" | Chrome | A\$ 711.49 |
| HQ5[TEMP]08[DIM]                                                                  | 4-1/4" to 5-3/4" | White  | A\$ 711.49 |
| HQ5[TEMP]21[DIM]                                                                  | 6" to 8-3/4"     | Chrome | A\$ 745.82 |
| HQ5[TEMP]08[DIM]                                                                  | 6" to 8-3/4"     | White  | A\$ 745.82 |
| HQ5[TEMP]21[DIM]                                                                  | 9" to 11-3/4"    | Chrome | A\$ 775.28 |
| HQ5[TEMP]08[DIM]                                                                  | 9" to 11-3/4"    | White  | A\$ 775.27 |
| HQ5[TEMP]21[DIM]                                                                  | 12" to 14-3/4"   | Chrome | A\$ 804.72 |
| HQ5[TEMP]08[DIM]                                                                  | 12" to 14-3/4"   | White  | A\$ 804.72 |
| HQ5[TEMP]21[DIM]                                                                  | 15" to 17-3/4"   | Chrome | A\$ 834.15 |
| HQ5[TEMP]08[DIM]                                                                  | 15" to 17-3/4"   | White  | A\$ 834.15 |
| HQ5[TEMP]21[DIM]                                                                  | 18" to 20-3/4"   | Chrome | A\$ 863.59 |
| HQ5[TEMP]08[DIM]                                                                  | 18" to 20-3/4"   | White  | A\$ 863.59 |
| HQ5[TEMP]21[DIM]                                                                  | 21" to 24"       | Chrome | A\$ 893.03 |
| HQ5[TEMP]08[DIM]                                                                  | 21" to 24"       | White  | A\$ 893.03 |
| <b>REQUIRED SKIRTS</b>                                                            |                  |        |            |
| 6999994454                                                                        | SKIRTC           | Chrome | A\$ 5.23   |
| 6999994881                                                                        | SKIRTW           | White  | A\$ 5.23   |

6880130001      WF3R      Requires Model F3R Wrench      A\$      333.65

\* Note: Model F3 wrenches are not compatible with the F3RES44 Dry sprinklers.



## F1RES 30 LL Pendent & Recessed Pendent

- K-Factor = 3.0 (43)
- **SIN RA3311**
- See Bulletin 033



## F1RES 30 LL CCP

- K-Factor = 3.0 (43)
- **SIN RA3311**
- Low Lead Sprinklers
- See Bulletin 033

| Part Number                                                  | Short Code | Temperature        |      | Finish              | List Price |
|--------------------------------------------------------------|------------|--------------------|------|---------------------|------------|
| MODEL F1RES30LL PENDENT K3.0 (43) THREADS 1/2" (15MM) RA3311 |            |                    |      |                     |            |
| CV151121P9                                                   | 30BLL      | 155°F              | 68°C | Brass Low Lead      | A\$ 177.46 |
| CV152121P9                                                   | 30CLL      | 155°F              | 68°C | Chrome              | A\$ 189.25 |
| CV158721P9                                                   | 30WLL      | 155°F              | 68°C | Poly White Low Lead | A\$ 189.25 |
| CV171121P9                                                   | 30B5LL     | 175°F              | 79°C | Brass Low Lead      | A\$ 177.46 |
| CV172121P9                                                   | 30C5LL     | 175°F              | 79°C | Chrome              | A\$ 189.25 |
| CV178721P9                                                   | 30W5LL     | 175°F              | 79°C | Poly White Low Lead | A\$ 189.25 |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY              |            |                    |      |                     |            |
| 6800830000                                                   | GF2B       | 1/2" (15mm)        |      | Brass               | A\$ 39.00  |
| 6800800000                                                   | GF2C       | 1/2" (15mm)        |      | Chrome              | A\$ 21.01  |
| 6800840000                                                   | GF2W       | 1/2" (15mm)        |      | White               | A\$ 21.01  |
| MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS                    |            |                    |      |                     |            |
| 6801412100                                                   | FPC        | Push-On Thread Off |      | Chrome              | A\$ 40.55  |
| 6801417200                                                   | FPW        | Push-On Thread Off |      | White               | A\$ 40.55  |

|            |     |                                   |            |
|------------|-----|-----------------------------------|------------|
| 6880050100 | WW2 | Wrench, W2, Pendent, Upright, HSW | A\$ 212.48 |
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed   | A\$ 630.54 |

| Part Number                                                         | Short Code | Temperature |      | Finish     | List Price |
|---------------------------------------------------------------------|------------|-------------|------|------------|------------|
| MODEL F1RES30LL HORIZONTAL CCP K3.0 (43) THREADS 1/2" (15MM) RA3311 |            |             |      |            |            |
| CM151721P9                                                          | 30CCP1LL   | 155°F       | 68°C | Brass      | A\$ 189.25 |
| MODEL CCP CONICAL CONCEALED COVERPLATES                             |            |             |      |            |            |
| 6887161321                                                          | CCP0C76    | 135°F       | 57°C | Chrome     | A\$ 168.49 |
| 6887161318                                                          | CCP0W76    | 135°F       | 57°C | Flat White | A\$ 65.66  |
| 6887161390                                                          | CCP0SP76   | 135°F       | 57°C | Specialty  | A\$ 110.27 |
| 6887171321                                                          | CCP05C76   | 135°F       | 57°C | Chrome     | A\$ 168.49 |
| 6887171318                                                          | CCP05W76   | 135°F       | 57°C | White      | A\$ 65.66  |
| 6887171390                                                          | CCP05SP76  | 135°F       | 57°C | Specialty  | A\$ 110.27 |

|            |     |                                 |            |
|------------|-----|---------------------------------|------------|
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed | A\$ 630.54 |
|------------|-----|---------------------------------|------------|



## F1RES 49 LL Pendent & Recessed Pendent

- K-Factor = 4.9 (70)
- **SIN RA3316**
- See Bulletin 033



## F1RES 49 LL CCP

- K-Factor = 4.9 (70)
- **SIN RA3316**
- See Bulletin 033

| Part Number                                                  | Short Code | Temperature        |      | Finish              | List Price |
|--------------------------------------------------------------|------------|--------------------|------|---------------------|------------|
| MODEL F1RES49LL PENDENT K4.9 (70) THREADS 1/2" (15MM) RA3316 |            |                    |      |                     |            |
| CV151128P9                                                   | 49BLL      | 155°F              | 68°C | Brass Low Lead      | A\$ 177.46 |
| CV152128P9                                                   | 49CLL      | 155°F              | 68°C | Chrome Low Lead     | A\$ 189.25 |
| CV158728P9                                                   | 49WLL      | 155°F              | 68°C | Poly White Low Lead | A\$ 189.25 |
| CV171128P9                                                   | 49B5LL     | 175°F              | 79°C | Brass Low Lead      | A\$ 177.46 |
| CV172128P9                                                   | 49C5LL     | 175°F              | 79°C | Chrome Low Lead     | A\$ 189.25 |
| CV178728P9                                                   | 49W5LL     | 175°F              | 79°C | Poly White Low Lead | A\$ 189.25 |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY              |            |                    |      |                     |            |
| 6800630001                                                   | GF1B       | 1/2" (15mm)        |      | Brass               | A\$ 39.00  |
| 6800600001                                                   | GF1C       | 1/2" (15mm)        |      | Chrome              | A\$ 21.01  |
| 6800640001                                                   | GF1W       | 1/2" (15mm)        |      | White               | A\$ 21.01  |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY              |            |                    |      |                     |            |
| 6800830000                                                   | GF2B       | 1/2" (15mm)        |      | Brass               | A\$ 39.00  |
| 6800800000                                                   | GF2C       | 1/2" (15mm)        |      | Chrome              | A\$ 21.01  |
| 6800840000                                                   | GF2W       | 1/2" (15mm)        |      | White               | A\$ 21.01  |
| MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS                    |            |                    |      |                     |            |
| 6801412100                                                   | FPC        | Push-On Thread Off |      | Chrome              | A\$ 40.55  |
| 6801417200                                                   | FPW        | Push-On Thread Off |      | White               | A\$ 40.55  |

|            |     |                                   |            |
|------------|-----|-----------------------------------|------------|
| 6880050100 | WW2 | Wrench, W2, Pendent, Upright, HSW | A\$ 212.48 |
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed   | A\$ 630.54 |

| Part Number                                                      | Short Code | Temperature |      | Finish     | List Price |
|------------------------------------------------------------------|------------|-------------|------|------------|------------|
| MODEL F1RES49LL PENDENT CCP K4.9 (70) THREADS 1/2" (15MM) RA3316 |            |             |      |            |            |
| CM151728P9                                                       | 49CCP1LL   | 155°F       | 68°C | Brass      | A\$ 189.25 |
| MODEL CCP CONICAL CONCEALED COVERPLATES                          |            |             |      |            |            |
| 6887161321                                                       | CCP0C76    | 135°F       | 57°C | Chrome     | A\$ 168.49 |
| 6887161318                                                       | CCP0W76    | 135°F       | 57°C | Flat White | A\$ 65.66  |
| 6887161390                                                       | CCP0SP76   | 135°F       | 57°C | Specialty  | A\$ 110.27 |
| 6887171321                                                       | CCP05C76   | 135°F       | 57°C | Chrome     | A\$ 168.49 |
| 6887171318                                                       | CCP05W76   | 135°F       | 57°C | White      | A\$ 65.66  |
| 6887171390                                                       | CCP05SP76  | 135°F       | 57°C | Specialty  | A\$ 110.27 |

|            |     |                                 |            |
|------------|-----|---------------------------------|------------|
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed | A\$ 630.54 |
|------------|-----|---------------------------------|------------|



## F1RES 44 LL HSW & REC HSW

- K-Factor = 4.4 (63)
- **SIN RA3331**
- See Bulletin 033



## F1RES 44 LL SWC

- K-Factor = 4.4 (63)
- **SIN RA3331**
- See Bulletin 033

| Part Number                                                     | Short Code | Temperature        |      | Finish              | List Price |
|-----------------------------------------------------------------|------------|--------------------|------|---------------------|------------|
| MODEL F1RES44LL HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) RA3331 |            |                    |      |                     |            |
| CV521125P9                                                      | 44BLL      | 155°F              | 68°C | Brass Low Lead      | A\$ 183.39 |
| CV522125P9                                                      | 44CLL      | 155°F              | 68°C | Chrome Low Lead     | A\$ 192.21 |
| CV528725P9                                                      | 44WLL      | 155°F              | 68°C | Poly White Low Lead | A\$ 192.21 |
| CV531125P9                                                      | 44B5LL     | 175°F              | 79°C | Brass Low Lead      | A\$ 183.39 |
| CV532125P9                                                      | 44C5LL     | 175°F              | 79°C | Chrome Low Lead     | A\$ 192.21 |
| CV538725P9                                                      | 44W5LL     | 175°F              | 79°C | Poly White Low Lead | A\$ 192.21 |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                 |            |                    |      |                     |            |
| 6800830000                                                      | GF2B       | 1/2" (15mm)        |      | Brass               | A\$ 39.00  |
| 6800800000                                                      | GF2C       | 1/2" (15mm)        |      | Chrome              | A\$ 21.01  |
| 6800840000                                                      | GF2W       | 1/2" (15mm)        |      | White               | A\$ 21.01  |
| MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS                       |            |                    |      |                     |            |
| 6801412100                                                      | FPC        | Push-On Thread Off |      | Chrome              | A\$ 40.55  |
| 6801417200                                                      | FPW        | Push-On Thread Off |      | White               | A\$ 40.55  |

| Part Number                                              | Short Code | Temperature                       |      | Finish    | List Price |
|----------------------------------------------------------|------------|-----------------------------------|------|-----------|------------|
| MODEL F1RES44LL SWC K4.4 (63) THREADS 1/2" (15MM) RA3331 |            |                                   |      |           |            |
| CM521725P9                                               | SWC44LL    | 155°F                             | 68°C | Brass     | A\$ 192.21 |
| MODEL F1RES44LL COVERPLATES 1/2" ADJUSTMENT              |            |                                   |      |           |            |
| 6887131318                                               | CHWNS      | 135°F                             | 57°C | White     | A\$ 67.24  |
| 6887131390                                               | CHSPNS     | 135°F                             | 57°C | Specialty | A\$ 100.82 |
| 6880050100                                               | WW2        | Wrench, W2, Pendent, Upright, HSW |      |           | A\$ 212.48 |
| 6880100120                                               | WW4        | Wrench, W4, Recessed, Concealed   |      |           | A\$ 630.54 |



## F1RES 58 LL Pendent & Recessed Pendent

- K-Factor = 5.8 (84)
- **SIN RA3313**
- See Bulletin 033



## F1RES 58 LL CCP

- K-Factor = 5.8 (84)
- **SIN RA3333**
- See Bulletin 033



## F1RES 58 LL HSW & REC HSW

- K-Factor = 5.8 (84)
- **SIN RA3333**
- See Bulletin 033

| Part Number                                                  | Short Code | Temperature        |      | Finish              | List Price |
|--------------------------------------------------------------|------------|--------------------|------|---------------------|------------|
| MODEL F1RES58LL PENDENT K5.8 (84) THREADS 1/2" (15MM) RA3313 |            |                    |      |                     |            |
| CV151131P9                                                   | 58P1BLL    | 155°F              | 68°C | Brass Low Lead      | A\$ 177.46 |
| CV152131P9                                                   | 58P1CLL    | 155°F              | 68°C | Chrome Low Lead     | A\$ 189.25 |
| CV158731P9                                                   | 58P1WLL    | 155°F              | 68°C | Poly White Low Lead | A\$ 189.25 |
| CV171131P9                                                   | 58P5BLL    | 175°F              | 79°C | Brass Low Lead      | A\$ 177.46 |
| CV172131P9                                                   | 58P5CLL    | 175°F              | 79°C | Chrome Low Lead     | A\$ 189.25 |
| CV178731P9                                                   | 58P5WLL    | 175°F              | 79°C | Poly White Low Lead | A\$ 189.25 |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY              |            |                    |      |                     |            |
| 6800630001                                                   | GF1B       | 1/2" (15mm)        |      | Brass               | A\$ 39.00  |
| 6800600001                                                   | GF1C       | 1/2" (15mm)        |      | Chrome              | A\$ 21.01  |
| 6800640001                                                   | GF1W       | 1/2" (15mm)        |      | White               | A\$ 21.01  |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY              |            |                    |      |                     |            |
| 6800830000                                                   | GF2B       | 1/2" (15mm)        |      | Brass               | A\$ 39.00  |
| 6800800000                                                   | GF2C       | 1/2" (15mm)        |      | Chrome              | A\$ 21.01  |
| 6800840000                                                   | GF2W       | 1/2" (15mm)        |      | White               | A\$ 21.01  |
| MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS                    |            |                    |      |                     |            |
| 6801412100                                                   | FPC        | Push-On Thread Off |      | Chrome              | A\$ 40.55  |
| 6801417200                                                   | FPW        | Push-On Thread Off |      | White               | A\$ 40.55  |

|            |     |                                   |            |
|------------|-----|-----------------------------------|------------|
| 6880050100 | WW2 | Wrench, W2, Pendent, Upright, HSW | A\$ 212.48 |
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed   | A\$ 630.54 |

| Part Number                                              | Short Code | Temperature |      | Finish     | List Price |
|----------------------------------------------------------|------------|-------------|------|------------|------------|
| MODEL F1RES58LL CCP K5.8 (84) THREADS 1/2" (15MM) RA3333 |            |             |      |            |            |
| CM151731P9                                               | 58CCP1LL   | 155°F       | 68°C | Brass      | A\$ 189.25 |
| MODEL CCP CONICAL CONCEALED COVERPLATES                  |            |             |      |            |            |
| 6887161321                                               | CCP0C76    | 135°F       | 57°C | Chrome     | A\$ 168.49 |
| 6887161318                                               | CCP0W76    | 135°F       | 57°C | Flat White | A\$ 65.66  |
| 6887161390                                               | CCP0SP76   | 135°F       | 57°C | Specialty  | A\$ 110.27 |
| 6887171321                                               | CCP05C76   | 135°F       | 57°C | Chrome     | A\$ 168.49 |
| 6887171318                                               | CCP05W76   | 135°F       | 57°C | White      | A\$ 65.66  |
| 6887171390                                               | CCP05SP76  | 135°F       | 57°C | Specialty  | A\$ 110.27 |

|            |     |                                 |            |
|------------|-----|---------------------------------|------------|
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed | A\$ 630.54 |
|------------|-----|---------------------------------|------------|

| Part Number                                                     | Short Code | Temperature        |      | Finish              | List Price |
|-----------------------------------------------------------------|------------|--------------------|------|---------------------|------------|
| MODEL F1RES58LL HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3333 |            |                    |      |                     |            |
| CV521131P9                                                      | 58H1BLL    | 155°F              | 68°C | Brass Low Lead      | A\$ 183.39 |
| CV522131P9                                                      | 58H1CLL    | 155°F              | 68°C | Chrome Low Lead     | A\$ 192.21 |
| CV528731P9                                                      | 58H1WLL    | 155°F              | 68°C | Poly White Low Lead | A\$ 192.21 |
| CV531131P9                                                      | 58H5BLL    | 175°F              | 79°C | Brass Low Lead      | A\$ 183.39 |
| CV532131P9                                                      | 58H5CLL    | 175°F              | 79°C | Chrome Low Lead     | A\$ 192.21 |
| CV538731P9                                                      | 58H5WLL    | 175°F              | 79°C | Poly White Low Lead | A\$ 192.21 |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                 |            |                    |      |                     |            |
| 6800830000                                                      | GF2B       | 1/2" (15mm)        |      | Brass               | A\$ 39.00  |
| 6800800000                                                      | GF2C       | 1/2" (15mm)        |      | Chrome              | A\$ 21.01  |
| 6800840000                                                      | GF2W       | 1/2" (15mm)        |      | White               | A\$ 21.01  |
| 6801412100                                                      | FPC        | Push-On Thread Off |      | Chrome              | A\$ 40.55  |
| 6801417200                                                      | FPW        | Push-On Thread Off |      | White               | A\$ 40.55  |

|            |     |                                          |            |
|------------|-----|------------------------------------------|------------|
| 6880050100 | WW2 | Wrench, W2, Pendent, Upright, HSW        | A\$ 212.48 |
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed          | A\$ 630.54 |
| 6880100100 | WW1 | Wrench, W1, Recessed, Pendent, CCP & HSW | A\$ 630.54 |



## RFC30 LL Flat Concealed

- K-Factor = 3.0 (43)
- **SIN RA3211**
- See Bulletin 006

| Part Number                                                       | Short Code | Temperature |       | Finish          | List Price |
|-------------------------------------------------------------------|------------|-------------|-------|-----------------|------------|
| MODEL RFC30LL FLAT CONCEALED K3.0 (43) THREADS 1/2" (15MM) RA3211 |            |             |       |                 |            |
| 18161721P7                                                        | RFC30LL    | 165°F       | 74°C  | Brass           | A\$ 221.82 |
| MODEL RFC43LL FLAT CONCEALED K4.3 (62) THREADS 1/2" (15MM) RA3212 |            |             |       |                 |            |
| 18161725P7                                                        | RFC43LL    | 165°F       | 74°C  | Brass           | A\$ 221.82 |
| MODEL RFC49LL FLAT CONCEALED K4.9 (70) THREADS 1/2" (15MM) RA3216 |            |             |       |                 |            |
| 18161726P7                                                        | RFC49LL    | 165°F       | 74°C  | Brass           | A\$ 221.82 |
| 18211726P7                                                        | RFC492LL   | 212°F       | 100°C | Brass           | A\$ 221.82 |
| REQUIRED COVERPLATES                                              |            |             |       |                 |            |
| 6887271372                                                        | CG50W      | 135°F       | 57°C  | White           | A\$ 71.13  |
| 6887271310                                                        | CG50SS     | 135°F       | 57°C  | Stainless Steel | A\$ 122.79 |

Specifically Listed for use in Multi-Purpose Systems that serve both domestic water and fire protection



## RFC43 LL Flat Concealed

- K-Factor = 4.3 (62)
- **SIN RA3212**
- See Bulletin 006



## RFC49 LL Flat Concealed

- K-Factor = 4.9 (70)
- **SIN RA3216**
- See Bulletin 006



## JL-14 ESFR

- K-Factor = 14 (200)
- **SIN RA1812**
- See Bulletin 018

| Part Number                                             | Short Code | Temperature |       | Finish | List Price |
|---------------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL JL-14 ESFR K14.0 (200) THREADS 3/4" (20MM) RA1812 |            |             |       |        |            |
| DB16114298                                              | JL141B     | 165°F       | 74°C  | Brass  | A\$211.23  |
| DB21114298                                              | JL142B     | 212°F       | 100°C | Brass  | A\$211.23  |

6880090000 WJ1 Requires Model J1 Sprinkler Wrench A\$252.70

|                                                        |          |                                       |  |      |           |
|--------------------------------------------------------|----------|---------------------------------------|--|------|-----------|
| <b>MODEL S-3 ESFR SPRINKLER SHIELD 3.75, 3/4-14NPS</b> |          |                                       |  |      |           |
| 88709003                                               | S3SHIELD | MODEL S-3 SHIELD,3.75,3/4-14NPS, GALV |  | GALV | A\$ 25.54 |



## JL-17 ESFR

- K-Factor = 16.8 (240)
- **SIN RA1914**
- See Bulletin 019

| Part Number                                             | Short Code | Temperature | Finish | List Price |
|---------------------------------------------------------|------------|-------------|--------|------------|
| MODEL JL-17 ESFR K16.8 (240) THREADS 3/4" (20MM) RA1914 |            |             |        |            |
| DB16114998                                              | JL171B     | 165°F74°C   | Brass  | A\$114.76  |
| DB21114998                                              | JL172B     | 212°F100°C  | Brass  | A\$114.76  |

6880090000 WJ1 Requires Model J1 Sprinkler Wrench A\$252.70

|                                                        |          |                                       |  |      |           |
|--------------------------------------------------------|----------|---------------------------------------|--|------|-----------|
| <b>MODEL S-3 ESFR SPRINKLER SHIELD 3.75, 3/4-14NPS</b> |          |                                       |  |      |           |
| 88709003                                               | S3SHIELD | MODEL S-3 SHIELD,3.75,3/4-14NPS, GALV |  | GALV | A\$ 25.54 |



## JL-14 ESFR

- SIN RA1812
- K-Factor = 200 (14)
- See Bulletin 018



## JL-17 ESFR

- SIN RA1914
- K-Factor = 241.9 (16.8)
- Pendent Only
- See Bulletin 019



## JL-17 ESFR

- SIN RA 1914
- k-Factor = 241.9 (16.8)
- See Bulletin 019
- With Victaulic IGS™ V9 Coupling

| Part Number                                                  | Short Code | Temperature                        |       | Finish | List Price |
|--------------------------------------------------------------|------------|------------------------------------|-------|--------|------------|
| MODEL JL-14 ESFR K14.0 (200) THREADS 3/4" (20MM) RA1812      |            |                                    |       |        |            |
| DB16114298                                                   | JL141B     | 165°F                              | 74°C  | Brass  | A\$ 211.23 |
| DB21114298                                                   | JL142B     | 212°F                              | 100°C | Brass  | A\$ 211.23 |
| MODEL JL-14 ESFR K14.0 (200) BSPT THREADS 3/4" (20MM) RA1812 |            |                                    |       |        |            |
| DB16114295                                                   | JL141BM    | 165°F                              | 74°C  | Brass  | A\$ 211.23 |
| DB21114295                                                   | JL142BM    | 212°F                              | 100°C | Brass  | A\$ 211.23 |
| 6880090000                                                   | WJ1        | Requires Model J1 Sprinkler Wrench |       |        | A\$ 252.70 |
| MODEL S-3 ESFR SPRINKLER SHIELD 3.75, 3/4-14NPS              |            |                                    |       |        |            |
| 88709003                                                     | S3SHIELD   | °F                                 | °C    | GALV   | A\$ 25.54  |

\* The JL-14 ESFR has replaced our HL-14 ESFR  
Victaulic® and IGS™ are trademarks of Victaulic Company  
A complimentary installation bit is included in ea box of 25 sprinklers.

| Part Number                                                  | Short Code | Temperature |       | Finish | List Price |
|--------------------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL JL-17 ESFR K16.8 (240) THREADS 3/4" (20MM) RA1914      |            |             |       |        |            |
| DB16114998                                                   | JL171B     | 165°F       | 74°C  | Brass  | A\$ 114.76 |
| DB21114998                                                   | JL172B     | 212°F       | 100°C | Brass  | A\$ 114.76 |
| MODEL JL-17 ESFR K16.8 (240) BSPT THREADS 3/4" (20MM) RA1914 |            |             |       |        |            |
| DB16114995                                                   | JL171BM    | 165°F       | 74°C  | Brass  | A\$ 114.76 |
| DB21114995                                                   | JL172BM    | 212°F       | 100°C | Brass  | A\$ 114.76 |
| 6880090000 WJ1 Requires Model J1 Sprinkler Wrench A\$ 252.70 |            |             |       |        |            |
| MODEL S-3 ESFR SPRINKLER SHIELD 3.75, 3/4-14NPS              |            |             |       |        |            |
| 88709003                                                     | S3SHIELD   | °F          | °C    | GALV   | A\$ 25.54  |
| MODEL JL-17 ESFR K16.8 (240) IGS GROOVED 1" (25 MM) RA1914   |            |             |       |        |            |
| DB1611499G                                                   | JL171BG    | 165°F       | 74°C  | Brass  | A\$ 220.61 |
| DB1611499G                                                   | JL171BG    | 165°F       | 74°C  | Brass  | A\$ 220.61 |
| DB2111499G                                                   | JL172BG    | 212°F       | 100°C | Brass  | A\$ 220.61 |



## P22 ESFR

- K Factor 22.0
- **SIN # R601**
- See Bulletin 069

| Part Number                                                       | Short Code | Temperature                      | Finish | List Price |
|-------------------------------------------------------------------|------------|----------------------------------|--------|------------|
| MODEL P22, ESFR, PENDENT, K22, THREADS 1" (25MM) THREADED         |            |                                  |        |            |
| DB16115491                                                        | P221       | 165°F                            | 74°C   | Brass      |
| DB21115491                                                        | P222       | 212°F                            | 100°C  | Brass      |
| MODEL P22, ESFR, PENDENT, K22, BSPT THREADS 1" INTERNATIONAL ONLY |            |                                  |        |            |
| DB16115493                                                        | P221M      | 165°F                            | 74°C   | Brass      |
| DB21115493                                                        | P222M      | 212°F                            | 100°C  | Brass      |
| MODEL D14 GUARD KIT                                               |            |                                  |        |            |
| 6802622514                                                        | GD14       | D14,GUARD KIT,ZINC,SP,FM P22/P25 |        | Zinc       |
|                                                                   |            |                                  |        | A\$ 66.75  |



## P25 ESFR

- K Factor 25.2
- **SIN # R602**
- See Bulletin 070

| Part Number                                                       | Short Code | Temperature                          |       | Finish | List Price |
|-------------------------------------------------------------------|------------|--------------------------------------|-------|--------|------------|
| MODEL P25, ESFR PENDENT, K25, THREADS 1" (25MM) THREADED          |            |                                      |       |        |            |
| DB16115971                                                        | P251N      | 165°F                                | 74°C  | Brass  | A\$287.42  |
| DB21115971                                                        | P252N      | 212°F                                | 100°C | Brass  | A\$287.42  |
| MODEL P25, ESFR, PENDENT, K25, BSPT THREADS 1" INTERNATIONAL ONLY |            |                                      |       |        |            |
| DB16115993                                                        | P251M      | 165°F                                | 74°C  | Brass  | A\$287.42  |
| DB21115993                                                        | P252M      | 212°F                                | 100°C | Brass  | A\$287.42  |
| MODEL D14 GUARD KIT                                               |            |                                      |       |        |            |
| 6802622514                                                        | GD14       | D14, GUARD KIT, ZINC, SP, FM P22/P25 |       | Zinc   | A\$ 66.75  |
|                                                                   |            |                                      |       |        |            |
| 6880108300                                                        | W16        | WRENCH, W16                          |       |        | A\$ 252.70 |
| 6880050105                                                        | WW5        | °F                                   | °C    |        | A\$252.70  |
| P25, ESFR, P-I/GUARD                                              |            |                                      |       |        |            |
|                                                                   |            |                                      |       |        | A\$ Call   |



## N28T3

- K Factor 28.0
- Sin # R604
- Bulletin 082



## N28T6

- K Factor 28.0
- Sin # R603
- Bulletin 082

| Part Number                                                | Short Code | Temperature                            |       | Finish | List Price |
|------------------------------------------------------------|------------|----------------------------------------|-------|--------|------------|
| MODEL N28T3,PENDENT, 212, K28, NPT THREADS, 1" (25MM) R604 |            |                                        |       |        |            |
| DB21116691                                                 | N28T3      | 212°F                                  | 100°C | Brass  | A\$643.76  |
| MODEL N28T3,PENDENT,212,K28, BSPT THREADS,1" (25MM) R604   |            |                                        |       |        |            |
| DB21116693                                                 | N28T3M     | 212°F                                  | 100°C | Brass  | A\$643.76  |
| MODEL N28T6,PENDENT,212,K28,NPT THREADS,1" (25MM) R603     |            |                                        |       |        |            |
| DB21116591                                                 | N28T6      | 212°F                                  | 100°C | Brass  | A\$289.86  |
| MODEL N28T6,PENDENT,212,K28,BSPT THREADS,1" (25MM) R603    |            |                                        |       |        |            |
| DB21116593                                                 | N28T6M     | 212°F                                  | 100°C | Brass  | A\$289.86  |
| 6880050105                                                 | WW5        | WRENCH,W5,HL-22,N25,N252,TNL280,P22/25 |       |        | A\$ 252.70 |



## GXLO UPRIGHT

- K-Factor = 11.2 (160)
- **SIN R2921 = Upright**
- See Bulletin 129



## GXLO PENDENT

- K-Factor = 11.2 (160)
- **SIN R2916=Pendent**
- See Bulletin 129



## GXLO INTERMEDIATE

- K-Factor = 11.2 (160)
- **SIN R2921 = Upright**
- See Bulletin 129

| Part Number                                                                | Short Code | Temperature                           |       | Finish | List Price |
|----------------------------------------------------------------------------|------------|---------------------------------------|-------|--------|------------|
| MODEL GXLO UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R2921                   |            |                                       |       |        |            |
| 1716114098                                                                 | GUX1LB     | 165°F                                 | 74°C  | Brass  | A\$115.82  |
| 1716214098                                                                 | GUX1LC     | 165°F                                 | 74°C  | Chrome | A\$168.00  |
| 1721114098                                                                 | GUX2LB     | 212°F                                 | 100°C | Brass  | A\$115.82  |
| 1721214098                                                                 | GUX2LC     | 212°F                                 | 100°C | Chrome | A\$168.00  |
| 1728114098                                                                 | GUX3LB     | 286°F                                 | 141°C | Brass  | A\$115.82  |
| 1728214098                                                                 | GUX3LC     | 286°F                                 | 141°C | Chrome | A\$168.00  |
| MODEL GXLO UPRIGHT K11.2 (160) BSPT THREADS 3/4" (20MM) R2921              |            |                                       |       |        |            |
| 1716114095                                                                 | GUX1LBM    | 165°F                                 | 74°C  | Brass  | A\$115.82  |
| 1721114095                                                                 | GUX2LBM    | 212°F                                 | 100°C | Brass  | A\$115.82  |
| 1728114095                                                                 | GUX3LBM    | 286°F                                 | 141°C | Brass  | A\$115.82  |
| MODEL GXLO UPRIGHT K11.2 (160) THREADS 1/2" (15MM) R2921 RETROFIT          |            |                                       |       |        |            |
| 5116113799                                                                 | GUX1B      | 165°F                                 | 74°C  | Brass  | A\$179.00  |
| 5116213799                                                                 | GUX1C      | 165°F                                 | 74°C  | Chrome | A\$186.65  |
| 5121113799                                                                 | GUX2B      | 212°F                                 | 100°C | Brass  | A\$179.00  |
| 5121213799                                                                 | GUX2C      | 212°F                                 | 100°C | Chrome | A\$186.65  |
| 5128113799                                                                 | GUX3B      | 286°F                                 | 141°C | Brass  | A\$179.00  |
| 5128213799                                                                 | GUX3C      | 286°F                                 | 141°C | Chrome | A\$186.65  |
| MODEL GXLO PENDENT K11.2 (160) THREADS 3/4" (20MM) R2916                   |            |                                       |       |        |            |
| 5216114198                                                                 | GPX1LB     | 165°F                                 | 74°C  | Brass  | A\$115.82  |
| 5221114198                                                                 | GPX2LB     | 212°F                                 | 100°C | Brass  | A\$115.82  |
| 5228114198                                                                 | GPX3LB     | 286°F                                 | 141°C | Brass  | A\$115.82  |
| MODEL GXLO PENDENT K11.2 (160) BSPT THREADS 3/4" (20MM) R2916              |            |                                       |       |        |            |
| 5216114195                                                                 | GPX1LBM    | 165°F                                 | 74°C  | Brass  | A\$115.82  |
| 5221114195                                                                 | GPX2LBM    | 212°F                                 | 100°C | Brass  | A\$115.82  |
| 5228114195                                                                 | GPX3LBM    | 286°F                                 | 141°C | Brass  | A\$115.82  |
| MODEL GXLO INTERMEDIATE UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R2921      |            |                                       |       |        |            |
| 1716114298                                                                 | GUXI1LB    | 165°F                                 | 74°C  | Brass  | A\$206.55  |
| 1721114298                                                                 | GUXI2LB    | 212°F                                 | 100°C | Brass  | A\$206.55  |
| 1728114298                                                                 | GUXI3LB    | 286°F                                 | 141°C | Brass  | A\$206.55  |
| MODEL GXLO INTERMEDIATE UPRIGHT K11.2 (160) BSPT THREADS 3/4" (20MM) R2921 |            |                                       |       |        |            |
| 1716114295                                                                 | GUXI1LBM   | 165°F                                 | 74°C  | Brass  | A\$206.55  |
| 1721114295                                                                 | GUXI2LBM   | 212°F                                 | 100°C | Brass  | A\$206.55  |
| 1728114295                                                                 | GUXI3LBM   | 286°F                                 | 141°C | Brass  | A\$206.55  |
| 6880070000                                                                 | WH         | Requires Model H Sprinkler Wrench     |       |        | A\$ 252.70 |
| MODEL S2 SHIELD                                                            |            |                                       |       |        |            |
| 88709002                                                                   | S2SHIELD   | MODEL S-2 SHIELD,3.25,3/4-14NPS, GALV |       | GALV   | A\$ 25.54  |

### Notes:

1. Intermediate upright sprinklers have a factory installed water shield.
2. For intermediate pendent sprinklers, install S-2 water shield onto pendent sprinkler.
3. Other guards and shields are available, see technical bulletin 132. When installing sprinklers with guard made on, Model JV wrench is required.



## LB11 HSW

- K-Factor =11.2
- **SIN R505**
- See Bulletins 083

| Part Number                                                             | Short Code |  | Temperature                       | Finish | List Price |
|-------------------------------------------------------------------------|------------|--|-----------------------------------|--------|------------|
| MODEL LB11 HORIZONTAL SIDEWALL K11.2 (160) NPT THREADS,3/4" (20MM) R505 |            |  |                                   |        |            |
| L421114198                                                              | LB112      |  | 212°F100°C                        | Brass  | A\$ 828.87 |
| MODEL LB11 HORIZONTAL SIDEWALL K11.2 (160) BSPT THREADS,3/4 (20MM) R505 |            |  |                                   |        |            |
| L421114195                                                              | LB112M     |  | 212°F100°C                        | Brass  | A\$ 828.87 |
| 6880090000                                                              | WJ1        |  | WRENCH,J1,SPKR J112,J14,J17,ZINC. |        | A\$ 252.70 |



## GL 112 UPRIGHT

- K-Factor = 11.2 (160)
- **SIN R3226 = Upright**
- See Bulletin 132



## GL 112 PENDENT

- K-Factor = 11.2 (160)
- **SIN R3216**
- See Bulletin 132



## GL 112 INTERMEDIATE UPRIGHT

- K-Factor = 11.2 (160)
- **SIN R3226**
- See Bulletin 132



## G VELO PEND

- K-Factor = 14.0 (200)
- **SIN R4613**
- See Bulletin 146

| Part Number                                                                 | Short Code | Temperature                           | Finish | List Price |
|-----------------------------------------------------------------------------|------------|---------------------------------------|--------|------------|
| MODEL GL112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R3226                   |            |                                       |        |            |
| 0116114098                                                                  | GL112U1B   | 165°F74°C                             | Brass  | A\$131.82  |
| 0121114098                                                                  | GL112U2B   | 212°F100°C                            | Brass  | A\$131.82  |
| MODEL GL112 UPRIGHT K11.2 (160) BSPT THREADS 3/4" (20MM) R3226              |            |                                       |        |            |
| 0116114095                                                                  | GL112U1BM  | 165°F74°C                             | Brass  | A\$131.82  |
| 0121114095                                                                  | GL112U2BM  | 212°F100°C                            | Brass  | A\$131.82  |
| MODEL GL112 PENDENT K11.2 (160) THREADS 3/4" (20MM) R3216                   |            |                                       |        |            |
| 0216114098                                                                  | GL112P1B   | 165°F74°C                             | Brass  | A\$131.82  |
| 0221114098                                                                  | GL112P2B   | 212°F100°C                            | Brass  | A\$131.82  |
| MODEL GL112 PENDENT K11.2 (160) BSPT THREADS 3/4" (20MM) R3216              |            |                                       |        |            |
| 0216114095                                                                  | GL112P1BM  | 165°F74°C                             | Brass  | A\$131.82  |
| 0221114095                                                                  | GL112P2BM  | 212°F100°C                            | Brass  | A\$131.82  |
| MODEL GL112 INTERMEDIATE UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R3226      |            |                                       |        |            |
| 0116114298                                                                  | GL112UI1B  | 165°F74°C                             | Brass  | A\$206.55  |
| 0121114298                                                                  | GL112UI2B  | 212°F100°C                            | Brass  | A\$206.55  |
| MODEL GL112 INTERMEDIATE UPRIGHT K11.2 (160) BSPT THREADS 3/4" (20MM) R3226 |            |                                       |        |            |
| 0116114295                                                                  | GL112UI1BM | 165°F74°C                             | Brass  | A\$206.55  |
| 0121114295                                                                  | GL112UI2BM | 212°F100°C                            | Brass  | A\$206.55  |
| MODEL S-2 WATER SHIELD                                                      |            |                                       |        |            |
| 88709002                                                                    | S2SHIELD   | MODEL S-2 SHIELD,3.25,3/4-14NPS, GALV | GALV   | A\$ 25.54  |

6880070000 WH WRENCH, H, XLO/GL112, BLUE A\$ 252.70

### Notes:

1. Intermediate upright sprinklers have a factory installed water shield.
2. For intermediate pendent sprinklers, install S-2 water shield onto pendent sprinkler.
3. Other guards and shields are available, see technical bulletin 132. When installing sprinklers with guard made on, Model JV wrench is required.

| Part Number                                                | Short Code | Temperature |       | Finish | List Price |
|------------------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL G VELO PENDENT K14.0 (200) THREADS 3/4" (20MM) R4613 |            |             |       |        |            |
| 5216114398                                                 | GPV1B      | 165°F       | 74°C  | Brass  | A\$ 122.68 |
| 5216214398                                                 | GPV1C      | 165°F       | 74°C  | Chrome | A\$ 171.17 |
| 5221114398                                                 | GPV2B      | 212°F       | 100°C | Brass  | A\$ 122.68 |
| 5221214398                                                 | GPV2C      | 212°F       | 100°C | Chrome | A\$ 171.17 |
| 5228114398                                                 | GPV3B      | 286°F       | 141°C | Brass  | A\$ 122.68 |
| 5228214398                                                 | GPV3C      | 286°F       | 141°C | Chrome | A\$ 171.17 |

6880070000 WH Requires Model H Sprinkler Wrench A\$ 252.70



## G XLO

- K-Factor = 160 (11.2)
- **SIN R2921** = Upright
- **SIN R2916** = Pendent
- See Bulletin 129



## GL 112

- K-Factor = 160 (11.2)
- **SIN R3226** = Upright
- **SIN R3216** = Pendent
- See Bulletin 132



## G VELO PEND

- K-Factor = 200 (14.0)
- **SIN R4613**
- See Bulletin 146

| Part Number                                                   | Short Code | Temperature |       | Finish | List Price |
|---------------------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL GXLO UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R2921      |            |             |       |        |            |
| 1716114098                                                    | GUX1LB     | 165°F       | 74°C  | Brass  | A\$ 115.82 |
| 1716214098                                                    | GUX1LC     | 165°F       | 74°C  | Chrome | A\$ 168.00 |
| 1721114098                                                    | GUX2LB     | 212°F       | 100°C | Brass  | A\$ 115.82 |
| 1721214098                                                    | GUX2LC     | 212°F       | 100°C | Chrome | A\$ 168.00 |
| 1728114098                                                    | GUX3LB     | 286°F       | 141°C | Brass  | A\$ 115.82 |
| 1728214098                                                    | GUX3LC     | 286°F       | 141°C | Chrome | A\$ 168.00 |
| MODEL GXLO UPRIGHT K11.2 (160) THREADS 1/2" (15MM) R2921      |            |             |       |        |            |
| 5116113799                                                    | GUX1B      | 165°F       | 74°C  | Brass  | A\$ 179.00 |
| 5116213799                                                    | GUX1C      | 165°F       | 74°C  | Chrome | A\$ 186.65 |
| 5121113799                                                    | GUX2B      | 212°F       | 100°C | Brass  | A\$ 179.00 |
| 5121213799                                                    | GUX2C      | 212°F       | 100°C | Chrome | A\$ 186.65 |
| 5128113799                                                    | GUX3B      | 286°F       | 141°C | Brass  | A\$ 179.00 |
| 5128213799                                                    | GUX3C      | 286°F       | 141°C | Chrome | A\$ 186.65 |
| MODEL GXLO PENDENT K11.2 (160) THREADS 3/4" (20MM) R2916      |            |             |       |        |            |
| 5216114198                                                    | GPX1LB     | 165°F       | 74°C  | Brass  | A\$ 115.82 |
| 5221114198                                                    | GPX2LB     | 212°F       | 100°C | Brass  | A\$ 115.82 |
| 5228114198                                                    | GPX3LB     | 286°F       | 141°C | Brass  | A\$ 115.82 |
| MODEL GXLO PENDENT K11.2 (160) BSPT THREADS 3/4" (20MM) R2916 |            |             |       |        |            |
| 5216114195                                                    | GPX1LBM    | 165°F       | 74°C  | Brass  | A\$ 115.82 |
| 5221114195                                                    | GPX2LBM    | 212°F       | 100°C | Brass  | A\$ 115.82 |
| 5228114195                                                    | GPX3LBM    | 286°F       | 141°C | Brass  | A\$ 115.82 |

6880070000 WH Requires Model H Sprinkler Wrench A\$ 252.70

| Part Number                                                    | Short Code | Temperature |       | Finish | List Price |
|----------------------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL GL112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R3226      |            |             |       |        |            |
| 0116114098                                                     | GL112U1B   | 165°F       | 74°C  | Brass  | A\$ 131.82 |
| 0121114098                                                     | GL112U2B   | 212°F       | 100°C | Brass  | A\$ 131.82 |
| MODEL GL112 UPRIGHT K11.2 (160) BSPT THREADS 3/4" (20MM) R3226 |            |             |       |        |            |
| 0116114095                                                     | GL112U1BM  | 165°F       | 74°C  | Brass  | A\$ 131.82 |
| 0121114095                                                     | GL112U2BM  | 212°F       | 100°C | Brass  | A\$ 131.82 |
| MODEL GL112 PENDENT K11.2 (160) THREADS 3/4" (20MM) R3226      |            |             |       |        |            |
| 0216114098                                                     | GL112P1B   | 165°F       | 74°C  | Brass  | A\$ 131.82 |
| 0221114098                                                     | GL112P2B   | 212°F       | 100°C | Brass  | A\$ 131.82 |
| MODEL GL112 PENDENT K11.2 (160) BSPT THREADS 3/4" (20MM) R3226 |            |             |       |        |            |
| 0216114095                                                     | GL112P1BM  | 165°F       | 74°C  | Brass  | A\$ 131.82 |
| 0221114095                                                     | GL112P2BM  | 212°F       | 100°C | Brass  | A\$ 131.82 |

6880070000 WH Requires Model H Sprinkler Wrench A\$ 252.70

| Part Number                                                | Short Code | Temperature |       | Finish | List Price |
|------------------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL G PENDENT VELO K14.0 (200) THREADS 3/4" (20MM) R4613 |            |             |       |        |            |
| 5216114398                                                 | GPV1B      | 165°F       | 74°C  | Brass  | A\$ 122.68 |
| 5216214398                                                 | GPV1C      | 165°F       | 74°C  | Chrome | A\$ 171.17 |
| 5221114398                                                 | GPV2B      | 212°F       | 100°C | Brass  | A\$ 122.68 |
| 5221214398                                                 | GPV2C      | 212°F       | 100°C | Chrome | A\$ 171.17 |
| 5228114398                                                 | GPV3B      | 286°F       | 141°C | Brass  | A\$ 122.68 |
| 5228214398                                                 | GPV3C      | 286°F       | 141°C | Chrome | A\$ 171.17 |

6880070000 WH Requires Model H Sprinkler Wrench A\$ 252.70



### GSR112 Upright

- K-Factor = 11.2
- **SIN R608 = Upright**
- See Bulletin 080



### GSR112 Pendent

- K-Factor = 11.2 (160)
- **SIN R607**
- See Bulletin 80



### GSR112 Intermediate Upright

- K-Factor = 11.2 (160)
- **SIN R608**
- See Bulletin 80

| Part Number                                                           | Short Code | Temperature                           |      | Finish | List Price |
|-----------------------------------------------------------------------|------------|---------------------------------------|------|--------|------------|
| MODEL GSR112 UPRIGHT K11.2 (160) NPT THREADS 3/4" (20MM) R608         |            |                                       |      |        |            |
| 1A15114298                                                            |            | 155°F                                 | 68°C | Brass  | A\$131.82  |
| 1A20114298                                                            |            | 200°F                                 | 93°C | Brass  | A\$131.82  |
| MODEL GSR112 PENDENT K11.2 (160) NPT THREADS 3/4" (20MM) R607         |            |                                       |      |        |            |
| 1B15114298                                                            |            | 155°F                                 | 68°C | Brass  | A\$131.82  |
| 1B20114298                                                            |            | 200°F                                 | 93°C | Brass  | A\$131.82  |
| MODEL GSR112 UPRIGHT K11.2 (160) BSPT THREADS 3/4" (20MM) R608        |            |                                       |      |        |            |
| 1A15114295                                                            |            | 155°F                                 | 68°C | Brass  | A\$131.82  |
| 1A20114295                                                            |            | 200°F                                 | 93°C | Brass  | A\$131.82  |
| MODEL GSR112 PENDENT K11.2 (160) BSPT THREADS 3/4" (20MM) R607        |            |                                       |      |        |            |
| 1B15114295                                                            |            | 155°F                                 | 68°C | Brass  | A\$131.82  |
| 1B20114295                                                            |            | 200°F                                 | 93°C | Brass  | A\$131.82  |
| MODEL GSR112 INTERMEDIATE UPRIGHT K11.2 NPT THREADS 3/4" (20MM) R608  |            |                                       |      |        |            |
| 1A15114498                                                            |            | 155°F                                 | 68°C | Brass  | A\$206.55  |
| 1A20114498                                                            |            | 200°F                                 | 93°C | Brass  | A\$206.55  |
| MODEL GSR112 INTERMEDIATE UPRIGHT K11.2 BSPT THREADS 3/4" (20MM) R608 |            |                                       |      |        |            |
| 1A15114495                                                            |            | 155°F                                 | 68°C | Brass  | A\$206.55  |
| 1A20114495                                                            |            | 200°F                                 | 93°C | Brass  | A\$206.55  |
| MODEL S-2 WATER SHIELD                                                |            |                                       |      |        |            |
| 88709002                                                              | S2SHIELD   | MODEL S-2 SHIELD,3.25,3/4-14NPS, GALV |      | GALV   | A\$ 25.54  |

|            |     |                              |            |
|------------|-----|------------------------------|------------|
| 6880070000 | WH  | WRENCH, H, XLO/GL112, BLUE   | A\$ 252.70 |
| 6880108200 | W15 | WRENCH, W15 (USE WITH GUARD) | A\$ 299.32 |

#### Notes:

1. Intermediate upright sprinklers have a factory installed water shield.
  2. For intermediate pendent sprinklers, install S-2 water shield onto pendent sprinkler.
  3. Other guards and shields are available, see technical bulletin 132. When installing sprinklers with guard made on, Model W15 wrench is required.
- \*\*\*We also have ENT and Chrome finish available upon request



## GQR112 Upright

- K-Factor = 11.2
- **SIN R606 = Upright**
- See Bulletin 081



## GQR112 Pendent

- K-Factor = 11.2 (160)
- **SIN R605**
- See Bulletin 81



## GQR112 Intermediate Upright

- K-Factor = 11.2 (160)
- **SIN R606**
- See Bulletin 81

| Part Number                                                           | Short Code | Temperature                           |       | Finish | List Price |
|-----------------------------------------------------------------------|------------|---------------------------------------|-------|--------|------------|
| MODEL GQR112 UPRIGHT K11.2 (160) NPT THREADS 3/4" (20MM) R606         |            |                                       |       |        |            |
| 1C15114298                                                            |            | 155°F                                 | 68°C  | Brass  | A\$131.82  |
| 1C20114298                                                            |            | 200°F                                 | 93°C  | Brass  | A\$131.82  |
| 1C28114298                                                            |            | 286°F                                 | 141°C | Brass  | A\$131.82  |
| MODEL GQR112 PENDENT K11.2 (160) NPT THREADS 3/4" (20MM) R605         |            |                                       |       |        |            |
| 1D15114298                                                            |            | 155°F                                 | 68°C  | Brass  | A\$131.82  |
| 1D20114298                                                            |            | 200°F                                 | 93°C  | Brass  | A\$131.82  |
| 1D28114298                                                            |            | 286°F                                 | 141°C | Brass  | A\$131.82  |
| MODEL GQR112 UPRIGHT K11.2 (160) BSPT THREADS 3/4" (20MM) R606        |            |                                       |       |        |            |
| 1C15114295                                                            |            | 155°F                                 | 68°C  | Brass  | A\$131.82  |
| 1C20114295                                                            |            | 200°F                                 | 93°C  | Brass  | A\$131.82  |
| 1C28114295                                                            |            | 286°F                                 | 141°C | Brass  | A\$131.82  |
| MODEL GQR112 PENDENT K11.2 (160) BSPT THREADS 3/4" (20MM) R605        |            |                                       |       |        |            |
| 1D15114295                                                            |            | 155°F                                 | 68°C  | Brass  | A\$131.82  |
| 1D20114295                                                            |            | 200°F                                 | 93°C  | Brass  | A\$131.82  |
| 1D28114295                                                            |            | 286°F                                 | 141°C | Brass  | A\$131.82  |
| MODEL GQR112 INTERMEDIATE UPRIGHT K11.2 NPT THREADS 3/4" (20MM) R606  |            |                                       |       |        |            |
| 1C15114498                                                            |            | 155°F                                 | 68°C  | Brass  | A\$206.55  |
| 1C20114498                                                            |            | 200°F                                 | 93°C  | Brass  | A\$206.55  |
| 1C28114498                                                            |            | 286°F                                 | 141°C | Brass  | A\$206.55  |
| MODEL GQR112 INTERMEDIATE UPRIGHT K11.2 BSPT THREADS 3/4" (20MM) R606 |            |                                       |       |        |            |
| 1C15114495                                                            |            | 155°F                                 | 68°C  | Brass  | A\$206.55  |
| 1C20114495                                                            |            | 200°F                                 | 93°C  | Brass  | A\$206.55  |
| 1C28114495                                                            |            | 286°F                                 | 141°C | Brass  | A\$206.55  |
| MODEL S-2 WATER SHIELD                                                |            |                                       |       |        |            |
| 88709002                                                              | S2SHIELD   | MODEL S-2 SHIELD,3.25,3/4-14NPS, GALV |       | GALV   | A\$ 25.54  |
| 6880070000                                                            | WH         | WRENCH,H,XLO/GL112,BLUE               |       |        | A\$ 252.70 |
| 6880108200                                                            | W15        | WRENCH,W15 (USE WITH GUARD)           |       |        | A\$ 299.32 |

### Notes:

1. Intermediate upright sprinklers have a factory installed water shield.
  2. For intermediate pendent sprinklers, install S-2 water shield onto pendent sprinkler.
  3. Other guards and shields are available, see technical bulletin 132. When installing sprinklers with guard made on, Model W15 wrench is required.
- \*\*\*We also have ENT and Chrome finish available upon request



## F1FR56 INTERMEDIATE

- K-Factor = 5.6 (80)
- Upright = SIN RA3195
- Pendant = SIN RA1414
- See Bulletin 031



## F1FR INTERMEDIATE

- K-Factor = 8.0 (115)
- Upright = SIN RA6322
- Pendant = SIN RA6312
- See Bulletin 063

| Part Number                                                            | Short Code  | Temperature |      | Finish | List Price |        |
|------------------------------------------------------------------------|-------------|-------------|------|--------|------------|--------|
| MODEL F1FR56 INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA3195 |             |             |      |        |            |        |
| BA131142R9                                                             | F1FR56UI0B  | 135°F       | 57°C | Brass  | A\$        | 157.76 |
| BA151142S9                                                             | F1FR56UI1BN | 155°F       | 68°C | Brass  | A\$        | 157.76 |
| BA171142R9                                                             | F1FR56UI5B  | 175°F       | 79°C | Brass  | A\$        | 157.76 |
| BA201142R9                                                             | F1FR56UI2B  | 200°F       | 93°C | Brass  | A\$        | 157.76 |
|                                                                        |             | °F          | °C   |        | A\$        | Call   |
| MODEL F1FR INTERMEDIATE K8.0 (115) THREADS 3/4" (20MM) R7092           |             |             |      |        |            |        |
| BA15114298                                                             | F1FRUI1LB   | 155°F       | 68°C | Brass  | A\$        | 164.34 |

| Part Number                                                            | Short Code  | Temperature |       | Finish | List Price |
|------------------------------------------------------------------------|-------------|-------------|-------|--------|------------|
| MODEL F1FR56 INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1414 |             |             |       |        |            |
| B213114299                                                             | F1FR56PI0B  | 135°F       | 57°C  | Brass  | A\$ 157.76 |
| B2151142S9                                                             | F1FR56PI1BN | 155°F       | 68°C  | Brass  | A\$ 157.76 |
| B217114299                                                             | F1FR56PI5B  | 175°F       | 79°C  | Brass  | A\$ 157.76 |
| B220114299                                                             | F1FR56PI2B  | 200°F       | 93°C  | Brass  | A\$ 157.76 |
| B228114299                                                             | F1FR56PI3B  | 286°F       | 141°C | Brass  | A\$ 157.76 |
| MODEL F1FR INTERMEDIATE PENDENT K8.0 (115) THREADS 3/4" (20MM) R3612   |             |             |       |        |            |
| BB13114298                                                             | F1FRPI0LB   | 135°F       | 57°C  | Brass  | A\$ 164.34 |
| BB15114298                                                             | F1FRPI1LB   | 155°F       | 68°C  | Brass  | A\$ 164.34 |
| BB17114298                                                             | F1FRPI5LB   | 175°F       | 79°C  | Brass  | A\$ 164.34 |
| BB20114298                                                             | F1FRPI2LB   | 200°F       | 93°C  | Brass  | A\$ 164.34 |
| BB28114298                                                             | F1FRPI3LB   | 286°F       | 141°C | Brass  | A\$ 164.34 |

|            |     |                                   |            |
|------------|-----|-----------------------------------|------------|
| 6880050100 | WW2 | Wrench, W2, Pendant, Upright, HSW | A\$ 212.48 |
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed   | A\$ 630.54 |



## F156 INTERMEDIATE

- K-Factor = 5.6 (80)
- Upright = SIN RA RA1325
- Pendent = SIN RA1314
- See Bulletin 071

| Part Number                                                          | Short Code | Temperature |       | Finish | List Price |       |
|----------------------------------------------------------------------|------------|-------------|-------|--------|------------|-------|
| MODEL F156 INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA3125 |            |             |       |        |            |       |
|                                                                      |            | °F          | °C    |        | A\$        | Call  |
| AA151142S9                                                           | F56UI1BN   | 155°F       | 68°C  | Brass  | A\$        | 84.30 |
| AA171142S9                                                           | F56UI5BN   | 175°F       | 79°C  | Brass  | A\$        | 84.30 |
| AA201142S9                                                           | F56UI2BN   | 200°F       | 93°C  | Brass  | A\$        | 84.30 |
| AA281142R9                                                           | F56UI3B    | 286°F       | 141°C | Brass  | A\$        | 84.30 |
|                                                                      |            | °F          | °C    |        | A\$        | Call  |
| MODEL F156 INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1314 |            |             |       |        |            |       |
| A213114299                                                           | F56PI0B    | 135°F       | 57°C  | Brass  | A\$        | 84.30 |
| A215114299                                                           | F56PI1B    | 155°F       | 68°C  | Brass  | A\$        | 84.30 |
| A217114299                                                           | F56PI5B    | 175°F       | 79°C  | Brass  | A\$        | 84.30 |
| A220114299                                                           | F56PI2B    | 200°F       | 93°C  | Brass  | A\$        | 84.30 |
| A228114299                                                           | F56PI3B    | 286°F       | 141°C | Brass  | A\$        | 84.30 |
|                                                                      |            | °F          | °C    |        | A\$        | Call  |



## F1 INTERMEDIATE

- K-Factor = 8.0 (115)
- Upright = SIN RA6222
- Pendent = SIN RA6212
- See Bulletin 062

| Part Number                                                        | Short Code | Temperature |       | Finish | List Price |
|--------------------------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL F1 INTERMEDIATE UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R7022 |            |             |       |        |            |
| AA28114298                                                         | FUI3LB     | 286°F       | 141°C | Brass  | A\$ 93.52  |
| MODEL F1 INTERMEDIATE PENDENT K8.0 (115) THREADS 3/4" (20MM) R1712 |            |             |       |        |            |
| AB13114298                                                         | FPI0LB     | 135°F       | 57°C  | Brass  | A\$ 93.52  |
| AB15114298                                                         | FPI1LB     | 155°F       | 68°C  | Brass  | A\$ 93.52  |
| AB17114298                                                         | FPI5LB     | 175°F       | 79°C  | Brass  | A\$ 93.52  |
| AB20114298                                                         |            | 200°F       | 93°C  | Brass  | A\$ 93.52  |
| AB28114298                                                         | FPI3LB     | 286°F       | 141°C | Brass  | A\$ 93.52  |
| AB36114298                                                         | FPI6LB     | 360°F       | 182°C | Brass  | A\$ 100.39 |

|            |     |                                   |            |
|------------|-----|-----------------------------------|------------|
| 6880050100 | WW2 | Wrench, W2, Pendent, Upright, HSW | A\$ 212.48 |
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed   | A\$ 630.54 |



## KFR56 UPRIGHT INTERMEDIATE LEVEL

- K-Factor = 5.6 (80)
- **SIN RA3624**
- See Bulletin 042

## KFR80 UPRIGHT INTERMEDIATE LEVEL

- K Factor = 8.0 (115)
- **SIN RA5422**
- See Bulletin 054

| Part Number                                                           | Short Code | Temperature |       | Finish | List Price |
|-----------------------------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL KFR56 INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA3624 |            |             |       |        |            |
| MA16114299                                                            | KFR56UI1B  | 165°F       | 74°C  | Brass  | A\$ 157.76 |
| MA21114299                                                            | KFR56UI2B  | 212°F       | 100°C | Brass  | A\$ 156.30 |

6880050100 WW2 Wrench, W2, Pendent, Upright, HSW A\$ 212.48

|                                                                               |           |       |      |       |            |
|-------------------------------------------------------------------------------|-----------|-------|------|-------|------------|
| <b>MODEL KFR80 INTERMEDIATE UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA5422</b> |           |       |      |       |            |
| M1161142S8                                                                    | KFR80UI1B | 165°F | 74°C | Brass | A\$ 164.34 |





## KFR56 PENDENT INTERMEDIATE LEVEL

- K-Factor = 5.6 (80)
- **SIN RA3614**
- See Bulletin 042

| Part Number                                                           | Short Code | Temperature |       | Finish | List Price |
|-----------------------------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL KFR56 INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM) RA3614 |            |             |       |        |            |
| M216114299                                                            | KFR56PI1B  | 165°F       | 74°C  | Brass  | A\$ 156.30 |
| M221114299                                                            | KFR56PI2B  | 212°F       | 100°C | Brass  | A\$ 156.30 |

6880100120 WW4 Wrench, W4, Recessed, Concealed A\$ 630.54



## D3 & D5 GUARDS

- F1FR56 Int. Level Spk W/ Guard and Shield Assembled
- Thread Size = 1/2"
- See Bulletins 031 & 208

| Part Number                                                          | Short Code  | Temperature |      | Finish | List Price |
|----------------------------------------------------------------------|-------------|-------------|------|--------|------------|
| MODEL F1FR56 INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM)-D3   |             |             |      |        |            |
| BA1A1142R9                                                           | F1FR56U0BD3 | 135°F       | 57°C | Brass  | A\$ 129.90 |
|                                                                      |             | °F          | °C   |        | A\$ Call   |
|                                                                      |             | °F          | °C   |        | A\$ Call   |
|                                                                      |             | °F          | °C   |        | A\$ Call   |
| MODEL F1FR56 INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM)-D5   |             |             |      |        |            |
| B21A114299                                                           | F1FR56P0BD5 | 135°F       | 57°C | Brass  | A\$ 129.90 |
| B22A114299                                                           | F1FR56P1BD5 | 155°F       | 68°C | Bronze | A\$ 129.90 |
| B24A114299                                                           | F1FR56P5BD5 | 175°F       | 79°C | Brass  | A\$ 129.90 |
| B25A114299                                                           | F1FR56P2BD5 | 200°F       | 93°C | Brass  | A\$ 129.90 |
| MODEL F1FR LO INTERMEDIATE PENDENT K8.0 (115) THREADS 3/4" (20MM)-D5 |             |             |      |        |            |
| BB1A114298                                                           | F1FRP0LBD5  | 135°F       | 57°C | Bronze | A\$ 146.25 |
| BB2A114298                                                           | F1FRP1LBD5  | 155°F       | 68°C | Bronze | A\$ 146.25 |
| BB4A114298                                                           | F1FRP5LBD5  | 175°F       | 79°C | Bronze | A\$ 146.25 |
| BB5A114298                                                           | F1FRP2LBD5  | 200°F       | 93°C | Bronze | A\$ 146.25 |

### Notes:

The above sprinklers come with a zinc guard and shield already attached to a bronze sprinkler. This eliminates the need for field attachment!

Sprinkler guards are listed and approved only for use with specific sprinklers. The use of any other guards on these sprinklers may impede their operation or distribution and negate all approvals and warranties.



## D1 SPK & GUARD ASSEMBLY

- For F1FR56 Sprinklers
- Thread Size = 1/2"
- See Bulletins 031 & 208
- For F1FR - See Bulletin 170

| Part Number                                        | Short Code  | Temperature        |       | Finish | List Price |
|----------------------------------------------------|-------------|--------------------|-------|--------|------------|
| MODEL F1FR56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) |             |                    |       |        |            |
| BA1A1132R9                                         | F1FR56U0BD1 | 135°F              | 57°C  | Bronze | A\$ 120.83 |
|                                                    |             | °F                 | °C    |        | A\$ Call   |
| BA4A1132R9                                         | F1FR56U5BD1 | 175°F              | 79°C  | Brass  | A\$ 120.83 |
|                                                    |             | °F                 | °C    |        | A\$ Call   |
|                                                    |             | °F                 | °C    |        | A\$ Call   |
| MODEL F1FR56 PENDENT K5.6 (80) THREADS 1/2" (15MM) |             |                    |       |        |            |
| B21A113299                                         | F1FR56P0BD1 | 135°F              | 57°C  | Brass  | A\$ 120.83 |
| B22A113299                                         | F1FR56P1BD1 | 155°F              | 68°C  | Bronze | A\$ 120.83 |
| B24A113299                                         | F1FR56P5BD1 | 175°F              | 79°C  | Brass  | A\$ 120.83 |
| B25A113299                                         | F1FR56P2BD1 | 200°F              | 93°C  | Brass  | A\$ 120.83 |
| B28A113299                                         | F1FR56P3BD1 | 286°F              | 141°C | Brass  | A\$ 120.83 |
| MODEL F1FR UPRIGHT K8.0 (115) THREADS 3/4" (20MM)  |             |                    |       |        |            |
| BA1A113498                                         | F1FRU0LBD1  | 135°F              | 57°C  | Bronze | A\$ 136.49 |
| BA2A113498                                         | F1FRU1LBD1  | 155°F              | 68°C  | Bronze | A\$ 136.49 |
| BA4A113498                                         | F1FRU5LBD1  | 175°F              | 79°C  | Brass  | A\$ 136.49 |
| BA5A113498                                         | F1FRU2LBD1  | 200°F              | 93°C  | Bronze | A\$ 136.49 |
| BA8A113498                                         | F1FRU3LBD1  | 286°F              | 141°C | Bronze | A\$ 136.49 |
| MODEL F1FR PENDENT K8.0 (115) THREADS 3/4" (20MM)  |             |                    |       |        |            |
| BB1A113498                                         | F1FRP0LBD1  | 135°F              | 57°C  | Bronze | A\$ 136.49 |
| BB2A113498                                         | F1FRP1LBD1  | 155°F              | 68°C  | Bronze | A\$ 136.49 |
| BB4A113498                                         | F1FRP5LBD1  | 175°F              | 79°C  | Bronze | A\$ 136.49 |
| BB5A113498                                         | F1FRP2LBD1  | 200°F              | 93°C  | Bronze | A\$ 136.49 |
| BB8A113498                                         | F1FRP3LBD1  | 286°F              | 141°C | Bronze | A\$ 136.49 |
| GUARDS ONLY                                        |             |                    |       |        |            |
| 6802251400                                         | GC1         | C-1 Universal      |       | Zinc   | A\$ 21.49  |
| 6802201400                                         | GC2         | C-2 Dry Pendent    |       | Zinc   | A\$ 29.80  |
| 6802251410                                         | GD1         | D-1 Universal      |       | Zinc   | A\$ 29.49  |
| GUARDS AND SHIELDS                                 |             |                    |       |        |            |
| 6802501410                                         | GD3         | D-3 (Upright)      |       | Zinc   | A\$ 34.87  |
| 6802631412                                         | GD51        | D-5 (1/2" or 15mm) |       | Zinc   | A\$ 66.97  |
| 6802631434                                         | GD53        | D-5 (3/4" or 20mm) |       | Zinc   | A\$ 66.97  |
| 6802621412                                         | GD41        | D-4 (1/2" or 15mm) |       | Zinc   | A\$ 75.04  |
| 6802621434                                         | GD43        | D-4 (3/4" or 20mm) |       | Zinc   | A\$ 75.04  |
| 6802501400                                         | GC3         | C-3 (SU INT)       |       | Zinc   | A\$ 44.00  |
| 6802611412                                         | GC51        | C-5 (1/2" or 15mm) |       | Zinc   | A\$ 61.49  |
| 6802611434                                         | GC53        | C-5 (3/4" or 20mm) |       | Zinc   | A\$ 61.49  |

### Notes:

Sprinklers with D1 guards attached



## GFR INTERMEDIATE

- K5.6 = SIN R3195
- K8.0 = SIN R3197
- See Bulletin 131

| Part Number                                                         | Short Code | Temperature |      | Finish | List Price |
|---------------------------------------------------------------------|------------|-------------|------|--------|------------|
| MODEL GFR INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM) R3195  |            |             |      |        |            |
| 0116114299                                                          | GFRUI1B    | 165°F       | 74°C | Brass  | A\$ 210.44 |
| 0116214299                                                          | GFRUI1C    | 165°F       | 74°C | Chrome | A\$ 233.89 |
| MODEL GFR INTERMEDIATE UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R3197 |            |             |      |        |            |
| 0116114498                                                          | GFRUI1LB   | 165°F       | 74°C | Brass  | A\$ 230.58 |
| 0116214498                                                          | GFRUI1LC   | 165°F       | 74°C | Chrome | A\$ 239.94 |



## GFR INTERMEDIATE

- K5.6 = SIN R3115
- K8.0 = SIN R3117
- See Bulletin 131

| Part Number                                                         | Short Code | Temperature |      | Finish | List Price |
|---------------------------------------------------------------------|------------|-------------|------|--------|------------|
| MODEL GFR INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM) R3115  |            |             |      |        |            |
| 0216114299                                                          | GFRPI1B    | 165°F       | 74°C | Brass  | A\$ 210.44 |
| 0216214299                                                          | GFRPI1C    | 165°F       | 74°C | Chrome | A\$ 233.89 |
| MODEL GFR INTERMEDIATE PENDENT K8.0 (115) THREADS 3/4" (20MM) R3117 |            |             |      |        |            |
| 0216114498                                                          | GFRPI1LB   | 165°F       | 74°C | Brass  | A\$ 230.58 |
| 0216214498                                                          | GFRPI1LC   | 165°F       | 74°C | Chrome | A\$ 239.94 |

|            |     |                                   |            |
|------------|-----|-----------------------------------|------------|
| 6880050100 | WW2 | Wrench, W2, Pendent, Upright, HSW | A\$ 212.48 |
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed   | A\$ 630.54 |

### Notes:

GFR Uprights have factory installed shields



## G INTERMEDIATE LEVEL

- K5.6 = SIN R1425
- K8.0 = SIN R1427
- See Bulletin 114

| Part Number                                                       | Short Code | Temperature |       | Finish | List Price |        |
|-------------------------------------------------------------------|------------|-------------|-------|--------|------------|--------|
| MODEL G INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM) R1425  |            |             |       |        |            |        |
| 5113114299                                                        | GUI0B      | 135°F       | 57°C  | Brass  | A\$        | 113.06 |
| 5116114299                                                        | GUI1B      | 165°F       | 74°C  | Brass  | A\$        | 113.06 |
| 5121114299                                                        | GUI2B      | 212°F       | 100°C | Brass  | A\$        | 113.06 |
| 5128114299                                                        | GUI3B      | 286°F       | 141°C | Brass  | A\$        | 113.06 |
| MODEL G INTERMEDIATE UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R1427 |            |             |       |        |            |        |
| 5113114498                                                        | GUI0LB     | 135°F       | 57°C  | Brass  | A\$        | 124.54 |
| 5116114498                                                        | GUI1LB     | 165°F       | 74°C  | Brass  | A\$        | 124.54 |
| 5121114498                                                        | GUI2LB     | 212°F       | 100°C | Brass  | A\$        | 124.54 |
| 5128114498                                                        | GUI3LB     | 286°F       | 141°C | Brass  | A\$        | 124.54 |




## G INTERMEDIATE LEVEL

- K5.6 = SIN R1015
- K8.0 = SIN R1017
- See Bulletin 114

| Part Number                                                       | Short Code | Temperature |       | Finish | List Price |
|-------------------------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL G INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM) R1015  |            |             |       |        |            |
| 5213114299                                                        | GPI0B      | 135°F       | 57°C  | Brass  | A\$ 113.06 |
| 5216114299                                                        | GPI1B      | 165°F       | 74°C  | Brass  | A\$ 113.06 |
| 5221114299                                                        | GPI2B      | 212°F       | 100°C | Brass  | A\$ 113.06 |
| 5228114299                                                        | GPI3B      | 286°F       | 141°C | Brass  | A\$ 113.06 |
| MODEL G INTERMEDIATE PENDENT K8.0 (115) THREADS 3/4" (20MM) R1017 |            |             |       |        |            |
| 5213114498                                                        | GPI0LB     | 135°F       | 57°C  | Brass  | A\$122.23  |
| 5221114498                                                        | GPI2LB     | 212°F       | 100°C | Brass  | A\$124.54  |
| 5228114498                                                        | GPI3LB     | 286°F       | 141°C | Brass  | A\$124.54  |

|            |     |                                               |            |
|------------|-----|-----------------------------------------------|------------|
| 6880050100 | WW2 | Wrench, W2, Pendent, Upright, HSW             | A\$ 212.48 |
| 6880100000 | WRC | Requires Model RC1 Sprinkler Wrench (pendent) | A\$ 630.54 |



## D3 & D5 GUARDS


- F156 Int. Level Spk W/ Guard & Shield Assembled
- Thread Size = 1/2"
- See Bulletins 031 & 208

| Part Number                                                          | Short Code | Temperature |       | Finish | List Price |        |
|----------------------------------------------------------------------|------------|-------------|-------|--------|------------|--------|
| MODEL F156 INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA3125 |            |             |       |        |            |        |
| AA1A1142R9                                                           | F56U0BD3   | 135°F       | 57°C  | Brass  | A\$        | 87.37  |
|                                                                      |            | °F          | °C    |        | A\$        | Call   |
| AA4A1142R9                                                           | F56U5BD3   | 175°F       | 79°C  | Brass  | A\$        | 87.37  |
|                                                                      |            | °F          | °C    |        | A\$        | Call   |
|                                                                      |            | °F          | °C    |        | A\$        | Call   |
| AA9A1142R9                                                           | F56U6BD3   | 360°F       | 182°C | Brass  | A\$        | 93.52  |
| MODEL F1 INTERMEDIATE UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R7022   |            |             |       |        |            |        |
| AA1A114298                                                           | FU0LBD3    | 135°F       | 57°C  | Brass  | A\$        | 97.37  |
| AA2A114298                                                           | FU1LBD3    | 155°F       | 68°C  | Brass  | A\$        | 97.37  |
| AA4A114298                                                           | FU5LBD3    | 175°F       | 79°C  | Brass  | A\$        | 97.37  |
| AA5A114298                                                           | FU2LBD3    | 200°F       | 93°C  | Brass  | A\$        | 97.37  |
| AA8A114298                                                           | FU3LBD3    | 286°F       | 141°C | Brass  | A\$        | 97.37  |
| AA9A114298                                                           | FU6LBD3    | 360°F       | 182°C | Brass  | A\$        | 103.46 |
| MODEL F156 INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1314 |            |             |       |        |            |        |
| A21A114299                                                           | F56P0BD5   | 135°F       | 57°C  | Brass  | A\$        | 87.37  |
|                                                                      |            | °F          | °C    |        | A\$        | Call   |
|                                                                      |            | °F          | °C    |        | A\$        | Call   |
| MODEL F1 INTERMEDIATE PENDENT K8.0 (115) THREADS 3/4" (20MM) R1712   |            |             |       |        |            |        |
| AB1A114298                                                           | FP0LBD5    | 135°F       | 57°C  | Bronze | A\$        | 97.37  |
| AB2A114298                                                           | FP1LBD5    | 155°F       | 68°C  | Bronze | A\$        | 97.37  |
| AB4A114298                                                           | FP5LBD5    | 175°F       | 79°C  | Bronze | A\$        | 97.37  |
| AB5A114298                                                           | FP2LBD5    | 200°F       | 93°C  | Bronze | A\$        | 97.37  |
|                                                                      |            | °F          | °C    |        | A\$        | Call   |
| AB9A114298                                                           | FP6LBD5    | 360°F       | 182°C | Bronze | A\$        | 98.48  |

### Notes:

The above sprinklers come with a zinc guard and shield already attached to a bronze sprinkler. This eliminates the need for field attachment!

Sprinkler guards are listed and approved only for use with specific sprinklers. The use of any other guards on these sprinklers may impede their operation or distribution and negate all approvals and warranties.



## D3 & D5 GUARDS

- G Int. Level Sprinkler & Guard Assembly
- UL, cUL & NYC MEA Approved! (C Guards FM Approved)
- See Bulletin 208

| Part Number                                                       | Short Code | Temperature |       | Finish | List Price |
|-------------------------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL G INTERMEDIATE UPRIGHT K5.6 (80) THREADS 1/2" (15MM) R1425  |            |             |       |        |            |
| 511A114299                                                        | GU0BD3     | 135°F       | 57°C  | Brass  | A\$ 108.76 |
| 513A114299                                                        | GU1BD3     | 165°F       | 74°C  | Brass  | A\$ 108.76 |
| 516A114299                                                        | GU2BD3     | 212°F       | 100°C | Brass  | A\$ 108.76 |
| 518A114299                                                        | GU3BD3     | 286°F       | 141°C | Brass  | A\$ 108.76 |
| MODEL G INTERMEDIATE UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R1427 |            |             |       |        |            |
| 511A114498                                                        | GU0LBD3    | 135°F       | 57°C  | Brass  | A\$ 119.93 |
| 513A114498                                                        | GU1LBD3    | 165°F       | 74°C  | Brass  | A\$ 119.93 |
| 516A114498                                                        | GU2LBD3    | 212°F       | 100°C | Brass  | A\$ 119.93 |
| 518A114498                                                        | GU3LBD3    | 286°F       | 141°C | Brass  | A\$ 119.93 |
| MODEL G INTERMEDIATE PENDENT K5.6 (80) THREADS 1/2" (15MM) R1015  |            |             |       |        |            |
| 521A114299                                                        | GP0BD5     | 135°F       | 57°C  | Brass  | A\$ 108.76 |
| 523A114299                                                        | GP1BD5     | 165°F       | 74°C  | Bronze | A\$ 108.76 |
| 526A114299                                                        | GP2BD5     | 212°F       | 100°C | Bronze | A\$ 108.76 |
| 528A114299                                                        | GP3BD5     | 286°F       | 141°C | Bronze | A\$ 108.76 |
| MODEL G INTERMEDIATE PENDENT K8.0 (115) THREADS 3/4" (20MM) R1017 |            |             |       |        |            |
| 521A114498                                                        | GP0LBD5    | 135°F       | 57°C  | Bronze | A\$ 119.93 |
| 523A114498                                                        | GP1LBD5    | 165°F       | 74°C  | Bronze | A\$ 119.93 |
| 526A114498                                                        | GP2LBD5    | 212°F       | 100°C | Bronze | A\$ 119.93 |
| 528A114498                                                        | GP3LBD5    | 286°F       | 141°C | Bronze | A\$ 119.93 |

### Notes:

The above sprinklers come with a zinc guard and shield already attached to a bronze sprinkler. This eliminates the need for field attachment!

Sprinkler guards are listed and approved only for use with specific sprinklers. The use of any other guards on these sprinklers may impede their operation or distribution and negate all approvals and warranties.



## D1 SPK & GUARD ASSEMBLY

- For F156 & F1 LO Sprinklers
- Thread Size = 1/2" & 3/4"
- See Bulletins 031 & 208

| Part Number                                      | Short Code | Temperature        |       | Finish | List Price |
|--------------------------------------------------|------------|--------------------|-------|--------|------------|
| MODEL F156 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) |            |                    |       |        |            |
| AA1A1132R9                                       | F56U0BD1   | 135°F              | 57°C  | Brass  | A\$ 88.15  |
| AA2A1132R9                                       | F56U1BD1   | 155°F              | 68°C  | Bronze | A\$ 88.15  |
|                                                  |            | °F                 | °C    |        | A\$ Call   |
|                                                  |            | °F                 | °C    |        | A\$ Call   |
| AA8A1132R9                                       | F56U3BD1   | 286°F              | 141°C | Brass  | A\$ 88.15  |
| MODEL F156 PENDENT K5.6 (80) THREADS 1/2" (15MM) |            |                    |       |        |            |
| AB1A1132R9                                       | F56P0BD1   | 135°F              | 57°C  | Brass  | A\$ 88.15  |
| AB2A1132R9                                       | F56P1BD1   | 155°F              | 68°C  | Brass  | A\$ 88.15  |
| AB4A1132R9                                       | F56P5BD1   | 175°F              | 79°C  | Brass  | A\$ 88.15  |
| AB5A1132R9                                       | F56P2BD1   | 200°F              | 93°C  | Brass  | A\$ 88.15  |
| AB8A1132R9                                       | F56P3BD1   | 286°F              | 141°C | Brass  | A\$ 88.15  |
| MODEL F1 UPRIGHT K8.0 (115) THREADS 3/4" (20MM)  |            |                    |       |        |            |
| AA1A113498                                       | FU0LBD1    | 135°F              | 57°C  | Bronze | A\$ 97.79  |
| AA2A113498                                       | FU1LBD1    | 155°F              | 68°C  | Bronze | A\$ 97.79  |
| AA4A113498                                       | FU5LBD1    | 175°F              | 79°C  | Bronze | A\$ 97.79  |
| AA5A113498                                       | FU2LBD1    | 200°F              | 93°C  | Bronze | A\$ 97.79  |
| AA8A113498                                       | FU3LBD1    | 286°F              | 141°C | Bronze | A\$ 97.79  |
| MODEL F1 PENDENT K8.0 (115) THREADS 3/4" (20MM)  |            |                    |       |        |            |
| AB1A113498                                       | FP0LBD1    | 135°F              | 57°C  | Bronze | A\$ 97.79  |
| AB2A113498                                       | FP1LBD1    | 155°F              | 68°C  | Bronze | A\$ 97.79  |
| AB4A113498                                       | FP5LBD1    | 175°F              | 79°C  | Bronze | A\$ 97.79  |
| AB5A113498                                       | FP2LBD1    | 200°F              | 93°C  | Bronze | A\$ 97.79  |
| AB8A113498                                       | FP3LBD1    | 286°F              | 141°C | Brass  | A\$ 97.79  |
| GUARDS ONLY                                      |            |                    |       |        |            |
| 6802251400                                       | GC1        | C-1 Universal      |       | Zinc   | A\$ 21.49  |
| 6802201400                                       | GC2        | C-2 Dry Pendent    |       | Zinc   | A\$ 29.80  |
| 6802251410                                       | GD1        | D-1 Universal      |       | Zinc   | A\$ 29.49  |
| GUARDS AND SHIELDS                               |            |                    |       |        |            |
| 6802501410                                       | GD3        | D-3 (Upright)      |       | Zinc   | A\$ 34.87  |
| 6802631412                                       | GD51       | D-5 (1/2" or 15mm) |       | Zinc   | A\$ 66.97  |
| 6802631434                                       | GD53       | D-5 (3/4" or 20mm) |       | Zinc   | A\$ 66.97  |
| 6802621412                                       | GD41       | D-4 (1/2" or 15mm) |       | Zinc   | A\$ 75.04  |
| 6802621434                                       | GD43       | D-4 (3/4" or 20mm) |       | Zinc   | A\$ 75.04  |
| 6802501400                                       | GC3        | C-3 (SU INT)       |       | Zinc   | A\$ 44.00  |
| 6802611412                                       | GC51       | C-5 (1/2" or 15mm) |       | Zinc   | A\$ 61.49  |
| 6802611434                                       | GC53       | C-5 (3/4" or 20mm) |       | Zinc   | A\$ 61.49  |

### Notes:

Sprinklers Factory installed with D1 Guards



## D1 SPK & GUARD ASSEMBLY

- For Model G Sprinklers
- UL, cUL & NYC MEA Approved! (C Guards FM Approved)
- See Bulletin 208

| Part Number                                          | Short Code | Temperature        |       | Finish | List Price |
|------------------------------------------------------|------------|--------------------|-------|--------|------------|
| MODEL G UPRIGHT K5.6 (80) THREADS 1/2" (15MM) R1025  |            |                    |       |        |            |
| 511A113299                                           | GU0BD1     | 135°F              | 57°C  | Brass  | A\$ 113.06 |
| 513A113299                                           | GU1BD1     | 165°F              | 74°C  | Brass  | A\$ 113.06 |
| 516A113299                                           | GU2BD1     | 212°F              | 100°C | Bronze | A\$ 113.06 |
| 518A113299                                           | GU3BD1     | 286°F              | 141°C | Brass  | A\$ 113.06 |
| MODEL G PENDENT K5.6 (80) THREADS 1/2" (15MM) R1015  |            |                    |       |        |            |
| 521A113299                                           | GP0BD1     | 135°F              | 57°C  | Brass  | A\$ 113.06 |
| 523A113299                                           | GP1BD1     | 165°F              | 74°C  | Brass  | A\$ 113.06 |
| 526A113299                                           | GP2BD1     | 212°F              | 100°C | Brass  | A\$ 113.06 |
| 528A113299                                           | GP3BD1     | 286°F              | 141°C | Brass  | A\$ 113.06 |
| MODEL G UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R1027 |            |                    |       |        |            |
| 511A113498                                           | GU0LBD1    | 135°F              | 57°C  | Bronze | A\$ 124.54 |
| 513A113498                                           | GU1LBD1    | 165°F              | 74°C  | Bronze | A\$ 124.54 |
| 516A113498                                           | GU2LBD1    | 212°F              | 100°C | Bronze | A\$ 124.54 |
| 518A113498                                           | GU3LBD1    | 286°F              | 141°C | Bronze | A\$ 124.54 |
| MODEL G PENDENT K8.0 (115) THREADS 3/4" (20MM) R1017 |            |                    |       |        |            |
| 521A113498                                           | GP0LBD1    | 135°F              | 57°C  | Bronze | A\$ 124.54 |
| 523A113498                                           | GP1LBD1    | 165°F              | 74°C  | Bronze | A\$ 124.54 |
| 526A113498                                           | GP2LBD1    | 212°F              | 100°C | Bronze | A\$ 103.17 |
| 528A113498                                           | GP3LBD1    | 286°F              | 141°C | Brass  | A\$ 103.17 |
| GUARDS ONLY                                          |            |                    |       |        |            |
| 6802251400                                           | GC1        | C-1 Universal      |       | Zinc   | A\$ 21.49  |
| 6802201400                                           | GC2        | C-2 Dry Pendent    |       | Zinc   | A\$ 29.80  |
| 6802251410                                           | GD1        | D-1 Universal      |       | Zinc   | A\$ 29.49  |
| GUARDS AND SHIELDS                                   |            |                    |       |        |            |
| 6802501410                                           | GD3        | D-3 (Upright)      |       | Zinc   | A\$ 34.87  |
| 6802631412                                           | GD51       | D-5 (1/2" or 15mm) |       | Zinc   | A\$ 66.97  |
| 6802631434                                           | GD53       | D-5 (3/4" or 20mm) |       | Zinc   | A\$ 66.97  |
| 6802621412                                           | GD41       | D-4 (1/2" or 15mm) |       | Zinc   | A\$ 75.04  |
| 6802621434                                           | GD43       | D-4 (3/4" or 20mm) |       | Zinc   | A\$ 75.04  |
| 6802501400                                           | GC3        | C-3 (SU INT)       |       | Zinc   | A\$ 44.00  |
| 6802611412                                           | GC51       | C-5 (1/2" or 15mm) |       | Zinc   | A\$ 61.49  |
| 6802611434                                           | GC53       | C-5 (3/4" or 20mm) |       | Zinc   | A\$ 61.49  |

Sprinklers factory installed with D1 guards

## Reliable Attic Sprinklers

- See Bulletin 056
- Specific Application
- Sprinklers for Sloped
- Combustible and Noncombustible
- Light Hazard Concealed Spaces



**AH42 / AH56**



**DD56-6 / DD56-27**



**DS56**



**GP56**



| Part Number                                                                     | Short Code | Temperature |       | Finish | List Price |
|---------------------------------------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL AH42 UPRIGHT K4.2 (60) THREAD 1/2" RA5623 • Roof Slope = 4:12 to 8:12     |            |             |       |        |            |
| MN21112699                                                                      | AH42       | 212°F       | 100°C | Brass  | A\$124.00  |
| MODEL AH56 UPRIGHT K5.6 (80) THREAD 1/2" RA5626 • Roof Slope = 4:12 to 8:12     |            |             |       |        |            |
| MN21112799                                                                      | AH56       | 212°F       | 100°C | Brass  | A\$124.00  |
| MODEL DD56-6 UPRIGHT K5.6 (80) THREAD 1/2" RA5624 • Roof Slope = 4:12 to <6:12  |            |             |       |        |            |
| MN21113099                                                                      | DD566      | 212°F       | 100°C | Brass  | A\$672.32  |
| MODEL DD56-27 UPRIGHT K5.6 (80) THREAD 1/2" RA5694 • Roof Slope = 6:12 to 8:12  |            |             |       |        |            |
| MN21113199                                                                      | DD5627     | 212°F       | 100°C | Brass  | A\$672.32  |
| MODEL DS56 UPRIGHT K5.6 (80) THREAD 1/2" RA5625 • Roof Slope = 4:12 to 8:12     |            |             |       |        |            |
| MN21112899                                                                      | DS56       | 212°F       | 100°C | Brass  | A\$672.32  |
| MODEL GP56 UPRIGHT K5.6 (80) THREAD 1/2" RA5695 • Roof Slope = 4:12 to 8:12     |            |             |       |        |            |
| MN21112999                                                                      | GP56       | 212°F       | 100°C | Brass  | A\$113.62  |
| MODEL DD80-6 UPRIGHT K8.0 (115) THREAD 3/4" RA5622 • Roof Slope = 4:12 to <6:12 |            |             |       |        |            |
| MN21113398                                                                      | DD806      | 212°F       | 100°C | Brass  | A\$672.32  |
| MODEL DD80-27 UPRIGHT K8.0 (115) THREAD 3/4" RA5692 • Roof Slope = 6:12 to 8:12 |            |             |       |        |            |
| MN21113498                                                                      | DD8027     | 212°F       | 100°C | Brass  | A\$672.32  |

|            |       |                                                                    |            |
|------------|-------|--------------------------------------------------------------------|------------|
| 6880130002 | WDS56 | Model DS56 Sprinkler Wrench - Model DS56                           | A\$ 441.62 |
| 6880050100 | WW2   | Model W2 Sprinkler Wrench - Models: AH42, AH56, DD56, DD80, & GP56 | A\$ 212.48 |



## LT56 PENDENT

- K-Factor = 5.6 (80)
- **SIN RA5814**
- See Bulletin 058
- Glass Bulb



## LT56L PENDENT

- K-Factor = 5.6 (80)
- **SIN R5814**
- See Bulletin 058
- Link

## LT56 300 PENDENT

- K-Factor = 5.6 (80)
- **SIN RA5914**
- See Bulletin 058
- Glass Bulb

## LT56L-300 PENDENT

- K-Factor = 5.6 (80)
- **SIN R5914**
- See Bulletin 058
- Link

| Part Number                                                 | Short Code | Temperature |       | Finish     | List Price |
|-------------------------------------------------------------|------------|-------------|-------|------------|------------|
| MODEL LT56 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA5814     |            |             |       |            |            |
| BY151132S9                                                  | LT56P1BN   | 155°F       | 68°C  | Brass      | A\$ 118.35 |
| BY152132S9                                                  | LT56P1CN   | 155°F       | 68°C  | Chrome     | A\$ 130.20 |
| BY158732S9                                                  | LT56P1WN   | 155°F       | 68°C  | Poly White | A\$ 130.20 |
| BY201132S9                                                  | LT56P2BN   | 200°F       | 93°C  | Brass      | A\$ 118.35 |
| BY202132S9                                                  | LT56P2CN   | 200°F       | 93°C  | Chrome     | A\$ 130.20 |
| BY208732S9                                                  | LT56P2WN   | 200°F       | 93°C  | Poly White | A\$ 130.20 |
| MODEL LT56L PENDENT K5.6 (80)THREADS 1/2" (15MM) R5814      |            |             |       |            |            |
| MY16113299                                                  | LT56LP1B   | 165°F       | 74°C  | Brass      | A\$ 118.35 |
| MY16213299                                                  | LT56LP1C   | 165°F       | 74°C  | Chrome     | A\$ 130.20 |
| MY16873299                                                  | LT56LP1W   | 165°F       | 74°C  | Poly White | A\$ 130.20 |
| MY21113299                                                  | LT56LP2B   | 212°F       | 100°C | Brass      | A\$ 118.35 |
| MY21213299                                                  | LT56LP2C   | 212°F       | 100°C | Chrome     | A\$ 130.20 |
| MY21873299                                                  | LT56LP2W   | 212°F       | 100°C | Poly White | A\$ 130.20 |
| MODEL LT56-300 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA5914 |            |             |       |            |            |
| B0151132S9                                                  | LT56P1B3N  | 155°F       | 68°C  | Brass      | A\$ 118.35 |
| B0152132S9                                                  | LT56P1C3N  | 155°F       | 68°C  | Chrome     | A\$ 130.20 |
| B0158732S9                                                  | LT56P1W3N  | 155°F       | 68°C  | Poly White | A\$ 130.20 |
| B020113299                                                  | LT56P2B3   | 200°F       | 93°C  | Brass      | A\$ 118.35 |
| B020213299                                                  | LT56P2C3   | 200°F       | 93°C  | Chrome     | A\$ 130.20 |
| B020873299                                                  | LT56P2W3   | 200°F       | 93°C  | Poly White | A\$ 130.20 |
| MODEL LT56L-300 PENDENT K5.6 (80) THREADS 1/2" (15MM) R5914 |            |             |       |            |            |
| M016113299                                                  | LT56LP1B3  | 165°F       | 74°C  | Brass      | A\$ 118.35 |
| M016213299                                                  | LT56LP1C3  | 165°F       | 74°C  | Chrome     | A\$ 130.20 |
| M016873299                                                  | LT56LP1W3  | 165°F       | 74°C  | Poly White | A\$ 130.20 |
| M021113299                                                  | LT56LP2B3  | 212°F       | 100°C | Brass      | A\$ 118.35 |
| M021213299                                                  | LT56LP2C3  | 212°F       | 100°C | Chrome     | A\$ 130.20 |
| M021873299                                                  | LT56LP2W3  | 212°F       | 100°C | Poly White | A\$ 130.20 |
| MODEL FV TWO-PIECE RECESSED ESCUTCHEONS & COLLAR ASSEMBLY   |            |             |       |            |            |
| 6801720600                                                  | FVB        | 1/2" (15mm) |       | Brass      | A\$ 36.82  |
| 6801722100                                                  | FVC        | 1/2" (15mm) |       | Chrome     | A\$ 24.52  |
| 6801728700                                                  | FVW        | 1/2" (15mm) |       | Poly White | A\$ 24.52  |
| MODEL FP TWO-PIECE RECESSED ESCUTCHEONS & COLLAR ASSEMBLY   |            |             |       |            |            |
| 6801412100                                                  | FPC        | 1/2" (15mm) |       | Chrome     | A\$ 40.55  |
| 6801417200                                                  | FPW        | 1/2" (15mm) |       | White      | A\$ 40.55  |

|            |     |                                   |            |
|------------|-----|-----------------------------------|------------|
| 6880050100 | WW2 | Wrench, W2, Pendent, Upright, HSW | A\$ 212.48 |
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed   | A\$ 630.54 |



## LT56 CCP

- K-Factor = 5.6 (80)
- **SIN RA5814**
- See Bulletin 058
- Glass Bulb

## LT56L CCP

- K-Factor = 5.6 (80)
- **SIN R5814**
- See Bulletin 058
- Fusible Link

## LT56 300 CCP

- K-Factor = 5.6 (80)
- **SIN RA5914**
- See Bulletin 058
- Glass Bulb

## LT56L-300 CCP

- K-Factor = 5.6 (80)
- **SIN R5914**
- See Bulletin 058
- Fusible Link

| Part Number                                                       | Short Code | Temperature                       |       | Finish     | List Price |
|-------------------------------------------------------------------|------------|-----------------------------------|-------|------------|------------|
| MODEL LT56 CCP CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA5814     |            |                                   |       |            |            |
| BZ15173299                                                        | LT56CCP1   | 155°F                             | 68°C  | W/O        | A\$ 142.03 |
| BZ20173299                                                        | LT56CCP2   | 200°F                             | 93°C  | W/O        | A\$ 142.03 |
| MODEL LT56-300 CCP CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA5914 |            |                                   |       |            |            |
| BI15173299                                                        | LT56CCP13  | 155°F                             | 68°C  | W/O        | A\$ 142.03 |
| BI20173299                                                        | LT56CCP23  | 200°F                             | 93°C  | Brass      | A\$ 142.03 |
| MODEL LT56L CCP CONCEALED K5.6 (80) THREADS 1/2" (15MM) R5814     |            |                                   |       |            |            |
| MZ16173299                                                        | LT56LCCP1  | 165°F                             | 74°C  | W/O        | A\$ 142.03 |
| MZ21173299                                                        | LT56LCCP2  | 212°F                             | 100°C | Brass      | A\$ 142.03 |
| MODEL LT56L-300 CCP CONCEALED K5.6 (80) THREADS 1/2" (15MM) R5914 |            |                                   |       |            |            |
| MI16173299                                                        | LT56LCCP13 | 165°F                             | 74°C  | W/O        | A\$ 142.03 |
| MI21173299                                                        | LT56LCCP23 | 212°F                             | 100°C | Brass      | A\$ 142.03 |
| MODEL CCP CONICAL CONCEALED COVERPLATES                           |            |                                   |       |            |            |
| 6887161321                                                        | CCP0C76    | 135°F                             | 57°C  | Chrome     | A\$ 168.49 |
| 6887161318                                                        | CCP0W76    | 135°F                             | 57°C  | Flat White | A\$ 65.66  |
| 6887161390                                                        | CCP0SP76   | 135°F                             | 57°C  | Specialty  | A\$ 110.27 |
| 6887161621                                                        | CCP1C76    | 165°F                             | 74°C  | Chrome     | A\$ 168.49 |
| 6887161618                                                        | CCP1W76    | 165°F                             | 74°C  | Flat White | A\$ 65.66  |
| 6887161690                                                        | CCP1SP76   | 165°F                             | 74°C  | Specialty  | A\$ 110.27 |
| 6880050100                                                        | WW2        | Wrench, W2, Pendent, Upright, HSW |       |            | A\$ 212.48 |
| 6880100120                                                        | WW4        | Wrench, W4, Recessed, Concealed   |       |            | A\$ 630.54 |



## LT56C FLAT CONCEALED

- K-Factor = 5.6 (80)
- **SIN RA5994**
- See Bulletin 058

| Part Number                                                | Short Code | Temperature |       | Finish          | List Price |
|------------------------------------------------------------|------------|-------------|-------|-----------------|------------|
| MODEL LT56C CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA5994 |            |             |       |                 |            |
| M916173299                                                 | LTC1       | 165°F       | 74°C  | W/O             | A\$ 165.72 |
| M921173299                                                 | LTC2       | 212°F       | 100°C | W/O             | A\$ 165.72 |
| MODEL LT56C CONCEALED BSPT THREADS 1/2" (15MM) RA5994      |            |             |       |                 |            |
| M916173292                                                 | LTC1M      | 165°F       | 74°C  | W/O             | A\$ 165.72 |
| M921173292                                                 | LTC2M      | 212°F       | 100°C | W/O             | A\$ 165.72 |
| MODEL G5 COVERPLATES                                       |            |             |       |                 |            |
| 6887271321                                                 | CG50C      | 135°F       | 57°C  | Chrome          | A\$ 78.04  |
| 6887271372                                                 | CG50W      | 135°F       | 57°C  | White           | A\$ 71.13  |
| 6887271311                                                 | CG50B      | 135°F       | 57°C  | Finished Bronze | A\$ 101.44 |
| 6887271374                                                 | CG50OW     | 135°F       | 57°C  | Off-White       | A\$ 96.73  |
| 6887271390                                                 | CG50SP     | 135°F       | 57°C  | Specialty       | A\$ 100.61 |
| 6887271316                                                 | CG50FB     | 135°F       | 57°C  | Black Painted   | A\$ 96.86  |
| 6887271305                                                 | CG50BB     | 135°F       | 57°C  | Bright Brass    | A\$ 122.79 |
| 6887271323                                                 | CG50CD     | 135°F       | 57°C  | Satin Chrome    | A\$ 122.79 |
| 6887271310                                                 | CG50SS     | 135°F       | 57°C  | Stainless Steel | A\$ 122.79 |
| 6887271319                                                 | CG50EW     | 135°F       | 57°C  | EW              | A\$ 71.13  |
| 6887271621                                                 | CG51C      | 165°F       | 74°C  | Chrome          | A\$ 78.04  |
| 6887271672                                                 | CG51W      | 165°F       | 74°C  | White           | A\$ 71.13  |
| 6887271611                                                 | CG51B      | 165°F       | 74°C  | Finished Bronze | A\$ 101.44 |
| 6887271674                                                 | CG51OW     | 165°F       | 74°C  | Off-White       | A\$ 96.73  |
| 6887271690                                                 | CG51SP     | 165°F       | 74°C  | Specialty       | A\$ 100.61 |
| 6887271616                                                 | CG51FB     | 165°F       | 74°C  | Black Painted   | A\$ 96.86  |
| 6887271605                                                 | CG51BB     | 165°F       | 74°C  | Bright Brass    | A\$ 122.79 |
| 6887271623                                                 | CG51CD     | 165°F       | 74°C  | Satin Chrome    | A\$ 122.79 |
| 6887271610                                                 | CG51SS     | 165°F       | 74°C  | Stainless Steel | A\$ 122.79 |
| 6887271619                                                 | CG51EW     | 165°F       | 74°C  | EW              | A\$ 71.13  |

### Notes:

Sprinklers and coverplates sold and packaged separately



## XL INSTITUTIONAL

- K-Factor = 5.6 (80)
- Pendant EC= SIN R1344
- HSW EC = SIN R1364
- Pendant = SIN R1314
- HSW = SIN R1334
- See Bulletin 113

| Part Number                                                  | Short Code | Temperature                                     |      | Finish | List Price |
|--------------------------------------------------------------|------------|-------------------------------------------------|------|--------|------------|
| MODEL XL EC INST PENDENT K5.6 (80) THREADS 1/2" (15MM) R1344 |            |                                                 |      |        |            |
| 1572213299                                                   | XLEPC      | 165°F                                           | 74°C | Chrome | A\$403.68  |
| MODEL XL INST PENDENT K5.6 (80) THREADS 1/2" (15MM) R1314    |            |                                                 |      |        |            |
| 1512213299                                                   | XLPC       | 165°F                                           | 74°C | Chrome | A\$376.93  |
| MODEL XL INST HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) R1334 |            |                                                 |      |        |            |
| 1452213299                                                   | XLHC       | 165°F                                           | 74°C | Chrome | A\$392.89  |
| REPLACEMENT PARTS                                            |            |                                                 |      |        |            |
| 6801321223                                                   | IKEC       | EC HSW ESCUTCHEON KIT, SATIN                    |      |        | A\$ Call   |
| 6801321272                                                   | IKEW       | EC HSW ESCUTCHEON KIT, WHITE PAINT              |      |        | A\$ Call   |
| 6801320123                                                   | IKPC       | PENDENT, EC PENDENT ESCUTCHEON KIT, SATIN       |      |        | A\$ Call   |
| 6801320172                                                   | IKPW       | PENDENT, EC PENDENT ESCUTCHEON KIT, WHITE PAINT |      |        | A\$ Call   |
| 6801322223                                                   | IXLHC      | HSW ESCUTCHEON KIT, SATIN                       |      |        | A\$ Call   |
| 6801322272                                                   | IXLHW      | HSW ESCUTCHEON KIT, WHITE PAINT                 |      |        | A\$ Call   |
| 6801350001                                                   |            | Retainer Flange                                 |      |        | A\$ 58.94  |
| 88795014                                                     |            | Escutcheon Retaining Ring                       |      |        | A\$ 22.62  |
| 88007901                                                     |            | Tamper Resistant Fasteners                      |      |        | A\$ 12.00  |
| 6880160020                                                   | ZXT        | Tamper Resistant Tool Bit                       |      |        | A\$ 70.96  |
| 6880160000                                                   | WZXP       | Requires Model ZX (Pendent) Sprinkler Wrench    |      |        | A\$ 628.07 |
| 6880160010                                                   | WZXH       | Requires Model ZX (Horizontal) Sprinkler Wrench |      |        | A\$ 628.07 |



## F4FR-NF

- K-Factor = 5.6 (80)
- **SIN RA0212**
- See Bulletin 002



## KFR CCS

- K-Factor = 5.6 (80)
- **SIN RA4454**
- See Bulletin 044

| Part Number                                                  | Short Code | Temperature                        |       | Finish | List Price |
|--------------------------------------------------------------|------------|------------------------------------|-------|--------|------------|
| MODEL F4FR-NF CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA0212 |            |                                    |       |        |            |
| 0615723299                                                   | F4FRNF1W   | 155°F                              | 68°C  | White  | A\$ 402.93 |
| 0615213299                                                   | F4FRNF1C   | 155°F                              | 68°C  | Chrome | A\$ 402.93 |
| 6880170000                                                   | WG4        | Requires Model G4 Sprinkler Wrench |       |        | A\$ 628.07 |
| MODEL KFR- CCS K5.6 (80) THREADS 1/2"(15MM) RA4454           |            |                                    |       |        |            |
| MN211132R9                                                   | KFRCCS     | 212°F                              | 100°C | Brass  | A\$ 135.69 |
| 6880050100                                                   | WW2        | Wrench, W2, Pendent, Upright, HSW  |       |        | A\$ 212.48 |



## WP56 PENDENT VERTICAL SIDEWALL

- K-Factor 5.6
- **SIN #501 (Bulb)**
- See Bulletin 181



## WP56L PENDENT VERTICAL SIDEWALL

- K-Factor 5.6
- **SIN #R502 (Link)**
- See Bulletin 181



## WP56C CONCEALED PENDENT VERTICAL SIDEWALL

- K-Factor 5.6
- **SIN #R504**
- See Bulletin 181

| Part Number                                                                   | Short Code | Temperature |       | Finish          | List Price   |
|-------------------------------------------------------------------------------|------------|-------------|-------|-----------------|--------------|
| MODEL WP56 PENDENT VERTICAL SIDEWALL K5.6 (80) THREADS 1/2" (15MM) R501 BULB  |            |             |       |                 |              |
| BW151132S9                                                                    | WP561B     | 155°F       | 68°C  | Bronze          | A\$ 1,063.48 |
| BW152132S9                                                                    | WP561C     | 155°F       | 68°C  | Chrome          | A\$ 1,106.01 |
| BW158732S9                                                                    | WP561W     | 155°F       | 68°C  | White           | A\$ 1,106.01 |
| BW151032S9                                                                    | WP561SS    | 155°F       | 68°C  | Stainless Steel | A\$ 2,188.23 |
| BW201132S9                                                                    | WP562B     | 200°F       | 93°C  | Brass           | A\$ 1,063.48 |
| BW202132S9                                                                    | WP562C     | 200°F       | 93°C  | Chrome          | A\$ 1,106.01 |
| BW208732S9                                                                    | WP562W     | 200°F       | 93°C  | White           | A\$ 1,106.01 |
| BW201032S9                                                                    | WP562SS    | 200°F       | 93°C  | Stainless Steel | A\$ 2,188.23 |
| MODEL WP56L PENDENT VERTICAL SIDEWALL K5.6 (80) THREADS 1/2" (15MM) R502 LINK |            |             |       |                 |              |
| MW161132S9                                                                    | WP56L1B    | 165°F       | 74°C  | Bronze          | A\$ 1,063.48 |
| MW162132S9                                                                    | WP56L1C    | 165°F       | 74°C  | Chrome          | A\$ 1,106.01 |
| MW168732S9                                                                    | WP56L1W    | 165°F       | 74°C  | White           | A\$ 1,106.01 |
| MW211132S9                                                                    | WP56L2B    | 212°F       | 100°C | Bronze          | A\$ 1,063.48 |
| MW212132S9                                                                    | WP56L2C    | 212°F       | 100°C | Chrome          | A\$ 1,106.01 |
| MW218732S9                                                                    | WP56L2W    | 212°F       | 100°C | White           | A\$ 1,106.01 |
| 6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      A\$ 212.48    |            |             |       |                 |              |
| MODEL WP56C WINDOW CONCEALER K5.6 (80) THREADS 1/2" NPT R504                  |            |             |       |                 |              |
| 1W16173299                                                                    | WP56C1B    | 165°F       | 74°C  | W/O             | A\$ 1,276.17 |
| 1W21173299                                                                    | WP56C2B    | 212°F       | 100°C | W/O             | A\$ 1,276.17 |
| MODEL WP56C WINDOW CONCEALER K5.6 (80) THREADS 1/2" BSPT R504                 |            |             |       |                 |              |
| 1W16173292                                                                    | WP56C1BM   | 165°F       | 74°C  | W/O             | A\$ 1,276.17 |
| 1W21173292                                                                    | WP56C2BM   | 212°F       | 100°C | W/O             | A\$ 1,276.17 |
| 6880170020      WFC      WRENCH,FC,CONCEALED      A\$ 633.90                  |            |             |       |                 |              |
| MODEL G5 COVERPLATES FOR WP56C CONCEALED SPRINKLERS                           |            |             |       |                 |              |
| 6887271372                                                                    | CG50W      | 135°F       | 57°C  | White           | A\$ 71.13    |
| 6887271321                                                                    | CG50C      | 135°F       | 57°C  | Chrome          | A\$ 78.04    |
| 6887271672                                                                    | CG51W      | 165°F       | 74°C  | White           | A\$ 71.13    |
| 6887271621                                                                    | CG51C      | 165°F       | 74°C  | Chrome          | A\$ 78.04    |

### Features

- cULus Listed to provide complete wetting of various glass surfaces
- Fast Response Specific Applications Pendent Vertical Sidewall sprinkler
- Listed corrosion resistant finishes available (WP56 only)

### Notes:

Other Coverplate finishes available upon request.



## F1S5-FS56 FLAT SPRAY SPECIAL RESPONSE

- **SIN RA2314**
- K-Factor = 80 (5.6)
- Thread Size = 15mm (1/2")
- Bulletin 023

## F1S5-FS42 FLAT SPRAY SPECIAL RESPONSE

- **SIN RA2315**
- K-Factor = 57 (4.2)
- Thread Size = 15mm (1/2")
- Bulletin 023



| Part Number                                                 | Short Code | Temperature |       | Finish     | List Price |
|-------------------------------------------------------------|------------|-------------|-------|------------|------------|
| MODEL F1S5-FS56-I K5.6 (80) BSPT THREADS 1/2" (15MM) RA2314 |            |             |       |            |            |
|                                                             |            | °F          | °C    |            | A\$ Call   |
| KB15114392                                                  | KB15114392 | 155°F       | 68°C  | Brass      | A\$ 108.45 |
|                                                             |            | °F          | °C    |            | A\$ Call   |
|                                                             |            | °F          | °C    |            | A\$ Call   |
| KB28114392                                                  |            | 286°F       | 141°C | Brass      | A\$ 108.45 |
| MODEL F1S5-FS42-I K4.2 (57) BSPT THREADS 1/2" (15MM) RA2315 |            |             |       |            |            |
|                                                             |            | °F          | °C    |            | A\$ Call   |
| KB15114592                                                  | KB15114592 | 155°F       | 68°C  | Brass      | A\$ 108.45 |
|                                                             |            | °F          | °C    |            | A\$ Call   |
|                                                             |            | °F          | °C    |            | A\$ Call   |
|                                                             |            | °F          | °C    |            | A\$ Call   |
| REQUIRED PENDENT SHIELD                                     |            |             |       |            |            |
|                                                             |            | °F          | °C    | Galvanized | A\$ Call   |

|            |      |                                    |            |
|------------|------|------------------------------------|------------|
| 6880050100 | WW2  | Requires Model W2 Sprinkler Wrench | A\$ 212.48 |
| 6880060000 | WGFR | With Shield Use Model GFR2 Wrench  | A\$ 630.54 |

### Notes:

Sprinkler and Shield packaged and sold separately



## F1S5 SERIES SPECIAL RESPONSE STANDARD SPRAY

- K-Factor = 80 (5.6)
- Thread Size = 15mm (1/2")
- Bulletin 024

| Part Number                                              | Short Code | Temperature |       | Finish | List Price |
|----------------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL F1S5-56 UPRIGHT K5.6 (80) BSPT THREADS 1/2" (15MM) |            |             |       |        |            |
|                                                          |            | 135°F       | °C    | Brass  | A\$ Call   |
| KA151132R2                                               | KA151132R2 | 155°F       | 68°C  | Brass  | A\$ 54.24  |
| KA171132R2                                               |            | 175°F       | 79°C  | Brass  | A\$ 54.24  |
| KA201132R2                                               |            | 200°F       | 93°C  | Brass  | A\$ 54.24  |
| KA281132R2                                               | KA281132R2 | 286°F       | 141°C | Brass  | A\$ 54.24  |
|                                                          |            | °F          | °C    |        | A\$ Call   |
| KA152132R2                                               |            | 155°F       | 68°C  | Chrome | A\$ 65.23  |
| KA172132R2                                               |            | 175°F       | 79°C  | Chrome | A\$ 54.24  |
| KA202132R2                                               |            | 200°F       | 93°C  | Chrome | A\$ 65.23  |
| KA282132R2                                               |            | 286°F       | 141°C | Chrome | A\$ 65.23  |
| MODEL F1S5-56 PENDENT K5.6 (80) BSPT THREADS 1/2" (15MM) |            |             |       |        |            |
| KB131132R2                                               |            | 135°F       | 57°C  | Brass  | A\$ 54.24  |
| KB151132R2                                               |            | 155°F       | 68°C  | Brass  | A\$ 54.24  |
| KB171132R2                                               |            | 175°F       | 79°C  | Brass  | A\$ 54.24  |
| KB201132R2                                               | KB201132R2 | 200°F       | 93°C  | Brass  | A\$ 54.24  |
| KB281132R2                                               |            | 286°F       | 141°C | Brass  | A\$ 54.24  |
|                                                          |            | °F          | °C    |        | A\$ Call   |
| KB152132R2                                               | KB152132R2 | 155°F       | 68°C  | Chrome | A\$ 65.23  |
|                                                          |            | °F          | °C    |        | A\$ Call   |
| KB202132R2                                               | KB202132R2 | 200°F       | 93°C  | Chrome | A\$ 65.23  |
| KB282132R2                                               |            | 286°F       | 141°C | Chrome | A\$ 65.23  |
| KB138732R2                                               |            | 135°F       | 57°C  | White  | A\$ 65.23  |
| KB158732R2                                               |            | 155°F       | 68°C  | White  | A\$ 65.23  |
|                                                          |            | °F          | °C    |        | A\$ Call   |
|                                                          |            | °F          | °C    |        | A\$ Call   |
|                                                          |            | °F          | °C    |        | A\$ Call   |
| F1 ESCUTCHEONS                                           |            |             |       |        |            |
| 6800630001                                               | GF1B       | GF1B        |       | Brass  | A\$ 39.00  |
| 6800600001                                               | GF1C       | GF1C        |       | Chrome | A\$ 21.01  |
| 6800640001                                               | GF1W       | GF1W        |       | White  | A\$ 21.01  |
| F2 ESCUTCHEONS                                           |            |             |       |        |            |
| 6800830000                                               | GF2B       | GF2B        |       | Brass  | A\$ 39.00  |
| 6800800000                                               | GF2C       | GF2C        |       | Chrome | A\$ 21.01  |
| 6800840000                                               | GF2W       | GF2W        |       | White  | A\$ 21.01  |
| FP PUSH-ON/THREADS-OFF ESCUTCHEONS                       |            |             |       |        |            |
| 6801412100                                               | FPC        | FPC         |       | Chrome | A\$ 40.55  |
| 6801417200                                               | FPW        | FPW         |       | White  | A\$ 40.55  |

|            |      |                                          |            |
|------------|------|------------------------------------------|------------|
| 6880050100 | WW2  | Requires Model W2 Sprinkler Wrench       | A\$ 212.48 |
| 6880060000 | WGFR | Recessed Use Model GFR2 Sprinkler Wrench | A\$ 630.54 |



## F1S5 SERIES SPECIAL RESPONSE STANDARD SPRAY

- K-Factor = 80 (5.6)
- Thread Size = 15mm (1/2")
- Bulletin 024

| Part Number                                                   | Short Code | Temperature |      | Finish | List Price |
|---------------------------------------------------------------|------------|-------------|------|--------|------------|
| MODEL F1S5-56 CONVENTIONAL K5.6 (80) BSPT THREADS 1/2" (15MM) |            |             |      |        |            |
| KC131132R2                                                    |            | 135°F       | 57°C | Brass  | A\$ 54.24  |
| KC151132R2                                                    |            | 155°F       | 68°C | Brass  | A\$ 54.24  |
|                                                               |            | °F          | °C   |        | A\$ Call   |
| KC201132R2                                                    |            | 200°F       | 93°C | Brass  | A\$ 54.24  |
|                                                               |            | °F          | °C   |        | A\$ Call   |
| KC132132R2                                                    |            | 135°F       | 57°C | Chrome | A\$ 60.97  |
| KC152132R2                                                    |            | 155°F       | 68°C | Chrome | A\$ 60.97  |
|                                                               |            | °F          | °C   |        | A\$ Call   |
| KC202132R2                                                    |            | 200°F       | 93°C | Chrome | A\$ 60.97  |
|                                                               |            | °F          | °C   |        | A\$ Call   |

6880050100

WW2

Requires Model W2 Sprinkler Wrench

A\$ 212.48



## F1S5 LO LARGE ORIFICE SPECIAL RESPONSE STANDARD SPRAY

- K-Factor = 115 (8.0)
- Thread Size = R1/2
- Bulletin 024



| Part Number                                                       | Short Code | Temperature            |       | Finish | List Price |
|-------------------------------------------------------------------|------------|------------------------|-------|--------|------------|
| MODEL F1S5 LO UPRIGHT K8.0( 115) THREADS 1/2"(15MM ) BSPT THREADS |            |                        |       |        |            |
|                                                                   |            | °F                     | °C    |        | A\$ Call   |
| KA15113492                                                        |            | 155°F                  | 68°C  | Brass  | A\$ 68.07  |
| KA17113492                                                        |            | 175°F                  | 79°C  | Brass  | A\$ 68.07  |
| KA20113492                                                        |            | 200°F                  | 93°C  | Brass  | A\$ 68.07  |
| KA28113492                                                        |            | 286°F                  | 141°C | Brass  | A\$ 68.07  |
| KA13213492                                                        |            | 135°F                  | 57°C  | Chrome | A\$ 79.44  |
| KA15213492                                                        |            | 155°F                  | 68°C  | Chrome | A\$ 79.44  |
| MODEL F1S5 LO PENDENT K8.0( 115) THREADS 1/2"(15MM ) BSPT THREADS |            |                        |       |        |            |
|                                                                   |            | °F                     | °C    |        | A\$ Call   |
| KB15113492                                                        |            | 155°F                  | 68°C  | Brass  | A\$ 68.07  |
| KB17113492                                                        |            | 175°F                  | 79°C  | Brass  | A\$ 68.07  |
|                                                                   |            | °F                     | °C    |        | A\$ Call   |
|                                                                   |            | °F                     | °C    |        | A\$ Call   |
| KB28213492                                                        |            | 286°F                  | 141°C | Chrome | A\$ 79.44  |
| F1 ESCUTCHEONS                                                    |            |                        |       |        |            |
| 6800630001                                                        | GF1B       | 15mm (1/2")            |       | Brass  | A\$ 39.00  |
| 6800600001                                                        | GF1C       | 15mm (1/2")            |       | Chrome | A\$ 21.01  |
| 6800640001                                                        | GF1W       | 15mm (1/2")            |       | White  | A\$ 21.01  |
| F2 ESCUTCHEONS                                                    |            |                        |       |        |            |
| 6800830000                                                        | GF2B       | 15mm (1/2")            |       | Brass  | A\$ 39.00  |
| 6800800000                                                        | GF2C       | 15mm (1/2")            |       | Chrome | A\$ 21.01  |
| 6800840000                                                        | GF2W       | 15mm (1/2")            |       | White  | A\$ 21.01  |
| FP PUSH-ON/THREADS-OFF ESCUTCHEONS                                |            |                        |       |        |            |
| 6801412100                                                        | FPC        | FP PUSH-ON/THREADS-OFF |       | Chrome | A\$ 40.55  |
| 6801417200                                                        | FPW        | FP PUSH-ON/THREADS-OFF |       | White  | A\$ 40.55  |

|            |     |                                   |            |
|------------|-----|-----------------------------------|------------|
| 6880050100 | WW2 | Wrench, W2, Pendent, Upright, HSW | A\$ 212.48 |
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed   | A\$ 630.54 |



## F3QR56 DRY UPRIGHT

- K-Factor = 5.6 (80)
- **SIN R5724**
- 1" Size
- See Bulletin 157
- Finish is Brass only
- Available lengths 5" to 48"

| Part Number                                                       | Size           | Finish | List Price |
|-------------------------------------------------------------------|----------------|--------|------------|
| <b>MODEL F3QR56 DRY UPRIGHT K5.6 (80) THREADS 1" (25MM) R5724</b> |                |        |            |
| H1[TEMP]11[DIM]                                                   | 5" to 8-3/4"   | Brass  | A\$ 544.80 |
| H1[TEMP]11[DIM]                                                   | 9" to 11-3/4"  | Brass  | A\$ 576.63 |
| H1[TEMP]11[DIM]                                                   | 12" to 14-3/4" | Brass  | A\$ 608.51 |
| H1[TEMP]11[DIM]                                                   | 15" to 17-3/4" | Brass  | A\$ 640.42 |
| H1[TEMP]11[DIM]                                                   | 18" to 20-3/4" | Brass  | A\$ 672.21 |
| H1[TEMP]11[DIM]                                                   | 21" to 23-3/4" | Brass  | A\$ 704.07 |
| H1[TEMP]11[DIM]                                                   | 24" to 26-3/4" | Brass  | A\$ 735.99 |
| H1[TEMP]11[DIM]                                                   | 27" to 29-3/4" | Brass  | A\$ 767.70 |
| H1[TEMP]11[DIM]                                                   | 30" to 32-3/4" | Brass  | A\$ 799.72 |
| H1[TEMP]11[DIM]                                                   | 33" to 35-3/4" | Brass  | A\$ 831.61 |
| H1[TEMP]11[DIM]                                                   | 36" to 38-3/4" | Brass  | A\$ 863.45 |
| H1[TEMP]11[DIM]                                                   | 39" to 41-3/4" | Brass  | A\$ 895.32 |
| H1[TEMP]11[DIM]                                                   | 42" to 44-3/4" | Brass  | A\$ 927.10 |
| H1[TEMP]11[DIM]                                                   | 45" to 48"     | Brass  | A\$ 959.06 |

|            |         |                                  |            |
|------------|---------|----------------------------------|------------|
| 6880130001 | WF3R    | Required F3R Sprinkler Wrench    | A\$ 333.65 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2" | A\$ 69.04  |

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |



## F3QR56 DRY PENDENT

- K-Factor = 5.6 (80)
- **SIN R5714**
- 3/4" Size
- See Bulletin 157

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (1)        |
| 155°F (68°C)  | (2)        |
| 175°F (79°C)  | (3)        |
| 200°F (93°C)  | (5)        |
| 286°F (141°C) | (8)        |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                         | Size           | Finish | List Price |
|---------------------------------------------------------------------|----------------|--------|------------|
| <b>MODEL F3QR56 DRY PENDENT K5.6 (80) THREADS 3/4" (20MM) R5714</b> |                |        |            |
| H25[TEMP]11[DIM]                                                    | 2" to 5-3/4"   | Brass  | A\$ 587.28 |
| H25[TEMP]21[DIM]                                                    | 2" to 5-3/4"   | Chrome | A\$ 587.28 |
| H25[TEMP]08[DIM]                                                    | 2" to 5-3/4"   | White  | A\$ 599.94 |
| H25[TEMP]11[DIM]                                                    | 6" to 8-3/4"   | Brass  | A\$ 619.07 |
| H25[TEMP]21[DIM]                                                    | 6" to 8-3/4"   | Chrome | A\$ 619.07 |
| H25[TEMP]08[DIM]                                                    | 6" to 8-3/4"   | White  | A\$ 631.90 |
| H25[TEMP]11[DIM]                                                    | 9" to 11-3/4"  | Brass  | A\$ 650.93 |
| H25[TEMP]21[DIM]                                                    | 9" to 11-3/4"  | Chrome | A\$ 650.93 |
| H25[TEMP]08[DIM]                                                    | 9" to 11-3/4"  | White  | A\$ 663.72 |
| H25[TEMP]11[DIM]                                                    | 12" to 14-3/4" | Brass  | A\$ 682.77 |
| H25[TEMP]21[DIM]                                                    | 12" to 14-3/4" | Chrome | A\$ 682.77 |
| H25[TEMP]08[DIM]                                                    | 12" to 14-3/4" | White  | A\$ 695.62 |
| H25[TEMP]11[DIM]                                                    | 15" to 17-3/4" |        | A\$ Call   |
| H25[TEMP]21[DIM]                                                    | 15" to 17-3/4" | Chrome | A\$ 714.66 |
| H25[TEMP]08[DIM]                                                    | 15" to 17-3/4" | White  | A\$ 727.39 |
| H25[TEMP]11[DIM]                                                    | 18" to 20-3/4" | Brass  | A\$ 746.49 |
| H25[TEMP]21[DIM]                                                    | 18" to 20-3/4" | Chrome | A\$ 746.49 |
| H25[TEMP]08[DIM]                                                    | 18" to 20-3/4" | White  | A\$ 759.28 |
| H25[TEMP]11[DIM]                                                    | 21" to 23-3/4" | Brass  | A\$ 778.34 |
| H25[TEMP]21[DIM]                                                    | 21" to 23-3/4" | Chrome | A\$ 778.34 |
| H25[TEMP]08[DIM]                                                    | 21" to 23-3/4" | White  | A\$ 791.23 |
| H25[TEMP]11[DIM]                                                    | 24" to 26-3/4" | Brass  | A\$ 810.24 |
| H25[TEMP]21[DIM]                                                    | 24" to 26-3/4" | Chrome | A\$ 810.24 |
| H25[TEMP]08[DIM]                                                    | 24" to 26-3/4" | White  | A\$ 822.99 |
| H25[TEMP]11[DIM]                                                    | 27" to 29-3/4" | Bronze | A\$ 841.94 |
| H25[TEMP]21[DIM]                                                    | 27" to 29-3/4" | Chrome | A\$ 841.94 |
| H25[TEMP]08[DIM]                                                    | 27" to 29-3/4" | White  | A\$ 854.87 |
| H25[TEMP]11[DIM]                                                    | 30" to 32-3/4" | Brass  | A\$ 873.97 |
| H25[TEMP]21[DIM]                                                    | 30" to 32-3/4" | Chrome | A\$ 873.97 |
| H25[TEMP]08[DIM]                                                    | 30" to 32-3/4" | White  | A\$ 886.65 |
| H25[TEMP]11[DIM]                                                    | 33" to 36"     | Brass  | A\$ 905.89 |
| H25[TEMP]21[DIM]                                                    | 33" to 36"     | Chrome | A\$ 905.89 |
| H25[TEMP]08[DIM]                                                    | 33" to 36"     | White  | A\$ 918.58 |

|            |         |                                  |            |
|------------|---------|----------------------------------|------------|
| 6880130001 | WF3R    | Requires F3R Sprinkler Wrench    | A\$ 333.65 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2" | A\$ 69.04  |



## F3QR56 DRY PENDENT

- K-Factor = 5.6 (80)
- **SIN R5714**
- 1" Size
- See Bulletin 157

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                       | Size           | Finish | List Price |
|-------------------------------------------------------------------|----------------|--------|------------|
| <b>MODEL F3QR56 DRY PENDENT K5.6 (80) THREADS 1" (25MM) R5714</b> |                |        |            |
| H2[TEMP]11[DIM]                                                   | 2" to 5-3/4"   | Brass  | A\$ 513.01 |
| H2[TEMP]21[DIM]                                                   | 2" to 5-3/4"   | Chrome | A\$ 513.01 |
| H2[TEMP]08[DIM]                                                   | 2" to 5-3/4"   | White  | A\$ 525.63 |
| H2[TEMP]11[DIM]                                                   | 6" to 8-3/4"   | Brass  | A\$ 544.80 |
| H2[TEMP]21[DIM]                                                   | 6" to 8-3/4"   | Chrome | A\$ 544.80 |
| H2[TEMP]08[DIM]                                                   | 6" to 8-3/4"   | White  | A\$ 557.59 |
| H2[TEMP]11[DIM]                                                   | 9" to 11-3/4"  | Brass  | A\$ 576.63 |
| H2[TEMP]21[DIM]                                                   | 9" to 11-3/4"  | Chrome | A\$ 576.63 |
| H2[TEMP]08[DIM]                                                   | 9" to 11-3/4"  | White  | A\$ 589.48 |
| H2[TEMP]11[DIM]                                                   | 12" to 14-3/4" | Brass  | A\$ 608.51 |
| H2[TEMP]21[DIM]                                                   | 12" to 14-3/4" | Chrome | A\$ 608.51 |
| H2[TEMP]08[DIM]                                                   | 12" to 14-3/4" | White  | A\$ 621.31 |
| H2[TEMP]11[DIM]                                                   | 15" to 17-3/4" | Brass  | A\$ 640.42 |
| H2[TEMP]21[DIM]                                                   | 15" to 17-3/4" | Chrome | A\$ 640.42 |
| H2[TEMP]08[DIM]                                                   | 15" to 17-3/4" | White  | A\$ 653.17 |
| H2[TEMP]11[DIM]                                                   | 18" to 20-3/4" | Brass  | A\$ 672.21 |
| H2[TEMP]21[DIM]                                                   | 18" to 20-3/4" | Chrome | A\$ 672.21 |
| H2[TEMP]08[DIM]                                                   | 18" to 20-3/4" | White  | A\$ 684.99 |
| H2[TEMP]11[DIM]                                                   | 21" to 23-3/4" | Brass  | A\$ 704.07 |
| H2[TEMP]21[DIM]                                                   | 21" to 23-3/4" | Chrome | A\$ 704.07 |
| H2[TEMP]08[DIM]                                                   | 21" to 23-3/4" | White  | A\$ 716.92 |
| H2[TEMP]11[DIM]                                                   | 24" to 26-3/4" | Brass  | A\$ 735.99 |
| H2[TEMP]21[DIM]                                                   | 24" to 26-3/4" | Chrome | A\$ 735.99 |
| H2[TEMP]08[DIM]                                                   | 24" to 26-3/4" | White  | A\$ 748.69 |
| H2[TEMP]11[DIM]                                                   | 27" to 29-3/4" | Bronze | A\$ 767.70 |
| H2[TEMP]21[DIM]                                                   | 27" to 29-3/4" | Chrome | A\$ 767.70 |
| H2[TEMP]08[DIM]                                                   | 27" to 29-3/4" | White  | A\$ 780.58 |
| H2[TEMP]11[DIM]                                                   | 30" to 32-3/4" | Brass  | A\$ 799.72 |
| H2[TEMP]21[DIM]                                                   | 30" to 32-3/4" | Chrome | A\$ 799.72 |
| H2[TEMP]08[DIM]                                                   | 30" to 32-3/4" | White  | A\$ 812.37 |
| H2[TEMP]11[DIM]                                                   | 33" to 35-3/4" | Brass  | A\$ 831.61 |
| H2[TEMP]21[DIM]                                                   | 33" to 35-3/4" | Chrome | A\$ 831.61 |
| H2[TEMP]08[DIM]                                                   | 33" to 35-3/4" | White  | A\$ 844.31 |
| H2[TEMP]11[DIM]                                                   | 36" to 38-3/4" | Brass  | A\$ 863.45 |
| H2[TEMP]21[DIM]                                                   | 36" to 38-3/4" | Chrome | A\$ 863.45 |
| H2[TEMP]08[DIM]                                                   | 36" to 38-3/4" | White  | A\$ 876.18 |
| H2[TEMP]11[DIM]                                                   | 39" to 41-3/4" | Brass  | A\$ 895.32 |
| H2[TEMP]21[DIM]                                                   | 39" to 41-3/4" | Chrome | A\$ 895.32 |
| H2[TEMP]08[DIM]                                                   | 39" to 41-3/4" | White  | A\$ 907.96 |
| H2[TEMP]11[DIM]                                                   | 42" to 44-3/4" | Brass  | A\$ 927.10 |
| H2[TEMP]21[DIM]                                                   | 42" to 44-3/4" | Chrome | A\$ 927.10 |
| H2[TEMP]08[DIM]                                                   | 42" to 44-3/4" | White  | A\$ 939.94 |
| H2[TEMP]11[DIM]                                                   | 45" to 48"     | Brass  | A\$ 959.06 |
| H2[TEMP]21[DIM]                                                   | 45" to 48"     | Chrome | A\$ 959.06 |
| H2[TEMP]08[DIM]                                                   | 45" to 48"     | White  | A\$ 971.73 |

|            |         |                                  |            |
|------------|---------|----------------------------------|------------|
| 6880130001 | WF3R    | Requires F3R Sprinkler Wrench    | A\$ 333.65 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2" | A\$ 69.04  |



## F3QR56 DRY PENDENT /HB

- K-Factor = 5.6 (80)
- **SIN R5714**
- NEW 3/4" Size
- See Bulletin 157

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (1)        |
| 155°F (68°C)  | (2)        |
| 175°F (79°C)  | (3)        |
| 200°F (93°C)  | (5)        |
| 286°F (141°C) | (8)        |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                              | Size             | Finish | List Price |
|--------------------------------------------------------------------------|------------------|--------|------------|
| <b>MODEL F3QR56 DRY PENDENT / HB K5.6 (80) THREADS 3/4" (15MM) R5714</b> |                  |        |            |
| HJ5[TEMP]21[DIM]                                                         | 3-1/2" to 5-3/4" | Chrome | A\$ 643.06 |
| HJ5[TEMP]08[DIM]                                                         | 3-1/2" to 5-3/4" | White  | A\$ 656.17 |
| HJ5[TEMP]21[DIM]                                                         | 6" to 8-3/4"     | Chrome | A\$ 675.82 |
| HJ5[TEMP]08[DIM]                                                         | 6" to 8-3/4"     | White  | A\$ 688.92 |
| HJ5[TEMP]21[DIM]                                                         | 9" to 11-3/4"    | Chrome | A\$ 708.58 |
| HJ5[TEMP]08[DIM]                                                         | 9" to 11-3/4"    | White  | A\$ 721.72 |
| HJ5[TEMP]21[DIM]                                                         | 12" to 14-3/4"   | Chrome | A\$ 741.44 |
| HJ5[TEMP]08[DIM]                                                         | 12" to 14-3/4"   | White  | A\$ 754.55 |
| HJ5[TEMP]21[DIM]                                                         | 15" to 17-3/4"   | Chrome | A\$ 774.21 |
| HJ5[TEMP]08[DIM]                                                         | 15" to 17-3/4"   | White  | A\$ 787.30 |
| HJ5[TEMP]21[DIM]                                                         | 18" to 20-3/4"   | Chrome | A\$ 807.03 |
| HJ5[TEMP]08[DIM]                                                         | 18" to 20-3/4"   | White  | A\$ 820.11 |
| HJ5[TEMP]21[DIM]                                                         | 21" to 23-3/4"   | Chrome | A\$ 839.79 |
| HJ5[TEMP]08[DIM]                                                         | 21" to 23-3/4"   | White  | A\$ 852.96 |
| HJ5[TEMP]21[DIM]                                                         | 24" to 26-3/4"   | Chrome | A\$ 872.63 |
| HJ5[TEMP]08[DIM]                                                         | 24" to 26-3/4"   | White  | A\$ 885.65 |
| HJ5[TEMP]21[DIM]                                                         | 27" to 29-3/4"   | Chrome | A\$ 905.35 |
| HJ5[TEMP]08[DIM]                                                         | 27" to 29-3/4"   |        | A\$ Call   |
| HJ5[TEMP]21[DIM]                                                         | 30" to 32-3/4"   | Chrome | A\$ 938.15 |
| HJ5[TEMP]08[DIM]                                                         | 30" to 32-3/4"   | White  | A\$ 951.27 |
| HJ5[TEMP]21[DIM]                                                         | 33" to 36"       | Chrome | A\$ 971.01 |
| HJ5[TEMP]08[DIM]                                                         | 33" to 36"       | White  | A\$ 984.11 |
| <b>REQUIRED SKIRTS</b>                                                   |                  |        |            |
| 6999994454                                                               | SKIRTC           | Chrome | A\$ 5.23   |
| 6999994881                                                               | SKIRTW           | White  | A\$ 5.23   |

|            |         |                                  |            |
|------------|---------|----------------------------------|------------|
| 6880130001 | WF3R    | Requires F3R Sprinkler Wrench    | A\$ 333.65 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2" | A\$ 69.04  |



## F3QR56 DRY PENDENT / HB

- K-Factor = 5.6 (80)
- **SIN R5714**
- 1" Size
- See Bulletin 157

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                            | Size             | Finish | List Price   |
|------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL F3QR56 DRY PENDENT / HB K5.6 (80) THREADS 1" (25MM) R5714</b> |                  |        |              |
| HJ[TEMP]21[DIM]                                                        | 3-1/2" to 5-3/4" | Chrome | A\$ 568.76   |
| HJ[TEMP]08[DIM]                                                        | 3-1/2" to 5-3/4" | White  | A\$ 581.86   |
| HJ[TEMP]21[DIM]                                                        | 6" to 8-3/4"     | Chrome | A\$ 601.55   |
| HJ[TEMP]08[DIM]                                                        | 6" to 8-3/4"     | White  | A\$ 614.62   |
| HJ[TEMP]21[DIM]                                                        | 9" to 11-3/4"    | Chrome | A\$ 634.30   |
| HJ[TEMP]08[DIM]                                                        | 9" to 11-3/4"    | White  | A\$ 647.42   |
| HJ[TEMP]21[DIM]                                                        | 12" to 14-3/4"   | Chrome | A\$ 667.15   |
| HJ[TEMP]08[DIM]                                                        | 12" to 14-3/4"   | White  | A\$ 680.25   |
| HJ[TEMP]21[DIM]                                                        | 15" to 17-3/4"   | Chrome | A\$ 699.96   |
| HJ[TEMP]08[DIM]                                                        | 15" to 17-3/4"   | White  | A\$ 713.04   |
| HJ[TEMP]21[DIM]                                                        | 18" to 20-3/4"   | Chrome | A\$ 732.75   |
| HJ[TEMP]08[DIM]                                                        | 18" to 20-3/4"   | White  | A\$ 745.82   |
| HJ[TEMP]21[DIM]                                                        | 21" to 23-3/4"   | Chrome | A\$ 765.51   |
| HJ[TEMP]08[DIM]                                                        | 21" to 23-3/4"   | White  | A\$ 778.65   |
| HJ[TEMP]21[DIM]                                                        | 24" to 26-3/4"   | Chrome | A\$ 798.34   |
| HJ[TEMP]08[DIM]                                                        | 24" to 26-3/4"   | White  | A\$ 811.34   |
| HJ[TEMP]21[DIM]                                                        | 27" to 29-3/4"   | Chrome | A\$ 831.07   |
| HJ[TEMP]08[DIM]                                                        | 27" to 29-3/4"   | White  | A\$ 844.25   |
| HJ[TEMP]21[DIM]                                                        | 30" to 32-3/4"   | Chrome | A\$ 863.86   |
| HJ[TEMP]08[DIM]                                                        | 30" to 32-3/4"   | White  | A\$ 876.99   |
| HJ[TEMP]21[DIM]                                                        | 33" to 35-3/4"   | Chrome | A\$ 896.73   |
| HJ[TEMP]08[DIM]                                                        | 33" to 35-3/4"   | White  | A\$ 909.86   |
| HJ[TEMP]21[DIM]                                                        | 36" to 38-3/4"   | Chrome | A\$ 929.51   |
| HJ[TEMP]08[DIM]                                                        | 36" to 38-3/4"   | White  | A\$ 942.65   |
| HJ[TEMP]21[DIM]                                                        | 39" to 41-3/4"   | Chrome | A\$ 975.52   |
| HJ[TEMP]08[DIM]                                                        | 39" to 41-3/4"   | White  | A\$ 975.52   |
| HJ[TEMP]21[DIM]                                                        | 42" to 44-3/4"   | Chrome | A\$ 995.07   |
| HJ[TEMP]08[DIM]                                                        | 42" to 44-3/4"   | White  | A\$ 1,008.21 |
| HJ[TEMP]21[DIM]                                                        | 45" to 48"       | Chrome | A\$ 1,027.90 |
| HJ[TEMP]08[DIM]                                                        | 45" to 48"       | White  | A\$ 1,041.00 |
| <b>REQUIRED SKIRTS</b>                                                 |                  |        |              |
| 6999994454                                                             | SKIRTC           | Chrome | A\$ 5.23     |
| 6999994881                                                             | SKIRTW           | White  | A\$ 5.23     |

|            |         |                                  |            |
|------------|---------|----------------------------------|------------|
| 6880130001 | WF3R    | Requires F3R Sprinkler Wrench    | A\$ 333.65 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2" | A\$ 69.04  |




## F3QR56 DRY REC FP PENDENT

- K-Factor = 5.6 (80)
- **SIN R5714**
- 3/4" Size
- See Bulletin 157

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (1)        |
| 155°F (68°C)  | (2)        |
| 175°F (79°C)  | (3)        |
| 200°F (93°C)  | (5)        |
| 286°F (141°C) | (8)        |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                                | Size             | Finish | List Price   |
|----------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL F3QR56 DRY PENDENT REC FP K5.6 (80) THREADS 3/4" (20MM) R5714</b> |                  |        |              |
| H65[TEMP]11[DIM]                                                           | 3-1/2" to 5-3/4" | Brass  | A\$ 667.00   |
| H65[TEMP]21[DIM]                                                           | 3-1/2" to 5-3/4" | Chrome | A\$ 667.00   |
| H65[TEMP]08[DIM]                                                           | 3-1/2" to 5-3/4" | White  | A\$ 680.13   |
| H65[TEMP]11[DIM]                                                           | 6" to 8-3/4"     |        | A\$ Call     |
| H65[TEMP]21[DIM]                                                           | 6" to 8-3/4"     | Chrome | A\$ 699.75   |
| H65[TEMP]08[DIM]                                                           | 6" to 8-3/4"     |        | A\$ Call     |
| H65[TEMP]11[DIM]                                                           | 9" to 11-3/4"    |        | A\$ Call     |
| H65[TEMP]21[DIM]                                                           | 9" to 11-3/4"    | Chrome | A\$ 732.52   |
| H65[TEMP]08[DIM]                                                           | 9" to 11-3/4"    |        | A\$ Call     |
| H65[TEMP]11[DIM]                                                           | 12" to 14-3/4"   |        | A\$ Call     |
| H65[TEMP]21[DIM]                                                           | 12" to 14-3/4"   | Chrome | A\$ 765.38   |
| H65[TEMP]08[DIM]                                                           | 12" to 14-3/4"   | White  | A\$ 778.48   |
| H65[TEMP]11[DIM]                                                           | 15" to 17-3/4"   |        | A\$ Call     |
| H65[TEMP]21[DIM]                                                           | 15" to 17-3/4"   | Chrome | A\$ 798.14   |
| H65[TEMP]08[DIM]                                                           | 15" to 17-3/4"   | White  | A\$ 811.25   |
| H65[TEMP]11[DIM]                                                           | 18" to 20-3/4"   | Brass  | A\$ 830.96   |
| H65[TEMP]21[DIM]                                                           | 18" to 20-3/4"   | Chrome | A\$ 830.96   |
| H65[TEMP]08[DIM]                                                           | 18" to 20-3/4"   | White  | A\$ 844.01   |
| H65[TEMP]11[DIM]                                                           | 21" to 23-3/4"   |        | A\$ Call     |
| H65[TEMP]21[DIM]                                                           | 21" to 23-3/4"   | Chrome | A\$ 863.70   |
| H65[TEMP]08[DIM]                                                           | 21" to 23-3/4"   | White  | A\$ 876.89   |
| H65[TEMP]11[DIM]                                                           | 24" to 26-3/4"   |        | A\$ Call     |
| H65[TEMP]21[DIM]                                                           | 24" to 26-3/4"   | Chrome | A\$ 896.55   |
| H65[TEMP]08[DIM]                                                           | 24" to 26-3/4"   | White  | A\$ 909.61   |
| H65[TEMP]11[DIM]                                                           | 27" to 29-3/4"   | Bronze | A\$ Call     |
| H65[TEMP]21[DIM]                                                           | 27" to 29-3/4"   | Chrome | A\$ 929.28   |
| H65[TEMP]08[DIM]                                                           | 27" to 29-3/4"   |        | A\$ Call     |
| H65[TEMP]11[DIM]                                                           | 30" to 32-3/4"   |        | A\$ Call     |
| H65[TEMP]21[DIM]                                                           | 30" to 32-3/4"   | Chrome | A\$ 962.10   |
| H65[TEMP]08[DIM]                                                           | 30" to 32-3/4"   |        | A\$ Call     |
| H65[TEMP]11[DIM]                                                           | 33" to 36"       | Brass  | A\$ 994.93   |
| H65[TEMP]21[DIM]                                                           | 33" to 36"       | Chrome | A\$ 994.93   |
| H65[TEMP]08[DIM]                                                           | 33" to 36"       | White  | A\$ 1,008.04 |

|            |         |                                      |            |
|------------|---------|--------------------------------------|------------|
| 6880070100 | WXLO    | Requires Model XL02 Sprinkler Wrench | A\$ 331.20 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2"     | A\$ 69.04  |




## F3QR56 DRY REC FP PENDENT

- K-Factor = 5.6 (80)
- **SIN R5714**
- 1" Size
- See Bulletin 157

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                              | Size             | Finish | List Price   |
|--------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL F3QR56 DRY REC FP PENDENT K5.6 (80) THREADS 1" (25MM) R5714</b> |                  |        |              |
| H6[TEMP]11[DIM]                                                          | 3-1/2" to 5-3/4" | Brass  | A\$ 592.69   |
| H6[TEMP]21[DIM]                                                          | 3-1/2" to 5-3/4" | Chrome | A\$ 592.69   |
| H6[TEMP]08[DIM]                                                          | 3-1/2" to 5-3/4" | White  | A\$ 605.82   |
| H6[TEMP]11[DIM]                                                          | 6" to 8-3/4"     | Brass  | A\$ 625.48   |
| H6[TEMP]21[DIM]                                                          | 6" to 8-3/4"     | Chrome | A\$ 625.48   |
| H6[TEMP]08[DIM]                                                          | 6" to 8-3/4"     | White  | A\$ 638.55   |
| H6[TEMP]11[DIM]                                                          | 9" to 11-3/4"    | Brass  | A\$ 658.24   |
| H6[TEMP]21[DIM]                                                          | 9" to 11-3/4"    | Chrome | A\$ 658.24   |
| H6[TEMP]08[DIM]                                                          | 9" to 11-3/4"    | White  | A\$ 671.38   |
| H6[TEMP]11[DIM]                                                          | 12" to 14-3/4"   | Brass  | A\$ 691.08   |
| H6[TEMP]21[DIM]                                                          | 12" to 14-3/4"   | Chrome | A\$ 691.08   |
| H6[TEMP]08[DIM]                                                          | 12" to 14-3/4"   | White  | A\$ 704.20   |
| H6[TEMP]11[DIM]                                                          | 15" to 17-3/4"   | Brass  | A\$ 723.90   |
| H6[TEMP]21[DIM]                                                          | 15" to 17-3/4"   | Chrome | A\$ 723.90   |
| H6[TEMP]08[DIM]                                                          | 15" to 17-3/4"   | White  | A\$ 736.96   |
| H6[TEMP]11[DIM]                                                          | 18" to 20-3/4"   | Brass  | A\$ 756.69   |
| H6[TEMP]21[DIM]                                                          | 18" to 20-3/4"   | Chrome | A\$ 756.69   |
| H6[TEMP]08[DIM]                                                          | 18" to 20-3/4"   | White  | A\$ 769.77   |
| H6[TEMP]11[DIM]                                                          | 21" to 23-3/4"   | Brass  | A\$ 789.44   |
| H6[TEMP]21[DIM]                                                          | 21" to 23-3/4"   | Chrome | A\$ 789.44   |
| H6[TEMP]08[DIM]                                                          | 21" to 23-3/4"   | White  | A\$ 802.59   |
| H6[TEMP]11[DIM]                                                          | 24" to 26-3/4"   | Brass  | A\$ 822.30   |
| H6[TEMP]21[DIM]                                                          | 24" to 26-3/4"   | Chrome | A\$ 822.30   |
| H6[TEMP]08[DIM]                                                          | 24" to 26-3/4"   | White  | A\$ 835.30   |
| H6[TEMP]11[DIM]                                                          | 27" to 29-3/4"   | Bronze | A\$ 855.01   |
| H6[TEMP]21[DIM]                                                          | 27" to 29-3/4"   | Chrome | A\$ 855.01   |
| H6[TEMP]08[DIM]                                                          | 27" to 29-3/4"   | White  | A\$ 868.18   |
| H6[TEMP]11[DIM]                                                          | 30" to 32-3/4"   | Brass  | A\$ 887.82   |
| H6[TEMP]21[DIM]                                                          | 30" to 32-3/4"   | Chrome | A\$ 887.82   |
| H6[TEMP]08[DIM]                                                          | 30" to 32-3/4"   | White  | A\$ 900.90   |
| H6[TEMP]11[DIM]                                                          | 33" to 35-3/4"   | Brass  | A\$ 920.68   |
| H6[TEMP]21[DIM]                                                          | 33" to 35-3/4"   | Chrome | A\$ 920.68   |
| H6[TEMP]08[DIM]                                                          | 33" to 35-3/4"   | White  | A\$ 933.79   |
| H6[TEMP]11[DIM]                                                          | 36" to 38-3/4"   | Bronze | A\$ 953.44   |
| H6[TEMP]21[DIM]                                                          | 36" to 38-3/4"   | Chrome | A\$ 953.44   |
| H6[TEMP]08[DIM]                                                          | 36" to 38-3/4"   | White  | A\$ 966.61   |
| H6[TEMP]11[DIM]                                                          | 39" to 41-3/4"   |        | A\$ Call     |
| H6[TEMP]21[DIM]                                                          | 39" to 41-3/4"   | Chrome | A\$ 986.30   |
| H6[TEMP]08[DIM]                                                          | 39" to 41-3/4"   | White  | A\$ 999.46   |
| H6[TEMP]11[DIM]                                                          | 42" to 44-3/4"   | Brass  | A\$ 1,019.00 |
| H6[TEMP]21[DIM]                                                          | 42" to 44-3/4"   | Chrome | A\$ 1,019.00 |
| H6[TEMP]08[DIM]                                                          | 42" to 44-3/4"   | White  | A\$ 1,032.15 |
| H6[TEMP]11[DIM]                                                          | 45" to 48"       | Brass  | A\$ 1,051.83 |
| H6[TEMP]21[DIM]                                                          | 45" to 48"       | Chrome | A\$ 1,051.83 |
| H6[TEMP]08[DIM]                                                          | 45" to 48"       | White  | A\$ 1,064.94 |

|            |         |                                  |            |
|------------|---------|----------------------------------|------------|
| 6880070100 | WXLO    | Requires XLO2 Sprinkler Wrench   | A\$ 331.20 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2" | A\$ 69.04  |



## F3QR56 DRY REC F1 PENDENT

- K-Factor = 5.6 (80)
- **SIN R5714**
- 3/4" Size
- See Bulletin 157

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (1)        |
| 155°F (68°C)  | (2)        |
| 175°F (79°C)  | (3)        |
| 200°F (93°C)  | (5)        |
| 286°F (141°C) | (8)        |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                                | Size             | Finish | List Price   |
|----------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL F3QR56 DRY PENDENT REC F1 K5.6 (80) THREADS 3/4" (20MM) R5714</b> |                  |        |              |
| H95[TEMP]11[DIM]                                                           | 3-1/2" to 5-3/4" | Brass  | A\$ 672.77   |
| H95[TEMP]21[DIM]                                                           | 3-1/2" to 5-3/4" | Chrome | A\$ 655.82   |
| H95[TEMP]08[DIM]                                                           | 3-1/2" to 5-3/4" | White  | A\$ 668.93   |
| H95[TEMP]11[DIM]                                                           | 6" to 8-3/4"     |        | A\$ Call     |
| H95[TEMP]21[DIM]                                                           | 6" to 8-3/4"     | Chrome | A\$ 688.56   |
| H95[TEMP]08[DIM]                                                           | 6" to 8-3/4"     | White  | A\$ 701.68   |
| H95[TEMP]11[DIM]                                                           | 9" to 11-3/4"    |        | A\$ Call     |
| H95[TEMP]21[DIM]                                                           | 9" to 11-3/4"    | Chrome | A\$ 721.34   |
| H95[TEMP]08[DIM]                                                           | 9" to 11-3/4"    |        | A\$ Call     |
| H95[TEMP]11[DIM]                                                           | 12" to 14-3/4"   |        | A\$ Call     |
| H95[TEMP]21[DIM]                                                           | 12" to 14-3/4"   | Chrome | A\$ 754.21   |
| H95[TEMP]08[DIM]                                                           | 12" to 14-3/4"   | White  | A\$ 767.31   |
| H95[TEMP]11[DIM]                                                           | 15" to 17-3/4"   |        | A\$ Call     |
| H95[TEMP]21[DIM]                                                           | 15" to 17-3/4"   | Chrome | A\$ 786.99   |
| H95[TEMP]08[DIM]                                                           | 15" to 17-3/4"   |        | A\$ Call     |
| H95[TEMP]11[DIM]                                                           | 18" to 20-3/4"   | Brass  | A\$ 836.73   |
| H95[TEMP]21[DIM]                                                           | 18" to 20-3/4"   | Chrome | A\$ 819.77   |
| H95[TEMP]08[DIM]                                                           | 18" to 20-3/4"   | White  | A\$ 832.86   |
| H95[TEMP]11[DIM]                                                           | 21" to 23-3/4"   |        | A\$ Call     |
| H95[TEMP]21[DIM]                                                           | 21" to 23-3/4"   | Chrome | A\$ 852.56   |
| H95[TEMP]08[DIM]                                                           | 21" to 23-3/4"   | White  | A\$ 865.70   |
| H95[TEMP]11[DIM]                                                           | 24" to 26-3/4"   |        | A\$ Call     |
| H95[TEMP]21[DIM]                                                           | 24" to 26-3/4"   | Chrome | A\$ 885.38   |
| H95[TEMP]08[DIM]                                                           | 24" to 26-3/4"   | White  | A\$ 898.39   |
| H95[TEMP]11[DIM]                                                           | 27" to 29-3/4"   | Bronze | A\$ Call     |
| H95[TEMP]21[DIM]                                                           | 27" to 29-3/4"   |        | A\$ Call     |
| H95[TEMP]08[DIM]                                                           | 27" to 29-3/4"   | White  | A\$ 931.27   |
| H95[TEMP]11[DIM]                                                           | 30" to 32-3/4"   |        | A\$ Call     |
| H95[TEMP]21[DIM]                                                           | 30" to 32-3/4"   | Chrome | A\$ 950.92   |
| H95[TEMP]08[DIM]                                                           | 30" to 32-3/4"   |        | A\$ Call     |
| H95[TEMP]11[DIM]                                                           | 33" to 36"       | Brass  | A\$ 1,000.75 |
| H95[TEMP]21[DIM]                                                           | 33" to 36"       | Chrome | A\$ 983.77   |
| H95[TEMP]08[DIM]                                                           | 33" to 36"       | White  | A\$ 996.89   |

|            |         |                                     |            |
|------------|---------|-------------------------------------|------------|
| 6880070100 | WXLO    | Requies Model XL02 Sprinkler Wrench | A\$ 331.20 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2"    | A\$ 69.04  |



## F3QR56 DRY REC F1 PENDENT

- K-Factor = 5.6 (80)
- **SIN R5714**
- 1" Size
- See Bulletin 157
- **Pricing includes F1 Escutcheon**

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                             | Size             | Finish | List Price   |
|-------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL F3QR56 DRY PENDENT REC F1 K5.6 (80) THREAD 1" (25MM) R5714</b> |                  |        |              |
| H9[TEMP]11[DIM]                                                         | 3-1/2" to 5-3/4" | Brass  | A\$ 598.51   |
| H9[TEMP]21[DIM]                                                         | 3-1/2" to 5-3/4" | Chrome | A\$ 581.54   |
| H9[TEMP]08[DIM]                                                         | 3-1/2" to 5-3/4" | White  | A\$ 594.63   |
| H9[TEMP]11[DIM]                                                         | 6" to 8-3/4"     | Brass  | A\$ 631.24   |
| H9[TEMP]21[DIM]                                                         | 6" to 8-3/4"     | Chrome | A\$ 614.28   |
| H9[TEMP]08[DIM]                                                         | 6" to 8-3/4"     | White  | A\$ 627.37   |
| H9[TEMP]11[DIM]                                                         | 9" to 11-3/4"    | Brass  | A\$ 664.03   |
| H9[TEMP]21[DIM]                                                         | 9" to 11-3/4"    | Chrome | A\$ 647.07   |
| H9[TEMP]08[DIM]                                                         | 9" to 11-3/4"    | White  | A\$ 660.18   |
| H9[TEMP]11[DIM]                                                         | 12" to 14-3/4"   | Brass  | A\$ 696.89   |
| H9[TEMP]21[DIM]                                                         | 12" to 14-3/4"   | Chrome | A\$ 679.92   |
| H9[TEMP]08[DIM]                                                         | 12" to 14-3/4"   | White  | A\$ 693.03   |
| H9[TEMP]11[DIM]                                                         | 15" to 17-3/4"   | Brass  | A\$ 729.65   |
| H9[TEMP]21[DIM]                                                         | 15" to 17-3/4"   | Chrome | A\$ 712.70   |
| H9[TEMP]08[DIM]                                                         | 15" to 17-3/4"   | White  | A\$ 725.77   |
| H9[TEMP]11[DIM]                                                         | 18" to 20-3/4"   | Brass  | A\$ 762.46   |
| H9[TEMP]21[DIM]                                                         | 18" to 20-3/4"   | Chrome | A\$ 745.49   |
| H9[TEMP]08[DIM]                                                         | 18" to 20-3/4"   | White  | A\$ 758.59   |
| H9[TEMP]11[DIM]                                                         | 21" to 23-3/4"   |        | A\$ Call     |
| H9[TEMP]21[DIM]                                                         | 21" to 23-3/4"   | Chrome | A\$ 778.25   |
| H9[TEMP]08[DIM]                                                         | 21" to 23-3/4"   | White  | A\$ 791.42   |
| H9[TEMP]11[DIM]                                                         | 24" to 26-3/4"   | Brass  | A\$ 828.06   |
| H9[TEMP]21[DIM]                                                         | 24" to 26-3/4"   | Chrome | A\$ 811.08   |
| H9[TEMP]08[DIM]                                                         | 24" to 26-3/4"   | White  | A\$ 824.11   |
| H9[TEMP]11[DIM]                                                         | 27" to 29-3/4"   | Brass  | A\$ 860.80   |
| H9[TEMP]21[DIM]                                                         | 27" to 29-3/4"   | Chrome | A\$ 843.85   |
| H9[TEMP]08[DIM]                                                         | 27" to 29-3/4"   | White  | A\$ 857.03   |
| H9[TEMP]11[DIM]                                                         | 30" to 32-3/4"   | Brass  | A\$ 893.61   |
| H9[TEMP]21[DIM]                                                         | 30" to 32-3/4"   | Chrome | A\$ 876.61   |
| H9[TEMP]08[DIM]                                                         | 30" to 32-3/4"   | White  | A\$ 889.76   |
| H9[TEMP]11[DIM]                                                         | 33" to 35-3/4"   | Brass  | A\$ 926.45   |
| H9[TEMP]21[DIM]                                                         | 33" to 35-3/4"   | Chrome | A\$ 909.48   |
| H9[TEMP]08[DIM]                                                         | 33" to 35-3/4"   | White  | A\$ 922.59   |
| H9[TEMP]11[DIM]                                                         | 36" to 38-3/4"   | Bronze | A\$ 959.23   |
| H9[TEMP]21[DIM]                                                         | 36" to 38-3/4"   | Chrome | A\$ 942.27   |
| H9[TEMP]08[DIM]                                                         | 36" to 38-3/4"   | White  | A\$ 955.42   |
| H9[TEMP]11[DIM]                                                         | 39" to 41-3/4"   |        | A\$ Call     |
| H9[TEMP]21[DIM]                                                         | 39" to 41-3/4"   | Chrome | A\$ 975.15   |
| H9[TEMP]08[DIM]                                                         | 39" to 41-3/4"   | White  | A\$ 988.28   |
| H9[TEMP]11[DIM]                                                         | 42" to 44-3/4"   |        | A\$ Call     |
| H9[TEMP]21[DIM]                                                         | 42" to 44-3/4"   | Chrome | A\$ 1,007.83 |
| H9[TEMP]08[DIM]                                                         | 42" to 44-3/4"   | White  | A\$ 1,020.96 |
| H9[TEMP]11[DIM]                                                         | 45" to 48"       |        | A\$ Call     |
| H9[TEMP]21[DIM]                                                         | 45" to 48"       | Chrome | A\$ 1,040.69 |
| H9[TEMP]08[DIM]                                                         | 45" to 48"       | White  | A\$ 1,053.76 |

|            |         |                                  |            |
|------------|---------|----------------------------------|------------|
| 6880070100 | WXLO    | Requires XLO2 Sprinkler Wrench   | A\$ 331.20 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2" | A\$ 69.04  |



## F3QR56 DRY HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 3/4" Size
- See Bulletin 157

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (1)        |
| 155°F (68°C)  | (2)        |
| 175°F (79°C)  | (3)        |
| 200°F (93°C)  | (5)        |
| 286°F (141°C) | (8)        |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                            | Size           | Finish | List Price   |
|------------------------------------------------------------------------|----------------|--------|--------------|
| <b>MODEL F3QR56 DRY HORIZONTAL K5.6 (80) THREADS 3/4" (20MM) R5734</b> |                |        |              |
| H45[TEMP]11[DIM]                                                       | 2" to 5-3/4"   | Brass  | A\$ 635.15   |
| H45[TEMP]21[DIM]                                                       | 2" to 5-3/4"   | Chrome | A\$ 635.15   |
| H45[TEMP]08[DIM]                                                       | 2" to 5-3/4"   | White  | A\$ 648.24   |
| H45[TEMP]11[DIM]                                                       | 6" to 8-3/4"   | Brass  | A\$ 643.24   |
| H45[TEMP]21[DIM]                                                       | 6" to 8-3/4"   | Chrome | A\$ 643.24   |
| H45[TEMP]08[DIM]                                                       | 6" to 8-3/4"   | White  | A\$ 688.92   |
| H45[TEMP]11[DIM]                                                       | 9" to 11-3/4"  | Brass  | A\$ 700.83   |
| H45[TEMP]21[DIM]                                                       | 9" to 11-3/4"  | Chrome | A\$ 700.83   |
| H45[TEMP]08[DIM]                                                       | 9" to 11-3/4"  | White  | A\$ 713.86   |
| H45[TEMP]11[DIM]                                                       | 12" to 14-3/4" | Brass  | A\$ 733.52   |
| H45[TEMP]21[DIM]                                                       | 12" to 14-3/4" | Chrome | A\$ 733.52   |
| H45[TEMP]08[DIM]                                                       | 12" to 14-3/4" | White  | A\$ 746.66   |
| H45[TEMP]11[DIM]                                                       | 15" to 17-3/4" | Brass  | A\$ 766.38   |
| H45[TEMP]21[DIM]                                                       | 15" to 17-3/4" | Chrome | A\$ 766.38   |
| H45[TEMP]08[DIM]                                                       | 15" to 17-3/4" | White  | A\$ 779.39   |
| H45[TEMP]11[DIM]                                                       | 18" to 20-3/4" | Brass  | A\$ 799.10   |
| H45[TEMP]21[DIM]                                                       | 18" to 20-3/4" | Chrome | A\$ 799.10   |
| H45[TEMP]08[DIM]                                                       | 18" to 20-3/4" | White  | A\$ 812.18   |
| H45[TEMP]11[DIM]                                                       | 21" to 23-3/4" | Brass  | A\$ 831.99   |
| H45[TEMP]21[DIM]                                                       | 21" to 23-3/4" | Chrome | A\$ 831.99   |
| H45[TEMP]08[DIM]                                                       | 21" to 23-3/4" | White  | A\$ 845.13   |
| H45[TEMP]11[DIM]                                                       | 24" to 26-3/4" | Brass  | A\$ 864.77   |
| H45[TEMP]21[DIM]                                                       | 24" to 26-3/4" | Chrome | A\$ 864.77   |
| H45[TEMP]08[DIM]                                                       | 24" to 26-3/4" | White  | A\$ 877.85   |
| H45[TEMP]11[DIM]                                                       | 27" to 29-3/4" | Brass  | A\$ 897.48   |
| H45[TEMP]21[DIM]                                                       | 27" to 29-3/4" | Chrome | A\$ 897.48   |
| H45[TEMP]08[DIM]                                                       | 27" to 29-3/4" | White  | A\$ 910.75   |
| H45[TEMP]11[DIM]                                                       | 30" to 32-3/4" | Brass  | A\$ 930.28   |
| H45[TEMP]21[DIM]                                                       | 30" to 32-3/4" | Chrome | A\$ 930.28   |
| H45[TEMP]08[DIM]                                                       | 30" to 32-3/4" | White  | A\$ 943.44   |
| H45[TEMP]11[DIM]                                                       | 33" to 35 3/4" | Bronze | A\$ 963.11   |
| H45[TEMP]21[DIM]                                                       | 33" to 35 3/4" | Chrome | A\$ 963.11   |
| H45[TEMP]08[DIM]                                                       | 33" to 35 3/4" | White  | A\$ 976.25   |
| H45[TEMP]11[DIM]                                                       | 36"to 38-3/4"  | Bronze | A\$ 996.17   |
| H45[TEMP]21[DIM]                                                       | 36"to 38-3/4"  | Chrome | A\$ 996.17   |
| H45[TEMP]08[DIM]                                                       | 36"to 38-3/4"  | White  | A\$ 1,009.39 |
| H45[TEMP]11[DIM]                                                       | 39" to 41-3/4" | Bronze | A\$ 1,029.23 |
| H45[TEMP]21[DIM]                                                       | 39" to 41-3/4" | Chrome | A\$ 1,029.23 |
| H45[TEMP]08[DIM]                                                       | 39" to 41-3/4" | White  | A\$ 1,042.46 |
| H45[TEMP]11[DIM]                                                       | 42" to 44-3/4" | Bronze | A\$ 1,062.28 |
| H45[TEMP]21[DIM]                                                       | 42" to 44-3/4" | Chrome | A\$ 1,062.28 |
| H45[TEMP]08[DIM]                                                       | 42" to 44-3/4" | White  | A\$ 1,075.52 |
| H45[TEMP]11[DIM]                                                       | 45" to 48"     | Bronze | A\$ 1,095.35 |
| H45[TEMP]21[DIM]                                                       | 45" to 48"     | Chrome | A\$ 1,095.35 |
| H45[TEMP]08[DIM]                                                       | 45" to 48"     | White  | A\$ 1,108.56 |

6880130001  
6990004858

WF3R  
DEKTITE

Requires F3R Sprinkler Wrench  
Dektite Pipe Flashing, 1/4" - 2"

A\$ 333.65  
A\$ 69.04



## F3QR56 DRY HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 1" Size
- See Bulletin 157

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                          | Size           | Finish | List Price   |
|----------------------------------------------------------------------|----------------|--------|--------------|
| <b>MODEL F3QR56 DRY HORIZONTAL K5.6 (80) THREADS 1" (25MM) R5734</b> |                |        |              |
| H4[TEMP]11[DIM]                                                      | 2" to 5-3/4"   | Brass  | A\$ 560.87   |
| H4[TEMP]21[DIM]                                                      | 2" to 5-3/4"   | Chrome | A\$ 560.87   |
| H4[TEMP]08[DIM]                                                      | 2" to 5-3/4"   | White  | A\$ 573.94   |
| H4[TEMP]11[DIM]                                                      | 6" to 8-3/4"   | Brass  | A\$ 593.69   |
| H4[TEMP]21[DIM]                                                      | 6" to 8-3/4"   | Chrome | A\$ 593.69   |
| H4[TEMP]08[DIM]                                                      | 6" to 8-3/4"   | White  | A\$ 614.62   |
| H4[TEMP]11[DIM]                                                      | 9" to 11-3/4"  | Brass  | A\$ 626.55   |
| H4[TEMP]21[DIM]                                                      | 9" to 11-3/4"  | Chrome | A\$ 626.55   |
| H4[TEMP]08[DIM]                                                      | 9" to 11-3/4"  | White  | A\$ 639.61   |
| H4[TEMP]11[DIM]                                                      | 12" to 14-3/4" | Brass  | A\$ 659.23   |
| H4[TEMP]21[DIM]                                                      | 12" to 14-3/4" | Chrome | A\$ 659.23   |
| H4[TEMP]08[DIM]                                                      | 12" to 14-3/4" | White  | A\$ 672.44   |
| H4[TEMP]11[DIM]                                                      | 15" to 17-3/4" | Brass  | A\$ 692.07   |
| H4[TEMP]21[DIM]                                                      | 15" to 17-3/4" | Chrome | A\$ 692.07   |
| H4[TEMP]08[DIM]                                                      | 15" to 17-3/4" | White  | A\$ 705.10   |
| H4[TEMP]11[DIM]                                                      | 18" to 20-3/4" | Brass  | A\$ 724.83   |
| H4[TEMP]21[DIM]                                                      | 18" to 20-3/4" | Chrome | A\$ 724.83   |
| H4[TEMP]08[DIM]                                                      | 18" to 20-3/4" | White  | A\$ 737.87   |
| H4[TEMP]11[DIM]                                                      | 21" to 23-3/4" | Brass  | A\$ 757.70   |
| H4[TEMP]21[DIM]                                                      | 21" to 23-3/4" | Chrome | A\$ 757.70   |
| H4[TEMP]08[DIM]                                                      | 21" to 23-3/4" | White  | A\$ 770.83   |
| H4[TEMP]11[DIM]                                                      | 24" to 26-3/4" | Brass  | A\$ 790.46   |
| H4[TEMP]21[DIM]                                                      | 24" to 26-3/4" | Chrome | A\$ 790.46   |
| H4[TEMP]08[DIM]                                                      | 24" to 26-3/4" | White  | A\$ 803.55   |
| H4[TEMP]11[DIM]                                                      | 27" to 29-3/4" | Brass  | A\$ 823.21   |
| H4[TEMP]21[DIM]                                                      | 27" to 29-3/4" | Chrome | A\$ 823.21   |
| H4[TEMP]08[DIM]                                                      | 27" to 29-3/4" | White  | A\$ 836.45   |
| H4[TEMP]11[DIM]                                                      | 30" to 32-3/4" | Brass  | A\$ 856.00   |
| H4[TEMP]21[DIM]                                                      | 30" to 32-3/4" | Chrome | A\$ 856.00   |
| H4[TEMP]08[DIM]                                                      | 30" to 32-3/4" | White  | A\$ 869.15   |
| H4[TEMP]11[DIM]                                                      | 33" to 35-3/4" | Bronze | A\$ Call     |
| H4[TEMP]21[DIM]                                                      | 33" to 35-3/4" | Chrome | A\$ 888.82   |
| H4[TEMP]08[DIM]                                                      | 33" to 35-3/4" | White  | A\$ 901.94   |
| H4[TEMP]11[DIM]                                                      | 36" to 38-3/4" | Brass  | A\$ 921.62   |
| H4[TEMP]21[DIM]                                                      | 36" to 38-3/4" | Chrome | A\$ 921.62   |
| H4[TEMP]08[DIM]                                                      | 36" to 38-3/4" | White  | A\$ 934.79   |
| H4[TEMP]11[DIM]                                                      | 39" to 41-3/4" | Bronze | A\$ Call     |
| H4[TEMP]21[DIM]                                                      | 39" to 41-3/4" | Chrome | A\$ 1,020.06 |
| H4[TEMP]08[DIM]                                                      | 39" to 41-3/4" | White  | A\$ 1,033.21 |
| H4[TEMP]11[DIM]                                                      | 42" to 44-3/4" | Brass  | A\$ 1,052.85 |
| H4[TEMP]21[DIM]                                                      | 42" to 44-3/4" | Chrome | A\$ 1,052.85 |
| H4[TEMP]08[DIM]                                                      | 42" to 44-3/4" | White  | A\$ 1,062.66 |
| H4[TEMP]11[DIM]                                                      | 45" to 48"     |        | A\$ Call     |
| H4[TEMP]21[DIM]                                                      | 45" to 48"     | Chrome | A\$ 1,065.90 |
| H4[TEMP]08[DIM]                                                      | 45" to 48"     | White  | A\$ 1,079.00 |

|            |         |                                  |            |
|------------|---------|----------------------------------|------------|
| 6880130001 | WF3R    | Requires F3R Sprinkler Wrench    | A\$ 333.65 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2" | A\$ 69.04  |



## F3QR56 DRY HSW / HB

- K-Factor = 5.6 (80)
- **SIN R5734**
- 3/4" Size
- See Bulletin 157

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (1)        |
| 155°F (68°C)  | (2)        |
| 175°F (79°C)  | (3)        |
| 200°F (93°C)  | (5)        |
| 286°F (141°C) | (8)        |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                                 | Size             | Finish | List Price   |
|-----------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL F3QR56 DRY HORIZONTAL / HB K5.6 (80) THREADS 3/4" (20MM) R5734</b> |                  |        |              |
| HK5[TEMP]21[DIM]                                                            | 3-1/2" to 5-3/4" | Chrome | A\$ 675.82   |
| HK5[TEMP]08[DIM]                                                            | 3-1/2" to 5-3/4" | White  | A\$ 688.92   |
| HK5[TEMP]21[DIM]                                                            | 6" to 8-3/4"     | Chrome | A\$ 708.58   |
| HK5[TEMP]08[DIM]                                                            | 6" to 8-3/4"     | White  | A\$ 721.72   |
| HK5[TEMP]21[DIM]                                                            | 9" to 11-3/4"    | Chrome | A\$ 741.44   |
| HK5[TEMP]08[DIM]                                                            | 9" to 11-3/4"    | White  | A\$ 747.13   |
| HK5[TEMP]21[DIM]                                                            | 12" to 14-3/4"   | Chrome | A\$ 774.21   |
| HK5[TEMP]08[DIM]                                                            | 12" to 14-3/4"   | White  | A\$ 787.30   |
| HK5[TEMP]21[DIM]                                                            | 15" to 17-3/4"   | Chrome | A\$ 807.03   |
| HK5[TEMP]08[DIM]                                                            | 15" to 17-3/4"   | White  | A\$ 820.11   |
| HK5[TEMP]21[DIM]                                                            | 18" to 20-3/4"   | Chrome | A\$ 839.79   |
| HK5[TEMP]08[DIM]                                                            | 18" to 20-3/4"   | White  | A\$ 852.96   |
| HK5[TEMP]21[DIM]                                                            | 21" to 23-3/4"   | Chrome | A\$ 872.63   |
| HK5[TEMP]08[DIM]                                                            | 21" to 23-3/4"   | White  | A\$ 885.65   |
| HK5[TEMP]21[DIM]                                                            | 24" to 26-3/4"   | Chrome | A\$ 905.35   |
| HK5[TEMP]08[DIM]                                                            | 24" to 26-3/4"   |        | A\$ Call     |
| HK5[TEMP]21[DIM]                                                            | 27" to 29-3/4"   | Chrome | A\$ 938.15   |
| HK5[TEMP]08[DIM]                                                            | 27" to 29-3/4"   | White  | A\$ 951.27   |
| HK5[TEMP]21[DIM]                                                            | 30" to 32-3/4"   | Chrome | A\$ 971.01   |
| HK5[TEMP]08[DIM]                                                            | 30" to 32-3/4"   | White  | A\$ 984.11   |
| HK5[TEMP]21[DIM]                                                            | 33" to 35-3/4"   | Chrome | A\$ 1,003.82 |
| HK5[TEMP]08[DIM]                                                            | 33" to 35-3/4"   | White  | A\$ 1,016.94 |
| HK5[TEMP]21[DIM]                                                            | 36" to 38-3/4"   | Chrome | A\$ 1,036.86 |
| HK5[TEMP]08[DIM]                                                            | 36" to 38-3/4"   | White  | A\$ 1,050.01 |
| HK5[TEMP]21[DIM]                                                            | 39" to 41-3/4"   | Chrome | A\$ 1,069.93 |
| HK5[TEMP]08[DIM]                                                            | 39" to 41-3/4"   | White  | A\$ 1,083.07 |
| HK5[TEMP]21[DIM]                                                            | 42" to 44-3/4"   | Chrome | A\$ 1,102.99 |
| HK5[TEMP]08[DIM]                                                            | 42" to 44-3/4"   | White  | A\$ 1,116.13 |
| HK5[TEMP]21[DIM]                                                            | 45" to 48"       | Chrome | A\$ 1,136.03 |
| HK5[TEMP]08[DIM]                                                            | 45" to 48"       | White  | A\$ 1,149.17 |
| <b>REQUIRED SKIRTS</b>                                                      |                  |        |              |
| 6999994454                                                                  | SKIRTC           | Chrome | A\$ 5.23     |
| 6999994881                                                                  | SKIRTW           | White  | A\$ 5.23     |

|            |         |                                  |            |
|------------|---------|----------------------------------|------------|
| 6880130001 | WF3R    | Requires F3R Sprinkler Wrench    | A\$ 333.65 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2" | A\$ 69.04  |



## F3QR56 DRY HSW / HB

- K-Factor = 5.6 (80)
- **SIN R5734**
- 1" Size
- See Bulletin 157

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                               | Size             | Finish | List Price   |
|---------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL F3QR56 DRY HORIZONTAL / HB K5.6 (80) THREADS 1" (25MM) R5734</b> |                  |        |              |
| HK[TEMP]21[DIM]                                                           | 3-1/2" to 5-3/4" | Chrome | A\$ 601.55   |
| HK[TEMP]08[DIM]                                                           | 3-1/2" to 5-3/4" | White  | A\$ 614.62   |
| HK[TEMP]21[DIM]                                                           | 6" to 8-3/4"     | Chrome | A\$ 634.30   |
| HK[TEMP]08[DIM]                                                           | 6" to 8-3/4"     | White  | A\$ 647.42   |
| HK[TEMP]21[DIM]                                                           | 9" to 11-3/4"    | Chrome | A\$ 667.15   |
| HK[TEMP]08[DIM]                                                           | 9" to 11-3/4"    | White  | A\$ 680.25   |
| HK[TEMP]21[DIM]                                                           | 12" to 14-3/4"   | Chrome | A\$ 699.96   |
| HK[TEMP]08[DIM]                                                           | 12" to 14-3/4"   | White  | A\$ 713.04   |
| HK[TEMP]21[DIM]                                                           | 15" to 17-3/4"   | Chrome | A\$ 732.75   |
| HK[TEMP]08[DIM]                                                           | 15" to 17-3/4"   | White  | A\$ 745.82   |
| HK[TEMP]21[DIM]                                                           | 18" to 20-3/4"   | Chrome | A\$ 765.51   |
| HK[TEMP]08[DIM]                                                           | 18" to 20-3/4"   | White  | A\$ 778.65   |
| HK[TEMP]21[DIM]                                                           | 21" to 23-3/4"   | Chrome | A\$ 798.34   |
| HK[TEMP]08[DIM]                                                           | 21" to 23-3/4"   | White  | A\$ 811.34   |
| HK[TEMP]21[DIM]                                                           | 24" to 26-3/4"   | Chrome | A\$ 831.07   |
| HK[TEMP]08[DIM]                                                           | 24" to 26-3/4"   | White  | A\$ 844.25   |
| HK[TEMP]21[DIM]                                                           | 27" to 29-3/4"   | Chrome | A\$ 863.86   |
| HK[TEMP]08[DIM]                                                           | 27" to 29-3/4"   | White  | A\$ 876.99   |
| HK[TEMP]21[DIM]                                                           | 30" to 32-3/4"   | Chrome | A\$ 896.73   |
| HK[TEMP]08[DIM]                                                           | 30" to 32-3/4"   | White  | A\$ 909.86   |
| HK[TEMP]21[DIM]                                                           | 33" to 35-3/4"   | Chrome | A\$ 929.51   |
| HK[TEMP]08[DIM]                                                           | 33" to 35-3/4"   | White  | A\$ 942.65   |
| HK[TEMP]21[DIM]                                                           | 36" to 38-3/4"   | Chrome | A\$ 962.35   |
| HK[TEMP]08[DIM]                                                           | 36" to 38-3/4"   | White  | A\$ 975.52   |
| HK[TEMP]21[DIM]                                                           | 39" to 41-3/4"   | Chrome | A\$ 1,060.73 |
| HK[TEMP]08[DIM]                                                           | 39" to 41-3/4"   | White  | A\$ 1,073.79 |
| HK[TEMP]21[DIM]                                                           | 42" to 44-3/4"   | Chrome | A\$ 1,093.54 |
| HK[TEMP]08[DIM]                                                           | 42" to 44-3/4"   | White  | A\$ 1,106.63 |
| HK[TEMP]21[DIM]                                                           | 45" to 48"       | Chrome | A\$ 1,126.31 |
| HK[TEMP]08[DIM]                                                           | 45" to 48"       | White  | A\$ 1,139.44 |
| <b>REQUIRED SKIRTS</b>                                                    |                  |        |              |
| 6999994454                                                                | SKIRTC           | Chrome | A\$ 5.23     |
| 6999994881                                                                | SKIRTW           | White  | A\$ 5.23     |

|            |         |                                  |            |
|------------|---------|----------------------------------|------------|
| 6880130001 | WF3R    | Requires F3R Sprinkler Wrench    | A\$ 333.65 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2" | A\$ 69.04  |



## F3QR56 DRY REC FP HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 3/4" Size
- See Bulletin 157

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (1)        |
| 155°F (68°C)  | (2)        |
| 175°F (79°C)  | (3)        |
| 200°F (93°C)  | (5)        |
| 286°F (141°C) | (8)        |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                                   | Size             | Finish | List Price   |
|-------------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL F3QR56 DRY HORIZONTAL REC FP K5.6 (80) THREADS 3/4" (20MM) R5734</b> |                  |        |              |
| H55[TEMP]11[DIM]                                                              | 3-1/2" to 5-3/4" | Brass  | A\$ 699.75   |
| H55[TEMP]21[DIM]                                                              | 3-1/2" to 5-3/4" | Chrome | A\$ 699.75   |
| H55[TEMP]08[DIM]                                                              | 3-1/2" to 5-3/4" | White  | A\$ 712.86   |
| H55[TEMP]11[DIM]                                                              | 6" to 8-3/4"     | Bronze | A\$ Call     |
| H55[TEMP]21[DIM]                                                              | 6" to 8-3/4"     |        | A\$ Call     |
| H55[TEMP]08[DIM]                                                              | 6" to 8-3/4"     |        | A\$ Call     |
| H55[TEMP]11[DIM]                                                              | 9" to 11-3/4"    | Bronze | A\$ Call     |
| H55[TEMP]21[DIM]                                                              | 9" to 11-3/4"    |        | A\$ Call     |
| H55[TEMP]08[DIM]                                                              | 9" to 11-3/4"    |        | A\$ Call     |
| H55[TEMP]11[DIM]                                                              | 12" to 14-3/4"   |        | A\$ Call     |
| H55[TEMP]21[DIM]                                                              | 12" to 14-3/4"   |        | A\$ Call     |
| H55[TEMP]08[DIM]                                                              | 12" to 14-3/4"   | White  | A\$ 811.25   |
| H55[TEMP]11[DIM]                                                              | 15" to 17-3/4"   |        | A\$ Call     |
| H55[TEMP]21[DIM]                                                              | 15" to 17-3/4"   |        | A\$ Call     |
| H55[TEMP]08[DIM]                                                              | 15" to 17-3/4"   |        | A\$ Call     |
| H55[TEMP]11[DIM]                                                              | 18" to 20-3/4"   | Brass  | A\$ 863.70   |
| H55[TEMP]21[DIM]                                                              | 18" to 20-3/4"   | Chrome | A\$ 863.70   |
| H55[TEMP]08[DIM]                                                              | 18" to 20-3/4"   | White  | A\$ 876.89   |
| H55[TEMP]11[DIM]                                                              | 21" to 23-3/4"   |        | A\$ Call     |
| H55[TEMP]21[DIM]                                                              | 21" to 23-3/4"   |        | A\$ Call     |
| H55[TEMP]08[DIM]                                                              | 21" to 23-3/4"   |        | A\$ Call     |
| H55[TEMP]11[DIM]                                                              | 24" to 26-3/4"   | Bronze | A\$ Call     |
| H55[TEMP]21[DIM]                                                              | 24" to 26-3/4"   |        | A\$ Call     |
| H55[TEMP]08[DIM]                                                              | 24" to 26-3/4"   |        | A\$ Call     |
| H55[TEMP]11[DIM]                                                              | 27" to 29-3/4"   |        | A\$ Call     |
| H55[TEMP]21[DIM]                                                              | 27" to 29-3/4"   |        | A\$ Call     |
| H55[TEMP]08[DIM]                                                              | 27" to 29-3/4"   |        | A\$ Call     |
| H55[TEMP]11[DIM]                                                              | 30" to 32-3/4"   | Bronze | A\$ 994.93   |
| H55[TEMP]21[DIM]                                                              | 30" to 32-3/4"   | Chrome | A\$ 994.93   |
| H55[TEMP]08[DIM]                                                              | 30" to 32-3/4"   |        | A\$ Call     |
| H55[TEMP]11[DIM]                                                              | 33" to 36"       | Bronze | A\$ 1,027.75 |
| H55[TEMP]21[DIM]                                                              | 33" to 36"       | Chrome | A\$ 1,027.75 |
| H55[TEMP]08[DIM]                                                              | 33" to 36"       | White  | A\$ 1,040.89 |

|            |         |                                      |            |
|------------|---------|--------------------------------------|------------|
| 6880070100 | WXLO    | Requires Model XLO2 Sprinkler Wrench | A\$ 331.20 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2"     | A\$ 69.04  |



## F3QR56 DRY REC FP HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 1" Size
- See Bulletin 157

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                                 | Size             | Finish | List Price   |
|-----------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL F3QR56 DRY HORIZONTAL REC FP K5.6 (80) THREADS 1" (25MM) R5734</b> |                  |        |              |
| H5[TEMP]11[DIM]                                                             | 3-1/2" to 5-3/4" | Brass  | A\$ 625.48   |
| H5[TEMP]21[DIM]                                                             | 3-1/2" to 5-3/4" | Chrome | A\$ 625.48   |
| H5[TEMP]08[DIM]                                                             | 3-1/2" to 5-3/4" | White  | A\$ 638.55   |
| H5[TEMP]11[DIM]                                                             | 6" to 8-3/4"     | Bronze | A\$ 658.24   |
| H5[TEMP]21[DIM]                                                             | 6" to 8-3/4"     | Chrome | A\$ 658.24   |
| H5[TEMP]08[DIM]                                                             | 6" to 8-3/4"     | White  | A\$ 671.38   |
| H5[TEMP]11[DIM]                                                             | 9" to 11-3/4"    | Bronze | A\$ 691.08   |
| H5[TEMP]21[DIM]                                                             | 9" to 11-3/4"    | Chrome | A\$ 691.08   |
| H5[TEMP]08[DIM]                                                             | 9" to 11-3/4"    | White  | A\$ 704.20   |
| H5[TEMP]11[DIM]                                                             | 12" to 14-3/4"   | Bronze | A\$ 723.90   |
| H5[TEMP]21[DIM]                                                             | 12" to 14-3/4"   | Chrome | A\$ 723.90   |
| H5[TEMP]08[DIM]                                                             | 12" to 14-3/4"   | White  | A\$ 736.96   |
| H5[TEMP]11[DIM]                                                             | 15" to 17-3/4"   | Brass  | A\$ 756.69   |
| H5[TEMP]21[DIM]                                                             | 15" to 17-3/4"   | Chrome | A\$ 756.69   |
| H5[TEMP]08[DIM]                                                             | 15" to 17-3/4"   | White  | A\$ 769.77   |
| H5[TEMP]11[DIM]                                                             | 18" to 20-3/4"   | Brass  | A\$ 789.44   |
| H5[TEMP]21[DIM]                                                             | 18" to 20-3/4"   | Chrome | A\$ 789.44   |
| H5[TEMP]08[DIM]                                                             | 18" to 20-3/4"   | White  | A\$ 802.59   |
| H5[TEMP]11[DIM]                                                             | 21" to 23-3/4"   | Brass  | A\$ 822.30   |
| H5[TEMP]21[DIM]                                                             | 21" to 23-3/4"   | Chrome | A\$ 822.30   |
| H5[TEMP]08[DIM]                                                             | 21" to 23-3/4"   | White  | A\$ 835.30   |
| H5[TEMP]11[DIM]                                                             | 24" to 26-3/4"   | Bronze | A\$ 855.01   |
| H5[TEMP]21[DIM]                                                             | 24" to 26-3/4"   | Chrome | A\$ 855.01   |
| H5[TEMP]08[DIM]                                                             | 24" to 26-3/4"   | White  | A\$ 868.18   |
| H5[TEMP]11[DIM]                                                             | 27" to 29-3/4"   | Brass  | A\$ 887.82   |
| H5[TEMP]21[DIM]                                                             | 27" to 29-3/4"   | Chrome | A\$ 887.82   |
| H5[TEMP]08[DIM]                                                             | 27" to 29-3/4"   | White  | A\$ 900.90   |
| H5[TEMP]11[DIM]                                                             | 30" to 32-3/4"   | Bronze | A\$ 920.68   |
| H5[TEMP]21[DIM]                                                             | 30" to 32-3/4"   | Chrome | A\$ 920.68   |
| H5[TEMP]08[DIM]                                                             | 30" to 32-3/4"   | White  | A\$ 933.79   |
| H5[TEMP]11[DIM]                                                             | 33" to 35-3/4"   | Bronze | A\$ 953.44   |
| H5[TEMP]21[DIM]                                                             | 33" to 35-3/4"   | Chrome | A\$ 953.44   |
| H5[TEMP]08[DIM]                                                             | 33" to 35-3/4"   | White  | A\$ 966.61   |
| H5[TEMP]11[DIM]                                                             | 36" to 38-3/4"   | Bronze | A\$ 986.30   |
| H5[TEMP]21[DIM]                                                             | 36" to 38-3/4"   | Chrome | A\$ 986.30   |
| H5[TEMP]08[DIM]                                                             | 36" to 38-3/4"   | White  | A\$ 999.46   |
| H5[TEMP]11[DIM]                                                             | 39" to 41-3/4"   | Brass  | A\$ 1,084.69 |
| H5[TEMP]21[DIM]                                                             | 39" to 41-3/4"   | Chrome | A\$ 1,084.69 |
| H5[TEMP]08[DIM]                                                             | 39" to 41-3/4"   | White  | A\$ 1,097.70 |
| H5[TEMP]11[DIM]                                                             | 42" to 44-3/4"   | Bronze | A\$ 1,117.45 |
| H5[TEMP]21[DIM]                                                             | 42" to 44-3/4"   | Chrome | A\$ 1,117.45 |
| H5[TEMP]08[DIM]                                                             | 42" to 44-3/4"   | White  | A\$ 1,130.58 |
| H5[TEMP]11[DIM]                                                             | 45" to 48"       | Brass  | A\$ 1,150.24 |
| H5[TEMP]21[DIM]                                                             | 45" to 48"       | Chrome | A\$ 1,150.24 |
| H5[TEMP]08[DIM]                                                             | 45" to 48"       | White  | A\$ 1,163.38 |

6880070100  
6990004858

WXLO  
DEKTITE

Requires XLO2 Sprinkler Wrench  
Dektite Pipe Flashing, 1/4" - 2"

A\$ 331.20  
A\$ 69.04



## F3QR56 DRY REC F1 HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 3/4" Size
- See Bulletin 157

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (1)        |
| 155°F (68°C)  | (2)        |
| 175°F (79°C)  | (3)        |
| 200°F (93°C)  | (5)        |
| 286°F (141°C) | (8)        |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                                   | Size             | Finish | List Price   |
|-------------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL F3QR56 DRY HORIZONTAL REC F1 K5.6 (80) THREADS 3/4" (20MM) R5734</b> |                  |        |              |
| H05[TEMP]11[DIM]                                                              | 3-1/2" to 5-3/4" | Brass  | A\$ 705.54   |
| H05[TEMP]21[DIM]                                                              | 3-1/2" to 5-3/4" | Chrome | A\$ 688.56   |
| H05[TEMP]08[DIM]                                                              | 3-1/2" to 5-3/4" | White  | A\$ 701.68   |
| H05[TEMP]11[DIM]                                                              | 6" to 8-3/4"     | Bronze | A\$ Call     |
| H05[TEMP]21[DIM]                                                              | 6" to 8-3/4"     |        | A\$ Call     |
| H05[TEMP]08[DIM]                                                              | 6" to 8-3/4"     |        | A\$ Call     |
| H05[TEMP]11[DIM]                                                              | 9" to 11-3/4"    | Bronze | A\$ Call     |
| H05[TEMP]21[DIM]                                                              | 9" to 11-3/4"    |        | A\$ Call     |
| H05[TEMP]08[DIM]                                                              | 9" to 11-3/4"    |        | A\$ Call     |
| H05[TEMP]11[DIM]                                                              | 12" to 14-3/4"   | Brass  | A\$ 803.93   |
| H05[TEMP]21[DIM]                                                              | 12" to 14-3/4"   | Chrome | A\$ 786.99   |
| H05[TEMP]08[DIM]                                                              | 12" to 14-3/4"   | White  | A\$ 800.08   |
| H05[TEMP]11[DIM]                                                              | 15" to 17-3/4"   |        | A\$ Call     |
| H05[TEMP]21[DIM]                                                              | 15" to 17-3/4"   |        | A\$ Call     |
| H05[TEMP]08[DIM]                                                              | 15" to 17-3/4"   |        | A\$ Call     |
| H05[TEMP]11[DIM]                                                              | 18" to 20-3/4"   | Brass  | A\$ 869.48   |
| H05[TEMP]21[DIM]                                                              | 18" to 20-3/4"   | Chrome | A\$ 852.56   |
| H05[TEMP]08[DIM]                                                              | 18" to 20-3/4"   | White  | A\$ 865.70   |
| H05[TEMP]11[DIM]                                                              | 21" to 23-3/4"   |        | A\$ Call     |
| H05[TEMP]21[DIM]                                                              | 21" to 23-3/4"   |        | A\$ Call     |
| H05[TEMP]08[DIM]                                                              | 21" to 23-3/4"   |        | A\$ Call     |
| H05[TEMP]11[DIM]                                                              | 24" to 26-3/4"   | Bronze | A\$ Call     |
| H05[TEMP]21[DIM]                                                              | 24" to 26-3/4"   | Chrome | A\$ 918.11   |
| H05[TEMP]08[DIM]                                                              | 24" to 26-3/4"   |        | A\$ Call     |
| H05[TEMP]11[DIM]                                                              | 27" to 29-3/4"   |        | A\$ Call     |
| H05[TEMP]21[DIM]                                                              | 27" to 29-3/4"   |        | A\$ Call     |
| H05[TEMP]08[DIM]                                                              | 27" to 29-3/4"   |        | A\$ Call     |
| H05[TEMP]11[DIM]                                                              | 30" to 32-3/4"   | Bronze | A\$ Call     |
| H05[TEMP]21[DIM]                                                              | 30" to 32-3/4"   |        | A\$ Call     |
| H05[TEMP]08[DIM]                                                              | 30" to 32-3/4"   |        | A\$ Call     |
| H05[TEMP]11[DIM]                                                              | 33" to 36"       | Bronze | A\$ 1,033.49 |
| H05[TEMP]21[DIM]                                                              | 33" to 36"       | Chrome | A\$ 1,016.55 |
| H05[TEMP]08[DIM]                                                              | 33" to 36"       | White  | A\$ 955.42   |

|            |         |                                      |            |
|------------|---------|--------------------------------------|------------|
| 6880070100 | WXLO    | Requires Model XLO2 Sprinkler Wrench | A\$ 331.20 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2"     | A\$ 69.04  |



## F3QR56 DRY REC F1 HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 1" Size
- See Bulletin 157

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                                 | Size             | Finish | List Price   |
|-----------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL F3QR56 DRY HORIZONTAL REC F1 K5.6 (80) THREADS 1" (25MM) R5734</b> |                  |        |              |
| H0[TEMP]11[DIM]                                                             | 3-1/2" to 5-3/4" | Bronze | A\$ Call     |
| H0[TEMP]21[DIM]                                                             | 3-1/2" to 5-3/4" | Chrome | A\$ 614.28   |
| H0[TEMP]08[DIM]                                                             | 3-1/2" to 5-3/4" | White  | A\$ 627.37   |
| H0[TEMP]11[DIM]                                                             | 6" to 8-3/4"     | Bronze | A\$ 664.03   |
| H0[TEMP]21[DIM]                                                             | 6" to 8-3/4"     | Chrome | A\$ 647.07   |
| H0[TEMP]08[DIM]                                                             | 6" to 8-3/4"     | White  | A\$ 660.18   |
| H0[TEMP]11[DIM]                                                             | 9" to 11-3/4"    | Bronze | A\$ 696.89   |
| H0[TEMP]21[DIM]                                                             | 9" to 11-3/4"    | Chrome | A\$ 679.92   |
| H0[TEMP]08[DIM]                                                             | 9" to 11-3/4"    | White  | A\$ 693.03   |
| H0[TEMP]11[DIM]                                                             | 12" to 14-3/4"   | Bronze | A\$ 729.65   |
| H0[TEMP]21[DIM]                                                             | 12" to 14-3/4"   | Chrome | A\$ 712.70   |
| H0[TEMP]08[DIM]                                                             | 12" to 14-3/4"   | White  | A\$ 725.77   |
| H0[TEMP]11[DIM]                                                             | 15" to 17-3/4"   | Bronze | A\$ 762.46   |
| H0[TEMP]21[DIM]                                                             | 15" to 17-3/4"   | Chrome | A\$ 745.49   |
| H0[TEMP]08[DIM]                                                             | 15" to 17-3/4"   | White  | A\$ 758.59   |
| H0[TEMP]11[DIM]                                                             | 18" to 20-3/4"   | Bronze | A\$ 795.17   |
| H0[TEMP]21[DIM]                                                             | 18" to 20-3/4"   | Chrome | A\$ 778.25   |
| H0[TEMP]08[DIM]                                                             | 18" to 20-3/4"   | White  | A\$ 791.42   |
| H0[TEMP]11[DIM]                                                             | 21" to 23-3/4"   | Bronze | A\$ Call     |
| H0[TEMP]21[DIM]                                                             | 21" to 23-3/4"   | Chrome | A\$ 811.08   |
| H0[TEMP]08[DIM]                                                             | 21" to 23-3/4"   | White  | A\$ 824.11   |
| H0[TEMP]11[DIM]                                                             | 24" to 26-3/4"   | Bronze | A\$ 860.80   |
| H0[TEMP]21[DIM]                                                             | 24" to 26-3/4"   | Chrome | A\$ 843.85   |
| H0[TEMP]08[DIM]                                                             | 24" to 26-3/4"   | White  | A\$ 857.03   |
| H0[TEMP]11[DIM]                                                             | 27" to 29-3/4"   | Bronze | A\$ 893.61   |
| H0[TEMP]21[DIM]                                                             | 27" to 29-3/4"   | Chrome | A\$ 876.61   |
| H0[TEMP]08[DIM]                                                             | 27" to 29-3/4"   | White  | A\$ Call     |
| H0[TEMP]11[DIM]                                                             | 30" to 32-3/4"   | Bronze | A\$ 926.45   |
| H0[TEMP]21[DIM]                                                             | 30" to 32-3/4"   | Chrome | A\$ 909.48   |
| H0[TEMP]08[DIM]                                                             | 30" to 32-3/4"   | White  | A\$ 922.59   |
| H0[TEMP]11[DIM]                                                             | 33" to 35-3/4"   | Bronze | A\$ 959.23   |
| H0[TEMP]21[DIM]                                                             | 33" to 35-3/4"   | Chrome | A\$ 942.27   |
| H0[TEMP]08[DIM]                                                             | 33" to 35-3/4"   | White  | A\$ 955.42   |
| H0[TEMP]11[DIM]                                                             | 36" to 38-3/4"   | Bronze | A\$ Call     |
| H0[TEMP]21[DIM]                                                             | 36" to 38-3/4"   | Chrome | A\$ 975.15   |
| H0[TEMP]08[DIM]                                                             | 36" to 38-3/4"   | White  | A\$ 988.28   |
| H0[TEMP]11[DIM]                                                             | 39" to 41-3/4"   | Bronze | A\$ Call     |
| H0[TEMP]21[DIM]                                                             | 39" to 41-3/4"   | Chrome | A\$ 1,073.52 |
| H0[TEMP]08[DIM]                                                             | 39" to 41-3/4"   | White  | A\$ 1,086.54 |
| H0[TEMP]11[DIM]                                                             | 42" to 44-3/4"   | Bronze | A\$ 1,123.25 |
| H0[TEMP]21[DIM]                                                             | 42" to 44-3/4"   | Chrome | A\$ 1,106.30 |
| H0[TEMP]08[DIM]                                                             | 42" to 44-3/4"   | White  | A\$ Call     |
| H0[TEMP]11[DIM]                                                             | 45" to 48"       | Bronze | A\$ Call     |
| H0[TEMP]21[DIM]                                                             | 45" to 48"       | Chrome | A\$ 1,139.08 |
| H0[TEMP]08[DIM]                                                             | 45" to 48"       | White  | A\$ 1,152.20 |

|            |         |                                  |            |
|------------|---------|----------------------------------|------------|
| 6880070100 | WXLO    | Requires XLO2 Sprinkler Wrench   | A\$ 331.20 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2" | A\$ 69.04  |



## F3QR56 DRY CONCEALED

- K-Factor = 5.6 (80)
- **SIN R5714**
- 3/4" Size
- See Bulletin 157

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (1)        |
| 155°F (68°C)  | (2)        |
| 175°F (79°C)  | (3)        |
| 200°F (93°C)  | (5)        |
| 286°F (141°C) | (8)        |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                           | Size             | Finish                | List Price   |
|-----------------------------------------------------------------------|------------------|-----------------------|--------------|
| <b>MODEL F3QR56 DRY CONCEALED K5.6 (80) THREADS 3/4" (20MM) R5714</b> |                  |                       |              |
| HG5[TEMP]17[DIM]                                                      | 3-1/2" to 5-3/4" | Brass                 | A\$ 818.89   |
| HG5[TEMP]17[DIM]                                                      | 6" to 8-3/4"     |                       | A\$ Call     |
| HG5[TEMP]17[DIM]                                                      | 9" to 11-3/4"    | Brass                 | A\$ 884.38   |
| HG5[TEMP]17[DIM]                                                      | 12" to 14-3/4"   | Brass                 | A\$ 917.20   |
| HG5[TEMP]17[DIM]                                                      | 15" to 17-3/4"   | Brass                 | A\$ 949.99   |
| HG5[TEMP]17[DIM]                                                      | 18" to 20-3/4"   | Brass                 | A\$ 982.89   |
| HG5[TEMP]17[DIM]                                                      | 21" to 23-3/4"   | Brass                 | A\$ 1,015.61 |
| HG5[TEMP]17[DIM]                                                      | 24" to 26-3/4"   | Brass                 | A\$ 1,048.37 |
| HG5[TEMP]17[DIM]                                                      | 27" to 29-3/4"   |                       | A\$ Call     |
| HG5[TEMP]17[DIM]                                                      | 30" to 32-3/4"   |                       | A\$ Call     |
| HG5[TEMP]17[DIM]                                                      | 33" to 36"       | Brass                 | A\$ 1,072.55 |
| <b>MODEL CCP CONICAL CONCEALED COVERPLATES - REQUIRED</b>             |                  |                       |              |
| 6887161321                                                            | CCP0C76          | 135°F 57°C Chrome     | A\$ 168.49   |
| 6887161318                                                            | CCP0W76          | 135°F 57°C Flat White | A\$ 65.66    |
| 6887161621                                                            | CCP1C76          | 165°F 74°C Chrome     | A\$ 168.49   |
| 6887161618                                                            | CCP1W76          | 165°F 74°C Flat White | A\$ 65.66    |

|            |         |                                      |            |
|------------|---------|--------------------------------------|------------|
| 6880070100 | WXLO    | Requires Model XLO2 Sprinkler Wrench | A\$ 331.20 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2"     | A\$ 69.04  |



## F3QR56 DRY CONCEALED

- K-Factor = 5.6 (80)
- **SIN 5714**
- 1" Size
- See Bulletin 157

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                        | Size             | Finish                | List Price   |
|--------------------------------------------------------------------|------------------|-----------------------|--------------|
| <b>MODEL F3QR56 DRY CONCEALED K5.6 (80) THREADS 1" (25MM) 5714</b> |                  |                       |              |
| HG[TEMP]17[DIM]                                                    | 3-1/2" to 5-3/4" | Brass                 | A\$ 744.59   |
| HG[TEMP]17[DIM]                                                    | 6" to 8-3/4"     | Brass                 | A\$ 777.39   |
| HG[TEMP]17[DIM]                                                    | 9" to 11-3/4"    | Brass                 | A\$ 810.13   |
| HG[TEMP]17[DIM]                                                    | 12" to 14-3/4"   | Brass                 | A\$ 842.96   |
| HG[TEMP]17[DIM]                                                    | 15" to 17-3/4"   | Brass                 | A\$ 875.72   |
| HG[TEMP]17[DIM]                                                    | 18" to 20-3/4"   | Brass                 | A\$ 908.58   |
| HG[TEMP]17[DIM]                                                    | 21" to 23-3/4"   | Brass                 | A\$ 941.32   |
| HG[TEMP]17[DIM]                                                    | 24" to 26-3/4"   | Brass                 | A\$ 974.07   |
| HG[TEMP]17[DIM]                                                    | 27" to 29-3/4"   | Brass                 | A\$ 1,006.89 |
| HG[TEMP]17[DIM]                                                    | 30" to 32-3/4"   | Brass                 | A\$ 1,039.65 |
| HG[TEMP]17[DIM]                                                    | 33" to 35-3/4"   | Brass                 | A\$ 1,072.55 |
| HG[TEMP]17[DIM]                                                    | 36" to 38-3/4"   | Brass                 | A\$ 1,105.27 |
| HG[TEMP]17[DIM]                                                    | 39" to 41-3/4"   | Bronze                | A\$ 1,138.08 |
| HG[TEMP]17[DIM]                                                    | 42" to 44-3/4"   | Brass                 | A\$ 1,170.89 |
| HG[TEMP]17[DIM]                                                    | 45" to 48"       | Brass                 | A\$ 1,203.73 |
| <b>MODEL CCP CONICAL CONCEALED COVERPLATES - REQUIRED</b>          |                  |                       |              |
| 6887161321                                                         | CCP0C76          | 135°F 57°C Chrome     | A\$ 168.49   |
| 6887161318                                                         | CCP0W76          | 135°F 57°C Flat White | A\$ 65.66    |
| 6887161621                                                         | CCP1C76          | 165°F 74°C Chrome     | A\$ 168.49   |
| 6887161618                                                         | CCP1W76          | 165°F 74°C Flat White | A\$ 65.66    |

|            |         |                                  |            |
|------------|---------|----------------------------------|------------|
| 6880070100 | WXLO    | Requires XLO2 Sprinkler Wrench   | A\$ 331.20 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2" | A\$ 69.04  |



## F3QR80 DRY PENDENT

- K-Factor = 8.0 (115)
- **SIN RA6112**
- 1" Size
- See Bulletin 061

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                         | Size           | Finish | List Price   |
|---------------------------------------------------------------------|----------------|--------|--------------|
| <b>MODEL F3QR80 DRY PENDENT K8.0 (115) THREADS 1" (25MM) RA6112</b> |                |        |              |
| Q2[TEMP]11[DIM]                                                     | 2" to 5-3/4"   | Brass  | A\$ 643.79   |
| Q2[TEMP]21[DIM]                                                     | 2" to 5-3/4"   | Chrome | A\$ 643.79   |
| Q2[TEMP]08[DIM]                                                     | 2" to 5-3/4"   | White  | A\$ 658.65   |
| Q2[TEMP]11[DIM]                                                     | 6" to 8-3/4"   | Brass  | A\$ 680.92   |
| Q2[TEMP]21[DIM]                                                     | 6" to 8-3/4"   | Chrome | A\$ 680.92   |
| Q2[TEMP]08[DIM]                                                     | 6" to 8-3/4"   | White  | A\$ 733.18   |
| Q2[TEMP]11[DIM]                                                     | 9" to 11-3/4"  | Brass  | A\$ 720.56   |
| Q2[TEMP]21[DIM]                                                     | 9" to 11-3/4"  | Chrome | A\$ 720.56   |
| Q2[TEMP]08[DIM]                                                     | 9" to 11-3/4"  | White  | A\$ 774.76   |
| Q2[TEMP]11[DIM]                                                     | 12" to 14-3/4" | Brass  | A\$ 762.65   |
| Q2[TEMP]21[DIM]                                                     | 12" to 14-3/4" | Chrome | A\$ 762.65   |
| Q2[TEMP]08[DIM]                                                     | 12" to 14-3/4" | White  | A\$ 777.49   |
| Q2[TEMP]11[DIM]                                                     | 15" to 17-3/4" | Brass  | A\$ 802.24   |
| Q2[TEMP]21[DIM]                                                     | 15" to 17-3/4" | Chrome | A\$ 802.24   |
| Q2[TEMP]08[DIM]                                                     | 15" to 17-3/4" | White  | A\$ 857.99   |
| Q2[TEMP]11[DIM]                                                     | 18" to 20-3/4" | Brass  | A\$ 841.89   |
| Q2[TEMP]21[DIM]                                                     | 18" to 20-3/4" | Chrome | A\$ 841.89   |
| Q2[TEMP]08[DIM]                                                     | 18" to 20-3/4" | White  | A\$ 899.56   |
| Q2[TEMP]11[DIM]                                                     | 21" to 23-3/4" | Brass  | A\$ 881.52   |
| Q2[TEMP]21[DIM]                                                     | 21" to 23-3/4" | Chrome | A\$ 881.52   |
| Q2[TEMP]08[DIM]                                                     | 21" to 23-3/4" | White  | A\$ 936.21   |
| Q2[TEMP]11[DIM]                                                     | 24" to 26-3/4" | Brass  | A\$ 921.10   |
| Q2[TEMP]21[DIM]                                                     | 24" to 26-3/4" | Chrome | A\$ 921.10   |
| Q2[TEMP]08[DIM]                                                     | 24" to 26-3/4" | White  | A\$ 982.76   |
| Q2[TEMP]11[DIM]                                                     | 27" to 29-3/4" | Brass  | A\$ 960.73   |
| Q2[TEMP]21[DIM]                                                     | 27" to 29-3/4" | Chrome | A\$ 960.73   |
| Q2[TEMP]08[DIM]                                                     | 27" to 29-3/4" | White  | A\$ 975.58   |
| Q2[TEMP]11[DIM]                                                     | 30" to 32-3/4" | Brass  | A\$ 1,000.34 |
| Q2[TEMP]21[DIM]                                                     | 30" to 32-3/4" | Chrome | A\$ 1,000.34 |
| Q2[TEMP]08[DIM]                                                     | 30" to 32-3/4" | White  | A\$ 1,065.96 |
| Q2[TEMP]11[DIM]                                                     | 33" to 36"     | Brass  | A\$ 1,039.97 |
| Q2[TEMP]21[DIM]                                                     | 33" to 36"     | Chrome | A\$ 1,039.97 |
| Q2[TEMP]08[DIM]                                                     | 33" to 36"     | White  | A\$ 1,107.58 |

6880130001      WF3R      Requires F3R Sprinkler Wrench      A\$      333.65



## F3QR80 DRY PENDENT /HB

- K-Factor = 8.0 (115)
- **SIN RA6112**
- 1" Size
- See Bulletin 061

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                              | Size             | Finish | List Price   |
|--------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL F3QR80 DRY PENDENT / HB K8.0 (115) THREADS 1" (25MM) RA6112</b> |                  |        |              |
| QJ[TEMP]21[DIM]                                                          | 3-1/2" to 5-3/4" | Chrome | A\$ 797.31   |
| QJ[TEMP]08[DIM]                                                          | 3-1/2" to 5-3/4" | White  | A\$ 814.63   |
| QJ[TEMP]21[DIM]                                                          | 6" to 8-3/4"     | Chrome | A\$ 841.89   |
| QJ[TEMP]08[DIM]                                                          | 6" to 8-3/4"     | White  | A\$ 861.69   |
| QJ[TEMP]21[DIM]                                                          | 9" to 11-3/4"    | Chrome | A\$ 888.93   |
| QJ[TEMP]08[DIM]                                                          | 9" to 11-3/4"    | White  | A\$ 906.27   |
| QJ[TEMP]21[DIM]                                                          | 12" to 14-3/4"   | Chrome | A\$ 933.48   |
| QJ[TEMP]08[DIM]                                                          | 12" to 14-3/4"   | White  | A\$ 953.30   |
| QJ[TEMP]21[DIM]                                                          | 15" to 17-3/4"   | Chrome | A\$ 980.56   |
| QJ[TEMP]08[DIM]                                                          | 15" to 17-3/4"   | White  | A\$ 997.87   |
| QJ[TEMP]21[DIM]                                                          | 18" to 20-3/4"   | Chrome | A\$ 1,027.59 |
| QJ[TEMP]08[DIM]                                                          | 18" to 20-3/4"   | White  | A\$ 1,044.92 |
| QJ[TEMP]21[DIM]                                                          | 21" to 23-3/4"   | Chrome | A\$ 1,072.18 |
| QJ[TEMP]08[DIM]                                                          | 21" to 23-3/4"   | White  | A\$ 1,091.97 |
| QJ[TEMP]21[DIM]                                                          | 24" to 26-3/4"   | Chrome | A\$ 1,119.21 |
| QJ[TEMP]08[DIM]                                                          | 24" to 26-3/4"   | White  | A\$ 1,136.56 |
| QJ[TEMP]21[DIM]                                                          | 27" to 29-3/4"   | Chrome | A\$ 1,163.77 |
| QJ[TEMP]08[DIM]                                                          | 27" to 29-3/4"   | White  | A\$ 1,183.56 |
| QJ[TEMP]21[DIM]                                                          | 30" to 32-3/4"   | Chrome | A\$ 1,210.79 |
| QJ[TEMP]08[DIM]                                                          | 30" to 32-3/4"   | White  | A\$ 1,228.17 |
| QJ[TEMP]21[DIM]                                                          | 33" to 36"       | Chrome | A\$ 1,255.39 |
| QJ5[TEMP]08[DIM]                                                         | 33" to 36"       | White  | A\$ 1,275.18 |
| <b>REQUIRED SKIRTS</b>                                                   |                  |        |              |
| 6999994454                                                               | SKIRTC           | Chrome | A\$ 5.23     |
| 6999994881                                                               | SKIRTW           | White  | A\$ 5.23     |

6880130001      WF3R      Requires F3R Sprinkler Wrench      A\$      333.65



## F3QR80 REC FP PENDENT

- K-Factor = 8.0 (115)
- **SIN RA6112**
- 1" Size
- See Bulletin 061

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                            | Size             | Finish | List Price   |
|------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL F3QR80 PENDENT REC FP K8.0 (115) THREADS 1" (25MM) RA6112</b> |                  |        |              |
| Q6[TEMP]11[DIM]                                                        | 3-1/2" to 5-3/4" | Brass  | A\$ 791.54   |
| Q6[TEMP]21[DIM]                                                        | 3-1/2" to 5-3/4" | Chrome | A\$ 791.54   |
| Q6[TEMP]08[DIM]                                                        | 3-1/2" to 5-3/4" | White  | A\$ 811.32   |
| Q6[TEMP]11[DIM]                                                        | 6" to 8-3/4"     | Brass  | A\$ 836.10   |
| Q6[TEMP]21[DIM]                                                        | 6" to 8-3/4"     | Chrome | A\$ 836.10   |
| Q6[TEMP]08[DIM]                                                        | 6" to 8-3/4"     | White  | A\$ 853.44   |
| Q6[TEMP]11[DIM]                                                        | 9" to 11-3/4"    | Brass  | A\$ 880.68   |
| Q6[TEMP]21[DIM]                                                        | 9" to 11-3/4"    | Chrome | A\$ 880.68   |
| Q6[TEMP]08[DIM]                                                        | 9" to 11-3/4"    | White  | A\$ 898.03   |
| Q6[TEMP]11[DIM]                                                        | 12" to 14-3/4"   | Brass  | A\$ 925.23   |
| Q6[TEMP]21[DIM]                                                        | 12" to 14-3/4"   | Chrome | A\$ 925.23   |
| Q6[TEMP]08[DIM]                                                        | 12" to 14-3/4"   | White  | A\$ 942.58   |
| Q6[TEMP]11[DIM]                                                        | 15" to 17-3/4"   | Brass  | A\$ 969.80   |
| Q6[TEMP]21[DIM]                                                        | 15" to 17-3/4"   | Chrome | A\$ 969.80   |
| Q6[TEMP]08[DIM]                                                        | 15" to 17-3/4"   | White  | A\$ 987.14   |
| Q6[TEMP]11[DIM]                                                        | 18" to 20-3/4"   | Brass  | A\$ 1,014.38 |
| Q6[TEMP]21[DIM]                                                        | 18" to 20-3/4"   | Chrome | A\$ 1,014.38 |
| Q6[TEMP]08[DIM]                                                        | 18" to 20-3/4"   | White  | A\$ 1,031.72 |
| Q6[TEMP]11[DIM]                                                        | 21" to 23-3/4"   | Brass  | A\$ 1,058.93 |
| Q6[TEMP]21[DIM]                                                        | 21" to 23-3/4"   | Chrome | A\$ 1,058.93 |
| Q6[TEMP]08[DIM]                                                        | 21" to 23-3/4"   | White  | A\$ 1,076.28 |
| Q6[TEMP]11[DIM]                                                        | 24" to 26-3/4"   | Brass  | A\$ 1,103.52 |
| Q6[TEMP]21[DIM]                                                        | 24" to 26-3/4"   | Chrome | A\$ 1,103.52 |
| Q6[TEMP]08[DIM]                                                        | 24" to 26-3/4"   | White  | A\$ 1,120.85 |
| Q6[TEMP]11[DIM]                                                        | 27" to 29-3/4"   | Brass  | A\$ 1,145.62 |
| Q6[TEMP]21[DIM]                                                        | 27" to 29-3/4"   | Chrome | A\$ 1,145.62 |
| Q6[TEMP]08[DIM]                                                        | 27" to 29-3/4"   | White  | A\$ 1,165.39 |
| Q6[TEMP]11[DIM]                                                        | 30" to 32-3/4"   | Brass  | A\$ 1,190.18 |
| Q6[TEMP]21[DIM]                                                        | 30" to 32-3/4"   | Chrome | A\$ 1,190.18 |
| Q6[TEMP]08[DIM]                                                        | 30" to 32-3/4"   | White  | A\$ 1,207.51 |
| Q6[TEMP]11[DIM]                                                        | 33" to 36"       | Brass  | A\$ 1,234.75 |
| Q6[TEMP]21[DIM]                                                        | 33" to 36"       | Chrome | A\$ 1,234.75 |
| Q6[TEMP]08[DIM]                                                        | 33" to 36"       | White  | A\$ 1,252.08 |

6880070100      WXLO      Requires Model XL02 Sprinkler Wrench      A\$ 331.20



## F3QR80 DRY HSW

- K-Factor = 8.0 (115)
- **SIN RA6132**
- 1" Size
- See Bulletin 061

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                            | Size           | Finish | List Price   |
|------------------------------------------------------------------------|----------------|--------|--------------|
| <b>MODEL F3QR80 DRY HORIZONTAL K8.0 (115) THREADS 1" (25MM) RA6132</b> |                |        |              |
| Q4[TEMP]11[DIM]                                                        | 2" to 5-3/4"   | Brass  | A\$ 643.79   |
| Q4[TEMP]21[DIM]                                                        | 2" to 5-3/4"   | Chrome | A\$ 643.79   |
| Q4[TEMP]08[DIM]                                                        | 2" to 5-3/4"   | White  | A\$ 658.65   |
| Q4[TEMP]11[DIM]                                                        | 6" to 8-3/4"   | Brass  | A\$ 680.92   |
| Q4[TEMP]21[DIM]                                                        | 6" to 8-3/4"   | Chrome | A\$ 680.92   |
| Q4[TEMP]08[DIM]                                                        | 6" to 8-3/4"   | White  | A\$ 698.30   |
| Q4[TEMP]11[DIM]                                                        | 9" to 11-3/4"  | Brass  | A\$ 720.56   |
| Q4[TEMP]21[DIM]                                                        | 9" to 11-3/4"  | Chrome | A\$ 720.56   |
| Q4[TEMP]08[DIM]                                                        | 9" to 11-3/4"  | White  | A\$ 737.86   |
| Q4[TEMP]11[DIM]                                                        | 12" to 14-3/4" | Brass  | A\$ 762.65   |
| Q4[TEMP]21[DIM]                                                        | 12" to 14-3/4" | Chrome | A\$ 762.65   |
| Q4[TEMP]08[DIM]                                                        | 12" to 14-3/4" | White  | A\$ 777.49   |
| Q4[TEMP]11[DIM]                                                        | 15" to 17-3/4" | Brass  | A\$ 802.24   |
| Q4[TEMP]21[DIM]                                                        | 15" to 17-3/4" | Chrome | A\$ 802.24   |
| Q4[TEMP]08[DIM]                                                        | 15" to 17-3/4" | White  | A\$ 817.14   |
| Q4[TEMP]11[DIM]                                                        | 18" to 20-3/4" | Brass  | A\$ 841.89   |
| Q4[TEMP]21[DIM]                                                        | 18" to 20-3/4" | Chrome | A\$ 841.89   |
| Q4[TEMP]08[DIM]                                                        | 18" to 20-3/4" | White  | A\$ 856.72   |
| Q4[TEMP]11[DIM]                                                        | 21" to 23-3/4" | Brass  | A\$ 881.52   |
| Q4[TEMP]21[DIM]                                                        | 21" to 23-3/4" | Chrome | A\$ 881.52   |
| Q4[TEMP]08[DIM]                                                        | 21" to 23-3/4" | White  | A\$ 896.37   |
| Q4[TEMP]11[DIM]                                                        | 24" to 26-3/4" | Brass  | A\$ 921.10   |
| Q4[TEMP]21[DIM]                                                        | 24" to 26-3/4" | Chrome | A\$ 921.10   |
| Q4[TEMP]08[DIM]                                                        | 24" to 26-3/4" | White  | A\$ 935.96   |
| Q4[TEMP]11[DIM]                                                        | 27" to 29-3/4" | Brass  | A\$ 960.73   |
| Q4[TEMP]21[DIM]                                                        | 27" to 29-3/4" | Chrome | A\$ 960.73   |
| Q4[TEMP]08[DIM]                                                        | 27" to 29-3/4" | White  | A\$ 975.58   |
| Q4[TEMP]11[DIM]                                                        | 30" to 32-3/4" | Brass  | A\$ 1,000.34 |
| Q4[TEMP]21[DIM]                                                        | 30" to 32-3/4" | Chrome | A\$ 1,000.34 |
| Q4[TEMP]08[DIM]                                                        | 30" to 32-3/4" | White  | A\$ 1,015.21 |
| Q4[TEMP]11[DIM]                                                        | 33" to 36"     | Brass  | A\$ 1,039.97 |
| Q4[TEMP]21[DIM]                                                        | 33" to 36"     | Chrome | A\$ 1,039.97 |
| Q4[TEMP]08[DIM]                                                        | 33" to 36"     | White  | A\$ 1,054.82 |

6880130001      WF3R      Requires F3R Sprinkler Wrench      A\$      333.65



## F3QR80 DRY HSW / HB

- K-Factor = 8.0 (115)
- **SIN RA6132**
- 1" Size
- See Bulletin 061

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                                 | Size             | Finish | List Price   |
|-----------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL F3QR80 DRY HORIZONTAL / HB K8.0 (115) THREADS 1" (25MM) RA6132</b> |                  |        |              |
| QK[TEMP]21[DIM]                                                             | 3-1/2" to 5-3/4" | Chrome | A\$ 797.31   |
| QK[TEMP]08[DIM]                                                             | 3-1/2" to 5-3/4" | White  | A\$ 814.63   |
| QK[TEMP]21[DIM]                                                             | 6" to 8-3/4"     | Chrome | A\$ 841.89   |
| QK[TEMP]08[DIM]                                                             | 6" to 8-3/4"     | White  | A\$ 861.69   |
| QK[TEMP]21[DIM]                                                             | 9" to 11-3/4"    | Chrome | A\$ 888.93   |
| QK[TEMP]08[DIM]                                                             | 9" to 11-3/4"    | White  | A\$ 906.27   |
| QK[TEMP]21[DIM]                                                             | 12" to 14-3/4"   | Chrome | A\$ 933.48   |
| QK[TEMP]08[DIM]                                                             | 12" to 14-3/4"   | White  | A\$ 953.30   |
| QK[TEMP]21[DIM]                                                             | 15" to 17-3/4"   | Chrome | A\$ 980.56   |
| QK[TEMP]08[DIM]                                                             | 15" to 17-3/4"   | White  | A\$ 997.87   |
| QK[TEMP]21[DIM]                                                             | 18" to 20-3/4"   | Chrome | A\$ 1,027.59 |
| QK[TEMP]08[DIM]                                                             | 18" to 20-3/4"   | White  | A\$ 1,044.92 |
| QK[TEMP]21[DIM]                                                             | 21" to 23-3/4"   | Chrome | A\$ 1,072.18 |
| QK[TEMP]08[DIM]                                                             | 21" to 23-3/4"   | White  | A\$ 1,091.97 |
| QK[TEMP]21[DIM]                                                             | 24" to 26-3/4"   | Chrome | A\$ 1,119.21 |
| QK[TEMP]08[DIM]                                                             | 24" to 26-3/4"   | White  | A\$ 1,136.56 |
| QK[TEMP]21[DIM]                                                             | 27" to 29-3/4"   | Chrome | A\$ 1,163.77 |
| QK[TEMP]08[DIM]                                                             | 27" to 29-3/4"   | White  | A\$ 1,183.56 |
| QK[TEMP]21[DIM]                                                             | 30" to 32-3/4"   | Chrome | A\$ 1,210.79 |
| QK[TEMP]08[DIM]                                                             | 30" to 32-3/4"   | White  | A\$ 1,228.17 |
| QK[TEMP]21[DIM]                                                             | 33" to 36"       | Chrome | A\$ 1,255.39 |
| QK[TEMP]08[DIM]                                                             | 33" to 36"       | White  | A\$ 1,275.18 |
| <b>REQUIRED SKIRTS</b>                                                      |                  |        |              |
| 6999994454                                                                  | SKIRTC           | Chrome | A\$ 5.23     |
| 6999994881                                                                  | SKIRTW           | White  | A\$ 5.23     |

6880130001      WF3R      Requires F3R Sprinkler Wrench      A\$      333.65



## F3QR80 DRY REC FP HSW

- K-Factor = 8.0 (115)
- **SIN RA6132**
- 1" Size
- See Bulletin 061

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                                   | Size             | Finish | List Price   |
|-------------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL F3QR80 DRY HORIZONTAL REC FP K8.0 (115) THREADS 1" (25MM) RA6132</b> |                  |        |              |
| Q5[TEMP]11[DIM]                                                               | 3-1/2" to 5-3/4" | Brass  | A\$ 791.54   |
| Q5[TEMP]21[DIM]                                                               | 3-1/2" to 5-3/4" | Chrome | A\$ 791.54   |
| Q5[TEMP]08[DIM]                                                               | 3-1/2" to 5-3/4" | White  | A\$ 811.32   |
| Q5[TEMP]11[DIM]                                                               | 6" to 8-3/4"     | Brass  | A\$ 836.10   |
| Q5[TEMP]21[DIM]                                                               | 6" to 8-3/4"     | Chrome | A\$ 836.10   |
| Q5[TEMP]08[DIM]                                                               | 6" to 8-3/4"     | White  | A\$ 853.44   |
| Q5[TEMP]11[DIM]                                                               | 9" to 11-3/4"    | Brass  | A\$ 880.68   |
| Q5[TEMP]21[DIM]                                                               | 9" to 11-3/4"    | Chrome | A\$ 880.68   |
| Q5[TEMP]08[DIM]                                                               | 9" to 11-3/4"    | White  | A\$ 898.03   |
| Q5[TEMP]11[DIM]                                                               | 12" to 14-3/4"   | Brass  | A\$ 925.23   |
| Q5[TEMP]21[DIM]                                                               | 12" to 14-3/4"   | Chrome | A\$ 925.23   |
| Q5[TEMP]08[DIM]                                                               | 12" to 14-3/4"   | White  | A\$ 942.58   |
| Q5[TEMP]11[DIM]                                                               | 15" to 17-3/4"   | Brass  | A\$ 969.80   |
| Q5[TEMP]21[DIM]                                                               | 15" to 17-3/4"   | Chrome | A\$ 969.80   |
| Q5[TEMP]08[DIM]                                                               | 15" to 17-3/4"   | White  | A\$ 987.14   |
| Q5[TEMP]11[DIM]                                                               | 18" to 20-3/4"   | Brass  | A\$ 1,014.38 |
| Q5[TEMP]21[DIM]                                                               | 18" to 20-3/4"   | Chrome | A\$ 1,014.38 |
| Q5[TEMP]08[DIM]                                                               | 18" to 20-3/4"   | White  | A\$ 1,031.72 |
| Q5[TEMP]11[DIM]                                                               | 21" to 23-3/4"   | Brass  | A\$ 1,058.93 |
| Q5[TEMP]21[DIM]                                                               | 21" to 23-3/4"   | Chrome | A\$ 1,058.93 |
| Q5[TEMP]08[DIM]                                                               | 21" to 23-3/4"   | White  | A\$ 1,076.28 |
| Q5[TEMP]11[DIM]                                                               | 24" to 26-3/4"   | Brass  | A\$ 1,103.52 |
| Q5[TEMP]21[DIM]                                                               | 24" to 26-3/4"   | Chrome | A\$ 1,103.52 |
| Q5[TEMP]08[DIM]                                                               | 24" to 26-3/4"   | White  | A\$ 1,120.85 |
| Q5[TEMP]11[DIM]                                                               | 27" to 29-3/4"   | Brass  | A\$ 1,145.62 |
| Q5[TEMP]21[DIM]                                                               | 27" to 29-3/4"   | Chrome | A\$ 1,145.62 |
| Q5[TEMP]08[DIM]                                                               | 27" to 29-3/4"   | White  | A\$ 1,165.39 |
| Q5[TEMP]11[DIM]                                                               | 30" to 32-3/4"   | Brass  | A\$ 1,190.18 |
| Q5[TEMP]21[DIM]                                                               | 30" to 32-3/4"   | Chrome | A\$ 1,190.18 |
| Q5[TEMP]08[DIM]                                                               | 30" to 32-3/4"   | White  | A\$ 1,207.51 |
| Q5[TEMP]11[DIM]                                                               | 33" to 36"       | Brass  | A\$ 1,234.75 |
| Q5[TEMP]21[DIM]                                                               | 33" to 36"       | Chrome | A\$ 1,234.75 |
| Q5[TEMP]08[DIM]                                                               | 33" to 36"       | White  | A\$ 1,252.08 |

6880070100      WXLO      Requires Model XL02 Sprinkler Wrench      A\$      331.20



## F3QR80 DRY CONCEALED

- K-Factor = 8.0 (115)
- **SIN RA6112**
- 1" Size
- See Bulletin 061

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                           | Size             | Finish     | List Price           |
|-----------------------------------------------------------------------|------------------|------------|----------------------|
| <b>MODEL F3QR80 DRY CONCEALED K8.0 (115) THREADS 1" (25MM) RA6112</b> |                  |            |                      |
| QG[TEMP]17[DIM]                                                       | 3-1/2" to 5-3/4" | W/O        | A\$ 1,042.42         |
| QG[TEMP]17[DIM]                                                       | 6" to 8-3/4"     | Brass      | A\$ 1,089.49         |
| QG[TEMP]17[DIM]                                                       | 9" to 11-3/4"    | Brass      | A\$ 1,134.03         |
| QG[TEMP]17[DIM]                                                       | 12" to 14-3/4"   | Brass      | A\$ 1,181.10         |
| QG[TEMP]17[DIM]                                                       | 15" to 17-3/4"   | Brass      | A\$ 1,225.68         |
| QG[TEMP]17[DIM]                                                       | 18" to 20-3/4"   | Brass      | A\$ 1,272.72         |
| QG[TEMP]17[DIM]                                                       | 21" to 23-3/4"   | Brass      | A\$ 1,319.80         |
| QG[TEMP]17[DIM]                                                       | 24" to 26-3/4"   | Brass      | A\$ 1,364.32         |
| QG[TEMP]17[DIM]                                                       | 27" to 29-3/4"   | Brass      | A\$ 1,411.39         |
| QG[TEMP]17[DIM]                                                       | 30" to 32-3/4"   | Brass      | A\$ 1,455.96         |
| QG[TEMP]17[DIM]                                                       | 33" to 36"       | Brass      | A\$ 1,503.00         |
| <b>REQUIRED COVERPLATES</b>                                           |                  |            |                      |
| 6887161321                                                            | CCP0C76          | 135°F 57°C | Chrome A\$ 168.49    |
| 6887161318                                                            | CCP0W76          | 135°F 57°C | Flat White A\$ 65.66 |
| 6887161621                                                            | CCP1C76          | 165°F 74°C | Chrome A\$ 168.49    |
| 6887161618                                                            | CCP1W76          | 165°F 74°C | Flat White A\$ 65.66 |

6880070100    WXLO    Requires Model XLO2 Sprinkler Wrench    A\$ 331.20



## G5-56 DRY

- K-Factor = 5.6 (80)
- **SIN RA5114**
- 1" Size
- See Bulletin 051
- **Sprinkler available in 165 & 212 Degree**

| Part Number                                                         |        | Size                     | Finish          | List Price   |
|---------------------------------------------------------------------|--------|--------------------------|-----------------|--------------|
| <b>MODEL G5-56 DRY CONCEALED K5.6 (80) THREADS 1" (25MM) RA5114</b> |        |                          |                 |              |
| HN[TEMP]17[DIM]                                                     |        | 4-1/4" to 5-3/4"         | Brass           | A\$ 1,039.97 |
| HN[TEMP]17[DIM]                                                     |        | 6" to 8-3/4"             | Brass           | A\$ 1,077.08 |
| HN[TEMP]17[DIM]                                                     |        | 9" to 11-3/4"            | Brass           | A\$ 1,106.82 |
| HN[TEMP]17[DIM]                                                     |        | 12" to 14-3/4"           | Brass           | A\$ 1,138.99 |
| HN[TEMP]17[DIM]                                                     |        | 15" to 17-3/4"           | Brass           | A\$ 1,171.20 |
| HN[TEMP]17[DIM]                                                     |        | 18" to 20-3/4"           | Brass           | A\$ 1,203.38 |
| HN[TEMP]17[DIM]                                                     |        | 21" to 23-3/4"           | Brass           | A\$ 1,233.08 |
| HN[TEMP]17[DIM]                                                     |        | 24" to 26-3/4"           | Brass           | A\$ 1,267.76 |
| HN[TEMP]17[DIM]                                                     |        | 27" to 29-3/4"           | Brass           | A\$ 1,299.97 |
| HN[TEMP]17[DIM]                                                     |        | 30" to 32-3/4"           | Brass           | A\$ 1,337.11 |
| HN[TEMP]17[DIM]                                                     |        | 33" to 35-3/4"           | Brass           | A\$ 1,386.59 |
| HN[TEMP]17[DIM]                                                     |        | 36" to 38-3/4"           | Brass           | A\$ 1,411.39 |
| HN[TEMP]17[DIM]                                                     |        | 39" to 41-3/4"           | Brass           | A\$ 1,448.51 |
| HN[TEMP]17[DIM]                                                     |        | 42" to 44-3/4"           | Brass           | A\$ 1,475.79 |
| HN[TEMP]17[DIM]                                                     |        | 45" to 48"               | Brass           | A\$ 1,498.06 |
| <b>MODEL G5 COVER PLATES</b>                                        |        |                          |                 |              |
| 6887271321                                                          | CG50C  | 135°F 57°C               | Chrome          | A\$ 78.04    |
| 6887271372                                                          | CG50W  | 135°F 57°C               | White           | A\$ 71.13    |
| 6887271311                                                          | CG50B  | 135°F 57°C               | Finished Bronze | A\$ 101.44   |
| 6887271374                                                          | CG50OW | 135°F 57°C               | Off-White       | A\$ 96.73    |
| 6887271390                                                          | CG50SP | 135°F 57°C               | Specialty       | A\$ 100.61   |
| 6887271316                                                          | CG50FB | 135°F 57°C               | Black Painted   | A\$ 96.86    |
| 6887271305                                                          | CG50BB | 135°F 57°C               | Bright Brass    | A\$ 122.79   |
| 6887271323                                                          | CG50CD | 135°F 57°C               | Satin Chrome    | A\$ 122.79   |
| 6887271310                                                          | CG50SS | 135°F 57°C               | Stainless Steel | A\$ 122.79   |
| 6887271319                                                          | CG50EW | 135°F 57°C               | Euro White      | A\$ 71.13    |
| 6887271621                                                          | CG51C  | 165°F 74°C               | Chrome          | A\$ 78.04    |
| 6887271672                                                          | CG51W  | 165°F 74°C               | White           | A\$ 71.13    |
| 6887271611                                                          | CG51B  | 165°F 74°C               | Finished Bronze | A\$ 101.44   |
| 6887271674                                                          | CG51OW | 165°F 74°C               | Off-White       | A\$ 96.73    |
| 6887271690                                                          | CG51SP | 165°F 74°C               | Specialty       | A\$ 100.61   |
| 6887271616                                                          | CG51FB | 165°F 74°C               | Black Painted   | A\$ 96.86    |
| 6887271605                                                          | CG51BB | 165°F 74°C               | Bright Brass    | A\$ 122.79   |
| 6887271623                                                          | CG51CD | 165°F 74°C               | Satin Chrome    | A\$ 122.79   |
| 6887271610                                                          | CG51SS | 165°F 74°C               | Stainless Steel | A\$ 122.79   |
| 6887271619                                                          | CG51EW | 165°F 74°C               | Euro White      | A\$ 71.13    |
| 6880170020                                                          | WFC    | Requires Model FC Wrench |                 | A\$ 633.90   |



## DH56 DRY HSW

- K-Factor = 5.6 (80)
- **SIN RA1664**
- 1" Size
- See Bulletin 016

| Order Matrix |            |
|--------------|------------|
| Temp/Dim     | Conversion |
| 155°F (68°C) | (02)       |
| 175°F (79°C) | (03)       |
| 200°F (93°C) | (05)       |
| 6" Dim       | 0600       |
| 10-1/2" Dim  | 1012       |
| 12-1/4" Dim  | 1214       |

| Part Number                                                         | Size           | Finish | List Price   |
|---------------------------------------------------------------------|----------------|--------|--------------|
| <b>MODEL DH56 DRY HORIZONTAL K5.6 (80) THREADS 1" (25MM) RA1664</b> |                |        |              |
| H7[TEMP]11[DIM]                                                     | 2" to 5-3/4"   | Brass  | A\$ 707.10   |
| H7[TEMP]21[DIM]                                                     | 2" to 5-3/4"   | Chrome | A\$ 707.10   |
| H7[TEMP]08[DIM]                                                     | 2" to 5-3/4"   | White  | A\$ 725.54   |
| H7[TEMP]11[DIM]                                                     | 6" to 8-3/4"   | Bronze | A\$ 753.06   |
| H7[TEMP]21[DIM]                                                     | 6" to 8-3/4"   | Chrome | A\$ 753.06   |
| H7[TEMP]08[DIM]                                                     | 6" to 8-3/4"   | White  | A\$ 771.44   |
| H7[TEMP]11[DIM]                                                     | 9" to 11-3/4"  | Bronze | A\$ 798.87   |
| H7[TEMP]21[DIM]                                                     | 9" to 11-3/4"  | Chrome | A\$ 798.87   |
| H7[TEMP]08[DIM]                                                     | 9" to 11-3/4"  | White  | A\$ 817.30   |
| H7[TEMP]11[DIM]                                                     | 12" to 14-3/4" | Bronze | A\$ 844.87   |
| H7[TEMP]21[DIM]                                                     | 12" to 14-3/4" | Chrome | A\$ 844.87   |
| H7[TEMP]08[DIM]                                                     | 12" to 14-3/4" | White  | A\$ 863.18   |
| H7[TEMP]11[DIM]                                                     | 15" to 17-3/4" | Bronze | A\$ 890.80   |
| H7[TEMP]21[DIM]                                                     | 15" to 17-3/4" | Chrome | A\$ 890.80   |
| H7[TEMP]08[DIM]                                                     | 15" to 17-3/4" | White  | A\$ 909.15   |
| H7[TEMP]11[DIM]                                                     | 18" to 20-3/4" | Bronze | A\$ 935.31   |
| H7[TEMP]21[DIM]                                                     | 18" to 20-3/4" | Chrome | A\$ 935.31   |
| H7[TEMP]08[DIM]                                                     | 18" to 20-3/4" | White  | A\$ 955.06   |
| H7[TEMP]11[DIM]                                                     | 21" to 23-3/4" | Bronze | A\$ 982.51   |
| H7[TEMP]21[DIM]                                                     | 21" to 23-3/4" | Chrome | A\$ 982.51   |
| H7[TEMP]08[DIM]                                                     | 21" to 23-3/4" | White  | A\$ 1,000.99 |
| H7[TEMP]11[DIM]                                                     | 24" to 26-3/4" | Bronze | A\$ 1,028.52 |
| H7[TEMP]21[DIM]                                                     | 24" to 26-3/4" | Chrome | A\$ 1,028.52 |
| H7[TEMP]08[DIM]                                                     | 24" to 26-3/4" | White  | A\$ 1,046.77 |
| H7[TEMP]11[DIM]                                                     | 27" to 29-3/4" | Bronze | A\$ 1,074.48 |
| H7[TEMP]21[DIM]                                                     | 27" to 29-3/4" | Chrome | A\$ 1,074.48 |
| H7[TEMP]08[DIM]                                                     | 27" to 29-3/4" | White  | A\$ 1,092.77 |
| H7[TEMP]11[DIM]                                                     | 30" to 32-3/4" | Bronze | A\$ 1,120.38 |
| H7[TEMP]21[DIM]                                                     | 30" to 32-3/4" | Chrome | A\$ 1,120.38 |
| H7[TEMP]08[DIM]                                                     | 30" to 32-3/4" | White  | A\$ 1,138.70 |
| H7[TEMP]11[DIM]                                                     | 33" to 35-3/4" | Bronze | A\$ 1,166.24 |
| H7[TEMP]21[DIM]                                                     | 33" to 35-3/4" | Chrome | A\$ 1,166.24 |
| H7[TEMP]08[DIM]                                                     | 33" to 35-3/4" | White  | A\$ 1,184.58 |
| H7[TEMP]11[DIM]                                                     | 36" to 38-3/4" | Bronze | A\$ 1,212.11 |
| H7[TEMP]21[DIM]                                                     | 36" to 38-3/4" | Chrome | A\$ 1,212.11 |
| H7[TEMP]08[DIM]                                                     | 36" to 38-3/4" | White  | A\$ 1,230.45 |
| H7[TEMP]11[DIM]                                                     | 39" to 41-3/4" | Bronze | A\$ 1,257.94 |
| H7[TEMP]21[DIM]                                                     | 39" to 41-3/4" | Chrome | A\$ 1,257.94 |
| H7[TEMP]08[DIM]                                                     | 39" to 41-3/4" | White  | A\$ 1,276.32 |
| H7[TEMP]11[DIM]                                                     | 42" to 44-3/4" | Bronze | A\$ 1,303.80 |
| H7[TEMP]21[DIM]                                                     | 42" to 44-3/4" | Chrome | A\$ 1,303.80 |
| H7[TEMP]08[DIM]                                                     | 42" to 44-3/4" | White  | A\$ 1,322.17 |
| H7[TEMP]11[DIM]                                                     | 45" to 48"     | Bronze | A\$ 1,349.68 |
| H7[TEMP]21[DIM]                                                     | 45" to 48"     | Chrome | A\$ 1,349.68 |
| H7[TEMP]08[DIM]                                                     | 45" to 48"     | White  | A\$ 1,368.07 |

|            |         |                                  |            |
|------------|---------|----------------------------------|------------|
| 6880130001 | WF3R    | Requires F3R Sprinkler Wrench    | A\$ 333.65 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2" | A\$ 69.04  |



## DH56 DRY HSW / HB

- K-Factor = 5.6 (80)
- **SIN RA1664**
- 1" Size
- See Bulletin 016

| Order Matrix |            |
|--------------|------------|
| Temp/Dim     | Conversion |
| 155°F (68°C) | (02)       |
| 175°F (79°C) | (03)       |
| 200°F (93°C) | (05)       |
| 6" Dim       | 0600       |
| 10-1/2" Dim  | 1012       |
| 12-1/4" Dim  | 1214       |

| Part Number                                                              | Size             | Finish | List Price   |
|--------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL DH56 DRY HORIZONTAL / HB K5.6 (80) THREADS 1" (25MM) RA1664</b> |                  |        |              |
| HM[TEMP]21[DIM]                                                          | 3-1/2" to 5-3/4" | Chrome | A\$ 764.06   |
| HM[TEMP]08[DIM]                                                          | 3-1/2" to 5-3/4" | White  | A\$ 782.51   |
| HM[TEMP]21[DIM]                                                          | 6" to 8-3/4"     | Chrome | A\$ 810.07   |
| HM[TEMP]08[DIM]                                                          | 6" to 8-3/4"     | White  | A\$ 828.37   |
| HM[TEMP]21[DIM]                                                          | 9" to 11-3/4"    | Chrome | A\$ 855.77   |
| HM[TEMP]08[DIM]                                                          | 9" to 11-3/4"    | White  | A\$ 874.23   |
| HM[TEMP]21[DIM]                                                          | 12" to 14-3/4"   | Chrome | A\$ 901.87   |
| HM[TEMP]08[DIM]                                                          | 12" to 14-3/4"   | White  | A\$ 920.15   |
| HM[TEMP]21[DIM]                                                          | 15" to 17-3/4"   | Chrome | A\$ 947.73   |
| HM[TEMP]08[DIM]                                                          | 15" to 17-3/4"   | White  | A\$ 966.08   |
| HM[TEMP]21[DIM]                                                          | 18" to 20-3/4"   | Chrome | A\$ 993.68   |
| HM[TEMP]08[DIM]                                                          | 18" to 20-3/4"   | White  | A\$ 1,012.03 |
| HM[TEMP]21[DIM]                                                          | 21" to 23-3/4"   | Chrome | A\$ 1,039.54 |
| HM[TEMP]08[DIM]                                                          | 21" to 23-3/4"   | White  | A\$ 1,057.96 |
| HM[TEMP]21[DIM]                                                          | 24" to 26-3/4"   | Chrome | A\$ 1,085.44 |
| HM[TEMP]08[DIM]                                                          | 24" to 26-3/4"   | White  | A\$ 1,103.79 |
| HM[TEMP]21[DIM]                                                          | 27" to 29-3/4"   | Chrome | A\$ 1,131.48 |
| HM[TEMP]08[DIM]                                                          | 27" to 29-3/4"   | White  | A\$ 1,149.79 |
| HM[TEMP]21[DIM]                                                          | 30" to 32-3/4"   | Chrome | A\$ 1,177.35 |
| HM[TEMP]08[DIM]                                                          | 30" to 32-3/4"   | White  | A\$ 1,195.63 |
| HM[TEMP]21[DIM]                                                          | 33" to 35-3/4"   | Chrome | A\$ 1,223.11 |
| HM[TEMP]08[DIM]                                                          | 33" to 35-3/4"   | White  | A\$ 1,241.61 |
| HM[TEMP]21[DIM]                                                          | 36" to 38-3/4"   | Chrome | A\$ 1,269.11 |
| HM[TEMP]08[DIM]                                                          | 36" to 38-3/4"   | White  | A\$ 1,287.48 |
| HM[TEMP]21[DIM]                                                          | 39" to 41-3/4"   | Chrome | A\$ 1,315.11 |
| HM[TEMP]08[DIM]                                                          | 39" to 41-3/4"   | White  | A\$ 1,333.44 |
| HM[TEMP]21[DIM]                                                          | 42" to 44-3/4"   | Chrome | A\$ 1,361.00 |
| HM[TEMP]08[DIM]                                                          | 42" to 44-3/4"   | White  | A\$ 1,379.25 |
| HM[TEMP]21[DIM]                                                          | 45" to 48"       | Chrome | A\$ 1,406.92 |
| HM[TEMP]08[DIM]                                                          | 45" to 48"       | White  | A\$ 1,425.31 |
| <b>REQUIRED SKIRTS</b>                                                   |                  |        |              |
| 6999994454                                                               | SKIRTC           | Chrome | A\$ 5.23     |
| 6999994881                                                               | SKIRTW           | White  | A\$ 5.23     |

|            |         |                                  |            |
|------------|---------|----------------------------------|------------|
| 6880130001 | WF3R    | Requires F3R Sprinkler Wrench    | A\$ 333.65 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2" | A\$ 69.04  |



## DH56 DRY REC HSW

- K-Factor = 5.6 (80)
- **SIN RA1664**
- 1" Size
- See Bulletin 016

| Order Matrix |            |
|--------------|------------|
| Temp/Dim     | Conversion |
| 155°F (68°C) | (02)       |
| 175°F (79°C) | (03)       |
| 200°F (93°C) | (05)       |
| 6" Dim       | 0600       |
| 10-1/2" Dim  | 1012       |
| 12-1/4" Dim  | 1214       |

| Part Number                                                                | Size             | Finish | List Price   |
|----------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL DH56 DRY HORIZONTAL FP REC K5.6 (80) THREADS 1" (25MM) RA1664</b> |                  |        |              |
| H8[TEMP]11[DIM]                                                            | 3-1/2" to 5-3/4" | Bronze | A\$ 787.99   |
| H8[TEMP]21[DIM]                                                            | 3-1/2" to 5-3/4" | Chrome | A\$ 787.99   |
| H8[TEMP]08[DIM]                                                            | 3-1/2" to 5-3/4" | White  | A\$ 806.45   |
| H8[TEMP]11[DIM]                                                            | 6" to 8-3/4"     | Brass  | A\$ 834.00   |
| H8[TEMP]21[DIM]                                                            | 6" to 8-3/4"     | Chrome | A\$ 834.00   |
| H8[TEMP]08[DIM]                                                            | 6" to 8-3/4"     | White  | A\$ 852.32   |
| H8[TEMP]11[DIM]                                                            | 9" to 11-3/4"    |        | A\$ Call     |
| H8[TEMP]21[DIM]                                                            | 9" to 11-3/4"    | Chrome | A\$ 879.70   |
| H8[TEMP]08[DIM]                                                            | 9" to 11-3/4"    | White  | A\$ 898.13   |
| H8[TEMP]11[DIM]                                                            | 12" to 14-3/4"   | Bronze | A\$ 925.80   |
| H8[TEMP]21[DIM]                                                            | 12" to 14-3/4"   | Chrome | A\$ 925.80   |
| H8[TEMP]08[DIM]                                                            | 12" to 14-3/4"   | White  | A\$ 944.10   |
| H8[TEMP]11[DIM]                                                            | 15" to 17-3/4"   | Bronze | A\$ 971.65   |
| H8[TEMP]21[DIM]                                                            | 15" to 17-3/4"   | Chrome | A\$ 971.65   |
| H8[TEMP]08[DIM]                                                            | 15" to 17-3/4"   | White  | A\$ 990.00   |
| H8[TEMP]11[DIM]                                                            | 18" to 20-3/4"   | Bronze | A\$ 1,017.62 |
| H8[TEMP]21[DIM]                                                            | 18" to 20-3/4"   | Chrome | A\$ 1,017.62 |
| H8[TEMP]08[DIM]                                                            | 18" to 20-3/4"   | White  | A\$ 1,035.94 |
| H8[TEMP]11[DIM]                                                            | 21" to 23-3/4"   | Bronze | A\$ 1,063.44 |
| H8[TEMP]21[DIM]                                                            | 21" to 23-3/4"   | Chrome | A\$ 1,063.44 |
| H8[TEMP]08[DIM]                                                            | 21" to 23-3/4"   | White  | A\$ 1,081.87 |
| H8[TEMP]11[DIM]                                                            | 24" to 26-3/4"   | Bronze | A\$ 1,109.38 |
| H8[TEMP]21[DIM]                                                            | 24" to 26-3/4"   | Chrome | A\$ 1,109.38 |
| H8[TEMP]08[DIM]                                                            | 24" to 26-3/4"   | White  | A\$ 1,127.76 |
| H8[TEMP]11[DIM]                                                            | 27" to 29-3/4"   | Bronze | A\$ 1,155.41 |
| H8[TEMP]21[DIM]                                                            | 27" to 29-3/4"   | Chrome | A\$ 1,155.41 |
| H8[TEMP]08[DIM]                                                            | 27" to 29-3/4"   | White  | A\$ 1,173.70 |
| H8[TEMP]11[DIM]                                                            | 30" to 32-3/4"   | Bronze | A\$ 1,201.25 |
| H8[TEMP]21[DIM]                                                            | 30" to 32-3/4"   | Chrome | A\$ 1,201.25 |
| H8[TEMP]08[DIM]                                                            | 30" to 32-3/4"   | White  | A\$ 1,219.58 |
| H8[TEMP]11[DIM]                                                            | 33" to 35-3/4"   | Bronze | A\$ Call     |
| H8[TEMP]21[DIM]                                                            | 33" to 35-3/4"   |        | A\$ Call     |
| H8[TEMP]08[DIM]                                                            | 33" to 35-3/4"   | White  | A\$ 1,265.54 |
| H8[TEMP]11[DIM]                                                            | 36" to 38-3/4"   | Bronze | A\$ 1,293.04 |
| H8[TEMP]21[DIM]                                                            | 36" to 38-3/4"   | Chrome | A\$ 1,293.04 |
| H8[TEMP]08[DIM]                                                            | 36" to 38-3/4"   | White  | A\$ 1,311.42 |
| H8[TEMP]11[DIM]                                                            | 39" to 41-3/4"   | Bronze | A\$ Call     |
| H8[TEMP]21[DIM]                                                            | 39" to 41-3/4"   |        | A\$ Call     |
| H8[TEMP]08[DIM]                                                            | 39" to 41-3/4"   |        | A\$ Call     |
| H8[TEMP]11[DIM]                                                            | 42" to 44-3/4"   | Bronze | A\$ 1,384.94 |
| H8[TEMP]21[DIM]                                                            | 42" to 44-3/4"   | Chrome | A\$ 1,384.94 |
| H8[TEMP]08[DIM]                                                            | 42" to 44-3/4"   | White  | A\$ 1,403.18 |
| H8[TEMP]11[DIM]                                                            | 45" to 48"       | Bronze | A\$ 1,430.86 |
| H8[TEMP]21[DIM]                                                            | 45" to 48"       | Chrome | A\$ 1,430.86 |
| H8[TEMP]08[DIM]                                                            | 45" to 48"       |        | A\$ Call     |

6880070100  
6990004858

WXLO  
DEKTITE

Requires XLO2 Sprinkler Wrench  
Dektite Pipe Flashing, 1/4" - 2"

A\$ 331.20  
A\$ 69.04



## DH56 DRY CONCEALED

- K-Factor = 5.6 (80)
- **SIN RA1664**
- 1" Size
- See Bulletin 016

| Order Matrix |            |
|--------------|------------|
| Temp/Dim     | Conversion |
| 155°F (68°C) | (02)       |
| 175°F (79°C) | (03)       |
| 200°F (93°C) | (05)       |
| 6" Dim       | 0600       |
| 10-1/2" Dim  | 1012       |
| 12-1/4" Dim  | 1214       |

| Part Number                                                        | Size             | Finish               | List Price   |
|--------------------------------------------------------------------|------------------|----------------------|--------------|
| <b>MODEL DH56 DRY CONCEALED K5.6 (80) THREADS 1" (25MM) RA1664</b> |                  |                      |              |
| HH[TEMP]17[DIM]                                                    | 3-1/2" to 5-3/4" | Brass                | A\$ 963.37   |
| HH[TEMP]17[DIM]                                                    | 6" to 8-3/4"     | Brass                | A\$ 1,009.35 |
| HH[TEMP]17[DIM]                                                    | 9" to 11-3/4"    | Brass                | A\$ 1,055.20 |
| HH[TEMP]17[DIM]                                                    | 12" to 14-3/4"   | Brass                | A\$ 1,101.07 |
| HH[TEMP]17[DIM]                                                    | 15" to 17-3/4"   | Brass                | A\$ 1,147.10 |
| HH[TEMP]17[DIM]                                                    | 18" to 20-3/4"   | Brass                | A\$ 1,192.92 |
| HH[TEMP]17[DIM]                                                    | 21" to 23-3/4"   | Brass                | A\$ 1,238.93 |
| HH[TEMP]17[DIM]                                                    | 24" to 26-3/4"   | Brass                | A\$ 1,285.66 |
| HH[TEMP]17[DIM]                                                    | 27" to 29-3/4"   | Brass                | A\$ 1,376.54 |
| HH[TEMP]17[DIM]                                                    | 30" to 32-3/4"   |                      | A\$ Call     |
| HH[TEMP]17[DIM]                                                    | 33" to 35-3/4"   | Brass                | A\$ 1,560.25 |
| HH[TEMP]17[DIM]                                                    | 36" to 38-3/4"   | Brass                | A\$ 1,606.13 |
| HH[TEMP]17[DIM]                                                    | 39" to 41-3/4"   |                      | A\$ Call     |
| HH[TEMP]17[DIM]                                                    | 42" to 44-3/4"   |                      | A\$ Call     |
| HH[TEMP]17[DIM]                                                    | 45" to 48"       |                      | A\$ Call     |
| <b>MODEL SWC COVERPLATE - REQUIRED</b>                             |                  |                      |              |
| 6887131318                                                         | CHWNS            | 135°F 57°C White     | A\$ 67.24    |
| 6887131390                                                         | CHSPNS           | 135°F 57°C Specialty | A\$ 100.82   |

|            |         |                                  |            |
|------------|---------|----------------------------------|------------|
| 6880070100 | WXLO    | Requires XLO2 Sprinkler Wrench   | A\$ 331.20 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2" | A\$ 69.04  |



## DH80 DRY HSW Extended Coverage HSW

- K-Factor = 8.0 (115)
- **SIN RA5532**
- 1" Size
- See Bulletin 055

| Order Matrix |            |
|--------------|------------|
| Temp/Dim     | Conversion |
| 155°F (68°C) | (02)       |
| 175°F (79°C) | (03)       |
| 200°F (93°C) | (05)       |
| 6" Dim       | 0600       |
| 10-1/2" Dim  | 1012       |
| 12-1/4" Dim  | 1214       |

| Part Number                                                             | Size           | Finish | List Price   |
|-------------------------------------------------------------------------|----------------|--------|--------------|
| <b>MODEL DH80 DRY HORIZONTAL EC K8.0 (115) THREADS 1" (25MM) RA5532</b> |                |        |              |
| Q7[TEMP]11[DIM]                                                         | 2" to 5-3/4"   | Bronze | A\$ 841.42   |
| Q7[TEMP]21[DIM]                                                         | 2" to 5-3/4"   | Chrome | A\$ 841.42   |
| Q7[TEMP]08[DIM]                                                         | 2" to 5-3/4"   | White  | A\$ 863.38   |
| Q7[TEMP]11[DIM]                                                         | 6" to 8-3/4"   | Bronze | A\$ 896.14   |
| Q7[TEMP]21[DIM]                                                         | 6" to 8-3/4"   | Chrome | A\$ 896.14   |
| Q7[TEMP]08[DIM]                                                         | 6" to 8-3/4"   | White  | A\$ 917.99   |
| Q7[TEMP]11[DIM]                                                         | 9" to 11-3/4"  | Bronze | A\$ 950.68   |
| Q7[TEMP]21[DIM]                                                         | 9" to 11-3/4"  | Chrome | A\$ 950.68   |
| Q7[TEMP]08[DIM]                                                         | 9" to 11-3/4"  | White  | A\$ 972.56   |
| Q7[TEMP]11[DIM]                                                         | 12" to 14-3/4" | Bronze | A\$ 1,005.37 |
| Q7[TEMP]21[DIM]                                                         | 12" to 14-3/4" | Chrome | A\$ 1,005.37 |
| Q7[TEMP]08[DIM]                                                         | 12" to 14-3/4" | White  | A\$ 1,027.21 |
| Q7[TEMP]11[DIM]                                                         | 15" to 17-3/4" | Bronze | A\$ 1,060.06 |
| Q7[TEMP]21[DIM]                                                         | 15" to 17-3/4" | Chrome | A\$ 1,060.06 |
| Q7[TEMP]08[DIM]                                                         | 15" to 17-3/4" | White  | A\$ 1,081.87 |
| Q7[TEMP]11[DIM]                                                         | 18" to 20-3/4" | Brass  | A\$ 1,113.04 |
| Q7[TEMP]21[DIM]                                                         | 18" to 20-3/4" | Chrome | A\$ 1,113.04 |
| Q7[TEMP]08[DIM]                                                         | 18" to 20-3/4" | White  | A\$ 1,136.52 |
| Q7[TEMP]11[DIM]                                                         | 21" to 23-3/4" | Bronze | A\$ 1,169.21 |
| Q7[TEMP]21[DIM]                                                         | 21" to 23-3/4" | Chrome | A\$ 1,169.21 |
| Q7[TEMP]08[DIM]                                                         | 21" to 23-3/4" | White  | A\$ 1,191.17 |
| Q7[TEMP]11[DIM]                                                         | 24" to 26-3/4" | Bronze | A\$ 1,223.96 |
| Q7[TEMP]21[DIM]                                                         | 24" to 26-3/4" | Chrome | A\$ 1,223.96 |
| Q7[TEMP]08[DIM]                                                         | 24" to 26-3/4" | White  | A\$ 1,245.66 |
| Q7[TEMP]11[DIM]                                                         | 27" to 29-3/4" | Bronze | A\$ 1,278.63 |
| Q7[TEMP]21[DIM]                                                         | 27" to 29-3/4" | Chrome | A\$ 1,278.63 |
| Q7[TEMP]08[DIM]                                                         | 27" to 29-3/4" | White  | A\$ 1,300.37 |
| Q7[TEMP]11[DIM]                                                         | 30" to 32-3/4" | Bronze | A\$ 1,333.27 |
| Q7[TEMP]21[DIM]                                                         | 30" to 32-3/4" | Chrome | A\$ 1,333.27 |
| Q7[TEMP]08[DIM]                                                         | 30" to 32-3/4" | White  | A\$ 1,355.07 |
| Q7[TEMP]11[DIM]                                                         | 33" to 36"     | Bronze | A\$ 1,387.85 |
| Q7[TEMP]21[DIM]                                                         | 33" to 36"     | Chrome | A\$ 1,387.85 |
| Q7[TEMP]08[DIM]                                                         | 33" to 36"     | White  | A\$ 1,409.68 |

|            |         |                                  |            |
|------------|---------|----------------------------------|------------|
| 6880130001 | WF3R    | Requires F3R Sprinkler Wrench    | A\$ 333.65 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2" | A\$ 69.04  |



## DH80 DRY HSW / HB Extended Coverage HSW

- K-Factor = 8.0 (115)
- **SIN RA5532**
- 1" Size
- See Bulletin 055

| Order Matrix |            |
|--------------|------------|
| Temp/Dim     | Conversion |
| 155°F (68°C) | (02)       |
| 175°F (79°C) | (03)       |
| 200°F (93°C) | (05)       |
| 6" Dim       | 0600       |
| 10-1/2" Dim  | 1012       |
| 12-1/4" Dim  | 1214       |

| Part Number                                                                  | Size             | Finish | List Price   |
|------------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL DH80 DRY EC HORIZONTAL / HB K8.0 (115) THREADS 1" (25MM) RA5532</b> |                  |        |              |
| QM[TEMP]21[DIM]                                                              | 3 1/2" to 5-3/4" | Chrome | A\$ 993.27   |
| QM[TEMP]08[DIM]                                                              | 3 1/2" to 5-3/4" | White  | A\$ 1,017.28 |
| QM[TEMP]21[DIM]                                                              | 6" to 8-3/4"     | Chrome | A\$ 1,053.11 |
| QM[TEMP]08[DIM]                                                              | 6" to 8-3/4"     | White  | A\$ 1,076.87 |
| QM[TEMP]21[DIM]                                                              | 9" to 11-3/4"    | Chrome | A\$ 1,112.55 |
| QM[TEMP]08[DIM]                                                              | 9" to 11-3/4"    | White  | A\$ 1,136.46 |
| QM[TEMP]21[DIM]                                                              | 12" to 14-3/4"   | Chrome | A\$ 1,172.45 |
| QM[TEMP]08[DIM]                                                              | 12" to 14-3/4"   | White  | A\$ 1,196.24 |
| QM[TEMP]21[DIM]                                                              | 15" to 17-3/4"   | Chrome | A\$ 1,232.06 |
| QM[TEMP]08[DIM]                                                              | 15" to 17-3/4"   | White  | A\$ 1,255.87 |
| QM[TEMP]21[DIM]                                                              | 18" to 20-3/4"   | Chrome | A\$ 1,291.75 |
| QM[TEMP]08[DIM]                                                              | 18" to 20-3/4"   | White  | A\$ 1,315.61 |
| QM[TEMP]21[DIM]                                                              | 21" to 23-3/4"   | Chrome | A\$ 1,351.37 |
| QM[TEMP]08[DIM]                                                              | 21" to 23-3/4"   | White  | A\$ 1,375.35 |
| QM[TEMP]21[DIM]                                                              | 24" to 26-3/4"   | Chrome | A\$ 1,411.04 |
| QM[TEMP]08[DIM]                                                              | 24" to 26-3/4"   | White  | A\$ 1,434.96 |
| QM[TEMP]21[DIM]                                                              | 27" to 29-3/4"   | Chrome | A\$ 1,470.89 |
| QM[TEMP]08[DIM]                                                              | 27" to 29-3/4"   | White  | A\$ 1,494.72 |
| QM[TEMP]21[DIM]                                                              | 30" to 32-3/4"   | Chrome | A\$ 1,530.54 |
| QM[TEMP]08[DIM]                                                              | 30" to 32-3/4"   | White  | A\$ 1,554.35 |
| QM[TEMP]21[DIM]                                                              | 33" to 36"       | Chrome | A\$ 1,590.04 |
| QM[TEMP]08[DIM]                                                              | 33" to 36"       | White  | A\$ 1,614.07 |
| <b>REQUIRED SKIRTS</b>                                                       |                  |        |              |
| 6999994454                                                                   | SKIRTC           | Chrome | A\$ 5.23     |
| 6999994881                                                                   | SKIRTW           | White  | A\$ 5.23     |

|            |         |                                  |            |
|------------|---------|----------------------------------|------------|
| 6880130001 | WF3R    | Requires F3R Sprinkler Wrench    | A\$ 333.65 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2" | A\$ 69.04  |



## DH80 DRY REC HSW Extended Coverage HSW

- K-Factor = 8.0 (115)
- **SIN RA5532**
- 1" Size
- See Bulletin 055

| Order Matrix |            |
|--------------|------------|
| Temp/Dim     | Conversion |
| 155°F (68°C) | (02)       |
| 175°F (79°C) | (03)       |
| 200°F (93°C) | (05)       |
| 6" Dim       | 0600       |
| 10-1/2" Dim  | 1012       |
| 12-1/4" Dim  | 1214       |

| Part Number                                                             | Size             | Finish | List Price   |
|-------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL DH80 DRY EC HORIZONTAL K8.0 (115) THREADS 1" (25MM) RA5532</b> |                  |        |              |
| Q8[TEMP]11[DIM]                                                         | 3-1/2" to 5-3/4" | Bronze | A\$ 940.79   |
| Q8[TEMP]21[DIM]                                                         | 3-1/2" to 5-3/4" | Chrome | A\$ 940.79   |
| Q8[TEMP]08[DIM]                                                         | 3-1/2" to 5-3/4" | White  | A\$ 962.92   |
| Q8[TEMP]11[DIM]                                                         | 6" to 8-3/4"     | Bronze | A\$ 996.00   |
| Q8[TEMP]21[DIM]                                                         | 6" to 8-3/4"     | Chrome | A\$ 995.86   |
| Q8[TEMP]08[DIM]                                                         | 6" to 8-3/4"     | White  | A\$ 1,017.97 |
| Q8[TEMP]11[DIM]                                                         | 9" to 11-3/4"    | Brass  | A\$ 1,050.89 |
| Q8[TEMP]21[DIM]                                                         | 9" to 11-3/4"    | Chrome | A\$ 1,050.89 |
| Q8[TEMP]08[DIM]                                                         | 9" to 11-3/4"    | White  | A\$ 1,072.99 |
| Q8[TEMP]11[DIM]                                                         | 12" to 14-3/4"   | Bronze | A\$ 1,106.20 |
| Q8[TEMP]21[DIM]                                                         | 12" to 14-3/4"   | Chrome | A\$ 1,106.20 |
| Q8[TEMP]08[DIM]                                                         | 12" to 14-3/4"   | White  | A\$ 1,128.14 |
| Q8[TEMP]11[DIM]                                                         | 15" to 17-3/4"   | Brass  | A\$ 1,161.23 |
| Q8[TEMP]21[DIM]                                                         | 15" to 17-3/4"   | Chrome | A\$ 1,161.23 |
| Q8[TEMP]08[DIM]                                                         | 15" to 17-3/4"   | White  | A\$ 1,183.20 |
| Q8[TEMP]11[DIM]                                                         | 18" to 20-3/4"   | Brass  | A\$ 1,216.34 |
| Q8[TEMP]21[DIM]                                                         | 18" to 20-3/4"   | Chrome | A\$ 1,216.34 |
| Q8[TEMP]08[DIM]                                                         | 18" to 20-3/4"   | White  | A\$ 1,238.31 |
| Q8[TEMP]11[DIM]                                                         | 21" to 23-3/4"   | Bronze | A\$ 1,271.35 |
| Q8[TEMP]21[DIM]                                                         | 21" to 23-3/4"   | Chrome | A\$ 1,271.35 |
| Q8[TEMP]08[DIM]                                                         | 21" to 23-3/4"   | White  | A\$ 1,293.49 |
| Q8[TEMP]11[DIM]                                                         | 24" to 26-3/4"   | Brass  | A\$ 1,326.44 |
| Q8[TEMP]21[DIM]                                                         | 24" to 26-3/4"   | Chrome | A\$ 1,326.44 |
| Q8[TEMP]08[DIM]                                                         | 24" to 26-3/4"   | White  | A\$ 1,348.51 |
| Q8[TEMP]11[DIM]                                                         | 27" to 29-3/4"   | Bronze | A\$ 1,381.68 |
| Q8[TEMP]21[DIM]                                                         | 27" to 29-3/4"   | Chrome | A\$ 1,381.68 |
| Q8[TEMP]08[DIM]                                                         | 27" to 29-3/4"   | White  | A\$ 1,403.68 |
| Q8[TEMP]11[DIM]                                                         | 30" to 32-3/4"   | Bronze | A\$ 1,436.75 |
| Q8[TEMP]21[DIM]                                                         | 30" to 32-3/4"   | Chrome | A\$ 1,436.75 |
| Q8[TEMP]08[DIM]                                                         | 30" to 32-3/4"   | White  | A\$ 1,458.72 |
| Q8[TEMP]11[DIM]                                                         | 33" to 36"       | Bronze | A\$ 1,491.68 |
| Q8[TEMP]21[DIM]                                                         | 33" to 36"       | Chrome | A\$ 1,491.68 |
| Q8[TEMP]08[DIM]                                                         | 33" to 36"       | White  | A\$ 1,513.87 |

|            |         |                                  |            |
|------------|---------|----------------------------------|------------|
| 6880070100 | WXLO    | Requires XLO2 Sprinkler Wrench   | A\$ 331.20 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2" | A\$ 69.04  |



## DH80 DRY CONCEALED Extended Coverage HSW

- K-Factor = 8.0 (115)
- **SIN RA5532**
- 1" Size
- See Bulletin 055

| Order Matrix |            |
|--------------|------------|
| Temp/Dim     | Conversion |
| 155°F (68°C) | (02)       |
| 175°F (79°C) | (03)       |
| 200°F (93°C) | (05)       |
| 6" Dim       | 0600       |
| 10-1/2" Dim  | 1012       |
| 12-1/4" Dim  | 1214       |

| Part Number                                                                       | Size             | Finish               | List Price   |
|-----------------------------------------------------------------------------------|------------------|----------------------|--------------|
| <b>MODEL DH80 DRY EC HORIZONTAL CONCEALED K8.0 (115) THREADS 1" (25MM) RA5532</b> |                  |                      |              |
| QH[TEMP]17[DIM]                                                                   | 3-1/2" to 5-3/4" | Brass                | A\$ 1,165.65 |
| QH[TEMP]17[DIM]                                                                   | 6" to 8-3/4"     | Brass                | A\$ 1,221.28 |
| QH[TEMP]17[DIM]                                                                   | 9" to 11-3/4"    | Brass                | A\$ 1,276.79 |
| QH[TEMP]17[DIM]                                                                   | 12" to 14-3/4"   | Brass                | A\$ 1,332.30 |
| QH[TEMP]17[DIM]                                                                   | 15" to 17-3/4"   | Brass                | A\$ 1,388.00 |
| QH[TEMP]17[DIM]                                                                   | 18" to 20-3/4"   | Brass                | A\$ 1,443.46 |
| QH[TEMP]17[DIM]                                                                   | 21" to 23-3/4"   | Brass                | A\$ 1,499.06 |
| QH[TEMP]17[DIM]                                                                   | 24" to 26-3/4"   | Brass                | A\$ 1,555.68 |
| QH[TEMP]17[DIM]                                                                   | 27" to 29-3/4"   | Brass                | A\$ 1,665.59 |
| QH[TEMP]17[DIM]                                                                   | 30" to 32-3/4"   | Brass                | A\$ 1,776.70 |
| QH[TEMP]17[DIM]                                                                   | 33" to 36"       | Brass                | A\$ 1,887.92 |
| <b>MODEL SWC COVERPLATE-REQUIRED</b>                                              |                  |                      |              |
| 6887131318                                                                        | CHWNS            | 135°F 57°C White     | A\$ 67.24    |
| 6887131390                                                                        | CHSPNS           | 135°F 57°C Specialty | A\$ 100.82   |

|            |         |                                  |            |
|------------|---------|----------------------------------|------------|
| 6880070100 | WXLO    | Requires XLO2 Sprinkler Wrench   | A\$ 331.20 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2" | A\$ 69.04  |



## F3-56 DRY UPRIGHT

- K-Factor = 5.6 (80)
- **SIN R5324**
- 1" Size
- See Bulletin 153
- Finish is Brass only
- Available lengths 5" to 48"

| Part Number                                                      | Size           | Finish | List Price |
|------------------------------------------------------------------|----------------|--------|------------|
| <b>MODEL F3-56 DRY UPRIGHT K5.6 (80) THREADS 1" (25MM) R5324</b> |                |        |            |
| F1[TEMP]11[DIM]                                                  | 5" to 8-3/4"   | Brass  | A\$ 490.65 |
| F1[TEMP]11[DIM]                                                  | 9" to 11-3/4"  | Brass  | A\$ 522.59 |
| F1[TEMP]11[DIM]                                                  | 12" to 14-3/4" | Brass  | A\$ 554.37 |
| F1[TEMP]11[DIM]                                                  | 15" to 17-3/4" | Brass  | A\$ 586.25 |
| F1[TEMP]11[DIM]                                                  | 18" to 20-3/4" | Brass  | A\$ 618.13 |
| F1[TEMP]11[DIM]                                                  | 21" to 23-3/4" | Brass  | A\$ 649.89 |
| F1[TEMP]11[DIM]                                                  | 24" to 26-3/4" | Brass  | A\$ 681.82 |
| F1[TEMP]11[DIM]                                                  | 27" to 29-3/4" | Brass  | A\$ 713.62 |
| F1[TEMP]11[DIM]                                                  | 30" to 32-3/4" | Brass  | A\$ 745.59 |
| F1[TEMP]11[DIM]                                                  | 33" to 35-3/4" | Brass  | A\$ 777.48 |
| F1[TEMP]11[DIM]                                                  | 36" to 38-3/4" | Brass  | A\$ 809.23 |
| F1[TEMP]11[DIM]                                                  | 39" to 41-3/4" | Brass  | A\$ 841.15 |
| F1[TEMP]11[DIM]                                                  | 42" to 44-3/4" | Brass  | A\$ 872.99 |
| F1[TEMP]11[DIM]                                                  | 45" to 48"     | Brass  | A\$ 904.82 |

6880130001  
6990004858

WF3R  
DEKTITE

Required F3R Sprinkler Wrench  
Dektite Pipe Flashing, 1/4" - 2"

A\$ 333.65  
A\$ 69.04

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |



## F3-56 DRY PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 3/4" Size
- See Bulletin 153

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (1)        |
| 155°F (68°C)  | (2)        |
| 175°F (79°C)  | (3)        |
| 200°F (93°C)  | (5)        |
| 286°F (141°C) | (8)        |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                        | Size           | Finish | List Price |
|--------------------------------------------------------------------|----------------|--------|------------|
| <b>MODEL F3-56 DRY PENDENT K5.6 (80) THREADS 3/4" (20MM) R5314</b> |                |        |            |
| F25[TEMP]11[DIM]                                                   | 2" to 5-3/4"   | Brass  | A\$ 533.06 |
| F25[TEMP]21[DIM]                                                   | 2" to 5-3/4"   | Chrome | A\$ 533.06 |
| F25[TEMP]08[DIM]                                                   | 2" to 5-3/4"   | White  | A\$ 545.80 |
| F25[TEMP]11[DIM]                                                   | 6" to 8-3/4"   | Brass  | A\$ 564.96 |
| F25[TEMP]21[DIM]                                                   | 6" to 8-3/4"   | Chrome | A\$ 564.96 |
| F25[TEMP]08[DIM]                                                   | 6" to 8-3/4"   | White  | A\$ 577.66 |
| F25[TEMP]11[DIM]                                                   | 9" to 11-3/4"  | Brass  | A\$ 596.90 |
| F25[TEMP]21[DIM]                                                   | 9" to 11-3/4"  | Chrome | A\$ 596.90 |
| F25[TEMP]08[DIM]                                                   | 9" to 11-3/4"  | White  | A\$ 609.52 |
| F25[TEMP]11[DIM]                                                   | 12" to 14-3/4" | Brass  | A\$ 628.65 |
| F25[TEMP]21[DIM]                                                   | 12" to 14-3/4" | Chrome | A\$ 628.65 |
| F25[TEMP]08[DIM]                                                   | 12" to 14-3/4" | White  | A\$ 641.41 |
| F25[TEMP]11[DIM]                                                   | 15" to 17-3/4" | Brass  | A\$ 660.54 |
| F25[TEMP]21[DIM]                                                   | 15" to 17-3/4" | Chrome | A\$ 660.54 |
| F25[TEMP]08[DIM]                                                   | 15" to 17-3/4" | White  | A\$ 673.25 |
| F25[TEMP]11[DIM]                                                   | 18" to 20-3/4" | Brass  | A\$ 692.38 |
| F25[TEMP]21[DIM]                                                   | 18" to 20-3/4" | Chrome | A\$ 692.38 |
| F25[TEMP]08[DIM]                                                   | 18" to 20-3/4" | White  | A\$ 705.10 |
| F25[TEMP]11[DIM]                                                   | 21" to 23-3/4" | Brass  | A\$ 724.18 |
| F25[TEMP]21[DIM]                                                   | 21" to 23-3/4" | Chrome | A\$ 724.18 |
| F25[TEMP]08[DIM]                                                   | 21" to 23-3/4" | White  | A\$ 736.94 |
| F25[TEMP]11[DIM]                                                   | 24" to 26-3/4" | Brass  | A\$ 756.07 |
| F25[TEMP]21[DIM]                                                   | 24" to 26-3/4" | Chrome | A\$ 756.07 |
| F25[TEMP]08[DIM]                                                   | 24" to 26-3/4" | White  | A\$ 768.85 |
| F25[TEMP]11[DIM]                                                   | 27" to 29-3/4" | Brass  | A\$ 787.93 |
| F25[TEMP]21[DIM]                                                   | 27" to 29-3/4" | Chrome | A\$ 787.93 |
| F25[TEMP]08[DIM]                                                   | 27" to 29-3/4" | White  | A\$ 800.66 |
| F25[TEMP]11[DIM]                                                   | 30" to 32-3/4" | Brass  | A\$ 819.89 |
| F25[TEMP]21[DIM]                                                   | 30" to 32-3/4" | Chrome | A\$ 819.89 |
| F25[TEMP]08[DIM]                                                   | 30" to 32-3/4" | White  | A\$ 832.52 |
| F25[TEMP]11[DIM]                                                   | 33" to 36"     | Brass  | A\$ 851.77 |
| F25[TEMP]21[DIM]                                                   | 33" to 36"     | Chrome | A\$ 851.77 |
| F25[TEMP]08[DIM]                                                   | 33" to 36"     | White  | A\$ 864.42 |

|            |         |                                    |            |
|------------|---------|------------------------------------|------------|
| 6880130001 | WF3R    | Requires Model F3 Sprinkler Wrench | A\$ 333.65 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2"   | A\$ 69.04  |



## F3-56 DRY PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 1" Size
- See Bulletin 153

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                      | Size           | Finish | List Price |
|------------------------------------------------------------------|----------------|--------|------------|
| <b>MODEL F3-56 DRY PENDENT K5.6 (80) THREADS 1" (25MM) R5314</b> |                |        |            |
| F2[TEMP]11[DIM]                                                  | 2" to 5-3/4"   | Brass  | A\$ 458.77 |
| F2[TEMP]21[DIM]                                                  | 2" to 5-3/4"   | Chrome | A\$ 458.77 |
| F2[TEMP]08[DIM]                                                  | 2" to 5-3/4"   | White  | A\$ 471.56 |
| F2[TEMP]11[DIM]                                                  | 6" to 8-3/4"   | Brass  | A\$ 490.65 |
| F2[TEMP]21[DIM]                                                  | 6" to 8-3/4"   | Chrome | A\$ 490.65 |
| F2[TEMP]08[DIM]                                                  | 6" to 8-3/4"   | White  | A\$ 503.37 |
| F2[TEMP]11[DIM]                                                  | 9" to 11-3/4"  | Brass  | A\$ 522.59 |
| F2[TEMP]21[DIM]                                                  | 9" to 11-3/4"  | Chrome | A\$ 522.59 |
| F2[TEMP]08[DIM]                                                  | 9" to 11-3/4"  | White  | A\$ 535.25 |
| F2[TEMP]11[DIM]                                                  | 12" to 14-3/4" | Brass  | A\$ 554.37 |
| F2[TEMP]21[DIM]                                                  | 12" to 14-3/4" | Chrome | A\$ 554.37 |
| F2[TEMP]08[DIM]                                                  | 12" to 14-3/4" | White  | A\$ 567.11 |
| F2[TEMP]11[DIM]                                                  | 15" to 17-3/4" | Brass  | A\$ 586.25 |
| F2[TEMP]21[DIM]                                                  | 15" to 17-3/4" | Chrome | A\$ 586.25 |
| F2[TEMP]08[DIM]                                                  | 15" to 17-3/4" | White  | A\$ 598.99 |
| F2[TEMP]11[DIM]                                                  | 18" to 20-3/4" | Brass  | A\$ 618.13 |
| F2[TEMP]21[DIM]                                                  | 18" to 20-3/4" | Chrome | A\$ 618.13 |
| F2[TEMP]08[DIM]                                                  | 18" to 20-3/4" | White  | A\$ 630.83 |
| F2[TEMP]11[DIM]                                                  | 21" to 23-3/4" | Brass  | A\$ 649.89 |
| F2[TEMP]21[DIM]                                                  | 21" to 23-3/4" | Chrome | A\$ 649.89 |
| F2[TEMP]08[DIM]                                                  | 21" to 23-3/4" | White  | A\$ 662.63 |
| F2[TEMP]11[DIM]                                                  | 24" to 26-3/4" | Brass  | A\$ 681.82 |
| F2[TEMP]21[DIM]                                                  | 24" to 26-3/4" | Chrome | A\$ 681.82 |
| F2[TEMP]08[DIM]                                                  | 24" to 26-3/4" | White  | A\$ 694.56 |
| F2[TEMP]11[DIM]                                                  | 27" to 29-3/4" | Brass  | A\$ 713.62 |
| F2[TEMP]21[DIM]                                                  | 27" to 29-3/4" | Chrome | A\$ 713.62 |
| F2[TEMP]08[DIM]                                                  | 27" to 29-3/4" | White  | A\$ 726.39 |
| F2[TEMP]11[DIM]                                                  | 30" to 32-3/4" | Brass  | A\$ 745.59 |
| F2[TEMP]21[DIM]                                                  | 30" to 32-3/4" | Chrome | A\$ 745.59 |
| F2[TEMP]08[DIM]                                                  | 30" to 32-3/4" | White  | A\$ 758.23 |
| F2[TEMP]11[DIM]                                                  | 33" to 35-3/4" | Brass  | A\$ 777.48 |
| F2[TEMP]21[DIM]                                                  | 33" to 35-3/4" | Chrome | A\$ 777.48 |
| F2[TEMP]08[DIM]                                                  | 33" to 35-3/4" | White  | A\$ 790.17 |
| F2[TEMP]11[DIM]                                                  | 36" to 38-3/4" | Brass  | A\$ 809.23 |
| F2[TEMP]21[DIM]                                                  | 36" to 38-3/4" | Chrome | A\$ 809.23 |
| F2[TEMP]08[DIM]                                                  | 36" to 38-3/4" | White  | A\$ 822.00 |
| F2[TEMP]11[DIM]                                                  | 39" to 41-3/4" | Brass  | A\$ 841.15 |
| F2[TEMP]21[DIM]                                                  | 39" to 41-3/4" | Chrome | A\$ 841.15 |
| F2[TEMP]08[DIM]                                                  | 39" to 41-3/4" | White  | A\$ 853.76 |
| F2[TEMP]11[DIM]                                                  | 42" to 44-3/4" | Brass  | A\$ 872.99 |
| F2[TEMP]21[DIM]                                                  | 42" to 44-3/4" | Chrome | A\$ 872.99 |
| F2[TEMP]08[DIM]                                                  | 42" to 44-3/4" | White  | A\$ 885.66 |
| F2[TEMP]11[DIM]                                                  | 45" to 48"     | Brass  | A\$ 904.82 |
| F2[TEMP]21[DIM]                                                  | 45" to 48"     | Chrome | A\$ 904.82 |
| F2[TEMP]08[DIM]                                                  | 45" to 48"     | White  | A\$ 917.59 |

6880130001  
6990004858

WF3R  
DEKTITE

Required Sprinkler Wrench  
Dektite Pipe Flashing, 1/4" - 2"

A\$ 333.65  
A\$ 69.04

### Notes:

\*Approved "A" Dimensions Up to 48" (1219mm)



## F3-56 DRY PENDENT / HB

- K-Factor = 5.6 (80)
- **SIN R5314**
- 3/4" Size
- See Bulletin 153

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (1)        |
| 155°F (68°C)  | (2)        |
| 175°F (79°C)  | (3)        |
| 200°F (93°C)  | (5)        |
| 286°F (141°C) | (8)        |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                             | Size             | Finish | List Price |
|-------------------------------------------------------------------------|------------------|--------|------------|
| <b>MODEL F3-56 DRY PENDENT / HB K5.6 (80) THREADS 3/4" (20MM) R5314</b> |                  |        |            |
| FJ5[TEMP]21[DIM]                                                        | 3-1/2" to 5-3/4" | Chrome | A\$ 587.28 |
| FJ5[TEMP]08[DIM]                                                        | 3-1/2" to 5-3/4" | White  | A\$ 600.38 |
| FJ5[TEMP]21[DIM]                                                        | 6" to 8-3/4"     | Chrome | A\$ 620.08 |
| FJ5[TEMP]08[DIM]                                                        | 6" to 8-3/4"     |        | A\$ Call   |
| FJ5[TEMP]21[DIM]                                                        | 9" to 11-3/4"    | Chrome | A\$ 652.87 |
| FJ5[TEMP]08[DIM]                                                        | 9" to 11-3/4"    |        | A\$ Call   |
| FJ5[TEMP]21[DIM]                                                        | 12" to 14-3/4"   | Chrome | A\$ 685.61 |
| FJ5[TEMP]08[DIM]                                                        | 12" to 14-3/4"   | White  | A\$ 698.70 |
| FJ5[TEMP]21[DIM]                                                        | 15" to 17-3/4"   | Chrome | A\$ 718.49 |
| FJ5[TEMP]08[DIM]                                                        | 15" to 17-3/4"   |        | A\$ Call   |
| FJ5[TEMP]21[DIM]                                                        | 18" to 20-3/4"   | Chrome | A\$ 751.25 |
| FJ5[TEMP]08[DIM]                                                        | 18" to 20-3/4"   | White  | A\$ 764.31 |
| FJ5[TEMP]21[DIM]                                                        | 21" to 23-3/4"   | Chrome | A\$ 784.03 |
| FJ5[TEMP]08[DIM]                                                        | 21" to 23-3/4"   |        | A\$ Call   |
| FJ5[TEMP]21[DIM]                                                        | 24" to 26-3/4"   | Chrome | A\$ 816.79 |
| FJ5[TEMP]08[DIM]                                                        | 24" to 26-3/4"   |        | A\$ Call   |
| FJ5[TEMP]21[DIM]                                                        | 27" to 29-3/4"   | Chrome | A\$ 849.61 |
| FJ5[TEMP]08[DIM]                                                        | 27" to 29-3/4"   |        | A\$ Call   |
| FJ5[TEMP]21[DIM]                                                        | 30" to 32-3/4"   | Chrome | A\$ 882.42 |
| FJ5[TEMP]08[DIM]                                                        | 30" to 32-3/4"   |        | A\$ Call   |
| FJ5[TEMP]21[DIM]                                                        | 33" to 36"       | Chrome | A\$ 915.25 |
| FJ5[TEMP]08[DIM]                                                        | 33" to 36"       | White  | A\$ 928.38 |
| <b>REQUIRED SKIRTS</b>                                                  |                  |        |            |
| 6999994454                                                              | SKIRTC           | Chrome | A\$ 5.23   |
| 6999994881                                                              | SKIRTW           | White  | A\$ 5.23   |

|            |         |                                     |            |
|------------|---------|-------------------------------------|------------|
| 6880130001 | WF3R    | Requires Model F3R Sprinkler Wrench | A\$ 333.65 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2"    | A\$ 69.04  |



## F3-56 DRY PENDENT / HB

- K-Factor = 5.6 (80)
- **SIN R5314**
- 1" Size
- See Bulletin 153

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                          | Size             | Finish | List Price |
|----------------------------------------------------------------------|------------------|--------|------------|
| <b>MODEL F3-56 DRY PENDENT/ HB K5.6 (80) THREADS 1" (25MM) R5314</b> |                  |        |            |
| FJ[TEMP]21[DIM]                                                      | 3-1/2" to 5-3/4" | Chrome | A\$ 513.01 |
| FJ[TEMP]08[DIM]                                                      | 3-1/2" to 5-3/4" | White  | A\$ 526.10 |
| FJ[TEMP]21[DIM]                                                      | 6" to 8-3/4"     | Chrome | A\$ 545.77 |
| FJ[TEMP]08[DIM]                                                      | 6" to 8-3/4"     | White  | A\$ 558.94 |
| FJ[TEMP]21[DIM]                                                      | 9" to 11-3/4"    | Chrome | A\$ 578.58 |
| FJ[TEMP]08[DIM]                                                      | 9" to 11-3/4"    | White  | A\$ 591.66 |
| FJ[TEMP]21[DIM]                                                      | 12" to 14-3/4"   | Chrome | A\$ 611.31 |
| FJ[TEMP]08[DIM]                                                      | 12" to 14-3/4"   | White  | A\$ 624.44 |
| FJ[TEMP]21[DIM]                                                      | 15" to 17-3/4"   | Chrome | A\$ 644.18 |
| FJ[TEMP]08[DIM]                                                      | 15" to 17-3/4"   | White  | A\$ 657.25 |
| FJ[TEMP]21[DIM]                                                      | 18" to 20-3/4"   | Chrome | A\$ 677.00 |
| FJ[TEMP]08[DIM]                                                      | 18" to 20-3/4"   | White  | A\$ 690.04 |
| FJ[TEMP]21[DIM]                                                      | 21" to 23-3/4"   | Chrome | A\$ 709.73 |
| FJ[TEMP]08[DIM]                                                      | 21" to 23-3/4"   | White  | A\$ 722.86 |
| FJ[TEMP]21[DIM]                                                      | 24" to 26-3/4"   | Chrome | A\$ 742.51 |
| FJ[TEMP]08[DIM]                                                      | 24" to 26-3/4"   | White  | A\$ 755.65 |
| FJ[TEMP]21[DIM]                                                      | 27" to 29-3/4"   | Chrome | A\$ 775.30 |
| FJ[TEMP]08[DIM]                                                      | 27" to 29-3/4"   | White  | A\$ 788.39 |
| FJ[TEMP]21[DIM]                                                      | 30" to 32-3/4"   | Chrome | A\$ 808.17 |
| FJ[TEMP]08[DIM]                                                      | 30" to 32-3/4"   | White  | A\$ 821.27 |
| FJ[TEMP]21[DIM]                                                      | 33" to 35-3/4"   | Chrome | A\$ 840.97 |
| FJ[TEMP]08[DIM]                                                      | 33" to 35-3/4"   | White  | A\$ 854.08 |
| FJ[TEMP]21[DIM]                                                      | 36" to 38-3/4"   | Chrome | A\$ 875.72 |
| FJ[TEMP]08[DIM]                                                      | 36" to 38-3/4"   | White  | A\$ 888.82 |
| FJ[TEMP]21[DIM]                                                      | 39" to 41-3/4"   | Chrome | A\$ 908.58 |
| FJ[TEMP]08[DIM]                                                      | 39" to 41-3/4"   | White  | A\$ 921.62 |
| FJ[TEMP]21[DIM]                                                      | 42" to 44-3/4"   | Chrome | A\$ 941.32 |
| FJ[TEMP]08[DIM]                                                      | 42" to 44-3/4"   | White  | A\$ 954.45 |
| FJ[TEMP]21[DIM]                                                      | 45" to 48"       | Chrome | A\$ 974.07 |
| FJ[TEMP]08[DIM]                                                      | 45" to 48"       | White  | A\$ 987.17 |
| <b>MODEL HB REQUIRED SKIRTS</b>                                      |                  |        |            |
| 6999994454                                                           | SKIRTC           | Chrome | A\$ 5.23   |
| 6999994881                                                           | SKIRTW           | White  | A\$ 5.23   |

|            |         |                                  |            |
|------------|---------|----------------------------------|------------|
| 6880130001 | WF3R    | Required F3R Sprinkler Wrench    | A\$ 333.65 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2" | A\$ 69.04  |

### Notes:

\*Approved "A" Dimensions Up to 48" (1219mm)



## F3-56 DRY REC FP PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 3/4" Size
- See Bulletin 153

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (1)        |
| 155°F (68°C)  | (2)        |
| 175°F (79°C)  | (3)        |
| 200°F (93°C)  | (5)        |
| 286°F (141°C) | (8)        |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                               | Size             | Finish | List Price |
|---------------------------------------------------------------------------|------------------|--------|------------|
| <b>MODEL F3-56 DRY REC FP PENDENT K5.6 (80) THREADS 3/4" (20MM) R5314</b> |                  |        |            |
| F65[TEMP]11[DIM]                                                          | 3-1/2" to 5-3/4" | Bronze | A\$ 611.24 |
| F65[TEMP]21[DIM]                                                          | 3-1/2" to 5-3/4" | Chrome | A\$ 611.24 |
| F65[TEMP]08[DIM]                                                          | 3-1/2" to 5-3/4" | White  | A\$ 624.30 |
| F65[TEMP]11[DIM]                                                          | 6" to 8-3/4"     |        | A\$ Call   |
| F65[TEMP]21[DIM]                                                          | 6" to 8-3/4"     |        | A\$ Call   |
| F65[TEMP]08[DIM]                                                          | 6" to 8-3/4"     |        | A\$ Call   |
| F65[TEMP]11[DIM]                                                          | 9" to 11-3/4"    | Brass  | A\$ 676.80 |
| F65[TEMP]21[DIM]                                                          | 9" to 11-3/4"    | Chrome | A\$ 676.80 |
| F65[TEMP]08[DIM]                                                          | 9" to 11-3/4"    |        | A\$ Call   |
| F65[TEMP]11[DIM]                                                          | 12" to 14-3/4"   | Brass  | A\$ 709.54 |
| F65[TEMP]21[DIM]                                                          | 12" to 14-3/4"   | Chrome | A\$ 709.54 |
| F65[TEMP]08[DIM]                                                          | 12" to 14-3/4"   | White  | A\$ 722.65 |
| F65[TEMP]11[DIM]                                                          | 15" to 17-3/4"   |        | A\$ Call   |
| F65[TEMP]21[DIM]                                                          | 15" to 17-3/4"   |        | A\$ Call   |
| F65[TEMP]08[DIM]                                                          | 15" to 17-3/4"   |        | A\$ Call   |
| F65[TEMP]11[DIM]                                                          | 18" to 20-3/4"   | Brass  | A\$ 775.21 |
| F65[TEMP]21[DIM]                                                          | 18" to 20-3/4"   | Chrome | A\$ 775.21 |
| F65[TEMP]08[DIM]                                                          | 18" to 20-3/4"   | White  | A\$ 788.24 |
| F65[TEMP]11[DIM]                                                          | 21" to 23-3/4"   |        | A\$ Call   |
| F65[TEMP]21[DIM]                                                          | 21" to 23-3/4"   | Chrome | A\$ Call   |
| F65[TEMP]08[DIM]                                                          | 21" to 23-3/4"   |        | A\$ Call   |
| F65[TEMP]11[DIM]                                                          | 24" to 26-3/4"   |        | A\$ Call   |
| F65[TEMP]21[DIM]                                                          | 24" to 26-3/4"   |        | A\$ Call   |
| F65[TEMP]08[DIM]                                                          | 24" to 26-3/4"   |        | A\$ Call   |
| F65[TEMP]11[DIM]                                                          | 27" to 29-3/4"   |        | A\$ Call   |
| F65[TEMP]21[DIM]                                                          | 27" to 29-3/4"   |        | A\$ Call   |
| F65[TEMP]08[DIM]                                                          | 27" to 29-3/4"   |        | A\$ Call   |
| F65[TEMP]11[DIM]                                                          | 30" to 32-3/4"   |        | A\$ Call   |
| F65[TEMP]21[DIM]                                                          | 30" to 32-3/4"   |        | A\$ Call   |
| F65[TEMP]08[DIM]                                                          | 30" to 32-3/4"   |        | A\$ Call   |
| F65[TEMP]11[DIM]                                                          | 33" to 36"       | Bronze | A\$ 939.18 |
| F65[TEMP]21[DIM]                                                          | 33" to 36"       | Chrome | A\$ 939.18 |
| F65[TEMP]08[DIM]                                                          | 33" to 36"       | White  | A\$ 952.32 |

|            |         |                                      |            |
|------------|---------|--------------------------------------|------------|
| 6880070100 | WXLO    | Requires Model XL02 Sprinkler Wrench | A\$ 331.20 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2"     | A\$ 69.04  |



## F3-56 DRY REC FP PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 1" Size
- See Bulletin 153

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                             | Size             | Finish | List Price   |
|-------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL F3-56 DRY REC FP PENDENT K5.6 (80) THREADS 1" (25MM) R5314</b> |                  |        |              |
| F6[TEMP]11[DIM]                                                         | 3-1/2" to 5-3/4" | Bronze | A\$ 536.94   |
| F6[TEMP]21[DIM]                                                         | 3-1/2" to 5-3/4" | Chrome | A\$ 536.94   |
| F6[TEMP]08[DIM]                                                         | 3-1/2" to 5-3/4" | White  | A\$ 550.04   |
| F6[TEMP]11[DIM]                                                         | 6" to 8-3/4"     | Brass  | A\$ 569.70   |
| F6[TEMP]21[DIM]                                                         | 6" to 8-3/4"     | Chrome | A\$ 569.70   |
| F6[TEMP]08[DIM]                                                         | 6" to 8-3/4"     | White  | A\$ 582.87   |
| F6[TEMP]11[DIM]                                                         | 9" to 11-3/4"    | Brass  | A\$ 602.52   |
| F6[TEMP]21[DIM]                                                         | 9" to 11-3/4"    | Chrome | A\$ 602.52   |
| F6[TEMP]08[DIM]                                                         | 9" to 11-3/4"    | White  | A\$ 615.61   |
| F6[TEMP]11[DIM]                                                         | 12" to 14-3/4"   | Brass  | A\$ 635.27   |
| F6[TEMP]21[DIM]                                                         | 12" to 14-3/4"   | Chrome | A\$ 635.27   |
| F6[TEMP]08[DIM]                                                         | 12" to 14-3/4"   | White  | A\$ 648.38   |
| F6[TEMP]11[DIM]                                                         | 15" to 17-3/4"   | Brass  | A\$ 668.13   |
| F6[TEMP]21[DIM]                                                         | 15" to 17-3/4"   | Chrome | A\$ 668.13   |
| F6[TEMP]08[DIM]                                                         | 15" to 17-3/4"   | White  | A\$ 681.15   |
| F6[TEMP]11[DIM]                                                         | 18" to 20-3/4"   | Brass  | A\$ 700.93   |
| F6[TEMP]21[DIM]                                                         | 18" to 20-3/4"   | Chrome | A\$ 700.93   |
| F6[TEMP]08[DIM]                                                         | 18" to 20-3/4"   | White  | A\$ 713.97   |
| F6[TEMP]11[DIM]                                                         | 21" to 23-3/4"   | Brass  | A\$ 733.68   |
| F6[TEMP]21[DIM]                                                         | 21" to 23-3/4"   | Chrome | A\$ 733.68   |
| F6[TEMP]08[DIM]                                                         | 21" to 23-3/4"   | White  | A\$ 746.82   |
| F6[TEMP]11[DIM]                                                         | 24" to 26-3/4"   | Brass  | A\$ 766.44   |
| F6[TEMP]21[DIM]                                                         | 24" to 26-3/4"   | Chrome | A\$ 766.44   |
| F6[TEMP]08[DIM]                                                         | 24" to 26-3/4"   | White  | A\$ 779.56   |
| F6[TEMP]11[DIM]                                                         | 27" to 29-3/4"   | Brass  | A\$ 799.27   |
| F6[TEMP]21[DIM]                                                         | 27" to 29-3/4"   | Chrome | A\$ 799.27   |
| F6[TEMP]08[DIM]                                                         | 27" to 29-3/4"   | White  | A\$ 812.35   |
| F6[TEMP]11[DIM]                                                         | 30" to 32-3/4"   | Brass  | A\$ 832.08   |
| F6[TEMP]21[DIM]                                                         | 30" to 32-3/4"   | Chrome | A\$ 832.08   |
| F6[TEMP]08[DIM]                                                         | 30" to 32-3/4"   | White  | A\$ 845.23   |
| F6[TEMP]11[DIM]                                                         | 33" to 35-3/4"   | Bronze | A\$ 864.87   |
| F6[TEMP]21[DIM]                                                         | 33" to 35-3/4"   | Chrome | A\$ 864.87   |
| F6[TEMP]08[DIM]                                                         | 33" to 35-3/4"   | White  | A\$ 878.01   |
| F6[TEMP]11[DIM]                                                         | 36" to 38-3/4"   | Brass  | A\$ 899.69   |
| F6[TEMP]21[DIM]                                                         | 36" to 38-3/4"   | Chrome | A\$ 899.69   |
| F6[TEMP]08[DIM]                                                         | 36" to 38-3/4"   | White  | A\$ 912.76   |
| F6[TEMP]11[DIM]                                                         | 39" to 41-3/4"   | Brass  | A\$ 932.52   |
| F6[TEMP]21[DIM]                                                         | 39" to 41-3/4"   | Chrome | A\$ 932.52   |
| F6[TEMP]08[DIM]                                                         | 39" to 41-3/4"   | White  | A\$ 945.54   |
| F6[TEMP]11[DIM]                                                         | 42" to 44-3/4"   | Brass  | A\$ 965.25   |
| F6[TEMP]21[DIM]                                                         | 42" to 44-3/4"   | Chrome | A\$ 965.25   |
| F6[TEMP]08[DIM]                                                         | 42" to 44-3/4"   | White  | A\$ 978.38   |
| F6[TEMP]11[DIM]                                                         | 45" to 48"       |        | A\$ Call     |
| F6[TEMP]21[DIM]                                                         | 45" to 48"       | Chrome | A\$ 998.01   |
| F6[TEMP]08[DIM]                                                         | 45" to 48"       | White  | A\$ 1,011.10 |

6880070100  
6990004858

WXLO  
DEKTITE

Requires XLO2 Sprinkler Wrench  
Dektite Pipe Flashing, 1/4" - 2"

A\$ 331.20  
A\$ 69.04



## F3-56 DRY REC F1 PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 3/4" Size
- See Bulletin 153

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (1)        |
| 155°F (68°C)  | (2)        |
| 175°F (79°C)  | (3)        |
| 200°F (93°C)  | (5)        |
| 286°F (141°C) | (8)        |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                               | Size             | Finish | List Price |
|---------------------------------------------------------------------------|------------------|--------|------------|
| <b>MODEL F3-56 DRY REC F1 PENDENT K5.6 (80) THREADS 3/4" (20MM) R5314</b> |                  |        |            |
| F95[TEMP]11[DIM]                                                          | 3-1/2" to 5-3/4" | Bronze | A\$ 617.00 |
| F95[TEMP]21[DIM]                                                          | 3-1/2" to 5-3/4" | Chrome | A\$ 600.03 |
| F95[TEMP]08[DIM]                                                          | 3-1/2" to 5-3/4" | White  | A\$ 613.14 |
| F95[TEMP]11[DIM]                                                          | 6" to 8-3/4"     | Brass  | A\$ 649.80 |
| F95[TEMP]21[DIM]                                                          | 6" to 8-3/4"     | Chrome | A\$ 632.82 |
| F95[TEMP]08[DIM]                                                          | 6" to 8-3/4"     | White  | A\$ 646.00 |
| F95[TEMP]11[DIM]                                                          | 9" to 11-3/4"    | Brass  | A\$ 682.58 |
| F95[TEMP]21[DIM]                                                          | 9" to 11-3/4"    |        | A\$ Call   |
| F95[TEMP]08[DIM]                                                          | 9" to 11-3/4"    |        | A\$ Call   |
| F95[TEMP]11[DIM]                                                          | 12" to 14-3/4"   | Brass  | A\$ 715.31 |
| F95[TEMP]21[DIM]                                                          | 12" to 14-3/4"   | Chrome | A\$ 698.35 |
| F95[TEMP]08[DIM]                                                          | 12" to 14-3/4"   | White  | A\$ 711.48 |
| F95[TEMP]11[DIM]                                                          | 15" to 17-3/4"   | Brass  | A\$ 748.20 |
| F95[TEMP]21[DIM]                                                          | 15" to 17-3/4"   |        | A\$ Call   |
| F95[TEMP]08[DIM]                                                          | 15" to 17-3/4"   |        | A\$ Call   |
| F95[TEMP]11[DIM]                                                          | 18" to 20-3/4"   | Brass  | A\$ 780.99 |
| F95[TEMP]21[DIM]                                                          | 18" to 20-3/4"   | Chrome | A\$ 764.03 |
| F95[TEMP]08[DIM]                                                          | 18" to 20-3/4"   | White  | A\$ 777.08 |
| F95[TEMP]11[DIM]                                                          | 21" to 23-3/4"   | Brass  | A\$ 813.75 |
| F95[TEMP]21[DIM]                                                          | 21" to 23-3/4"   | Chrome | A\$ 796.77 |
| F95[TEMP]08[DIM]                                                          | 21" to 23-3/4"   |        | A\$ Call   |
| F95[TEMP]11[DIM]                                                          | 24" to 26-3/4"   |        | A\$ Call   |
| F95[TEMP]21[DIM]                                                          | 24" to 26-3/4"   | Chrome | A\$ 829.54 |
| F95[TEMP]08[DIM]                                                          | 24" to 26-3/4"   |        | A\$ Call   |
| F95[TEMP]11[DIM]                                                          | 27" to 29-3/4"   | Brass  | A\$ 879.32 |
| F95[TEMP]21[DIM]                                                          | 27" to 29-3/4"   |        | A\$ Call   |
| F95[TEMP]08[DIM]                                                          | 27" to 29-3/4"   |        | A\$ Call   |
| F95[TEMP]11[DIM]                                                          | 30" to 32-3/4"   | Brass  | A\$ 910.61 |
| F95[TEMP]21[DIM]                                                          | 30" to 32-3/4"   |        | A\$ Call   |
| F95[TEMP]08[DIM]                                                          | 30" to 32-3/4"   |        | A\$ Call   |
| F95[TEMP]11[DIM]                                                          | 33" to 36"       | Bronze | A\$ 944.94 |
| F95[TEMP]21[DIM]                                                          | 33" to 36"       | Chrome | A\$ 928.03 |
| F95[TEMP]08[DIM]                                                          | 33" to 36"       | White  | A\$ 941.14 |

6880070100      WXLO      Requires Model XLO2 Sprinkler Wrench      A\$ 331.20



## F3-56 DRY REC F1 PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 1" Size
- See Bulletin 153

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                            | Size             | Finish | List Price   |
|------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL F3-56 DRY REC F1 PENDENT K5.6(80) THREADS 1" (25MM) R5314</b> |                  |        |              |
| F9[TEMP]11[DIM]                                                        | 3-1/2" to 5-3/4" | Bronze | A\$ 542.72   |
| F9[TEMP]21[DIM]                                                        | 3-1/2" to 5-3/4" | Chrome | A\$ 525.75   |
| F9[TEMP]08[DIM]                                                        | 3-1/2" to 5-3/4" | White  | A\$ 538.87   |
| F9[TEMP]11[DIM]                                                        | 6" to 8-3/4"     | Bronze | A\$ 575.49   |
| F9[TEMP]21[DIM]                                                        | 6" to 8-3/4"     | Chrome | A\$ 558.52   |
| F9[TEMP]08[DIM]                                                        | 6" to 8-3/4"     | White  | A\$ 571.69   |
| F9[TEMP]11[DIM]                                                        | 9" to 11-3/4"    | Bronze | A\$ 608.30   |
| F9[TEMP]21[DIM]                                                        | 9" to 11-3/4"    | Chrome | A\$ 591.34   |
| F9[TEMP]08[DIM]                                                        | 9" to 11-3/4"    | White  | A\$ 604.44   |
| F9[TEMP]11[DIM]                                                        | 12" to 14-3/4"   | Brass  | A\$ 641.03   |
| F9[TEMP]21[DIM]                                                        | 12" to 14-3/4"   | Chrome | A\$ 624.04   |
| F9[TEMP]08[DIM]                                                        | 12" to 14-3/4"   | White  | A\$ 637.17   |
| F9[TEMP]11[DIM]                                                        | 15" to 17-3/4"   | Brass  | A\$ 673.90   |
| F9[TEMP]21[DIM]                                                        | 15" to 17-3/4"   | Chrome | A\$ 656.94   |
| F9[TEMP]08[DIM]                                                        | 15" to 17-3/4"   | White  | A\$ 670.00   |
| F9[TEMP]11[DIM]                                                        | 18" to 20-3/4"   | Bronze | A\$ 706.70   |
| F9[TEMP]21[DIM]                                                        | 18" to 20-3/4"   | Chrome | A\$ 689.75   |
| F9[TEMP]08[DIM]                                                        | 18" to 20-3/4"   | White  | A\$ 702.80   |
| F9[TEMP]11[DIM]                                                        | 21" to 23-3/4"   | Bronze | A\$ 739.46   |
| F9[TEMP]21[DIM]                                                        | 21" to 23-3/4"   | Chrome | A\$ 722.52   |
| F9[TEMP]08[DIM]                                                        | 21" to 23-3/4"   | White  | A\$ 735.61   |
| F9[TEMP]11[DIM]                                                        | 24" to 26-3/4"   | Bronze | A\$ 772.21   |
| F9[TEMP]21[DIM]                                                        | 24" to 26-3/4"   | Chrome | A\$ 755.27   |
| F9[TEMP]08[DIM]                                                        | 24" to 26-3/4"   | White  | A\$ 768.39   |
| F9[TEMP]11[DIM]                                                        | 27" to 29-3/4"   | Bronze | A\$ 805.04   |
| F9[TEMP]21[DIM]                                                        | 27" to 29-3/4"   | Chrome | A\$ 788.10   |
| F9[TEMP]08[DIM]                                                        | 27" to 29-3/4"   | White  | A\$ 801.14   |
| F9[TEMP]11[DIM]                                                        | 30" to 32-3/4"   | Bronze | A\$ 837.85   |
| F9[TEMP]21[DIM]                                                        | 30" to 32-3/4"   | Chrome | A\$ 820.93   |
| F9[TEMP]08[DIM]                                                        | 30" to 32-3/4"   | White  | A\$ 834.01   |
| F9[TEMP]11[DIM]                                                        | 33" to 35-3/4"   | Bronze | A\$ 870.66   |
| F9[TEMP]21[DIM]                                                        | 33" to 35-3/4"   | Chrome | A\$ 853.72   |
| F9[TEMP]08[DIM]                                                        | 33" to 35-3/4"   | White  | A\$ 866.85   |
| F9[TEMP]11[DIM]                                                        | 36" to 38-3/4"   | Bronze | A\$ 905.44   |
| F9[TEMP]21[DIM]                                                        | 36" to 38-3/4"   | Chrome | A\$ 888.46   |
| F9[TEMP]08[DIM]                                                        | 36" to 38-3/4"   | White  | A\$ 901.58   |
| F9[TEMP]11[DIM]                                                        | 39" to 41-3/4"   | Bronze | A\$ 938.30   |
| F9[TEMP]21[DIM]                                                        | 39" to 41-3/4"   | Chrome | A\$ 921.32   |
| F9[TEMP]08[DIM]                                                        | 39" to 41-3/4"   | White  | A\$ 934.38   |
| F9[TEMP]11[DIM]                                                        | 42" to 44-3/4"   | Bronze | A\$ 971.04   |
| F9[TEMP]21[DIM]                                                        | 42" to 44-3/4"   | Chrome | A\$ 954.07   |
| F9[TEMP]08[DIM]                                                        | 42" to 44-3/4"   | White  | A\$ 967.21   |
| F9[TEMP]11[DIM]                                                        | 45" to 48"       | Bronze | A\$ 1,003.82 |
| F9[TEMP]21[DIM]                                                        | 45" to 48"       | Chrome | A\$ 986.82   |
| F9[TEMP]08[DIM]                                                        | 45" to 48"       | White  | A\$ 999.94   |

|            |         |                                  |            |
|------------|---------|----------------------------------|------------|
| 6880070100 | WXLO    | Requires XLO2 Sprinkler Wrench   | A\$ 331.20 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2" | A\$ 69.04  |



## F3-56 DRY HSW

- K-Factor = 5.6 (80)
- **SIN R5334**
- 3/4" Size
- See Bulletin 153

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (1)        |
| 155°F (68°C)  | (2)        |
| 175°F (79°C)  | (3)        |
| 200°F (93°C)  | (5)        |
| 286°F (141°C) | (8)        |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                           | Size           | Finish | List Price |
|-----------------------------------------------------------------------|----------------|--------|------------|
| <b>MODEL F3-56 DRY HORIZONTAL K5.6 (80) THREADS 3/4" (20MM) R5334</b> |                |        |            |
| F45[TEMP]11[DIM]                                                      | 2" to 5-3/4"   | Brass  | A\$ 579.37 |
| F45[TEMP]21[DIM]                                                      | 2" to 5-3/4"   | Chrome | A\$ 579.37 |
| F45[TEMP]08[DIM]                                                      | 2" to 5-3/4"   | White  | A\$ 592.52 |
| F45[TEMP]11[DIM]                                                      | 6" to 8-3/4"   |        | A\$ Call   |
| F45[TEMP]21[DIM]                                                      | 6" to 8-3/4"   | Chrome | A\$ 612.20 |
| F45[TEMP]08[DIM]                                                      | 6" to 8-3/4"   |        | A\$ Call   |
| F45[TEMP]11[DIM]                                                      | 9" to 11-3/4"  |        | A\$ Call   |
| F45[TEMP]21[DIM]                                                      | 9" to 11-3/4"  | Chrome | A\$ 644.87 |
| F45[TEMP]08[DIM]                                                      | 9" to 11-3/4"  |        | A\$ Call   |
| F45[TEMP]11[DIM]                                                      | 12" to 14-3/4" | Brass  | A\$ 677.79 |
| F45[TEMP]21[DIM]                                                      | 12" to 14-3/4" | Chrome | A\$ 677.79 |
| F45[TEMP]08[DIM]                                                      | 12" to 14-3/4" | White  | A\$ 690.89 |
| F45[TEMP]11[DIM]                                                      | 15" to 17-3/4" |        | A\$ Call   |
| F45[TEMP]21[DIM]                                                      | 15" to 17-3/4" | Chrome | A\$ 710.56 |
| F45[TEMP]08[DIM]                                                      | 15" to 17-3/4" |        | A\$ Call   |
| F45[TEMP]11[DIM]                                                      | 18" to 20-3/4" | Bronze | A\$ 743.44 |
| F45[TEMP]21[DIM]                                                      | 18" to 20-3/4" | Chrome | A\$ 743.44 |
| F45[TEMP]08[DIM]                                                      | 18" to 20-3/4" | White  | A\$ 756.39 |
| F45[TEMP]11[DIM]                                                      | 21" to 23-3/4" |        | A\$ Call   |
| F45[TEMP]21[DIM]                                                      | 21" to 23-3/4" | Chrome | A\$ 776.07 |
| F45[TEMP]08[DIM]                                                      | 21" to 23-3/4" |        | A\$ Call   |
| F45[TEMP]11[DIM]                                                      | 24" to 26-3/4" | Brass  | A\$ 808.92 |
| F45[TEMP]21[DIM]                                                      | 24" to 26-3/4" |        | A\$ Call   |
| F45[TEMP]08[DIM]                                                      | 24" to 26-3/4" | White  | A\$ 821.99 |
| F45[TEMP]11[DIM]                                                      | 27" to 29-3/4" |        | A\$ Call   |
| F45[TEMP]21[DIM]                                                      | 27" to 29-3/4" |        | A\$ Call   |
| F45[TEMP]08[DIM]                                                      | 27" to 29-3/4" |        | A\$ Call   |
| F45[TEMP]11[DIM]                                                      | 30" to 32-3/4" |        | A\$ Call   |
| F45[TEMP]21[DIM]                                                      | 30" to 32-3/4" |        | A\$ Call   |
| F45[TEMP]08[DIM]                                                      | 30" to 32-3/4" |        | A\$ Call   |
| F45[TEMP]11[DIM]                                                      | 33" to 36"     | Brass  | A\$ 907.28 |
| F45[TEMP]21[DIM]                                                      | 33" to 36"     | Chrome | A\$ 907.28 |
| F45[TEMP]08[DIM]                                                      | 33" to 36"     | White  | A\$ 920.48 |

|            |         |                                     |            |
|------------|---------|-------------------------------------|------------|
| 6880130001 | WF3R    | Requires Model F3R Sprinkler Wrench | A\$ 333.65 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2"    | A\$ 69.04  |



## F3-56 DRY HSW

- K-Factor = 5.6 (80)
- **SIN R5334**
- 1" Size
- See Bulletin 153

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                         | Size           | Finish | List Price |
|---------------------------------------------------------------------|----------------|--------|------------|
| <b>MODEL F3-56 DRY HORIZONTAL K5.6 (80) THREADS 1" (25MM) R5334</b> |                |        |            |
| F4[TEMP]11[DIM]                                                     | 2" to 5-3/4"   |        | A\$ Call   |
| F4[TEMP]21[DIM]                                                     | 2" to 5-3/4"   |        | A\$ Call   |
| F4[TEMP]08[DIM]                                                     | 2" to 5-3/4"   | White  | A\$ 518.25 |
| F4[TEMP]11[DIM]                                                     | 6" to 8-3/4"   |        | A\$ Call   |
| F4[TEMP]21[DIM]                                                     | 6" to 8-3/4"   | Chrome | A\$ 537.92 |
| F4[TEMP]08[DIM]                                                     | 6" to 8-3/4"   | White  | A\$ 550.99 |
| F4[TEMP]11[DIM]                                                     | 9" to 11-3/4"  |        | A\$ Call   |
| F4[TEMP]21[DIM]                                                     | 9" to 11-3/4"  | Chrome | A\$ 570.59 |
| F4[TEMP]08[DIM]                                                     | 9" to 11-3/4"  | White  | A\$ 583.73 |
| F4[TEMP]11[DIM]                                                     | 12" to 14-3/4" | Brass  | A\$ 603.56 |
| F4[TEMP]21[DIM]                                                     | 12" to 14-3/4" | Chrome | A\$ 603.56 |
| F4[TEMP]08[DIM]                                                     | 12" to 14-3/4" | White  | A\$ 616.58 |
| F4[TEMP]11[DIM]                                                     | 15" to 17-3/4" | Brass  | A\$ 636.30 |
| F4[TEMP]21[DIM]                                                     | 15" to 17-3/4" | Chrome | A\$ 636.30 |
| F4[TEMP]08[DIM]                                                     | 15" to 17-3/4" | White  | A\$ 649.51 |
| F4[TEMP]11[DIM]                                                     | 18" to 20-3/4" | Brass  | A\$ 669.13 |
| F4[TEMP]21[DIM]                                                     | 18" to 20-3/4" |        | A\$ Call   |
| F4[TEMP]08[DIM]                                                     | 18" to 20-3/4" | White  | A\$ 682.10 |
| F4[TEMP]11[DIM]                                                     | 21" to 23-3/4" |        | A\$ Call   |
| F4[TEMP]21[DIM]                                                     | 21" to 23-3/4" |        | A\$ Call   |
| F4[TEMP]08[DIM]                                                     | 21" to 23-3/4" | White  | A\$ 715.08 |
| F4[TEMP]11[DIM]                                                     | 24" to 26-3/4" | Brass  | A\$ 734.65 |
| F4[TEMP]21[DIM]                                                     | 24" to 26-3/4" |        | A\$ Call   |
| F4[TEMP]08[DIM]                                                     | 24" to 26-3/4" | White  | A\$ 747.69 |
| F4[TEMP]11[DIM]                                                     | 27" to 29-3/4" |        | A\$ Call   |
| F4[TEMP]21[DIM]                                                     | 27" to 29-3/4" |        | A\$ Call   |
| F4[TEMP]08[DIM]                                                     | 27" to 29-3/4" | White  | A\$ 780.58 |
| F4[TEMP]11[DIM]                                                     | 30" to 32-3/4" | Brass  | A\$ 800.37 |
| F4[TEMP]21[DIM]                                                     | 30" to 32-3/4" |        | A\$ Call   |
| F4[TEMP]08[DIM]                                                     | 30" to 32-3/4" | White  | A\$ 813.34 |
| F4[TEMP]11[DIM]                                                     | 33" to 35-3/4" |        | A\$ Call   |
| F4[TEMP]21[DIM]                                                     | 33" to 35-3/4" |        | A\$ Call   |
| F4[TEMP]08[DIM]                                                     | 33" to 35-3/4" |        | A\$ Call   |
| F4[TEMP]11[DIM]                                                     | 36" to 38-3/4" |        | A\$ Call   |
| F4[TEMP]21[DIM]                                                     | 36" to 38-3/4" |        | A\$ Call   |
| F4[TEMP]08[DIM]                                                     | 36" to 38-3/4" | White  | A\$ 878.99 |
| F4[TEMP]11[DIM]                                                     | 39" to 41-3/4" |        | A\$ Call   |
| F4[TEMP]21[DIM]                                                     | 39" to 41-3/4" |        | A\$ Call   |
| F4[TEMP]08[DIM]                                                     | 39" to 41-3/4" |        | A\$ Call   |
| F4[TEMP]11[DIM]                                                     | 42" to 44-3/4" |        | A\$ Call   |
| F4[TEMP]21[DIM]                                                     | 42" to 44-3/4" |        | A\$ Call   |
| F4[TEMP]08[DIM]                                                     | 42" to 44-3/4" |        | A\$ Call   |
| F4[TEMP]11[DIM]                                                     | 45" to 48"     |        | A\$ Call   |
| F4[TEMP]21[DIM]                                                     | 45" to 48"     |        | A\$ Call   |
| F4[TEMP]08[DIM]                                                     | 45" to 48"     | White  | A\$ 977.39 |

|            |         |                                     |            |
|------------|---------|-------------------------------------|------------|
| 6880130001 | WF3R    | Required Model F3R Sprinkler Wrench | A\$ 333.65 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2"    | A\$ 69.04  |



## F3-56 DRY HSW / HB

- K-Factor = 5.6 (80)
- **SIN R5334**
- 3/4" Size
- See Bulletin 153

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (1)        |
| 155°F (68°C)  | (2)        |
| 175°F (79°C)  | (3)        |
| 200°F (93°C)  | (5)        |
| 286°F (141°C) | (8)        |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                                | Size             | Finish | List Price |
|----------------------------------------------------------------------------|------------------|--------|------------|
| <b>MODEL F3-56 DRY HORIZONTAL / HB K5.6 (80) THREADS 3/4" (20MM) R5334</b> |                  |        |            |
| FK5[TEMP]21[DIM]                                                           | 3-1/2" to 5-3/4" | Chrome | A\$ 620.08 |
| FK5[TEMP]08[DIM]                                                           | 3-1/2" to 5-3/4" | White  | A\$ 633.23 |
| FK5[TEMP]21[DIM]                                                           | 6" to 8-3/4"     | Chrome | A\$ 652.87 |
| FK5[TEMP]08[DIM]                                                           | 6" to 8-3/4"     | White  | A\$ 665.96 |
| FK5[TEMP]21[DIM]                                                           | 9" to 11-3/4"    |        | A\$ Call   |
| FK5[TEMP]08[DIM]                                                           | 9" to 11-3/4"    |        | A\$ Call   |
| FK5[TEMP]21[DIM]                                                           | 12" to 14-3/4"   | Chrome | A\$ 718.49 |
| FK5[TEMP]08[DIM]                                                           | 12" to 14-3/4"   | White  | A\$ 731.49 |
| FK5[TEMP]21[DIM]                                                           | 15" to 17-3/4"   |        | A\$ Call   |
| FK5[TEMP]08[DIM]                                                           | 15" to 17-3/4"   |        | A\$ Call   |
| FK5[TEMP]21[DIM]                                                           | 18" to 20-3/4"   | Chrome | A\$ 784.03 |
| FK5[TEMP]08[DIM]                                                           | 18" to 20-3/4"   | White  | A\$ 797.15 |
| FK5[TEMP]21[DIM]                                                           | 21" to 23-3/4"   |        | A\$ Call   |
| FK5[TEMP]08[DIM]                                                           | 21" to 23-3/4"   |        | A\$ Call   |
| FK5[TEMP]21[DIM]                                                           | 24" to 26-3/4"   |        | A\$ Call   |
| FK5[TEMP]08[DIM]                                                           | 24" to 26-3/4"   |        | A\$ Call   |
| FK5[TEMP]21[DIM]                                                           | 27" to 29-3/4"   |        | A\$ Call   |
| FK5[TEMP]08[DIM]                                                           | 27" to 29-3/4"   |        | A\$ Call   |
| FK5[TEMP]21[DIM]                                                           | 30" to 32-3/4"   |        | A\$ Call   |
| FK5[TEMP]08[DIM]                                                           | 30" to 32-3/4"   |        | A\$ Call   |
| FK5[TEMP]21[DIM]                                                           | 33" to 36"       | Chrome | A\$ 947.93 |
| FK5[TEMP]08[DIM]                                                           | 33" to 36"       | White  | A\$ 961.13 |
| <b>REQUIRED SKIRTS</b>                                                     |                  |        |            |
| 6999994454                                                                 | SKIRTC           | Chrome | A\$ 5.23   |
| 6999994881                                                                 | SKIRTW           | White  | A\$ 5.23   |

|            |         |                                     |            |
|------------|---------|-------------------------------------|------------|
| 6880130001 | WF3R    | Requires Model F3R Sprinkler Wrench | A\$ 333.65 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2"    | A\$ 69.04  |



## F3-56 DRY HSW / HB

- K-Factor = 5.6 (80)
- **SIN R5334**
- 1" Size
- See Bulletin 153

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                              | Size             | Finish | List Price |
|--------------------------------------------------------------------------|------------------|--------|------------|
| <b>MODEL F3-56 DRY HORIZONTAL / HB K5.6 (80) THREADS 1" (25MM) R5334</b> |                  |        |            |
| FK[TEMP]21[DIM]                                                          | 3-1/2" to 5-3/4" | Chrome | A\$ 545.77 |
| FK[TEMP]08[DIM]                                                          | 3-1/2" to 5-3/4" | White  | A\$ 558.94 |
| FK[TEMP]21[DIM]                                                          | 6" to 8-3/4"     | Chrome | A\$ 578.58 |
| FK[TEMP]08[DIM]                                                          | 6" to 8-3/4"     | White  | A\$ 591.66 |
| FK[TEMP]21[DIM]                                                          | 9" to 11-3/4"    | Chrome | A\$ 611.31 |
| FK[TEMP]08[DIM]                                                          | 9" to 11-3/4"    | White  | A\$ 624.44 |
| FK[TEMP]21[DIM]                                                          | 12" to 14-3/4"   | Chrome | A\$ 644.18 |
| FK[TEMP]08[DIM]                                                          | 12" to 14-3/4"   | White  | A\$ 657.25 |
| FK[TEMP]21[DIM]                                                          | 15" to 17-3/4"   | Chrome | A\$ 677.00 |
| FK[TEMP]08[DIM]                                                          | 15" to 17-3/4"   | White  | A\$ 690.04 |
| FK[TEMP]21[DIM]                                                          | 18" to 20-3/4"   | Chrome | A\$ 709.73 |
| FK[TEMP]08[DIM]                                                          | 18" to 20-3/4"   | White  | A\$ 722.86 |
| FK[TEMP]21[DIM]                                                          | 21" to 23-3/4"   | Chrome | A\$ 742.51 |
| FK[TEMP]08[DIM]                                                          | 21" to 23-3/4"   | White  | A\$ 755.65 |
| FK[TEMP]21[DIM]                                                          | 24" to 26-3/4"   | Chrome | A\$ 775.30 |
| FK[TEMP]08[DIM]                                                          | 24" to 26-3/4"   | White  | A\$ 788.39 |
| FK[TEMP]21[DIM]                                                          | 27" to 29-3/4"   | Chrome | A\$ 808.17 |
| FK[TEMP]21[DIM]                                                          | 30" to 32-3/4"   | Chrome | A\$ 840.97 |
| FK[TEMP]08[DIM]                                                          | 30" to 32-3/4"   | White  | A\$ 854.08 |
| FK[TEMP]21[DIM]                                                          | 36" to 38-3/4"   | Chrome | A\$ 906.52 |
| FK[TEMP]08[DIM]                                                          | 36" to 38-3/4"   | White  | A\$ 919.63 |
| FK[TEMP]21[DIM]                                                          | 39" to 41-3/4"   | Chrome | A\$ 939.25 |
| FK[TEMP]21[DIM]                                                          | 42" to 44-3/4"   | Chrome | A\$ 972.18 |
| <b>REQUIRED SKIRTS</b>                                                   |                  |        |            |
| 6999994454                                                               | SKIRTC           | Chrome | A\$ 5.23   |
| 6999994881                                                               | SKIRTW           | White  | A\$ 5.23   |

|            |         |                                     |            |
|------------|---------|-------------------------------------|------------|
| 6880130001 | WF3R    | Required Model F3R Sprinkler Wrench | A\$ 333.65 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2"    | A\$ 69.04  |



## F3-56 DRY REC FP HSW

- K-Factor = 5.6 (80)
- **SIN R5334**
- 3/4" Size
- See Bulletin 153

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (1)        |
| 155°F (68°C)  | (2)        |
| 175°F (79°C)  | (3)        |
| 200°F (93°C)  | (5)        |
| 286°F (141°C) | (8)        |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                                  | Size             | Finish | List Price |
|------------------------------------------------------------------------------|------------------|--------|------------|
| <b>MODEL F3-56 DRY REC FP HORIZONTAL K5.6 (80) THREADS 3/4" (20MM) R5334</b> |                  |        |            |
| F55[TEMP]11[DIM]                                                             | 3-1/2" to 5-3/4" | Brass  | A\$ 644.00 |
| F55[TEMP]21[DIM]                                                             | 3-1/2" to 5-3/4" | Chrome | A\$ 644.00 |
| F55[TEMP]08[DIM]                                                             | 3-1/2" to 5-3/4" | White  | A\$ 657.15 |
| F55[TEMP]11[DIM]                                                             | 6" to 8-3/4"     |        | A\$ Call   |
| F55[TEMP]21[DIM]                                                             | 6" to 8-3/4"     |        | A\$ Call   |
| F55[TEMP]08[DIM]                                                             | 6" to 8-3/4"     |        | A\$ Call   |
| F55[TEMP]11[DIM]                                                             | 9" to 11-3/4"    |        | A\$ Call   |
| F55[TEMP]21[DIM]                                                             | 9" to 11-3/4"    |        | A\$ Call   |
| F55[TEMP]08[DIM]                                                             | 9" to 11-3/4"    |        | A\$ Call   |
| F55[TEMP]11[DIM]                                                             | 12" to 14-3/4"   | Brass  | A\$ 742.41 |
| F55[TEMP]21[DIM]                                                             | 12" to 14-3/4"   | Chrome | A\$ 742.41 |
| F55[TEMP]08[DIM]                                                             | 12" to 14-3/4"   | White  | A\$ 755.44 |
| F55[TEMP]11[DIM]                                                             | 15" to 17-3/4"   |        | A\$ Call   |
| F55[TEMP]21[DIM]                                                             | 15" to 17-3/4"   |        | A\$ Call   |
| F55[TEMP]08[DIM]                                                             | 15" to 17-3/4"   |        | A\$ Call   |
| F55[TEMP]11[DIM]                                                             | 18" to 20-3/4"   | Brass  | A\$ 807.96 |
| F55[TEMP]21[DIM]                                                             | 18" to 20-3/4"   | Chrome | A\$ 807.96 |
| F55[TEMP]08[DIM]                                                             | 18" to 20-3/4"   | White  | A\$ 821.07 |
| F55[TEMP]11[DIM]                                                             | 21" to 23-3/4"   |        | A\$ Call   |
| F55[TEMP]21[DIM]                                                             | 21" to 23-3/4"   |        | A\$ Call   |
| F55[TEMP]08[DIM]                                                             | 21" to 23-3/4"   |        | A\$ Call   |
| F55[TEMP]11[DIM]                                                             | 24" to 26-3/4"   | Bronze | A\$ Call   |
| F55[TEMP]21[DIM]                                                             | 24" to 26-3/4"   |        | A\$ Call   |
| F55[TEMP]08[DIM]                                                             | 24" to 26-3/4"   |        | A\$ Call   |
| F55[TEMP]11[DIM]                                                             | 27" to 29-3/4"   | Bronze | A\$ Call   |
| F55[TEMP]21[DIM]                                                             | 27" to 29-3/4"   |        | A\$ Call   |
| F55[TEMP]08[DIM]                                                             | 27" to 29-3/4"   |        | A\$ Call   |
| F55[TEMP]11[DIM]                                                             | 30" to 32-3/4"   | Bronze | A\$ Call   |
| F55[TEMP]21[DIM]                                                             | 30" to 32-3/4"   |        | A\$ Call   |
| F55[TEMP]08[DIM]                                                             | 30" to 32-3/4"   |        | A\$ Call   |
| F55[TEMP]11[DIM]                                                             | 33" to 36"       | Bronze | A\$ 971.86 |
| F55[TEMP]21[DIM]                                                             | 33" to 36"       | Chrome | A\$ 971.86 |
| F55[TEMP]08[DIM]                                                             | 33" to 36"       | White  | A\$ 985.07 |

|            |         |                                      |            |
|------------|---------|--------------------------------------|------------|
| 6880070100 | WXLO    | Requires Model XL02 Sprinkler Wrench | A\$ 331.20 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2"     | A\$ 69.04  |



## F3-56 DRY REC FP HSW

- K-Factor = 5.6 (80)
- **SIN R5334**
- 1" Size
- See Bulletin 153

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                                | Size             | Finish | List Price   |
|----------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL F3-56 DRY REC FP HORIZONTAL K5.6 (80) THREADS 1" (25MM) R5334</b> |                  |        |              |
| F5[TEMP]11[DIM]                                                            | 3-1/2" to 5-3/4" |        | A\$ Call     |
| F5[TEMP]21[DIM]                                                            | 3-1/2" to 5-3/4" | Chrome | A\$ 569.70   |
| F5[TEMP]08[DIM]                                                            | 3-1/2" to 5-3/4" | White  | A\$ 582.87   |
| F5[TEMP]11[DIM]                                                            | 6" to 8-3/4"     | Brass  | A\$ 602.52   |
| F5[TEMP]21[DIM]                                                            | 6" to 8-3/4"     | Chrome | A\$ 602.52   |
| F5[TEMP]08[DIM]                                                            | 6" to 8-3/4"     | White  | A\$ 615.61   |
| F5[TEMP]11[DIM]                                                            | 9" to 11-3/4"    |        | A\$ Call     |
| F5[TEMP]21[DIM]                                                            | 9" to 11-3/4"    | Chrome | A\$ 635.27   |
| F5[TEMP]08[DIM]                                                            | 9" to 11-3/4"    | White  | A\$ 648.38   |
| F5[TEMP]11[DIM]                                                            | 12" to 14-3/4"   | Brass  | A\$ 668.13   |
| F5[TEMP]21[DIM]                                                            | 12" to 14-3/4"   | Chrome | A\$ 668.13   |
| F5[TEMP]08[DIM]                                                            | 12" to 14-3/4"   | White  | A\$ 681.15   |
| F5[TEMP]11[DIM]                                                            | 15" to 17-3/4"   | Brass  | A\$ 700.93   |
| F5[TEMP]21[DIM]                                                            | 15" to 17-3/4"   | Chrome | A\$ 700.93   |
| F5[TEMP]08[DIM]                                                            | 15" to 17-3/4"   | White  | A\$ 713.97   |
| F5[TEMP]11[DIM]                                                            | 18" to 20-3/4"   | Brass  | A\$ 733.68   |
| F5[TEMP]21[DIM]                                                            | 18" to 20-3/4"   | Chrome | A\$ 733.68   |
| F5[TEMP]08[DIM]                                                            | 18" to 20-3/4"   | White  | A\$ 746.82   |
| F5[TEMP]11[DIM]                                                            | 21" to 23-3/4"   |        | A\$ Call     |
| F5[TEMP]21[DIM]                                                            | 21" to 23-3/4"   | Chrome | A\$ 766.44   |
| F5[TEMP]08[DIM]                                                            | 21" to 23-3/4"   | White  | A\$ 779.56   |
| F5[TEMP]11[DIM]                                                            | 24" to 26-3/4"   | Bronze | A\$ 799.27   |
| F5[TEMP]21[DIM]                                                            | 24" to 26-3/4"   | Chrome | A\$ 799.27   |
| F5[TEMP]08[DIM]                                                            | 24" to 26-3/4"   | White  | A\$ 812.35   |
| F5[TEMP]11[DIM]                                                            | 27" to 29-3/4"   | Bronze | A\$ Call     |
| F5[TEMP]21[DIM]                                                            | 27" to 29-3/4"   | Chrome | A\$ 832.08   |
| F5[TEMP]08[DIM]                                                            | 27" to 29-3/4"   |        | A\$ Call     |
| F5[TEMP]11[DIM]                                                            | 30" to 32-3/4"   | Bronze | A\$ Call     |
| F5[TEMP]21[DIM]                                                            | 30" to 32-3/4"   | Chrome | A\$ 864.87   |
| F5[TEMP]08[DIM]                                                            | 30" to 32-3/4"   |        | A\$ Call     |
| F5[TEMP]11[DIM]                                                            | 33" to 35-3/4"   | Bronze | A\$ 897.56   |
| F5[TEMP]21[DIM]                                                            | 33" to 35-3/4"   | Chrome | A\$ 897.56   |
| F5[TEMP]08[DIM]                                                            | 33" to 35-3/4"   | White  | A\$ 910.80   |
| F5[TEMP]11[DIM]                                                            | 36" to 38-3/4"   | Bronze | A\$ 930.45   |
| F5[TEMP]21[DIM]                                                            | 36" to 38-3/4"   | Chrome | A\$ 930.45   |
| F5[TEMP]08[DIM]                                                            | 36" to 38-3/4"   |        | A\$ Call     |
| F5[TEMP]11[DIM]                                                            | 39" to 41-3/4"   | Bronze | A\$ 963.20   |
| F5[TEMP]21[DIM]                                                            | 39" to 41-3/4"   | Chrome | A\$ 963.20   |
| F5[TEMP]08[DIM]                                                            | 39" to 41-3/4"   |        | A\$ Call     |
| F5[TEMP]11[DIM]                                                            | 42" to 44-3/4"   | Bronze | A\$ 996.11   |
| F5[TEMP]21[DIM]                                                            | 42" to 44-3/4"   | Chrome | A\$ 996.11   |
| F5[TEMP]08[DIM]                                                            | 42" to 44-3/4"   | White  | A\$ 1,009.23 |
| F5[TEMP]11[DIM]                                                            | 45" to 48"       | Bronze | A\$ 1,028.90 |
| F5[TEMP]21[DIM]                                                            | 45" to 48"       | Chrome | A\$ 1,028.90 |
| F5[TEMP]08[DIM]                                                            | 45" to 48"       |        | A\$ Call     |

6880070100  
6990004858

WXLO  
DEKTITE

Requires XLO2 Sprinkler Wrench  
Dektite Pipe Flashing, 1/4" - 2"

A\$ 331.20  
A\$ 69.04



## F3-56 DRY REC F1 HSW

- K-Factor = 5.6 (80)
- **SIN R5334**
- 3/4" Size
- See Bulletin 153

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (1)        |
| 155°F (68°C)  | (2)        |
| 175°F (79°C)  | (3)        |
| 200°F (93°C)  | (5)        |
| 286°F (141°C) | (8)        |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                          | Size             | Finish | List Price |
|----------------------------------------------------------------------|------------------|--------|------------|
| <b>MODEL F3-56 DRY REC F1 HORIZONTAL K5.6 (80) 3/4" (20MM) R5334</b> |                  |        |            |
| F05[TEMP]11[DIM]                                                     | 3-1/2" to 5-3/4" | Brass  | A\$ 649.80 |
| F05[TEMP]21[DIM]                                                     | 3-1/2" to 5-3/4" | Chrome | A\$ 632.82 |
| F05[TEMP]08[DIM]                                                     | 3-1/2" to 5-3/4" | White  | A\$ 646.00 |
| F05[TEMP]11[DIM]                                                     | 6" to 8-3/4"     | Brass  | A\$ 682.58 |
| F05[TEMP]21[DIM]                                                     | 6" to 8-3/4"     | Chrome | A\$ 665.63 |
| F05[TEMP]08[DIM]                                                     | 6" to 8-3/4"     | White  | A\$ 678.72 |
| F05[TEMP]11[DIM]                                                     | 9" to 11-3/4"    | Brass  | A\$ 715.31 |
| F05[TEMP]21[DIM]                                                     | 9" to 11-3/4"    | Chrome | A\$ 698.35 |
| F05[TEMP]08[DIM]                                                     | 9" to 11-3/4"    | White  | A\$ 711.48 |
| F05[TEMP]11[DIM]                                                     | 12" to 14-3/4"   | Brass  | A\$ 748.20 |
| F05[TEMP]21[DIM]                                                     | 12" to 14-3/4"   | Chrome | A\$ 731.24 |
| F05[TEMP]08[DIM]                                                     | 12" to 14-3/4"   | White  | A\$ 744.25 |
| F05[TEMP]11[DIM]                                                     | 15" to 17-3/4"   | Brass  | A\$ 780.99 |
| F05[TEMP]21[DIM]                                                     | 15" to 17-3/4"   | Chrome | A\$ 764.03 |
| F05[TEMP]08[DIM]                                                     | 15" to 17-3/4"   | White  | A\$ 777.08 |
| F05[TEMP]11[DIM]                                                     | 18" to 20-3/4"   | Brass  | A\$ 813.75 |
| F05[TEMP]21[DIM]                                                     | 18" to 20-3/4"   | Chrome | A\$ 796.77 |
| F05[TEMP]08[DIM]                                                     | 18" to 20-3/4"   | White  | A\$ 809.90 |
| F05[TEMP]11[DIM]                                                     | 21" to 23-3/4"   | Brass  | A\$ 846.51 |
| F05[TEMP]21[DIM]                                                     | 21" to 23-3/4"   | Chrome | A\$ 829.54 |
| F05[TEMP]08[DIM]                                                     | 21" to 23-3/4"   | White  | A\$ 842.66 |
| F05[TEMP]11[DIM]                                                     | 24" to 26-3/4"   | Bronze | A\$ 879.32 |
| F05[TEMP]21[DIM]                                                     | 24" to 26-3/4"   | Chrome | A\$ 862.35 |
| F05[TEMP]08[DIM]                                                     | 24" to 26-3/4"   | White  | A\$ 875.45 |
| F05[TEMP]11[DIM]                                                     | 27" to 29-3/4"   | Bronze | A\$ 912.15 |
| F05[TEMP]21[DIM]                                                     | 27" to 29-3/4"   | Chrome | A\$ 895.18 |
| F05[TEMP]08[DIM]                                                     | 27" to 29-3/4"   | White  | A\$ 908.31 |
| F05[TEMP]11[DIM]                                                     | 30" to 32-3/4"   | Bronze | A\$ 944.94 |
| F05[TEMP]21[DIM]                                                     | 30" to 32-3/4"   | Chrome | A\$ 928.03 |
| F05[TEMP]08[DIM]                                                     | 30" to 32-3/4"   | White  | A\$ 941.14 |
| F05[TEMP]11[DIM]                                                     | 33" to 36"       | Bronze | A\$ 977.65 |
| F05[TEMP]21[DIM]                                                     | 33" to 36"       | Chrome | A\$ 960.68 |
| F05[TEMP]08[DIM]                                                     | 33" to 36"       | White  | A\$ 973.89 |

|            |         |                                      |            |
|------------|---------|--------------------------------------|------------|
| 6880070100 | WXLO    | Requires Model XL02 Sprinkler Wrench | A\$ 331.20 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2"     | A\$ 69.04  |



## F3-56 DRY REC F1 HSW

- K-Factor = 5.6 (80)
- **SIN R5334**
- 1" Size
- 1" Size
- See Bulletin 153

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

### Notes:

In white applications, sprinkler can remains chrome.

| Part Number                                                                | Size             | Finish | List Price   |
|----------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL F3-56 DRY REC F1 HORIZONTAL K5.6 (80) THREADS 1" (25MM) R5334</b> |                  |        |              |
| F0[TEMP]11[DIM]                                                            | 3-1/2" to 5-3/4" | Brass  | A\$ 513.01   |
| F0[TEMP]21[DIM]                                                            | 3-1/2" to 5-3/4" | Chrome | A\$ 558.52   |
| F0[TEMP]08[DIM]                                                            | 3-1/2" to 5-3/4" | White  | A\$ 571.69   |
| F0[TEMP]11[DIM]                                                            | 6" to 8-3/4"     | Brass  | A\$ 608.30   |
| F0[TEMP]21[DIM]                                                            | 6" to 8-3/4"     | Chrome | A\$ 591.34   |
| F0[TEMP]08[DIM]                                                            | 6" to 8-3/4"     | White  | A\$ 604.44   |
| F0[TEMP]11[DIM]                                                            | 9" to 11-3/4"    | Brass  | A\$ 641.03   |
| F0[TEMP]21[DIM]                                                            | 9" to 11-3/4"    | Chrome | A\$ 624.04   |
| F0[TEMP]08[DIM]                                                            | 9" to 11-3/4"    | White  | A\$ 637.17   |
| F0[TEMP]11[DIM]                                                            | 12" to 14-3/4"   | Brass  | A\$ 673.90   |
| F0[TEMP]21[DIM]                                                            | 12" to 14-3/4"   | Chrome | A\$ 656.94   |
| F0[TEMP]08[DIM]                                                            | 12" to 14-3/4"   | White  | A\$ 670.00   |
| F0[TEMP]11[DIM]                                                            | 15" to 17-3/4"   | Brass  | A\$ 706.70   |
| F0[TEMP]21[DIM]                                                            | 15" to 17-3/4"   | Chrome | A\$ 689.75   |
| F0[TEMP]08[DIM]                                                            | 15" to 17-3/4"   | White  | A\$ 702.80   |
| F0[TEMP]11[DIM]                                                            | 18" to 20-3/4"   | Brass  | A\$ 739.46   |
| F0[TEMP]21[DIM]                                                            | 18" to 20-3/4"   | Chrome | A\$ 722.52   |
| F0[TEMP]08[DIM]                                                            | 18" to 20-3/4"   | White  | A\$ 735.61   |
| F0[TEMP]11[DIM]                                                            | 21" to 23-3/4"   | Brass  | A\$ 772.21   |
| F0[TEMP]21[DIM]                                                            | 21" to 23-3/4"   | Chrome | A\$ 755.27   |
| F0[TEMP]08[DIM]                                                            | 21" to 23-3/4"   | White  | A\$ 768.39   |
| F0[TEMP]11[DIM]                                                            | 24" to 26-3/4"   | Bronze | A\$ 805.04   |
| F0[TEMP]21[DIM]                                                            | 24" to 26-3/4"   | Chrome | A\$ 788.10   |
| F0[TEMP]08[DIM]                                                            | 24" to 26-3/4"   | White  | A\$ 801.14   |
| F0[TEMP]11[DIM]                                                            | 27" to 29-3/4"   | Bronze | A\$ 837.85   |
| F0[TEMP]21[DIM]                                                            | 27" to 29-3/4"   | Chrome | A\$ 820.93   |
| F0[TEMP]08[DIM]                                                            | 27" to 29-3/4"   | White  | A\$ 834.01   |
| F0[TEMP]11[DIM]                                                            | 30" to 32-3/4"   | Bronze | A\$ 870.66   |
| F0[TEMP]21[DIM]                                                            | 30" to 32-3/4"   | Chrome | A\$ 853.72   |
| F0[TEMP]08[DIM]                                                            | 30" to 32-3/4"   | White  | A\$ 866.85   |
| F0[TEMP]11[DIM]                                                            | 33" to 35-3/4"   | Bronze | A\$ 903.35   |
| F0[TEMP]21[DIM]                                                            | 33" to 35-3/4"   | Chrome | A\$ 886.41   |
| F0[TEMP]08[DIM]                                                            | 33" to 35-3/4"   | White  | A\$ 899.58   |
| F0[TEMP]11[DIM]                                                            | 36" to 38-3/4"   | Bronze | A\$ 936.21   |
| F0[TEMP]21[DIM]                                                            | 36" to 38-3/4"   | Chrome | A\$ 919.27   |
| F0[TEMP]08[DIM]                                                            | 36" to 38-3/4"   | White  | A\$ 932.38   |
| F0[TEMP]11[DIM]                                                            | 39" to 41-3/4"   | Bronze | A\$ 968.97   |
| F0[TEMP]21[DIM]                                                            | 39" to 41-3/4"   | Chrome | A\$ 952.03   |
| F0[TEMP]08[DIM]                                                            | 39" to 41-3/4"   | White  | A\$ 965.24   |
| F0[TEMP]11[DIM]                                                            | 42" to 44-3/4"   | Bronze | A\$ 1,001.90 |
| F0[TEMP]21[DIM]                                                            | 42" to 44-3/4"   | Chrome | A\$ 984.93   |
| F0[TEMP]08[DIM]                                                            | 42" to 44-3/4"   | White  | A\$ 998.04   |
| F0[TEMP]11[DIM]                                                            | 45" to 48"       | Bronze | A\$ 1,034.69 |
| F0[TEMP]21[DIM]                                                            | 45" to 48"       | Chrome | A\$ 1,017.72 |
| F0[TEMP]08[DIM]                                                            | 45" to 48"       | White  | A\$ 1,030.83 |

|            |         |                                  |            |
|------------|---------|----------------------------------|------------|
| 6880070100 | WXLO    | Requires XL02 Sprinkler Wrench   | A\$ 331.20 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2" | A\$ 69.04  |



## F3-56 CONCEALED

- K-Factor = 5.6 (80)
- **SIN R5314**
- 3/4" Size
- See Bulletin 153

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (1)        |
| 155°F (68°C)  | (2)        |
| 175°F (79°C)  | (3)        |
| 200°F (93°C)  | (5)        |
| 286°F (141°C) | (8)        |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                      | Size             | Finish                | List Price   |
|------------------------------------------------------------------|------------------|-----------------------|--------------|
| <b>MODEL F3-56 CONCEALED K5.6 (80) THREADS 3/4" (20MM) R5314</b> |                  |                       |              |
| FG5[TEMP]17[DIM]                                                 | 3-1/2" to 5-3/4" | Chrome                | A\$ 762.45   |
| FG5[TEMP]17[DIM]                                                 | 6" to 8-3/4"     | Brass                 | A\$ 795.32   |
| FG5[TEMP]17[DIM]                                                 | 9" to 11-3/4"    | Brass                 | A\$ 827.97   |
| FG5[TEMP]17[DIM]                                                 | 12" to 14-3/4"   | Chrome                | A\$ 860.82   |
| FG5[TEMP]17[DIM]                                                 | 15" to 17-3/4"   | Chrome                | A\$ 893.63   |
| FG5[TEMP]17[DIM]                                                 | 18" to 20-3/4"   | Chrome                | A\$ 926.45   |
| FG5[TEMP]17[DIM]                                                 | 21" to 23-3/4"   | Chrome                | A\$ 959.17   |
| FG5[TEMP]17[DIM]                                                 | 24" to 26-3/4"   | Chrome                | A\$ 992.59   |
| FG5[TEMP]17[DIM]                                                 | 27" to 29-3/4"   | Chrome                | A\$ 1,057.51 |
| FG5[TEMP]17[DIM]                                                 | 30" to 32-3/4"   | Chrome                | A\$ 1,123.11 |
| FG5[TEMP]17[DIM]                                                 | 33" to 36"       | Chrome                | A\$ 1,188.70 |
| <b>MODEL CCP CONICAL CONCEALED COVER PLATES</b>                  |                  |                       |              |
| 6887161321                                                       | CCP0C76          | 135°F 57°C Chrome     | A\$ 168.49   |
| 6887161318                                                       | CCP0W76          | 135°F 57°C Flat White | A\$ 65.66    |
| 6887161621                                                       | CCP1C76          | 165°F 74°C Chrome     | A\$ 168.49   |
| 6887161618                                                       | CCP1W76          | 165°F 74°C Flat White | A\$ 65.66    |

|            |         |                                      |            |
|------------|---------|--------------------------------------|------------|
| 6880070100 | WXLO    | Requires Model XLO2 Sprinkler Wrench | A\$ 331.20 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2"     | A\$ 69.04  |



## F3-56 DRY CONCEALED

- K-Factor = 5.6 (80)
- **SIN R5314**
- 1" Size
- See Bulletin 153

| Part Number                                                        |         | Size             | Finish     | List Price   |
|--------------------------------------------------------------------|---------|------------------|------------|--------------|
| <b>MODEL F3-56 DRY CONCEALED K5.6 (80) THREADS 1" (25MM) R5314</b> |         |                  |            |              |
| FG[TEMP]17[DIM]                                                    |         | 3-1/2" to 5-3/4" | Brass      | A\$ 688.15   |
| FG[TEMP]17[DIM]                                                    |         | 6" to 8-3/4"     | Brass      | A\$ 721.01   |
| FG[TEMP]17[DIM]                                                    |         | 9" to 11-3/4"    | Brass      | A\$ 753.69   |
| FG[TEMP]17[DIM]                                                    |         | 12" to 14-3/4"   | Brass      | A\$ 786.54   |
| FG[TEMP]17[DIM]                                                    |         | 15" to 17-3/4"   | Brass      | A\$ 819.37   |
| FG[TEMP]17[DIM]                                                    |         | 18" to 20-3/4"   | Brass      | A\$ 852.15   |
| FG[TEMP]17[DIM]                                                    |         | 21" to 23-3/4"   | Brass      | A\$ 884.93   |
| FG[TEMP]17[DIM]                                                    |         | 24" to 26-3/4"   | Brass      | A\$ 918.30   |
| FG[TEMP]17[DIM]                                                    |         | 27" to 29-3/4"   | Brass      | A\$ 983.21   |
| FG[TEMP]17[DIM]                                                    |         | 30" to 32-3/4"   | Brass      | A\$ 1,048.82 |
| FG[TEMP]17[DIM]                                                    |         | 33" to 35-3/4"   | Brass      | A\$ 1,114.42 |
| FG[TEMP]17[DIM]                                                    |         | 36" to 38-3/4"   | Brass      | A\$ 1,147.23 |
| FG[TEMP]17[DIM]                                                    |         | 39" to 41-3/4"   | Brass      | A\$ 1,180.00 |
| FG[TEMP]17[DIM]                                                    |         | 42" to 44-3/4"   | Brass      | A\$ 1,212.92 |
| FG[TEMP]17[DIM]                                                    |         | 45" to 48"       | Brass      | A\$ 1,245.61 |
| <b>MODEL CCP CONICAL CONCEALED COVER PLATES</b>                    |         |                  |            |              |
| 6887161321                                                         | CCP0C76 | 135°F 57°C       | Brass      | A\$ 168.49   |
| 6887161318                                                         | CCP0W76 | 135°F 57°C       | Flat White | A\$ 65.66    |
| 6887161621                                                         | CCP1C76 | 165°F 74°C       | Brass      | A\$ 168.49   |
| 6887161618                                                         | CCP1W76 | 165°F 74°C       | Flat White | A\$ 65.66    |

|            |         |                                  |            |
|------------|---------|----------------------------------|------------|
| 6880070100 | WXLO    | Requires XLO2 Sprinkler Wrench   | A\$ 331.20 |
| 6990004858 | DEKTITE | Dektite Pipe Flashing, 1/4" - 2" | A\$ 69.04  |

### Notes:

Sprinklers and coverplates sold and packaged separately



## F3-80 DRY PENDENT

- K-Factor = 8.0  
(115)
- **SIN RA6012**
- 1" Size
- See Bulletin 060

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                        | Size           | Finish | List Price |
|--------------------------------------------------------------------|----------------|--------|------------|
| <b>MODEL F3-80 DRY PENDENT K8.0 (115) THREADS 1" (25MM) RA6012</b> |                |        |            |
| P2[TEMP]11[DIM]                                                    | 2" to 5-3/4"   | Brass  | A\$ 579.41 |
| P2[TEMP]21[DIM]                                                    | 2" to 5-3/4"   | Chrome | A\$ 579.41 |
| P2[TEMP]08[DIM]                                                    | 2" to 5-3/4"   | White  | A\$ 594.27 |
| P2[TEMP]11[DIM]                                                    | 6" to 8-3/4"   | Brass  | A\$ 619.04 |
| P2[TEMP]21[DIM]                                                    | 6" to 8-3/4"   | Chrome | A\$ 619.04 |
| P2[TEMP]08[DIM]                                                    | 6" to 8-3/4"   | White  | A\$ 636.37 |
| P2[TEMP]11[DIM]                                                    | 9" to 11-3/4"  | Brass  | A\$ 658.65 |
| P2[TEMP]21[DIM]                                                    | 9" to 11-3/4"  | Chrome | A\$ 658.65 |
| P2[TEMP]08[DIM]                                                    | 9" to 11-3/4"  | White  | A\$ 675.99 |
| P2[TEMP]11[DIM]                                                    | 12" to 14-3/4" | Brass  | A\$ 698.30 |
| P2[TEMP]21[DIM]                                                    | 12" to 14-3/4" | Chrome | A\$ 698.30 |
| P2[TEMP]08[DIM]                                                    | 12" to 14-3/4" | White  | A\$ 715.61 |
| P2[TEMP]11[DIM]                                                    | 15" to 17-3/4" | Brass  | A\$ 740.35 |
| P2[TEMP]21[DIM]                                                    | 15" to 17-3/4" | Chrome | A\$ 740.35 |
| P2[TEMP]08[DIM]                                                    | 15" to 17-3/4" | White  | A\$ 755.21 |
| P2[TEMP]11[DIM]                                                    | 18" to 20-3/4" | Brass  | A\$ 779.97 |
| P2[TEMP]21[DIM]                                                    | 18" to 20-3/4" | Chrome | A\$ 779.97 |
| P2[TEMP]08[DIM]                                                    | 18" to 20-3/4" | White  | A\$ 794.80 |
| P2[TEMP]11[DIM]                                                    | 21" to 23-3/4" | Brass  | A\$ 819.59 |
| P2[TEMP]21[DIM]                                                    | 21" to 23-3/4" | Chrome | A\$ 819.59 |
| P2[TEMP]08[DIM]                                                    | 21" to 23-3/4" | White  | A\$ 836.90 |
| P2[TEMP]11[DIM]                                                    | 24" to 26-3/4" | Brass  | A\$ 859.20 |
| P2[TEMP]21[DIM]                                                    | 24" to 26-3/4" | Chrome | A\$ 859.20 |
| P2[TEMP]08[DIM]                                                    | 24" to 26-3/4" | White  | A\$ 876.55 |
| P2[TEMP]11[DIM]                                                    | 27" to 29-3/4" | Brass  | A\$ 898.83 |
| P2[TEMP]21[DIM]                                                    | 27" to 29-3/4" | Chrome | A\$ 898.83 |
| P2[TEMP]08[DIM]                                                    | 27" to 29-3/4" | White  | A\$ 916.20 |
| P2[TEMP]11[DIM]                                                    | 30" to 32-3/4" | Brass  | A\$ 940.92 |
| P2[TEMP]21[DIM]                                                    | 30" to 32-3/4" | Chrome | A\$ 940.92 |
| P2[TEMP]08[DIM]                                                    | 30" to 32-3/4" | White  | A\$ 955.76 |
| P2[TEMP]11[DIM]                                                    | 33" to 36"     | Brass  | A\$ 980.56 |
| P2[TEMP]21[DIM]                                                    | 33" to 36"     | Chrome | A\$ 980.56 |
| P2[TEMP]08[DIM]                                                    | 33" to 36"     | White  | A\$ 995.39 |

6880130001      WF3R      Requires Model F3 Sprinkler Wrench      A\$ 333.65



## F3-80 DRY PENDENT / HB

- K-Factor = 8.0 (115)
- SIN RA6012
- 1" Size
- See Bulletin 060

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                             | Size             | Finish | List Price   |
|-------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL F3-80 DRY PENDENT / HB K8.0 (115) THREADS 1" (25MM) RA6012</b> |                  |        |              |
| PJ[TEMP]21[DIM]                                                         | 3-1/2" to 5-3/4" | Chrome | A\$ 693.31   |
| PJ[TEMP]08[DIM]                                                         | 3-1/2" to 5-3/4" | White  | A\$ 710.63   |
| PJ[TEMP]21[DIM]                                                         | 6" to 8-3/4"     | Chrome | A\$ 737.86   |
| PJ[TEMP]08[DIM]                                                         | 6" to 8-3/4"     | White  | A\$ 755.21   |
| PJ[TEMP]21[DIM]                                                         | 9" to 11-3/4"    | Chrome | A\$ 782.44   |
| PJ[TEMP]08[DIM]                                                         | 9" to 11-3/4"    | White  | A\$ 799.76   |
| PJ[TEMP]21[DIM]                                                         | 12" to 14-3/4"   | Chrome | A\$ 827.00   |
| PJ[TEMP]08[DIM]                                                         | 12" to 14-3/4"   | White  | A\$ 844.35   |
| PJ[TEMP]21[DIM]                                                         | 15" to 17-3/4"   | Chrome | A\$ 871.61   |
| PJ[TEMP]08[DIM]                                                         | 15" to 17-3/4"   | White  | A\$ 888.93   |
| PJ[TEMP]21[DIM]                                                         | 18" to 20-3/4"   | Chrome | A\$ 913.69   |
| PJ[TEMP]08[DIM]                                                         | 18" to 20-3/4"   | White  | A\$ 933.48   |
| PJ[TEMP]21[DIM]                                                         | 21" to 23-3/4"   | Chrome | A\$ 958.23   |
| PJ[TEMP]08[DIM]                                                         | 21" to 23-3/4"   | White  | A\$ 975.58   |
| PJ[TEMP]21[DIM]                                                         | 24" to 26-3/4"   | Chrome | A\$ 1,002.83 |
| PJ[TEMP]08[DIM]                                                         | 24" to 26-3/4"   | White  | A\$ 1,020.14 |
| PJ[TEMP]21[DIM]                                                         | 27" to 29-3/4"   | Chrome | A\$ 1,047.38 |
| PJ[TEMP]08[DIM]                                                         | 27" to 29-3/4"   | White  | A\$ 1,064.75 |
| PJ[TEMP]21[DIM]                                                         | 30" to 32-3/4"   | Chrome | A\$ 1,091.97 |
| PJ[TEMP]08[DIM]                                                         | 30" to 32-3/4"   | White  | A\$ 1,109.30 |
| PJ[TEMP]21[DIM]                                                         | 33" to 36"       | Chrome | A\$ 1,136.56 |
| PJ[TEMP]08[DIM]                                                         | 33" to 36"       | White  | A\$ 1,156.31 |
| <b>REQUIRED SKIRTS</b>                                                  |                  |        |              |
| 6999994454                                                              | SKIRTC           | Chrome | A\$ 5.23     |
| 6999994881                                                              | SKIRTW           | White  | A\$ 5.23     |

6880130001      WF3R      Requires Model F3 Sprinkler Wrench      A\$ 333.65



## F3-80 DRY REC FP PENDENT

- K-Factor = 8.0 (115)
- **SIN RA6012**
- 1" Size
- See Bulletin 060

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                               | Size             | Finish | List Price   |
|---------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL F3-80 DRY REC FP PENDENT K8.0 (115) THREADS 1" (25MM) RA6012</b> |                  |        |              |
| P6[TEMP]11[DIM]                                                           | 3-1/2" to 5-3/4" | Bronze | A\$ 692.49   |
| P6[TEMP]21[DIM]                                                           | 3-1/2" to 5-3/4" | Chrome | A\$ 692.49   |
| P6[TEMP]08[DIM]                                                           | 3-1/2" to 5-3/4" | White  | A\$ 709.83   |
| P6[TEMP]11[DIM]                                                           | 6" to 8-3/4"     | Brass  | A\$ 734.59   |
| P6[TEMP]21[DIM]                                                           | 6" to 8-3/4"     | Chrome | A\$ 734.59   |
| P6[TEMP]08[DIM]                                                           | 6" to 8-3/4"     | White  | A\$ 751.90   |
| P6[TEMP]11[DIM]                                                           | 9" to 11-3/4"    | Brass  | A\$ 776.65   |
| P6[TEMP]21[DIM]                                                           | 9" to 11-3/4"    | Chrome | A\$ 776.65   |
| P6[TEMP]08[DIM]                                                           | 9" to 11-3/4"    | White  | A\$ 794.00   |
| P6[TEMP]11[DIM]                                                           | 12" to 14-3/4"   | Brass  | A\$ 818.75   |
| P6[TEMP]21[DIM]                                                           | 12" to 14-3/4"   | Chrome | A\$ 818.75   |
| P6[TEMP]08[DIM]                                                           | 12" to 14-3/4"   | White  | A\$ 836.10   |
| P6[TEMP]11[DIM]                                                           | 15" to 17-3/4"   | Brass  | A\$ 863.37   |
| P6[TEMP]21[DIM]                                                           | 15" to 17-3/4"   | Chrome | A\$ 863.37   |
| P6[TEMP]08[DIM]                                                           | 15" to 17-3/4"   | White  | A\$ 878.20   |
| P6[TEMP]11[DIM]                                                           | 18" to 20-3/4"   | Brass  | A\$ 905.44   |
| P6[TEMP]21[DIM]                                                           | 18" to 20-3/4"   | Chrome | A\$ 905.44   |
| P6[TEMP]08[DIM]                                                           | 18" to 20-3/4"   | White  | A\$ 922.77   |
| P6[TEMP]11[DIM]                                                           | 21" to 23-3/4"   | Brass  | A\$ 947.52   |
| P6[TEMP]21[DIM]                                                           | 21" to 23-3/4"   | Chrome | A\$ 947.52   |
| P6[TEMP]08[DIM]                                                           | 21" to 23-3/4"   | White  | A\$ 964.85   |
| P6[TEMP]11[DIM]                                                           | 24" to 26-3/4"   | Brass  | A\$ 989.63   |
| P6[TEMP]21[DIM]                                                           | 24" to 26-3/4"   | Chrome | A\$ 989.63   |
| P6[TEMP]08[DIM]                                                           | 24" to 26-3/4"   | White  | A\$ 1,006.96 |
| P6[TEMP]11[DIM]                                                           | 27" to 29-3/4"   | Brass  | A\$ 1,031.72 |
| P6[TEMP]21[DIM]                                                           | 27" to 29-3/4"   | Chrome | A\$ 1,031.72 |
| P6[TEMP]08[DIM]                                                           | 27" to 29-3/4"   | White  | A\$ 1,049.04 |
| P6[TEMP]11[DIM]                                                           | 30" to 32-3/4"   | Brass  | A\$ 1,076.28 |
| P6[TEMP]21[DIM]                                                           | 30" to 32-3/4"   | Chrome | A\$ 1,076.28 |
| P6[TEMP]08[DIM]                                                           | 30" to 32-3/4"   | White  | A\$ 1,091.14 |
| P6[TEMP]11[DIM]                                                           | 33" to 36"       | Bronze | A\$ 1,118.39 |
| P6[TEMP]21[DIM]                                                           | 33" to 36"       | Chrome | A\$ 1,118.39 |
| P6[TEMP]08[DIM]                                                           | 33" to 36"       | White  | A\$ 1,135.69 |

6880070100      WXLO      Requires Model XL02 Sprinkler Wrench      A\$ 331.20



## F3-80 DRY HSW

- K-Factor = 8.0 (115)
- **SIN RA6032**
- 1" Size
- See Bulletin 060

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                           | Size           | Finish | List Price |
|-----------------------------------------------------------------------|----------------|--------|------------|
| <b>MODEL F3-80 DRY HORIZONTAL K8.0 (115) THREADS 1" (25MM) RA6032</b> |                |        |            |
| P4[TEMP]11[DIM]                                                       | 2" to 5-3/4"   | Brass  | A\$ 579.41 |
| P4[TEMP]21[DIM]                                                       | 2" to 5-3/4"   | Chrome | A\$ 579.41 |
| P4[TEMP]08[DIM]                                                       | 2" to 5-3/4"   | White  | A\$ 594.27 |
| P4[TEMP]11[DIM]                                                       | 6" to 8-3/4"   | Brass  | A\$ 619.04 |
| P4[TEMP]21[DIM]                                                       | 6" to 8-3/4"   | Chrome | A\$ 619.04 |
| P4[TEMP]08[DIM]                                                       | 6" to 8-3/4"   | White  | A\$ 636.37 |
| P4[TEMP]11[DIM]                                                       | 9" to 11-3/4"  | Brass  | A\$ 658.65 |
| P4[TEMP]21[DIM]                                                       | 9" to 11-3/4"  | Chrome | A\$ 658.65 |
| P4[TEMP]08[DIM]                                                       | 9" to 11-3/4"  | White  | A\$ 675.99 |
| P4[TEMP]11[DIM]                                                       | 12" to 14-3/4" | Brass  | A\$ 698.30 |
| P4[TEMP]21[DIM]                                                       | 12" to 14-3/4" | Chrome | A\$ 698.30 |
| P4[TEMP]08[DIM]                                                       | 12" to 14-3/4" | White  | A\$ 715.61 |
| P4[TEMP]11[DIM]                                                       | 15" to 17-3/4" | Brass  | A\$ 740.35 |
| P4[TEMP]21[DIM]                                                       | 15" to 17-3/4" | Chrome | A\$ 740.35 |
| P4[TEMP]08[DIM]                                                       | 15" to 17-3/4" | White  | A\$ 755.21 |
| P4[TEMP]11[DIM]                                                       | 18" to 20-3/4" | Brass  | A\$ 779.97 |
| P4[TEMP]21[DIM]                                                       | 18" to 20-3/4" | Chrome | A\$ 779.97 |
| P4[TEMP]08[DIM]                                                       | 18" to 20-3/4" | White  | A\$ 794.80 |
| P4[TEMP]11[DIM]                                                       | 21" to 23-3/4" | Brass  | A\$ 819.59 |
| P4[TEMP]21[DIM]                                                       | 21" to 23-3/4" | Chrome | A\$ 819.59 |
| P4[TEMP]08[DIM]                                                       | 21" to 23-3/4" | White  | A\$ 836.90 |
| P4[TEMP]11[DIM]                                                       | 24" to 26-3/4" | Brass  | A\$ 859.20 |
| P4[TEMP]21[DIM]                                                       | 24" to 26-3/4" | Chrome | A\$ 859.20 |
| P4[TEMP]08[DIM]                                                       | 24" to 26-3/4" | White  | A\$ 876.55 |
| P4[TEMP]11[DIM]                                                       | 27" to 29-3/4" | Brass  | A\$ 898.83 |
| P4[TEMP]21[DIM]                                                       | 27" to 29-3/4" | Chrome | A\$ 898.83 |
| P4[TEMP]08[DIM]                                                       | 27" to 29-3/4" | White  | A\$ 916.20 |
| P4[TEMP]11[DIM]                                                       | 30" to 32-3/4" | Brass  | A\$ 940.92 |
| P4[TEMP]21[DIM]                                                       | 30" to 32-3/4" | Chrome | A\$ 940.92 |
| P4[TEMP]08[DIM]                                                       | 30" to 32-3/4" | White  | A\$ 955.76 |
| P4[TEMP]11[DIM]                                                       | 33" to 36"     | Brass  | A\$ 980.56 |
| P4[TEMP]21[DIM]                                                       | 33" to 36"     | Chrome | A\$ 980.56 |
| P4[TEMP]08[DIM]                                                       | 33" to 36"     | White  | A\$ 995.39 |

6880130001      WF3R      Requires Model F3 Sprinkler Wrench      A\$ 333.65



## F3-80 DRY HSW / HB

- K-Factor = 8.0 (115)
- **SIN RA6032**
- 1" Size
- See Bulletin 060

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                                | Size             | Finish | List Price   |
|----------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL F3-80 DRY HORIZONTAL / HB K8.0 (115) THREADS 1" (25MM) RA6032</b> |                  |        |              |
| PK[TEMP]21[DIM]                                                            | 3-1/2" to 5-3/4" | Chrome | A\$ 693.31   |
| PK[TEMP]08[DIM]                                                            | 3-1/2" to 5-3/4" | White  | A\$ 710.63   |
| PK[TEMP]21[DIM]                                                            | 6" to 8-3/4"     | Chrome | A\$ 737.86   |
| PK[TEMP]08[DIM]                                                            | 6" to 8-3/4"     | White  | A\$ 755.21   |
| PK[TEMP]21[DIM]                                                            | 9" to 11-3/4"    | Chrome | A\$ 782.44   |
| PK[TEMP]08[DIM]                                                            | 9" to 11-3/4"    | White  | A\$ 799.76   |
| PK[TEMP]21[DIM]                                                            | 12" to 14-3/4"   | Chrome | A\$ 827.00   |
| PK[TEMP]08[DIM]                                                            | 12" to 14-3/4"   | White  | A\$ 844.35   |
| PK[TEMP]21[DIM]                                                            | 15" to 17-3/4"   | Chrome | A\$ 871.61   |
| PK[TEMP]08[DIM]                                                            | 15" to 17-3/4"   | White  | A\$ 888.93   |
| PK[TEMP]21[DIM]                                                            | 18" to 20-3/4"   | Chrome | A\$ 913.69   |
| PK[TEMP]08[DIM]                                                            | 18" to 20-3/4"   | White  | A\$ 933.48   |
| PK[TEMP]21[DIM]                                                            | 21" to 23-3/4"   | Chrome | A\$ 958.23   |
| PK[TEMP]08[DIM]                                                            | 21" to 23-3/4"   | White  | A\$ 975.58   |
| PK[TEMP]21[DIM]                                                            | 24" to 26-3/4"   | Chrome | A\$ 1,002.83 |
| PK[TEMP]08[DIM]                                                            | 24" to 26-3/4"   | White  | A\$ 1,020.14 |
| PK[TEMP]21[DIM]                                                            | 27" to 29-3/4"   | Chrome | A\$ 1,047.38 |
| PK[TEMP]08[DIM]                                                            | 27" to 29-3/4"   | White  | A\$ 1,064.75 |
| PK[TEMP]21[DIM]                                                            | 30" to 32-3/4"   | Chrome | A\$ 1,091.97 |
| PK[TEMP]08[DIM]                                                            | 30" to 32-3/4"   | White  | A\$ 1,109.30 |
| PK[TEMP]21[DIM]                                                            | 33" to 36"       | Chrome | A\$ 1,136.56 |
| PK[TEMP]08[DIM]                                                            | 33" to 36"       | White  | A\$ 1,156.31 |
| <b>REQUIRED SKIRTS</b>                                                     |                  |        |              |
| 6999994454                                                                 | SKIRTC           | Chrome | A\$ 5.23     |
| 6999994881                                                                 | SKIRTW           | White  | A\$ 5.23     |

6880130001      WF3R      Requires Model F3 Sprinkler Wrench      A\$      333.65



## F3-80 DRY REC FP HS

- K-Factor = 8.0 (115)
- **SIN RA6032**
- 1" Size
- See Bulletin 060

| Order Matrix  |            |
|---------------|------------|
| Temp/Dim      | Conversion |
| 135°F (57°C)  | (01)       |
| 155°F (68°C)  | (02)       |
| 175°F (79°C)  | (03)       |
| 200°F (93°C)  | (05)       |
| 286°F (141°C) | (08)       |
| 6" Dim        | 0600       |
| 10-1/2" Dim   | 1012       |
| 12-1/4" Dim   | 1214       |

| Part Number                                                                  | Size             | Finish | List Price   |
|------------------------------------------------------------------------------|------------------|--------|--------------|
| <b>MODEL F3-80 DRY REC FP HORIZONTAL K8.0 (115) THREADS 1" (25MM) RA6032</b> |                  |        |              |
| P5[TEMP]11[DIM]                                                              | 3-1/2" to 5-3/4" | Bronze | A\$ 692.49   |
| P5[TEMP]21[DIM]                                                              | 3-1/2" to 5-3/4" | Chrome | A\$ 692.49   |
| P5[TEMP]08[DIM]                                                              | 3-1/2" to 5-3/4" | White  | A\$ 709.83   |
| P5[TEMP]11[DIM]                                                              | 6" to 8-3/4"     | Brass  | A\$ 734.59   |
| P5[TEMP]21[DIM]                                                              | 6" to 8-3/4"     | Chrome | A\$ 734.59   |
| P5[TEMP]08[DIM]                                                              | 6" to 8-3/4"     | White  | A\$ 751.90   |
| P5[TEMP]11[DIM]                                                              | 9" to 11-3/4"    | Brass  | A\$ 776.65   |
| P5[TEMP]21[DIM]                                                              | 9" to 11-3/4"    | Chrome | A\$ 776.65   |
| P5[TEMP]08[DIM]                                                              | 9" to 11-3/4"    | White  | A\$ 794.00   |
| P5[TEMP]11[DIM]                                                              | 12" to 14-3/4"   | Brass  | A\$ 818.75   |
| P5[TEMP]21[DIM]                                                              | 12" to 14-3/4"   | Chrome | A\$ 818.75   |
| P5[TEMP]08[DIM]                                                              | 12" to 14-3/4"   | White  | A\$ 836.10   |
| P5[TEMP]11[DIM]                                                              | 15" to 17-3/4"   | Brass  | A\$ 863.37   |
| P5[TEMP]21[DIM]                                                              | 15" to 17-3/4"   | Chrome | A\$ 863.37   |
| P5[TEMP]08[DIM]                                                              | 15" to 17-3/4"   | White  | A\$ 878.20   |
| P5[TEMP]11[DIM]                                                              | 18" to 20-3/4"   | Brass  | A\$ 905.44   |
| P5[TEMP]21[DIM]                                                              | 18" to 20-3/4"   | Chrome | A\$ 905.44   |
| P5[TEMP]08[DIM]                                                              | 18" to 20-3/4"   | White  | A\$ 922.77   |
| P5[TEMP]11[DIM]                                                              | 21" to 23-3/4"   | Brass  | A\$ 947.52   |
| P5[TEMP]21[DIM]                                                              | 21" to 23-3/4"   | Chrome | A\$ 947.52   |
| P5[TEMP]08[DIM]                                                              | 21" to 23-3/4"   | White  | A\$ 964.85   |
| P5[TEMP]11[DIM]                                                              | 24" to 26-3/4"   | Brass  | A\$ 989.63   |
| P5[TEMP]21[DIM]                                                              | 24" to 26-3/4"   | Chrome | A\$ 989.63   |
| P5[TEMP]08[DIM]                                                              | 24" to 26-3/4"   | White  | A\$ 1,006.96 |
| P5[TEMP]11[DIM]                                                              | 27" to 29-3/4"   | Brass  | A\$ 1,031.72 |
| P5[TEMP]21[DIM]                                                              | 27" to 29-3/4"   | Chrome | A\$ 1,031.72 |
| P5[TEMP]08[DIM]                                                              | 27" to 29-3/4"   | White  | A\$ 1,049.04 |
| P5[TEMP]11[DIM]                                                              | 30" to 32-3/4"   | Brass  | A\$ 1,076.28 |
| P5[TEMP]21[DIM]                                                              | 30" to 32-3/4"   | Chrome | A\$ 1,076.28 |
| P5[TEMP]08[DIM]                                                              | 30" to 32-3/4"   | White  | A\$ 1,091.14 |
| P5[TEMP]11[DIM]                                                              | 33" to 36"       | Brass  | A\$ 1,118.39 |
| P5[TEMP]21[DIM]                                                              | 33" to 36"       | Chrome | A\$ 1,118.39 |
| P5[TEMP]08[DIM]                                                              | 33" to 36"       | White  | A\$ 1,135.69 |

6880070100      WXLO      Requires Model XL02 Sprinkler Wrench      A\$ 331.20



## F3-80 DRY CONCEALED

- K-Factor = 8.0 (115)
- **SIN RA6012**
- 1" Size
- See Bulletin 060

| Part Number                                                          |         | Size             | Finish     | List Price   |
|----------------------------------------------------------------------|---------|------------------|------------|--------------|
| <b>MODEL F3-80 DRY CONCEALED K8.0 (115) THREADS 1" (25MM) RA6012</b> |         |                  |            |              |
| PG[TEMP]17[DIM]                                                      |         | 3-1/2" to 5-3/4" | Brass      | A\$ 896.37   |
| PG[TEMP]17[DIM]                                                      |         | 6" to 8-3/4"     | Brass      | A\$ 938.45   |
| PG[TEMP]17[DIM]                                                      |         | 9" to 11-3/4"    | Brass      | A\$ 980.56   |
| PG[TEMP]17[DIM]                                                      |         | 12" to 14-3/4"   | Brass      | A\$ 1,022.63 |
| PG[TEMP]17[DIM]                                                      |         | 15" to 17-3/4"   | Brass      | A\$ 1,067.20 |
| PG[TEMP]17[DIM]                                                      |         | 18" to 20-3/4"   | Brass      | A\$ 1,109.30 |
| PG[TEMP]17[DIM]                                                      |         | 21" to 23-3/4"   | Brass      | A\$ 1,151.38 |
| PG[TEMP]17[DIM]                                                      |         | 24" to 26-3/4"   | Brass      | A\$ 1,195.96 |
| PG[TEMP]17[DIM]                                                      |         | 27" to 29-3/4"   | Brass      | A\$ 1,280.15 |
| PG[TEMP]17[DIM]                                                      |         | 30" to 32-3/4"   | Brass      | A\$ 1,364.32 |
| PG[TEMP]17[DIM]                                                      |         | 33" to 36"       | Brass      | A\$ 1,448.51 |
| <b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>                       |         |                  |            |              |
| 6887161321                                                           | CCP0C76 | 135°F 57°C       | Chrome     | A\$ 168.49   |
| 6887161318                                                           | CCP0W76 | 135°F 57°C       | Flat White | A\$ 65.66    |
| 6887161621                                                           | CCP1C76 | 165°F 74°C       | Chrome     | A\$ 168.49   |
| 6887161618                                                           | CCP1W76 | 165°F 74°C       | Flat White | A\$ 65.66    |

6880070100    WXLO    Requires Model XLO2 Sprinkler Wrench    A\$ 331.20

### Notes:

Sprinklers and coverplates sold and packaged separately



## TNL280 SPRAY NOZZLE

- K-Factor = 28 (400)
- Pendent, Open Nozzle
- See Bulletin 099
- cULus Corrosion Resistant Nozzle
- Designed primary for use in tunnel fire protection.

| Description                                                                 | Part Number | Short Code | List Price |
|-----------------------------------------------------------------------------|-------------|------------|------------|
| <b>MODEL TNL280 PENDENT K28 (400) THREADS 1" (25MM)</b>                     |             |            |            |
| TNL280,PENDENT,OPN,1NPT,ENT/BLACK                                           | DB00446591  | TNL280     | A\$680.79  |
| <b>MODEL TNL280 PENDENT K28 (400) IS07-1RI THREADS - INTERNATIONAL ONLY</b> |             |            |            |
| TNL280,PENDENT,OPN,1BSPT,ENT/BLACK                                          | DB00446593  | TNL280M    | A\$680.79  |
| <b>WRENCH,W5,HL-22,N25,N252,TNL280,P22/25</b>                               |             |            |            |
|                                                                             | 6880050105  | VW5        | A\$252.70  |

### Features



## B & FM SPRAY NOZZLES

- Window Model B
  - 1/4" K-Factor = 1.81 (26)
  - 5/16" K-Factor = 2.57 (37)
  - 3/8" K-Factor = 3.45 (50)
- B Nozzles = SIN R041X**
- Window Model FM
  - 3/4" K-Factor = 14.4 (207)
  - 5/8" K-Factor = 10.0 (144)
  - 1/2" K-Factor = 6.6 (95)
- FM Nozzles = SIN R041X**
- See Bulletin 103

| Description                                                             | Part Number | Short Code | List Price |
|-------------------------------------------------------------------------|-------------|------------|------------|
| <b>MODEL B WINDOW SPRAY NOZZLE K1.81 (26) THREADS 1/2" (15MM) R041X</b> |             |            |            |
| 1/4" Bronze                                                             | 4500111685  | B4B        | A\$ 104.69 |
| 5/16" Bronze                                                            | 4500112085  | B5B        | A\$ 104.69 |
| 3/8" Bronze                                                             | 4500112485  | B3B        | A\$ 104.69 |
| <b>MODEL FM WINDOW SPRAY NOZZLE K6.6 (95) THREADS 1/2" (15MM) R041X</b> |             |            |            |
| 1/2" (15mm) Bronze                                                      | 4500113286  | FMWB       | A\$ 120.04 |
| <b>MODEL FM WINDOW SPRAY NOZZLE THREADS 5/8", 3/4" R041X</b>            |             |            |            |
| 5/8" Bronze                                                             | 4500114086  | FMW5B      | A\$ 124.97 |
| 3/4" Bronze                                                             | 4500114886  | FMW4B      | A\$ 124.97 |

| Description                                                       | Part Number | Short Code | List Price |
|-------------------------------------------------------------------|-------------|------------|------------|
| <b>MODEL FM SPRAY NOZZLE K9.8 (141) THREADS 1/2" (15MM) R042X</b> |             |            |            |
| 1/2" Bronze                                                       | 4500113287  | FMCB       | A\$ 182.69 |
| <b>MODEL FM SPRAY NOZZLE K6.5 (94) THREADS 3/4" (20MM) R042X</b>  |             |            |            |
| 5/8" Bronze                                                       | 4500114087  | FMC5B      | A\$ 208.00 |
| 3/4" Bronze                                                       | 4500114887  | FMC4B      | A\$ 208.00 |

|                                    |            |     |            |
|------------------------------------|------------|-----|------------|
| Requires Model W2 Sprinkler Wrench | 6880050100 | WW2 | A\$ 212.48 |
|------------------------------------|------------|-----|------------|



## FM SPRAY NOZZLES

- Cornice Type
  - 5/8" K-Factor = 9.8 (141)
  - 1/2" K-Factor = 6.5 (94)
- SIN R042X**
- See Bulletin 103



## HV SPRAY NOZZLES

- High Velocity Nozzles
- Bulletin 105



## PLD

- Upright or Pendent
- Pilot Line Detector
- Bulletin 180

| Description                                              | Part Number | Short Code | List Price |
|----------------------------------------------------------|-------------|------------|------------|
| <b>MODEL HV-AS WITH STRAINER</b>                         |             |            |            |
| Discharge Angle: 75° K-Factor: 1.54(22) Finish: Bronze   | 6999994620  | HVAS75B    | A\$836.62  |
| Discharge Angle: 75° K-Factor: 1.54(22) Finish: Chrome   | 6999994621  |            | A\$836.62  |
| Discharge Angle: 80° K-Factor: 1.26 (18) Finish: Bronze  | 6999994624  | HVAS80B    | A\$836.62  |
| Discharge Angle: 80° K-Factor: 1.26 (18) Finish: Chrome  | 6999994625  |            | A\$836.62  |
| Discharge Angle: 90° K-Factor: 2.24 (32) Finish: Bronze  | 6999994628  | HVAS90B    | A\$836.62  |
| Discharge Angle: 90° K-Factor: 2.24 (32) Finish: Chrome  | 6999994629  |            | A\$836.62  |
| Discharge Angle: 100° K-Factor: 1.82(26) Finish: Bronze  | 6999994632  | HVAS100B   | A\$836.62  |
| Discharge Angle: 100° K-Factor: 1.82(26) Finish: Chrome  | 6999994633  |            | A\$836.62  |
| Discharge Angle: 115° K-Factor: 2.94 (42) Finish: Bronze | 6999996279  | HVAS115B   | A\$836.62  |
| Discharge Angle: 115° K-Factor: 2.94 (42) Finish: Chrome | 6999996280  | HVAS115C   | A\$836.62  |
| Discharge Angle: 120° K-Factor: 1.61(23) Finish: Bronze  | 6999996281  | HVAS120B   | A\$836.62  |
| Discharge Angle: 120° K-Factor: 1.61(23) Finish: Chrome  | 6999996282  |            | A\$836.62  |

| Part Number                             | Short Code | Temperature | Finish | List Price |
|-----------------------------------------|------------|-------------|--------|------------|
| <b>MODEL F1-FTR PILOT LINE DETECTOR</b> |            |             |        |            |
| 68111401S1                              | PLD0BN     | 135°F 57°C  | Brass  | A\$ 117.48 |
| 68111401S3                              | PLD0CN     | 135°F 57°C  | Chrome | A\$ 125.41 |
| 68111401S5                              | PLD0WN     | 135°F 57°C  | White  | A\$ 131.56 |
| 68111402S1                              | PLD1BN     | 155°F 68°C  | Brass  | A\$ 117.48 |
| 68111402S3                              | PLD1CN     | 155°F 68°C  | Chrome | A\$ 125.41 |
| 68111402S5                              | PLD1WN     | 155°F 68°C  | White  | A\$ 131.56 |
| 68111403S1                              | PLD5BN     | 175°F 79°C  | Brass  | A\$ 117.48 |
| 68111403S3                              | PLD5CN     | 175°F 79°C  | Chrome | A\$ 125.41 |
| 68111403S5                              | PLD5WN     | 175°F 79°C  | White  | A\$ 131.56 |
| 68111404S1                              | PLD2BN     | 200°F 93°C  | Brass  | A\$ 117.48 |
| 68111404S3                              | PLD2CN     | 200°F 93°C  | Chrome | A\$ 125.41 |
| 68111404S5                              | PLD2WN     | 200°F 93°C  | White  | A\$ 131.56 |



## MV SPRAY NOZZLE

- See Bulletin 106

| Description               | Part Number | Short Code | List Price |
|---------------------------|-------------|------------|------------|
| <b>MODEL MV NOZZLES</b>   |             |            |            |
| MV,NOZZLE,K1.2,80, BRASS  | 4E01112080  |            | A\$ 162.51 |
| MV,NOZZLE,K1.2,95, BRASS  | 4E01112095  |            | A\$ 162.51 |
| MV,NOZZLE,K1.2,110, BRASS | 4E01112110  |            | A\$ 162.51 |
| MV,NOZZLE,K1.2,125, BRASS | 4E01112125  |            | A\$ 162.51 |
| MV,NOZZLE,K1.2,140, BRASS | 4E01112140  |            | A\$ 162.51 |
| MV,NOZZLE,K1.2,160, BRASS | 4E01112160  |            | A\$ 162.51 |
| MV,NOZZLE,K1.2,180, BRASS | 4E01112180  |            | A\$ 162.51 |
| MV,NOZZLE,K1.8,65, BRASS  | 4E01118065  |            | A\$ 162.51 |
| MV,NOZZLE,K1.8,80, BRASS  | 4E01118080  |            | A\$ 162.51 |
| MV,NOZZLE,K1.8,95, BRASS  | 4E01118095  |            | A\$ 162.51 |
| MV,NOZZLE,K1.8,110, BRASS | 4E01118110  |            | A\$ 162.51 |
| MV,NOZZLE,K1.8,125, BRASS | 4E01118125  |            | A\$ 162.51 |
| MV,NOZZLE,K1.8,140, BRASS | 4E01118140  |            | A\$ 162.51 |
| MV,NOZZLE,K1.8,160, BRASS | 4E01118160  |            | A\$ 162.51 |
| MV,NOZZLE,K1.8,180, BRASS | 4E01118180  |            | A\$ 162.51 |
| MV,NOZZLE,K2.3,65 BRASS   | 4E01123065  |            | A\$ 162.51 |
| MV,NOZZLE,K2.3,80 BRASS   | 4E01123080  |            | A\$ 162.51 |
| MV,NOZZLE,K2.3,95 BRASS   | 4E01123095  |            | A\$ 162.51 |
| MV,NOZZLE,K2.3,110 BRASS  | 4E01123110  |            | A\$ 162.51 |
| MV,NOZZLE,K2.3,125 BRASS  | 4E01123125  |            | A\$ 162.51 |
| MV,NOZZLE,K2.3,140 BRASS  | 4E01123140  |            | A\$ 162.51 |
| MV,NOZZLE,K2.3,160 BRASS  | 4E01123160  |            | A\$ 162.51 |
| MV,NOZZLE,K2.3,180 BRASS  | 4E01123180  |            | A\$ 162.51 |
| MV,NOZZLE,K3.0,65 BRASS   | 4E01130065  |            | A\$ 162.51 |
| MV,NOZZLE,K3.0,80 BRASS   | 4E01130080  |            | A\$ 162.51 |
| MV,NOZZLE,K3.0,95 BRASS   | 4E01130095  |            | A\$ 162.51 |
| MV,NOZZLE,K3.0,110 BRASS  | 4E01130110  |            | A\$ 162.51 |
| MV,NOZZLE,K3.0,125 BRASS  | 4E01130125  |            | A\$ 162.51 |
| MV,NOZZLE,K3.0,140 BRASS  | 4E01130140  |            | A\$ 162.51 |
| MV,NOZZLE,K3.0,160 BRASS  | 4E01130160  |            | A\$ 162.51 |
| MV,NOZZLE,K3.0,180 BRASS  | 4E01130180  |            | A\$ 162.51 |
| MV,NOZZLE,K4.1,65 BRASS   | 4E01141065  |            | A\$ 162.51 |
| MV,NOZZLE,K4.1,80 BRASS   | 4E01141080  |            | A\$ 162.51 |
| MV,NOZZLE,K4.1,95 BRASS   | 4E01141095  |            | A\$ 162.51 |
| MV,NOZZLE,K4.1,110 BRASS  | 4E01141110  |            | A\$ 162.51 |



## MV SPRAY NOZZLE

- See Bulletin 106

| Description               | Part Number | Short Code | List Price |
|---------------------------|-------------|------------|------------|
| <b>MODEL MV NOZZLES</b>   |             |            |            |
| MV,NOZZLE,K4.1,125 BRASS  | 4E01141125  |            | A\$ 162.51 |
| MV,NOZZLE,K4.1,140 BRASS  | 4E01141140  |            | A\$ 162.51 |
| MV,NOZZLE,K4.1,160 BRASS  | 4E01141160  |            | A\$ 162.51 |
| MV,NOZZLE,K4.1,180 BRASS  | 4E01141180  |            | A\$ 162.51 |
| MV,NOZZLE,K5.6,65 BRASS   | 4E01156065  |            | A\$ 162.51 |
| MV,NOZZLE,K5.6,95,BRASS   | 4E01156095  |            | A\$ 162.51 |
| MV,NOZZLE,K5.6,110,BRASS  | 4E01156110  |            | A\$ 162.51 |
| MV,NOZZLE,K5.6,125,BRASS  | 4E01156125  |            | A\$ 162.51 |
| MV,NOZZLE,K5.6,140,BRASS  | 4E01156140  |            | A\$ 162.51 |
| MV,NOZZLE,K5.6,160,BRASS  | 4E01156160  |            | A\$ 162.51 |
| MV,NOZZLE,K5.6,180,BRASS  | 4E01156180  |            | A\$ 162.51 |
| MV,NOZZLE,K7.2,65,BRASS   | 4E01172065  |            | A\$ 162.51 |
| MV,NOZZLE,K7.2,80,BRASS   | 4E01172080  |            | A\$ 162.51 |
| MV,NOZZLE,K7.2,95,BRASS   | 4E01172095  |            | A\$ 162.51 |
| MV,NOZZLE,K7.2,110, BRASS | 4E01172110  |            | A\$ 162.51 |
| MV,NOZZLE,K7.2,125, BRASS | 4E01172125  |            | A\$ 162.51 |
| MV,NOZZLE,K7.2,140, BRASS | 4E01172140  |            | A\$ 162.51 |
| MV,NOZZLE,K7.2,160, BRASS | 4E01172160  |            | A\$ 162.51 |
| MV,NOZZLE,K7.2,180, BRASS | 4E01172180  |            | A\$ 162.51 |



## MV SPRAY NOZZLE

- See Bulletin 106

| Description             | Part Number | Short Code | List Price |
|-------------------------|-------------|------------|------------|
| <b>MODEL MV NOZZLES</b> |             |            |            |
| MV,NOZZLE,K1.2,65 ENT   | 4E04312065  |            | A\$ 541.68 |
| MV,NOZZLE,K1.2,80 ENT   | 4E04312080  |            | A\$ 541.68 |
| MV,NOZZLE,K1.2,95 ENT   | 4E04312095  |            | A\$ 541.68 |
| MV,NOZZLE,K1.2,110 ENT  | 4E04312110  |            | A\$ 541.68 |
| MV,NOZZLE,K1.2,125 ENT  | 4E04312125  |            | A\$ 541.68 |
| MV,NOZZLE,K1.2,140 ENT  | 4E04312140  |            | A\$ 541.68 |
| MV,NOZZLE,K1.2,160 ENT  | 4E04312160  |            | A\$ 541.68 |
| MV,NOZZLE,K1.2,180 ENT  | 4E04312180  |            | A\$ 541.68 |
| MV,NOZZLE,K1.8,65 ENT   | 4E04318065  |            | A\$ 541.68 |
| MV,NOZZLE,K1.8,80 ENT   | 4E04318080  |            | A\$ 541.68 |
| MV,NOZZLE,K1.8,95 ENT   | 4E04318095  |            | A\$ 541.68 |
| MV,NOZZLE,K1.8,110 ENT  | 4E04318110  |            | A\$ 541.68 |
| MV,NOZZLE,K1.8,125 ENT  | 4E04318125  |            | A\$ 541.68 |
| MV,NOZZLE,K1.8,140 ENT  | 4E04318140  |            | A\$ 541.68 |
| MV,NOZZLE,K1.8,160 ENT  | 4E04318160  |            | A\$ 541.68 |
| MV,NOZZLE,K1.8,180 ENT  | 4E04318180  |            | A\$ 541.68 |
| MV,NOZZLE,K2.3,65 ENT   | 4E04323065  |            | A\$ 541.68 |
| MV,NOZZLE,K2.3,80 ENT   | 4E04323080  |            | A\$ 541.68 |
| MV,NOZZLE,K2.3,95 ENT   | 4E04323095  |            | A\$ 541.68 |
| MV,NOZZLE,K2.3,110 ENT  | 4E04323110  |            | A\$ 541.68 |
| MV,NOZZLE,K2.3,125 ENT  | 4E04323125  |            | A\$ 541.68 |
| MV,NOZZLE,K2.3,140 ENT  | 4E04323140  |            | A\$ 541.68 |
| MV,NOZZLE,K2.3,160 ENT  | 4E04323160  |            | A\$ 541.68 |
| MV,NOZZLE,K2.3,180 ENT  | 4E04323180  |            | A\$ 541.68 |
| MV,NOZZLE,K3.0,65 ENT   | 4E04330065  |            | A\$ 709.00 |
| MV,NOZZLE,K3.0,80 ENT   | 4E04330080  |            | A\$ 709.00 |
| MV,NOZZLE,K3.0,95 ENT   | 4E04330095  |            | A\$ 709.00 |
| MV,NOZZLE,K3.0,110 ENT  | 4E04330110  |            | A\$ 709.00 |
| MV,NOZZLE,K3.0,125 ENT  | 4E04330125  |            | A\$ 709.00 |
| MV,NOZZLE,K3.0,140 ENT  | 4E04330140  |            | A\$ 709.00 |
| MV,NOZZLE,K3.0,160 ENT  | 4E04330160  |            | A\$ 709.00 |
| MV,NOZZLE,K3.0,180 ENT  | 4E04330180  |            | A\$ 709.00 |
| MV,NOZZLE,K4.1,65 ENT   | 4E04341065  |            | A\$ 541.68 |
| MV,NOZZLE,K4.1,80 ENT   | 4E04341080  |            | A\$ 541.68 |
| MV,NOZZLE,K4.1,95 ENT   | 4E04341095  |            | A\$ 541.68 |
| MV,NOZZLE,K4.1,110 ENT  | 4E04341110  |            | A\$ 541.68 |



## MV SPRAY NOZZLE

- See Bulletin 106



## BLOW-OFF CAP PLUG

- See Bulletin 106

| Description              | Part Number | Short Code | List Price |
|--------------------------|-------------|------------|------------|
| <b>MODEL MV NOZZLES</b>  |             |            |            |
| MV,NOZZLE,K4.1,125 ENT   | 4E04341125  |            | A\$ 541.68 |
| MV,NOZZLE,K4.1,140 ENT   | 4E04341140  |            | A\$ 541.68 |
| MV,NOZZLE,K4.1,160 ENT   | 4E04341160  |            | A\$ 541.68 |
| MV,NOZZLE,K4.1,180 ENT   | 4E04341180  |            | A\$ 541.68 |
| MV,NOZZLE,K5.6,65 ENT    | 4E04356065  |            | A\$ 709.00 |
| MV,NOZZLE,K5.6,80,ENT    | 4E04356080  |            | A\$ 709.00 |
| MV,NOZZLE,K5.6,95,ENT    | 4E04356095  |            | A\$ 709.00 |
| MV,NOZZLE,K5.6,110,ENT   | 4E04356110  |            | A\$ 709.00 |
| MV,NOZZLE,K5.6,125,ENT   | 4E04356125  |            | A\$ 709.00 |
| MV,NOZZLE,K5.6,140,ENT   | 4E04356140  |            | A\$ 709.00 |
| MV,NOZZLE,K5.6,160,ENT   | 4E04356160  |            | A\$ 709.00 |
| MV,NOZZLE,K5.6,180,ENT   | 4E04356180  |            | A\$ 709.00 |
| MV,NOZZLE,K7.2,65,ENT    | 4E04372065  |            | A\$ 709.00 |
| MV,NOZZLE,K7.2,80,ENT    | 4E04372080  |            | A\$ 709.00 |
| MV,NOZZLE,K7.2,95,ENT    | 4E04372095  |            | A\$ 709.00 |
| MV,NOZZLE,K7.2,110,ENT   | 4E04372110  |            | A\$ 709.00 |
| MV,NOZZLE,K7.2,125,ENT   | 4E04372125  |            | A\$ 709.00 |
| MV,NOZZLE,K7.2,140,ENT   | 4E04372140  |            | A\$ 709.00 |
| MV,NOZZLE,K7.2,160,ENT   | 4E04372160  |            | A\$ 709.00 |
| MV,NOZZLE,K7.2,180,ENT   | 4E04372180  |            | A\$ 709.00 |
| <b>BLOW-OFF CAP PLUG</b> |             |            |            |
| CAP,PLUG,K1.2,MV         | 89121043    |            | A\$ 21.68  |
| CAP,PLUG,K1.8,MV         | 89121044    |            | A\$ 21.68  |
| CAP,PLUG,K2.3,MV         | 89121045    |            | A\$ 21.68  |
| CAP,PLUG,K3.0,MV         | 89121046    |            | A\$ 21.68  |
| CAP,PLUG,K4.1,MV         | 89121047    |            | A\$ 21.68  |
| CAP,PLUG,K5.6,MV         | 89121048    |            | A\$ 21.68  |
| CAP,PLUG,K7.2,MV         | 89121049    |            | A\$ 21.68  |

## ACCESSORIES

### CABINETS

| Description                                                                    | Part Number | Short Code | List Price |
|--------------------------------------------------------------------------------|-------------|------------|------------|
| <b>A4 EMERGENCY CABINETS FOR LL RESIDENTIAL SPRINKLERS</b>                     |             |            |            |
| 3 Capacity                                                                     | 6999991473  | 3CAB       | A\$ 239.66 |
| 6 Capacity                                                                     | 6999991470  | 6CAB       | A\$ 239.66 |
| 6 Capacity (Large)                                                             | 6999991472  | 6LCAB      | A\$ 429.32 |
| 12 Capacity                                                                    | 6999991471  | 12CAB      | A\$ 297.34 |
| <b>A3 EMERGENCY CABINETS FOR RECESSED, CONCEALED LL RESIDENTIAL SPRINKLERS</b> |             |            |            |
| 12 Capacity                                                                    | 6803200000  | A312CAB    | A\$ 981.87 |

### ESCUTCHEONS

| Part Number                           | Short Code | Temperature | Finish       | List Price |
|---------------------------------------|------------|-------------|--------------|------------|
| <b>ONE PIECE TYPE - MODEL B 1/2"</b>  |            |             |              |            |
| 6800110000                            | BB         | 165°F       | Bright Brass | A\$ 8.69   |
| 6800150000                            | BC         | 165°F       | Chrome       | A\$ 5.96   |
| 6800120000                            | BW         | 165°F       | White        | A\$ 6.72   |
| <b>ONE PIECE TYPE - MODEL B 3/4"</b>  |            |             |              |            |
| 6800080000                            | BLB        | 165°F       | Bright Brass | A\$ 9.17   |
| 6800070000                            | BLC        | 165°F       | Chrome       | A\$ 6.42   |
| 6800090000                            | BLW        | 165°F       | White        | A\$ 6.42   |
| <b>ONE PIECE TYPE - MODEL C 1/2"</b>  |            |             |              |            |
| 6800340000                            | CBB        | 165°F       | Bright Brass | A\$ 66.20  |
| 6800350000                            | CC         | 165°F       | Chrome       | A\$ 6.37   |
| 6800380000                            | CW         | 165°F       | White        | A\$ 6.37   |
| <b>TWO PIECE TYPE - MODEL HB 1/2"</b> |            |             |              |            |
| 6800210000                            | HBB        | 165°F       | Brass        | A\$ 15.14  |
| 6800270000                            | HBC        | 165°F       | Chrome       | A\$ 13.63  |
| 6800200000                            | HBW        | 165°F       | White        | A\$ 14.11  |
| <b>TWO PIECE TYPE - MODEL HB 3/4"</b> |            |             |              |            |
| 6800220000                            | HBLB       | 165°F       | Brass        | A\$ 15.62  |
| 6800240000                            | HBLC       | 165°F       | Chrome       | A\$ 14.11  |
| 6800250000                            | HBLW       | 165°F       | White        | A\$ 15.14  |
| <b>FLUSH ESCUTCHEONS - MODEL B</b>    |            |             |              |            |
|                                       |            | 165°F       |              | A\$ Call   |
|                                       |            | 165°F       |              | A\$ Call   |
|                                       |            | 165°F       |              | A\$ Call   |



**ESCUTCHEONS**

| Description                                                | Part Number | Short Code | List Price |
|------------------------------------------------------------|-------------|------------|------------|
| <b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>             |             |            |            |
| 1/2" Chrome                                                | 6801412100  | FPC        | A\$ 40.55  |
| 1/2" White                                                 | 6801417200  | FPW        | A\$ 40.55  |
| 3/4" Chrome                                                | 6801402100  | FPLC       | A\$ 40.55  |
| 3/4" White                                                 | 6801407200  | FPLW       | A\$ 40.55  |
| <b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b> |             |            |            |
| 1/2" Brass                                                 | 6800630001  | GF1B       | A\$ 39.00  |
| 1/2" Chrome                                                | 6800600001  | GF1C       | A\$ 21.01  |
| 1/2" White                                                 | 6800640001  | GF1W       | A\$ 21.01  |
| 3/4" Brass                                                 | 6801030000  | GF1LB      | A\$ 39.00  |
| 3/4" Chrome                                                | 6801000000  | GF1LC      | A\$ 21.01  |
| 3/4" White                                                 | 6801040000  | GF1LW      | A\$ 21.01  |
| <b>ESCUTCHEON ONLY</b>                                     |             |            |            |
| Brass                                                      | 6800430000  | BZESCF1    | A\$ 29.75  |
| Chrome Bright                                              | 6800400000  | CBESCF1    | A\$ 12.65  |
| White                                                      | 6800440000  | WHESCF1    | A\$ 12.65  |
| <b>COLLAR ONLY</b>                                         |             |            |            |
| 1/2" Brass                                                 | 6800530000  | B2COLLAR12 | A\$ 23.28  |
| 1/2" Chrome Bright                                         | 6800500000  | CBCOLLAR12 | A\$ 19.10  |
| 1/2" White                                                 | 6800540000  | WHCOLLAR12 | A\$ 19.10  |
| 3/4" Brass                                                 | 6800560004  | B2COLLAR34 | A\$ Call   |
| 3/4" Chrome Bright                                         | 6800560001  | CBCOLLAR34 | A\$ 19.10  |
| 3/4" White                                                 | 6800551003  | WHCOLLAR34 | A\$ 19.10  |
| <b>ESCUTCHEON EXTENDER RING</b>                            |             |            |            |
| Chrome                                                     | 6814002100  | EERC       | A\$ 27.03  |
| White                                                      | 6814001500  | EERW       | A\$ 28.80  |
| <b>F1 OR F2</b>                                            |             |            |            |
| 4-1/2" Chrome                                              | 6814002100  | EERC       | A\$ 27.03  |
| 4-1/2" White                                               | 6814001500  | EERW       | A\$ 28.80  |
| 5-1/2" Chrome                                              | 6814042100  | EERC5      | A\$ 27.03  |
| 5-1/2" White                                               | 6814041500  |            | A\$ 28.80  |
| <b>FP / G4 / RFC43 / F4FR / CCP / SWC / DH80 / DH56</b>    |             |            |            |
| 4-1/2" Chrome                                              | 6814022100  | G4ERC      | A\$ 27.03  |
| 4-1/2" White                                               | 6814021800  |            | A\$ 28.80  |
| 5-1/2" Chrome                                              | 6814032100  | G4ERC5     | A\$ 27.03  |
| 5-1/2" White                                               | 6814031800  | G4ERW5     | A\$ 28.80  |

|                                                            |            |            |           |
|------------------------------------------------------------|------------|------------|-----------|
| <b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b> |            |            |           |
| 1/2" Brass                                                 | 6800830000 | GF2B       | A\$ 39.00 |
| 1/2" Chrome                                                | 6800800000 | GF2C       | A\$ 21.01 |
| 1/2" White                                                 | 6800840000 | GF2W       | A\$ 21.01 |
| 3/4" Brass                                                 | 6800880004 | GF2LB      | A\$ 39.00 |
| 3/4" Chrome                                                | 6800880001 | GF2LC      | A\$ 21.01 |
| 3/4" White                                                 | 6800880005 | GF2LW      | A\$ 21.01 |
| <b>ESCUTCHEON ONLY</b>                                     |            |            |           |
| Brass                                                      | 6800730000 | BZESCF2    | A\$ 29.55 |
| Chrome                                                     |            |            | A\$ Call  |
| White                                                      | 6800740000 | WHESCF2    | A\$ 19.04 |
| <b>COLLAR ONLY</b>                                         |            |            |           |
| 1/2" Brass                                                 | 6800530000 | B2COLLAR12 | A\$ 23.28 |
| 1/2" Chrome                                                | 6800500000 | CBCOLLAR12 | A\$ 19.10 |
| 1/2" White                                                 | 6800540000 | WHCOLLAR12 | A\$ 19.10 |
| 3/4" Brass                                                 | 6800560004 | B2COLLAR34 | A\$ Call  |
| 3/4" Chrome                                                | 6800560001 | CBCOLLAR34 | A\$ 19.10 |
| 3/4" White                                                 | 6800551003 | WHCOLLAR34 | A\$ 19.10 |

**G/F1 for use with SP & HSW Sprinklers**

**G/F2 for use with SP & HSW Sprinklers**

**G/F2 for use with SP & HSW Sprinklers**



## MP LL Multipurpose Residential Riser

- See Bulletin 426

## Accessories

| Description                                      | Part Number | Short Code | List Price   |
|--------------------------------------------------|-------------|------------|--------------|
| <b>MODEL MPLL MULTIPURPOSE RESIDENTIAL RISER</b> |             |            |              |
| Model MP LL 1" (30mm)                            | 6501200125  | 1MPLL      | A\$ 2,089.79 |
| <b>RISER ACCESSORIES</b>                         |             |            |              |
| Optional Support Bracket Kit                     | 6899190001  | RRB        | A\$ 203.79   |

| Description                              | Part Number | Short Code | List Price |
|------------------------------------------|-------------|------------|------------|
| <b>PRESSURE GAUGES</b>                   |             |            |            |
| WATER                                    | 98248001    | WATER      | A\$ 204.79 |
| AIR                                      | 98248000    | AIR        | A\$ 218.96 |
| Air (0-60 oz/in <sup>2</sup> )           | 98248002    | AIRO       | A\$ 775.58 |
| <b>INSPECTORS TEST CONNECTIONS</b>       |             |            |            |
| Sight Test Type (Model B)                | 6851010000  | ISC        | A\$ 877.42 |
| Blind Test Type (Model A)                | 6851020000  | IBC        | A\$ 292.48 |
| <b>AUTOMATIC BALL DRIPS</b>              |             |            |            |
| 1/2" NPT (Female)                        | 78653500    | 5ABD       | A\$ 486.04 |
| 3/4" NPT (Female)                        | 78653700    | 75ABD      | A\$ 555.37 |
| <b>MECHANICAL BALL DRIPS</b>             |             |            |            |
| 1/2" NPT (Female)                        | 78653100    | 5MBD       | A\$ 867.63 |
| <b>STRAINER</b>                          |             |            |            |
| 3/4" NPT (Female)                        | 78650200    | 34ST       | A\$ 509.92 |
| <b>MISCELLANEOUS</b>                     |             |            |            |
| Model C Sight Drain 2" NPT (Female)      | 6863000000  | 2ISC       | A\$ 951.75 |
| Model B Drum Drip Only 3/4" NPT (Female) | 71010448    |            | A\$ 557.27 |
| Model A Fill Cup 1/2" NPT (Female)       | 75000050    | 5FC        | A\$ 263.01 |
| Model A Fill Cup 3/4" NPT (Female)       | 75000075    | 75FC       | A\$ 297.58 |
| Model A Control Valve Seal Only          | 6869800000  |            | A\$ 72.69  |
| <b>SIGNS—MODEL A</b>                     |             |            |            |
| Valve Control Sign                       | 6892011000  | VCS        | A\$ 36.06  |
| <b>SIGNS—MODEL B</b>                     |             |            |            |
| Inspector Test Sign                      | 6892110000  | ITS        | A\$ 8.31   |
| Open Sprinkler Control Sign              | 6892030000  | OSCS       | A\$ 8.31   |
| Open Sprinkler Drain Sign                | 6892040000  | OSDS       | A\$ 8.31   |
| Test Valve Sign                          | 6892050000  | TVS        | A\$ 8.31   |
| Water Motor Line Sign                    | 6892060000  | WMLS       | A\$ 8.31   |
| Auxiliary Drain Sign                     | 6892070000  | ADS        | A\$ 8.31   |
| Main Drain Sign                          | 6892080000  | MDS        | A\$ 8.31   |
| Drain Sign                               | 6892090000  | DS         | A\$ 8.31   |
| Alarm Test Sign                          | 6892100000  | ATS        | A\$ 8.31   |
| <b>SIGNS—MODEL C</b>                     |             |            |            |
| Cold Weather Sign                        | 6892010000  | CWS        | A\$ 16.90  |
| <b>SIGNS—MODEL D</b>                     |             |            |            |
| Fire Alarm Sign                          | 6892020000  | FAS        | A\$ 36.06  |
| <b>SIGNS—MODEL E</b>                     |             |            |            |
| Hydraulically Calculated System          | 6892120000  | HCS        | A\$ 24.14  |

## ELECTRICAL COMPONENTS



| Description                                   | Part Number | Short Code | List Price |
|-----------------------------------------------|-------------|------------|------------|
| <b>MODEL WFDT - WATERFLOW DETECTOR</b>        |             |            |            |
| 1" - 2", w/1" NPT T-Tap Waterflow             | 7M99003216  | TTAPN      | A\$ 611.07 |
| <b>ACCESSORIES</b>                            |             |            |            |
| 1 & 1-1/2" Waterflow Detector Gasket          | 6999990717  |            | A\$ 38.20  |
| 2 & 3-1/2" Waterflow Detector Gasket          | 6999990357  |            | A\$ 38.20  |
| 4 - 8" Waterflow Detector Gasket              | 6999990356  |            | A\$ 38.20  |
| Repl. Terminal block                          |             |            | A\$ Call   |
| Repl. Timer                                   | 6999992444  | TIMER      | A\$ 229.15 |
| Waterflow Detector Tamper Switch Kit          | 6923000000  | 5467000    | A\$ 128.17 |
| Wrench Cover (Key)                            | 6999990769  | WFDW       | A\$ 42.42  |
| Cover                                         | 6999991174  |            | A\$ 60.96  |
| <b>ELECTRIC ALARM BELLS &amp; HORN/STROBE</b> |             |            |            |
| 6" -- 24 VDC                                  | 6611220400  | 6KMS       | A\$ 281.69 |
| 8" -- 24 VDC                                  | 6611220500  | 8KMS       | A\$ 330.99 |
| 10" -- 24VDC                                  | 6611220600  | 10KMS      | A\$ 401.41 |
| BRK MA Polarized Sounder -- 24 VDC            | 6999993325  | HORNWBB24  | A\$ Call   |
| BRK MASS Polarized Sounder Strobe (#P2R)      | 6990006617  | P2RL       | A\$ 704.23 |
| P2RHK-120                                     | 6990001425  | HORNWBB    | A\$ 404.23 |
| 6" -- 120 VAC                                 | 6611221100  | 6KBS       | A\$ 281.69 |
| 8" -- 120 VAC                                 | 6611221200  | 8KBS       | A\$ 330.99 |
| 10" -- 120 VAC                                | 6611221300  | 10KBS      | A\$ 401.41 |
| WBB Weatherproof Back Box                     | 6611660200  | WBB        | A\$ 197.18 |

## MODEL F1S5

- Special Application
- Upright/Pendent
- Glass Bulb Sprinklers
- Special Response (VDS)

| Part Number                            | Short Code | Temperature |      | Finish | List Price |       |
|----------------------------------------|------------|-------------|------|--------|------------|-------|
| MODEL F1S5 UPRIGHT THREADS 1/2" (15MM) |            |             |      |        |            |       |
|                                        |            | °F          | °C   |        | A\$        | Call  |
|                                        |            | °F          | °C   |        | A\$        | Call  |
| MODEL F1S5 UPRIGHT THREADS 3/4" (20MM) |            |             |      |        |            |       |
| KA15113495                             | F1S5ULB    | 155°F       | 68°C | Brass  | A\$        | 68.07 |
| KA15213495                             | F1S5ULC    | 155°F       | 68°C | Chrome | A\$        | 81.86 |
| MODEL F1S5 PENDENT THREADS 1/2" (15MM) |            |             |      |        |            |       |
|                                        |            | °F          | °C   |        | A\$        | Call  |
|                                        |            | °F          | °C   |        | A\$        | Call  |
| MODEL F1S5 PENDENT THREADS 3/4" (20MM) |            |             |      |        |            |       |
| KB15113495                             | F1S5PLB    | 155°F       | 68°C | Brass  | A\$        | 68.07 |
| KB15213495                             | F1S5PLC    | 155°F       | 68°C | Chrome | A\$        | 81.86 |



**FP PUSH-  
ON/THREAD-OFF  
ESCUTCHEONS**

| Description                                                     | Part Number | Short Code | List Price |
|-----------------------------------------------------------------|-------------|------------|------------|
| <b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>                  |             |            |            |
| 1/2" Chrome                                                     | 6801412100  | FPC        | A\$ 40.55  |
| 1/2" White                                                      | 6801417200  | FPW        | A\$ 40.55  |
| 1/2" Stainless Steel                                            | 6801411000  | FPSS       | A\$ 185.70 |
| 3/4" Chrome                                                     | 6801402100  | FPLC       | A\$ 40.55  |
| 3/4" White                                                      | 6801407200  | FPLW       | A\$ 40.55  |
| 3/4" Stainless Steel                                            | 6801401000  | FPLSS      | A\$ 185.70 |
| <b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>      |             |            |            |
| 1/2" Brass                                                      | 6800630001  | GF1B       | A\$ 39.00  |
| 1/2" Chrome                                                     | 6800600001  | GF1C       | A\$ 21.01  |
| 1/2" White                                                      | 6800640001  | GF1W       | A\$ 21.01  |
| 1/2" Stainless Steel                                            | 6800610010  | GF1SS      | A\$ 123.79 |
| 3/4" Brass                                                      | 6801030000  | GF1LB      | A\$ 39.00  |
| 3/4" Chrome                                                     | 6801000000  | GF1LC      | A\$ 21.01  |
| 3/4" White                                                      | 6801040000  | GF1LW      | A\$ 21.01  |
| 3/4" Stainless Steel                                            | 6800970010  | GF1LSS     | A\$ 123.79 |
| <b>MODEL F1 ESCUTCHEON ONLY</b>                                 |             |            |            |
| Brass                                                           | 6800430000  | BZESCF1    | A\$ 29.75  |
| Chrome Bright                                                   | 6800400000  | CBESCF1    | A\$ 12.65  |
| White                                                           | 6800440000  | WHESCF1    | A\$ 12.65  |
| <b>MODEL F1/F2 COLLAR ONLY</b>                                  |             |            |            |
| 1/2" Brass                                                      | 6800530000  | B2COLLAR12 | A\$ 23.28  |
| 1/2" Chrome Bright                                              | 6800500000  | CBCOLLAR12 | A\$ 19.10  |
| 1/2" White                                                      | 6800540000  | WHCOLLAR12 | A\$ 19.10  |
| 3/4" Brass                                                      | 6800560004  | B2COLLAR34 | A\$ Call   |
| 3/4" Chrome Bright                                              | 6800560001  | CBCOLLAR34 | A\$ 19.10  |
| 3/4" White                                                      | 6800551003  | WHCOLLAR34 | A\$ 19.10  |
| <b>ESCUTCHEON EXTENDER RING</b>                                 |             |            |            |
| Chrome                                                          | 6814002100  | EERC       | A\$ 27.03  |
| White                                                           | 6814001500  | EERW       | A\$ 28.80  |
| <b>MODEL F1 OR F2 EXTENDER RINGS</b>                            |             |            |            |
| 4-1/2" Chrome                                                   | 6814002100  | EERC       | A\$ 27.03  |
| 4-1/2" White                                                    | 6814001500  | EERW       | A\$ 28.80  |
| 5-1/2" Chrome                                                   | 6814042100  | EERC5      | A\$ 27.03  |
| 5-1/2" White                                                    | 6814041500  |            | A\$ 28.80  |
| <b>FP / G5 / G4 / RFC / CCP / SWC COVERPLATE EXTENDER RINGS</b> |             |            |            |
| 4-1/2" Chrome                                                   | 6814022100  | G4ERC      | A\$ 27.03  |
| 4-1/2" White                                                    | 6814021800  |            | A\$ 28.80  |
| 5-1/2" Chrome                                                   | 6814032100  | G4ERC5     | A\$ 27.03  |
| 5-1/2" White                                                    | 6814031800  | G4ERW5     | A\$ 28.80  |

|                                                            |            |            |            |
|------------------------------------------------------------|------------|------------|------------|
| <b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b> |            |            |            |
| 1/2" Brass                                                 | 6800830000 | GF2B       | A\$ 39.00  |
| 1/2" Chrome                                                | 6800800000 | GF2C       | A\$ 21.01  |
| 1/2" White                                                 | 6800840000 | GF2W       | A\$ 21.01  |
| 1/2" Stainless Steel                                       | 6800840010 | GF2SS      | A\$ 123.79 |
| 3/4" Brass                                                 | 6800880004 | GF2LB      | A\$ 39.00  |
| 3/4" Chrome                                                | 6800880001 | GF2LC      | A\$ 21.01  |
| 3/4" White                                                 | 6800880005 | GF2LW      | A\$ 21.01  |
| 3/4" Stainless Steel                                       | 6800880110 | GF2LSS     | A\$ 123.79 |
| <b>ESCUTCHEON ONLY</b>                                     |            |            |            |
| Brass                                                      | 6800730000 | BZESCF2    | A\$ 29.55  |
| Chrome                                                     | 6800700000 | CBESCF2    | A\$ 19.04  |
| White                                                      | 6800740000 | WHESCF2    | A\$ 19.04  |
| <b>COLLAR ONLY</b>                                         |            |            |            |
| 1/2" Brass                                                 | 6800530000 | B2COLLAR12 | A\$ 23.28  |
| 1/2" Chrome                                                | 6800500000 | CBCOLLAR12 | A\$ 19.10  |
| 1/2" White                                                 | 6800540000 | WHCOLLAR12 | A\$ 19.10  |
| 3/4" Brass                                                 | 6800560004 | B2COLLAR34 | A\$ Call   |
| 3/4" Chrome                                                | 6800560001 | CBCOLLAR34 | A\$ 19.10  |
| 3/4" White                                                 | 6800551003 | WHCOLLAR34 | A\$ 19.10  |

**Notes:**

All SS Escutcheons are Type 316 Stainless Steel.  
Other escutcheon finishes are available upon request.



**B One Piece**



**C One Piece**



**HB Two Piece**

## ESCUTCHEONS (CONT.)

- Sprinkler Accessories

## F1S ESCUTCHEON



## F2S ESCUTCHEON

- See Bulletin 204

**NEW**



## SURE-OFF TESTER

- See Bulletin 277

The simple way to determine if the system you are about to work on has been shut-off and drained!  
+44.1342.316800  
www.reliablesprinkler.com

| Description                                     | Size        | Part Number | Short Code | List Price |
|-------------------------------------------------|-------------|-------------|------------|------------|
| <b>MODEL B ONE PIECE TYPE 1/2"</b>              |             |             |            |            |
| Bronze                                          | 1/2"        | 6800110000  | BB         | A\$ 8.69   |
| Chrome                                          | 1/2"        | 6800150000  | BC         | A\$ 5.96   |
| White                                           | 1/2"        | 6800120000  | BW         | A\$ 6.72   |
| Stainless Steel                                 | 1/2"        | 6800121002  | BSS        | A\$ 74.31  |
| <b>MODEL B ONE PIECE TYPE 3/4"</b>              |             |             |            |            |
| Bronze                                          | 3/4"        | 6800080000  | BLB        | A\$ 9.17   |
| Chrome                                          | 3/4"        | 6800070000  | BLC        | A\$ 6.42   |
| White                                           | 3/4"        | 6800090000  | BLW        | A\$ 6.42   |
| Stainless Steel                                 | 3/4"        | 6800091002  | BLSS       | A\$ 74.31  |
| <b>MODEL C ONE PIECE TYPE 1/2"</b>              |             |             |            |            |
| Bronze                                          | 1/2"        | 6800340000  | CBB        | A\$ 66.20  |
| Chrome                                          | 1/2"        | 6800350000  | CC         | A\$ 6.37   |
| White                                           | 1/2"        | 6800380000  | CW         | A\$ 6.37   |
| <b>MODEL HB TWO PIECE TYPE 1/2"</b>             |             |             |            |            |
| Bronze                                          | 1/2"        | 6800210000  | HBB        | A\$ 15.14  |
| Chrome                                          | 1/2"        | 6800270000  | HBC        | A\$ 13.63  |
| White                                           | 1/2"        | 6800200000  | HBW        | A\$ 14.11  |
| <b>MODEL HB TWO PIECE TYPE 3/4"</b>             |             |             |            |            |
| Bronze                                          | 3/4"        | 6800220000  | HBLB       | A\$ 15.62  |
| Chrome                                          | 3/4"        | 6800240000  | HBLC       | A\$ 14.11  |
| White                                           | 3/4"        | 6800250000  | HBLW       | A\$ 15.14  |
| <b>TWO PIECE RECESSED — MODEL F1S</b>           |             |             |            |            |
| Chrome                                          | 1/2" (15mm) | 6801752100  | F1SC       | A\$ 37.39  |
| White                                           | 1/2" (15mm) | 6801758700  | F1SW       | A\$ 37.39  |
| Chrome                                          | 3/4" (20mm) | 6801762100  | F1SLC      | A\$ 37.39  |
| White                                           | 3/4" (20mm) | 6801768700  | F1SLW      | A\$ 37.39  |
| <b>MODEL F2S TWO PIECE RECESSED ESCUTCHEONS</b> |             |             |            |            |
| Chrome                                          | 1/2" (15mm) | 6801772100  | F2SC       | A\$ 37.39  |
| White                                           | 1/2" (15mm) | 6801778700  | F2SW       | A\$ 37.39  |
| Chrome                                          | 3/4" (20mm) | 6801782100  | F2SLC      | A\$ 37.39  |
| White                                           | 3/4" (20mm) | 6801788700  | F2SLW      | A\$ 37.39  |

| Description                    | Part Number | Short Code | List Price   |
|--------------------------------|-------------|------------|--------------|
| <b>PRESSURE TESTER</b>         |             |            |              |
| Sure-Off Tester 1"             | 6501220000  | SURE       | A\$ 2,987.30 |
| Sure-Off Tester 1 1/4 - 1 1/2" | 6501220002  | SURE125    | A\$ 2,987.30 |
| Sure-Off Tester 2"             | 6501220003  | SURE2      | A\$ 2,987.30 |
| Drill & Collar Assembly        | 6888000011  |            | A\$ 403.83   |
| Guide Bushing, Drill, Reducer  | 94905000    |            | A\$ 133.79   |

## Sprinkler Accessories

| Description                                                       | Part Number | Short Code | List Price |
|-------------------------------------------------------------------|-------------|------------|------------|
| <b>SPRINKLER GUARDS &amp; WATER SHIELD/GUARD ASSEMBLY</b>         |             |            |            |
| C1,GUARD,SU,SP,HORIZONTAL,ZINC,FM ONLY                            | 6802251400  | GC1        | A\$ 21.49  |
| C1,GUARD,SU,SP,HORIZONTAL,SS,FM ONLY                              | 6802251000  | GC1SS      | A\$ 214.76 |
| C2,GUARD,DRY PENDENTS,UL/FM                                       | 6802201400  | GC2        | A\$ 29.80  |
| C3,GUARD,SHIELD,UPRIGHT-I,ZINC,UL/FM                              | 6802501400  | GC3        | A\$ 44.00  |
| C5,GUARD/SHIELD KIT,SP-I,1/2,ZINC,FM                              | 6802611412  | GC51       | A\$ 61.49  |
| C5,GUARD/SHIELD KIT,SP-I,3/4,ZINC,FM                              | 6802611434  | GC53       | A\$ 61.49  |
| D1,GUARD,SU/SP/HORIZONTAL,UL/FM ZINC                              | 6802251410  | GD1        | A\$ 29.49  |
| D3,GUARD/SHIELD KIT,SU-I,ZINC,UL ONLY                             | 6802501410  | GD3        | A\$ 34.87  |
| D5,GUARD/SHIELD KIT,SP-I,1/2,ZINC,UL                              | 6802631412  | GD51       | A\$ 66.97  |
| D5,GUARD/SHIELD KIT,SP-I,3/4,ZINC,UL                              | 6802631434  | GD53       | A\$ 66.97  |
| D4,GUARD/SHIELD KIT,SP-I,1/2,ZINC,UL                              | 6802621412  | GD41       | A\$ 75.04  |
| D4,GUARD/SHIELD KIT,SP-I,3/4,ZINC                                 | 6802621434  | GD43       | A\$ 75.04  |
| D-7 for use w/ GL112 Upright Intermediate                         | 6802611614  | GD7        | A\$ 34.87  |
| D-8 for use w/ GL112 & GXLO Pendent                               | 6802251714  | GD8        | A\$ 29.49  |
| D-9 for use w- GL112 & GXLO Pendent Intermediate                  | 6802621714  | GD91       | A\$ 66.97  |
| D-6 for use w/ GXLO Upright Intermediate                          | 6802611514  | GD6        | A\$ 33.11  |
| F-6,GUARD/SHIELD KIT,3/4 NPS,ZINC                                 | 68026A1434  | GF63       | A\$ 71.20  |
| F-1,GUARD,ZINC                                                    | 6802651400  | GF1        | A\$ 29.49  |
| F-2,GUARD,ZINC                                                    | 6802661400  | GF2        | A\$ 62.30  |
| F-3,GUARD,SHIELD                                                  | 6802671400  | GF3        | A\$ 62.30  |
| F-7,GUARD,ZINC                                                    | 6802701400  | GF7        | A\$ 62.30  |
| F-8,GUARD/SHIELD KIT,1/2 NPS,ZINC                                 | 68026B1412  | GF81       | A\$ 71.20  |
| F-8,GUARD/SHIELD KIT,3/4 NPS,ZINC                                 | 68026B1434  | GF83       | A\$ 71.20  |
| 22 - (guard only) for use w/ HL22 ESFR                            | 6802641422  | G22        | A\$ 66.75  |
| 25 - (guard only) for use w/ N25 ESFR                             | 6802641425  | G25        | A\$ 66.75  |
| D14,GUARD KIT,ZINC,SP,FM P22/P25                                  | 6802622514  | GD14       | A\$ 66.75  |
| <b>RELIABLE MODEL RHB1 SPARE SPRINKLER STORAGE CABINET</b>        |             |            |            |
| RASCO,RHB1 HEADBOX 3 COUNT                                        | 7M99005006  | RHB3       | A\$ 133.49 |
| RASCO,RHB1 HEADBOX 6 COUNT                                        | 7M99005007  | RHB6       | A\$ 204.04 |
| RASCO,RHB1 HEADBOX 6 COUNT ESFR                                   | 7M99005008  | RHB6E      | A\$ 247.92 |
| RASCO,RHB1 HEADBOX 12 COUNT                                       | 7M99005009  | RHB12      | A\$ 226.94 |
| RASCO,RHB1 HEADBOX 24 COUNT                                       | 7M99005010  | RHB24      | A\$ 350.90 |
| RASCO,RHB1 HEADBOX 36 COUNT                                       | 7M99005011  | RHB36      | A\$ 486.28 |
| <b>A3 EMERGENCY CABINETS FOR RECESSED, CONCEALED &amp; ZX SPK</b> |             |            |            |
| 12 Capacity                                                       | 6803200000  | A312CAB    | A\$ 981.87 |

## Sprinkler Accessories

| Description                                                              | Part Number | Short Code | List Price |
|--------------------------------------------------------------------------|-------------|------------|------------|
| <b>MODEL F SERIES SPRINKLER GUARDS &amp; WATER SHIELD/GUARD ASSEMBLY</b> |             |            |            |
| F-1,GUARD,ZINC                                                           | 6802651400  | GF1        | A\$ 29.49  |
| F-2,GUARD,ZINC                                                           | 6802661400  | GF2        | A\$ 62.30  |
| F-3,GUARD,SHIELD                                                         | 6802671400  | GF3        | A\$ 62.30  |
| F-4,GUARD,ZINC                                                           | 6802681400  | GF4        | A\$ 62.30  |
| F-5,GUARD/SHIELD KIT,1/2 NPS,ZINC                                        | 6802691412  | GF51       | A\$ 71.20  |
| F-6,GUARD/SHIELD KIT,3/4 NPS,ZINC                                        | 68026A1434  | GF63       | A\$ 71.20  |
| F-7,GUARD,ZINC                                                           | 6802701400  | GF7        | A\$ 62.30  |
| F-8,GUARD/SHIELD KIT,1/2 NPS,ZINC                                        | 68026B1412  | GF81       | A\$ 71.20  |
| F-8,GUARD/SHIELD KIT,3/4 NPS,ZINC                                        | 68026B1434  | GF83       | A\$ 71.20  |
| <b>MODEL S WATER SHIELDS</b>                                             |             |            |            |
| MODEL S-1 SHIELD,3.25,1/2-14NPS, GALV                                    | 88709001    | S1SHIELD   | A\$ 25.54  |
| MODEL S-2 SHIELD,3.25,3/4-14NPS, GALV                                    | 88709002    | S2SHIELD   | A\$ 25.54  |
| MODEL S-3 SHIELD,3.75,3/4-14NPS, GALV                                    | 88709003    | S3SHIELD   | A\$ 25.54  |
| MODEL S-5 SHIELD,4.5,1"NPS,GALV                                          | 887G9010    | S5SHIELD   | A\$ 25.54  |

**Notes:**

For additional info see Bulletin 208



| Description                              | Part Number | Short Code | List Price |
|------------------------------------------|-------------|------------|------------|
| <b>STANDARD WRENCHES</b>                 |             |            |            |
| WRENCH,DS56                              | 6880130002  | WDS56      | A\$441.62  |
| WRENCH,F3R,DRY                           | 6880130001  | WF3R       | A\$333.65  |
| WRENCH,H,XLO/GL112,BLUE                  | 6880070000  | WH         | A\$252.70  |
| WRENCH,J1,SPKR J112,J14,J17,ZINC.        | 6880090000  | WJ1        | A\$252.70  |
| WRENCH,W2(PENDENT,UPRIGHT,HSW)           | 6880050100  | WW2        | A\$212.48  |
| WRENCH,W5,HL-22,N25,N252,TNL280,P22/25   | 6880050105  | WW5        | A\$252.70  |
| WRENCH,W13                               | 6880108000  | W13        | A\$299.32  |
| WRENCH,W14                               | 6880108100  | W14        | A\$299.32  |
| WRENCH,W15 (USE WITH GUARD)              | 6880108200  | W15        | A\$299.32  |
| WRENCH,W16                               | 6880108300  | W16        | A\$252.70  |
| <b>RECESSED &amp; CONCEALED WRENCHES</b> |             |            |            |
| WRENCH,FC,CONCEALED                      | 6880170020  | WFC        | A\$633.90  |
| WRENCH,G4,CONCEALED,ADJ,SP               | 6880170000  | WG4        | A\$628.07  |
| WRENCH,GFR2,RECESSED,CONCEALED,SP        | 6880060000  | WGFR       | A\$630.54  |
| WRENCH,G6 HSW SOCKET                     | 6880101010  | WG6        | A\$628.07  |
| WRENCH,N,RECESSED                        | 6880170030  | WN         | A\$628.07  |
| WRENCH,RC1 SOCKET,RECESSED               | 6880100000  | WRC        | A\$630.54  |
| WRENCH,RJ,J112/J112 REC CHROME           | 6880170032  | WRJ        | A\$628.07  |
| WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)   | 6880100100  | WW1        | A\$630.54  |
| WRENCH W3 FOR WRENCH-ABLE PROTECTIVE CAP | 6880100110  | W3         | A\$633.90  |
| WRENCH,W4,RECESSED,CONCEALED             | 6880100120  | WW4        | A\$630.54  |
| WRENCH,W10,WITH PROTECTIVE CAP,RFC49+    | 6880105000  | W10        | A\$633.90  |
| WRENCH,XLO2,REC,CONCEALED SP             | 6880070100  | WXLO       | A\$331.20  |
| WRENCH,XL,ZX,PENDENT                     | 6880160000  | WZXP       | A\$628.07  |
| WRENCH,XL,ZX,HORIZONTAL                  | 6880160010  | WZXH       | A\$628.07  |
| <b>LIMITED SERVICE WRENCHES</b>          |             |            |            |
| WRENCH,W8, RFC PLASTIC SERVICE WRENCH    | 6880103000  | W8         | A\$393.07  |
| WRENCH,W11,PLASTIC,RFC49+                | 6880107000  | W11        | A\$393.07  |

**Notes:**

Each sprinkler bulletin will show required wrench

## WRENCHES

- See Bulletin 205

## PRINTED COVERPLATES


- See Bulletin 203



Slate Grey



Warm Maple



Dark Walnut



Silver Birch

Note: Please see  
Bulletin 203 for  
additional finishes

| Part Number                     | Short Code | Temperature |      | Finish         | List Price |
|---------------------------------|------------|-------------|------|----------------|------------|
| MODEL G6 PRINTED COVERPLATES    |            |             |      |                |            |
| 688721139A                      |            | 135°F       | 57°C | Custom Ink     | A\$ 107.31 |
| 688721139B                      |            | 135°F       | 57°C | White Wash     | A\$ 103.45 |
| 688721139C                      |            | 135°F       | 57°C | Silver Birch   | A\$ 103.45 |
| 688721139D                      |            | 135°F       | 57°C | Beige Birch    | A\$ 103.45 |
| 688721139E                      |            | 135°F       | 57°C | Weathered Grey | A\$ 103.45 |
| 688721139F                      |            | 135°F       | 57°C | Slate Grey     | A\$ 103.45 |
| 688721139G                      |            | 135°F       | 57°C | Golden Pine    | A\$ 103.45 |
| 688721139H                      |            | 135°F       | 57°C | Red Oak        | A\$ 103.45 |
| 688721139J                      |            | 135°F       | 57°C | Red Cherry     | A\$ 103.45 |
| 688721139K                      |            | 135°F       | 57°C | Warm Maple     | A\$ 103.45 |
| 688721139M                      |            | 135°F       | 57°C | Dark Walnut    | A\$ 103.45 |
| 688721139N                      |            | 135°F       | 57°C | Espresso       | A\$ 103.45 |
| 688721139P                      |            | 135°F       | 57°C | Rustic Beige   | A\$ 103.45 |
| MODEL RFS42 PRINTED COVERPLATES |            |             |      |                |            |
| 688723139A                      |            | 135°F       | 57°C | Custom Ink     | A\$ 108.31 |
| 688723139B                      |            | 135°F       | 57°C | White Wash     | A\$ 104.39 |
| 688723139C                      |            | 135°F       | 57°C | Silver Birch   | A\$ 104.39 |
| 688723139D                      |            | 135°F       | 57°C | Beige Birch    | A\$ 104.39 |
| 688723139E                      |            | 135°F       | 57°C | Weathered Grey | A\$ 104.39 |
| 688723139F                      |            | 135°F       | 57°C | Slate Grey     | A\$ 104.39 |
| 688723139G                      |            | 135°F       | 57°C | Golden Pine    | A\$ 104.39 |
| 688723139H                      |            | 135°F       | 57°C | Red Oak        | A\$ 104.39 |
| 688723139J                      |            | 135°F       | 57°C | Red Cherry     | A\$ 104.39 |
| 688723139K                      |            | 135°F       | 57°C | Warm Maple     | A\$ 104.39 |
| 688723139M                      |            | 135°F       | 57°C | Dark Walnut    | A\$ 104.39 |
| 688723139N                      |            | 135°F       | 57°C | Espresso       | A\$ 104.39 |
| 688723139P                      |            | 135°F       | 57°C | Rustic Beige   | A\$ 104.39 |
| MODEL G5 PRINTED COVERPLATES    |            |             |      |                |            |
| 688727139A                      |            | 135°F       | 57°C | Custom Ink     | A\$ 100.61 |
| 688727139B                      |            | 135°F       | 57°C | White Wash     | A\$ 96.99  |
| 688727139C                      |            | 135°F       | 57°C | Silver Birch   | A\$ 96.99  |
| 688727139D                      |            | 135°F       | 57°C | Beige Birch    | A\$ 96.99  |
| 688727139E                      |            | 135°F       | 57°C | Weathered Grey | A\$ 96.99  |
| 688727139F                      |            | 135°F       | 57°C | Slate Grey     | A\$ 96.99  |
| 688727139G                      |            | 135°F       | 57°C | Golden Pine    | A\$ 96.99  |
| 688727139H                      |            | 135°F       | 57°C | Red Oak        | A\$ 96.99  |
| 688727139J                      |            | 135°F       | 57°C | Red Cherry     | A\$ 96.99  |
| 688727139K                      |            | 135°F       | 57°C | Warm Maple     | A\$ 96.99  |
| 688727139M                      |            | 135°F       | 57°C | Dark Walnut    | A\$ 96.99  |
| 688727139N                      |            | 135°F       | 57°C | Espresso       | A\$ 96.99  |
| 688727139P                      |            | 135°F       | 57°C | Rustic Beige   | A\$ 96.99  |
| 688727169A                      |            | 165°F       | 74°C | Custom Ink     | A\$ 100.61 |
| 688727169B                      |            | 165°F       | 74°C | White Wash     | A\$ 96.99  |
| 688727169C                      |            | 165°F       | 74°C | Silver Birch   | A\$ 96.99  |
| 688727169D                      |            | 165°F       | 74°C | Beige Birch    | A\$ 96.99  |
| 688727169E                      |            | 165°F       | 74°C | Weathered Grey | A\$ 96.99  |
| 688727169F                      |            | 165°F       | 74°C | Slate Grey     | A\$ 96.99  |
| 688727169G                      |            | 165°F       | 74°C | Golden Pine    | A\$ 96.99  |
| 688727169H                      |            | 165°F       | 74°C | Red Oak        | A\$ 96.99  |
| 688727169J                      |            | 165°F       | 74°C | Red Cherry     | A\$ 96.99  |
| 688727169K                      |            | 165°F       | 74°C | Warm Maple     | A\$ 96.99  |
| 688727169M                      |            | 165°F       | 74°C | Dark Walnut    | A\$ 96.99  |
| 688727169N                      |            | 165°F       | 74°C | Espresso       | A\$ 96.99  |
| 688727169P                      |            | 165°F       | 74°C | Rustic Beige   | A\$ 96.99  |



**MODEL G1  
CONCEALED  
REPLACEMENT  
COVERPLATES**

| Part Number                               | Short Code | Temperature |      | Finish          | List Price |
|-------------------------------------------|------------|-------------|------|-----------------|------------|
| MODEL G1 CONCEALED COVERPLATES - REQUIRED |            |             |      |                 |            |
| 6887001311                                | CG10B      | 135°F       | 57°C | Finished Bronze | A\$ 140.76 |
| 6887001321                                | CG10C      | 135°F       | 57°C | Chrome          | A\$ 103.31 |
| 6887001372                                | CG10W      | 135°F       | 57°C | White           | A\$ 103.31 |
| 6887001390                                | CG10SP     | 135°F       | 57°C | Special Paint   | A\$ 151.44 |
| 6887001611                                | CG11B      | 165°F       | 74°C | Finished Bronze | A\$ 145.94 |
| 6887001621                                | CG11C      | 165°F       | 74°C | Chrome          | A\$ 103.31 |
| 6887001672                                | CG11W      | 165°F       | 74°C | White           | A\$ 103.31 |
| 6887001690                                | CG11SP     | 165°F       | 74°C | Special Paint   | A\$ 151.44 |

6880100000      WRC      Requires Model RC1 Sprinkler Wrench      A\$ 630.54

**\*Model G1 Concealed Sprinkler is Obsolete.**

**\*Please note special paint is subject to a paint set-up charge.**

## Special Services

| Description                                   | Add to Invoice Price |
|-----------------------------------------------|----------------------|
| Set-Up Charge for orders less than 100 pieces | \$ 200.00            |
| Set-Up Charge for Lead & Wax Over Lead        | \$ 283.50            |

### **Special Note:**

For limitations regarding special application finishes, refer to the appropriate technical bulletin.

### **Notes:**

Special painted heads and cover plates are subject to a \$200 set-up fee, per color. Color set-up fees are waived once the color unit amount reaches 100+.