



G6-80 HSW QR EC


- K-Factor = 8.0 (115)
- **SIN RA4762**
- See Bulletin 047

Part Number	Short Code	Temperature		Finish	List Price
MODEL G6-80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA4762					
2116173498	G61B	165°F	74°C	W/O	S\$ 248.08
MODEL G6-80 HORIZONTAL K8.0 (115) BSPT THREADS 3/4" (20MM) RA4762					
2116173495	G61BM	165°F	74°C	W/O	S\$ 248.08
MODEL G6 PLAIN COVERPLATES					
6887211311	CG60B	135°F	57°C	Finished Bronze	S\$ 98.74
6887211321	CG60C	135°F	57°C	Chrome	S\$ 68.24
6887211372	CG60W	135°F	57°C	White	S\$ 68.24
6887211390	CG60SP	135°F	57°C	Specialty	S\$ 102.96

6880101010	WG6	Requires Model G6 Sprinkler Wrench	S\$ 602.61
------------	-----	------------------------------------	------------

Notes:


Sprinkler and cover plates packaged and sold separately



JL112 & J112 UPRIGHT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7326**
- **J112 (Bulb) = SIN RA7326**
- See Bulletin 172
- **J112 (Stainless Steel) = SIN R7826**
- See Bulletin 178
- 286 degree available upon request

Part Number	Short Code	Temperature		Finish	List Price	
MODEL JL112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R7326						
L192114198	JL112U1B	165°F	74°C	Brass	S\$	142.82
L192214198	JL112U1C	165°F	74°C	Chrome	S\$	148.32
L192874198	JL112U1W	165°F	74°C	White	S\$	148.32
L194114198	JL112U2B	212°F	100°C	Brass	S\$	142.82
L194214198	JL112U2C	212°F	100°C	Chrome	S\$	148.32
L194874198	JL112U2W	212°F	100°C	White	S\$	148.32
MODEL J112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) RA7326						
L292114198	J112U1B	155°F	68°C	Brass	S\$	144.72
L292214198	J112U1C	155°F	68°C	Chrome	S\$	150.12
L292874198	J112U1W	155°F	68°C	White	S\$	150.12
L292104198	J112U1SS	155°F	68°C	Stainless Steel	S\$	1,346.31
L294114198	J112U2B	200°F	93°C	Brass	S\$	144.72
L294214198	J112U2C	200°F	93°C	Chrome	S\$	150.12
L294874198	J112U2W	200°F	93°C	Poly White	S\$	150.12
L294104198	J112U2SS	200°F	93°C	Stainless Steel	S\$	1,346.31



JL112 & J112 PENDENT & RECESSED PENDENT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7216**
- **J112 (Bulb) = SIN RA7216**
- See Bulletin 172
- **J112 (Stainless Steel) = SIN R7816**
- See Bulletin 178
- 286 degree available upon request

Part Number	Short Code	Temperature		Finish	List Price	
MODEL JL112 PENDENT K11.2 (160) THREADS 3/4" (20MM) R7216						
L172114198	JL112P1B	165°F	74°C	Brass	S\$	142.82
L172214198	JL112P1C	165°F	74°C	Chrome	S\$	148.32
L172874198	JL112P1W	165°F	74°C	Poly White	S\$	148.32
L174114198	JL112P2B	212°F	100°C	Brass	S\$	142.82
L174214198	JL112P2C	212°F	100°C	Chrome	S\$	148.32
L174874198	JL112P2W	212°F	100°C	Poly White	S\$	148.32
MODEL J112 PENDENT K11.2 (160) THREADS 3/4" RA7216						
L272114198	J112P1B	155°F	68°C	Brass	S\$	144.72
L272214198	J112P1C	155°F	68°C	Chrome	S\$	150.12
L272874198	J112P1W	155°F	68°C	Poly White	S\$	150.12
L272104198	J112P1SS	155°F	68°C	Stainless Steel	S\$	1,346.31
L274114198	J112P2B	200°F	93°C	Brass	S\$	144.72
L274214198	J112P2C	200°F	93°C	Chrome	S\$	150.12
L274874198	J112P2W	200°F	93°C	White	S\$	150.12
L274104198	J112P2SS	200°F	93°C	Stainless Steel	S\$	1,346.31

Part Number	Short Code	Temperature	Finish	List Price
MODEL F1 RECESSED ESCUTCHEON & COLLAR ASSEMBLY				
6801030000	GF1LB	3/4" (20mm)	Brass	S\$ 37.42
6801000000	GF1LC	3/4" (20mm)	Chrome	S\$ 20.16
6801040000	GF1LW	3/4" (20mm)	White	S\$ 20.16
6800970010	GF1LSS	3/4" (20mm)	Stainless Steel	S\$118.77
MODEL F2 RECESSED ESCUTCHEON & COLLAR ASSEMBLY				
6800880004	GF2LB	3/4" (20mm)	Brass	S\$ 37.42
6800880001	GF2LC	3/4" (20mm)	Chrome	S\$ 20.16
6800880005	GF2LW	3/4" (20mm)	White	S\$ 20.16
MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEON				
6801402100	FPLC	3/4" (20mm)	Chrome	S\$ 38.91
6801407200	FPLW	3/4" (20mm)	White	S\$ 38.91
6801401000	FPLSS	3/4" (20mm)	Stainless Steel	S\$178.18

6880090000
6880170032

WJ1
WRJ

Upright & Pendent Requires Model J1 Sprinkler Wrench S\$ 242.46
Rec Pendent Requires Model J112 Sprinkler Wrench S\$ 602.61



F1FR56 QREC

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028



F1FR80 QREC PENDENT

- K-Factor = 8.0 (115)
- **SIN R4842**
- See Bulletin 148

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 QREC PENDANT K 5.6 (80) THREADS 1/2" (15MM) RA2845					
BB131130S9	F1FR56EC0BN	135°F	57°C	Brass	S\$ 109.66
BB132130S9	F1FR56EC0CN	135°F	57°C	Chrome	S\$ 120.22
BB138730S9	F1FR56EC0WN	135°F	57°C	White	S\$ 125.73
BB151130S9	F1FR56EC1BN	155°F	68°C	Brass	S\$ 109.66
BB152130S9	F1FR56EC1CN	155°F	68°C	Chrome	S\$ 120.22
BB158730S9	F1FR56EC1WN	155°F	68°C	Poly White	S\$ 125.73
MODEL F1FR80 QREC PENDENT K8.0 (115) THREADS 3/4" (20MM) RA4842					
BJ131139S8	F1FREC0LBN	135°F	57°C	Brass	S\$ 116.32
BJ132139S8	F1FREC0LCN	135°F	57°C	Chrome	S\$ 126.74
BJ138739S8	F1FREC0LWN	135°F	57°C	White	S\$ 136.80
BJ151139S8	F1FREC1LBN	155°F	68°C	Brass	S\$ 116.32
BJ152139S8	F1FREC1LCN	155°F	68°C	Chrome	S\$ 126.74
BJ158739S8	F1FREC1LWN	155°F	68°C	White	S\$ 136.80
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.42
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.16
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.16
6800880004	GF2LB	3/4" (20mm)		Brass	S\$ 37.42
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 20.16
6800880005	GF2LW	3/4" (20mm)		White	S\$ 20.16
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 604.97



F1FR56-300 QREC

- K-Factor = 5.6 (80)
- **SIN RA3045**
- See Bulletin 030
- **300 PSI**



F1FR80-300 QREC

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 159
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56-300 QREC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA3045					
BH131132S9	F1FR56EC0B3N	135°F	57°C	Brass	S\$ 121.08
BH132132S9	F1FR56EC0C3N	135°F	57°C	Chrome	S\$ 121.08
BH138732S9	F1FR56EC0W3N	135°F	57°C	Poly White	S\$ 121.08
BH151132S9	F1FR56EC1B3N	155°F	68°C	Brass	S\$ 121.08
BH152132S9	F1FR56EC1C3N	155°F	68°C	Chrome	S\$ 125.95
BH158732S9	F1FR56EC1W3N	155°F	68°C	Poly White	S\$ 131.58
MODEL F1FR80-300 QREC PENDENT K8.0 (115) THREADS 3/4" (20MM) R5942					
BH131139S8	F1FREC0LB3N	135°F	57°C	Brass	S\$ 120.73
BH132139S8	F1FREC0LC3N	135°F	57°C	Chrome	S\$ 131.58
BH138739S8	F1FREC0LW3N	135°F	57°C	Poly White	S\$ 142.07
BH151139S8	F1FREC1LB3N	155°F	68°C	Brass	S\$ 120.73
BH152139S8	F1FREC1LC3N	155°F	68°C	Chrome	S\$ 131.58
BH158739S8	F1FREC1LW3N	155°F	68°C	Poly White	S\$ 142.07
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.42
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.16
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.16
6801030000	GF1LB	3/4" (20mm)		Brass	S\$ 37.42
6801000000	GF1LC	3/4" (20mm)		Chrome	S\$ 20.16
6801040000	GF1LW	3/4" (20mm)		White	S\$ 20.16
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 604.97



F1FR80-300 QREC HORIZONTAL SIDEWALL (EC-9 DEFLECTOR)

- K-Factor = 8.0
(115)
- **SIN RA5962**
- See Bulletin 159
- 300 PSI



F1FR80-300 QREC RECESSED HORIZONTAL SIDEWALL (EC-9 DEFLECTOR)

- K-Factor = 8.0
(115)
- **SIN R5962**
- See Bulletin 159
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR80-300 QREC SIDEWALL K8.0 (115) THREADS 3/4" (20MM) RA5962					
BH131135S8	F1FREC90B3N	135°F	57°C	Brass	S\$ 112.14
BH132135S8	F1FREC90C3N	135°F	57°C	Chrome	S\$ 119.04
BH138735S8	F1FREC90W3N	135°F	57°C	Poly White	S\$ 126.53
BH151135S8	F1FREC91B3N	155°F	68°C	Brass	S\$ 112.14
BH152135S8	F1FREC91C3N	155°F	68°C	Chrome	S\$ 119.04
BH158735S8	F1FREC91W3N	155°F	68°C	White	S\$ 126.53
BH171135S8	F1FREC95B3N	175°F	79°C	Brass	S\$ 112.14
BH172135S8	F1FREC95C3N	175°F	79°C	Chrome	S\$ 119.04
BH178735S8	F1FREC95W3N	175°F	79°C	Poly White	S\$ 126.53
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800880004	GF2LB	3/4" (20mm)		Brass	S\$ 37.42
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 20.16
6800880005	GF2LW	3/4" (20mm)		White	S\$ 20.16

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97



F1FR56 QREC HORIZONTAL SIDEWALL (EC-8 DEFLECTOR)

- K-Factor = 5.6 (80)
- **SIN RA2865**
- See Bulletin 028



F1FR80 QREC HORIZONTAL SIDEWALL (EC-9 DEFLECTOR)

- K-Factor = 8.0 (115)
- **SIN R4862**
- See Bulletin 148

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 QREC SIDEWALL K5.6 (80) THREADS 1/2" (15MM) RA2865					
BD131130S9	F1FR56EC80BN	135°F	57°C	Brass	S\$ 99.58
BD132130S9	F1FR56EC80CN	135°F	57°C	Chrome	S\$ 105.82
BD138730S9	F1FR56EC80WN	135°F	57°C	Poly White	S\$ 113.53
BD151130S9	F1FR56EC81BN	155°F	68°C	Brass	S\$ 99.58
BD152130S9	F1FR56EC81CN	155°F	68°C	Chrome	S\$ 105.82
BD158730S9	F1FR56EC81WN	155°F	68°C	Poly White	S\$ 113.53
BD171130S9	F1FR56EC85BN	175°F	79°C	Brass	S\$ 99.58
BD172130S9	F1FR56EC85CN	175°F	79°C	Chrome	S\$ 105.82
BD178730S9	F1FR56EC85WN	175°F	79°C	Poly White	S\$ 113.53
MODEL F1FR80 QREC SIDEWALL K8.0 (115) THREADS 3/4" (20MM) RA4862					
BK131135S8	F1FREC90B	135°F	57°C	Brass	S\$ 106.86
BK132135S8	F1FREC90CN	135°F	57°C	Chrome	S\$ 113.53
BK138735S8	F1FREC90WN	135°F	57°C	Poly White	S\$ 120.70
BK151135S8	F1FREC91BN	155°F	68°C	Brass	S\$ 106.86
BK152135S8	F1FREC91CN	155°F	68°C	Chrome	S\$ 113.53
BK158735S8	F1FREC91WN	155°F	68°C	Poly White	S\$ 120.70
BK171135S8	F1FREC95BN	175°F	79°C	Brass	S\$ 106.86
BK172135S8	F1FREC95CN	175°F	79°C	Chrome	S\$ 113.53
BK178735S8	F1FREC95WN	175°F	79°C	White	S\$ 120.70
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.42
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.16
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.16
6800880004	GF2LB	3/4" (20mm)		Brass	S\$ 37.42
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 20.16
6800880005	GF2LW	3/4" (20mm)		White	S\$ 20.16

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97



F1FR56 QREC CCP

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028

F1FR80 QREC CCP

- K-Factor = 8.0 (115)
- **SIN RA4842**
- See Bulletin 148

F1FR56-300 QREC CCP

- K-Factor = 5.6 (80)
- SIN RA3045
- See Bulletin 030
- **300 PSI**

F1FR80-300 QREC CCP

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 159
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 QREC CCP K5.6 (80) THREADS 1/2" (15MM) RA2845					
BM131730S9	F1FR56CE0N	135°F	57°C	W/O	S\$ 94.12
BM151730S9	F1FR56CE1N	155°F	68°C	W/O	S\$ 94.12
MODEL F1FR80 QREC CCP K8.0 (115) THREADS 3/4" (20MM) RA4842					
BM131739S8	F1FRCEL0N	135°F	57°C	W/O	S\$ 92.51
BM151739S8	F1FRCEL1N	155°F	68°C	W/O	S\$ 92.51
MODEL F1FR56-300 QREC CCP K5.6 (80) THREADS 1/2" (15MM) RA3045					
BH131730S9	F1FR56CE03N	135°F	57°C	W/O	S\$ 97.76
BH151730S9	F1FR56CE13N	155°F	68°C	W/O	S\$ 97.76
MODEL F1FR80-300 QREC CCP K8.0 (115) THREADS 3/4" (20MM) RA5942					
BH131739S8	F1FRCE0L3N	135°F	57°C	W/O	S\$ 97.76
BH151739S8	F1FRCE1L3N	155°F	68°C	W/O	S\$ 97.76
REQUIRED MODEL CCP COVERPLATES 1/2" ADJUSTMENT					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 161.66
6887161318	CCP0W76	135°F	57°C	Flat White	S\$ 63.00
REQUIRED MODEL CCP COVERPLATES 5/16" ADJUSTMENT					
6887171321	CCP05C76	135°F	57°C	Chrome	S\$ 161.66
6887171318	CCP05W76	135°F	57°C	White	S\$ 63.00
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$ 105.80
6880100000	WRC	Requires Model RC1 Sprinkler Wrench			S\$ 604.97

Notes:

Sprinkler and cup are factory assembled and a plastic protective cap is included.

Sprinkler and cover plates sold and packaged separately



DH56

- K-Factor = 5.6 (80)
- **SIN RA1564**
- See Bulletin 015



DH56 CONCEALED

DH56 CONCEALED

- SIN RA1564
- See Bulletin 015

Part Number	Short Code	Temperature		Finish	List Price
MODEL DH56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1564					
BU151132S9	DH561BN	155°F	68°C	Brass	S\$ 117.70
BU152132S9	DH561CN	155°F	68°C	Chrome	S\$ 129.11
BU158732S9	DH561WN	155°F	68°C	Poly White	S\$ 129.11
BU201132S9	DH562BN	200°F	93°C	Brass	S\$ 117.70
BU202132S9	DH562CN	200°F	93°C	Chrome	S\$ 129.11
BU208732S9	DH562WN	200°F	93°C	Poly White	S\$ 129.11
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.42
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.16
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.16

MODEL DH56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA1564					
BT15173299	DH56C1	155°F	68°C	W/O	S\$ 125.28
BT20173299	DH56C2	200°F	93°C	W/O	S\$ 125.28
REQUIRED SWC COVERPLATE					
6887131318	CHWNS	135°F	57°C	White	S\$ 64.51
6887131618	CHWNS1	165°F	74°C	Flat White	S\$ 64.51

6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97
------------	-----	---------------------------------	------------

Notes:

Sprinkler and cover plates sold and packaged separately



DH80

- K-Factor = 8.0 (115)
- **SIN RA0362**
- See Bulletin 003



DH80 CONCEALED

- K Factor 8.0
- SIN RA0362
- See Bulletin 003

Part Number	Short Code	Temperature		Finish	List Price
MODEL DH80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA0362					
BU151139S8	DH1BN	155°F	68°C	Brass	S\$ 126.65
BU152139S8	DH1CN	155°F	68°C	Chrome	S\$ 136.86
BU158739S8	DH1WN	155°F	68°C	White	S\$ 136.86
FP PUSH-ON/THREAD-OFF ESCUTCHEON (FOR RECESSED)					
6801402100	FPLC	3/4" (20mm)		Chrome	S\$ 38.91
6801407200	FPLW	3/4" (20mm)		White	S\$ 38.91
MODEL F2 RECESSED ESCUTCHEON & COLLAR ASSEMBLY					
6800880004	GF2LB	3/4" (20mm)		Brass	S\$ 37.42
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 20.16
6800880005	GF2LW	3/4" (20mm)		White	S\$ 20.16
MODEL DH80 CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA0362					
BT15173998	DHC1	155°F	68°C	W/O	S\$ 134.38
MODEL SWC-NS COVERPLATE					
6887131318	CHWNS	135°F	57°C	White	S\$ 64.51
6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 604.97

Notes:

Sprinkler and coverplates sold and packaged separately



G4XLO EC QUICK RESPONSE

- K-Factor = 11.2 (160)
- **SIN R7146**
- See Bulletin 171

NEW



KFR-CCS Combustible Concealed Space

- K-Factor = 5.6 (80)
- **SIN RA4454**
- See Bulletin 044

Part Number	Short Code	Temperature		Finish	List Price
MODEL G4XLO QREC K11.2 (160) THREADS 3/4" (20MM) R7146					
1716174198	G4XLO	165°F	74°C	W/O	S\$ 141.77
1721174198	G4XLO2	212°F	100°C	W/O	S\$ 141.77
MODEL G5 COVER PLATES					
6887271321	CG50C	135°F	57°C	Chrome	S\$ 74.88
6887271372	CG50W	135°F	57°C	White	S\$ 68.24
6887271311	CG50B	135°F	57°C	Finished Bronze	S\$ 97.32
6887271374	CG50OW	135°F	57°C	Off-White	S\$ 92.81
6887271390	CG50SP	135°F	57°C	Specialty	S\$ 96.53
6887271316	CG50FB	135°F	57°C	Black Painted	S\$ 92.93
6887271305	CG50BB	135°F	57°C	Bright Brass	S\$ 117.81
6887271323	CG50CD	135°F	57°C	Satin Chrome	S\$ 117.81
6887271310	CG50SS	135°F	57°C	Stainless Steel	S\$ 117.81
6887271321	CG50C	135°F	57°C	Chrome	S\$ 74.88
6887271372	CG50W	135°F	57°C	White	S\$ 68.24
6887271390	CG50SP	135°F	57°C	Specialty	S\$ 96.53

6880170000 WG4 Wrench, W4, Recessed, Concealed S\$ 602.61

Part Number	Short Code	Temperature		Finish	List Price
MODEL KFR-CCS K5.6 (80) THREADS 1/2" (15MM) RA4454					
MN211132R9	KFRCCS	212°F	100°C	Brass	S\$ 130.19

6880050100 WW2 Wrench, W2, Pendent, Upright, HSW S\$ 203.86



SWC QREC

- "SWC Concealer"
- K-Factor = 8.0 (115)
- **SIN R5962**
- See Bulletin 163

Part Number	Short Code	Temperature		Finish	List Price
MODEL SWC QREC CONCEALED K8.0 (115) THREADS 3/4" (20MM) R5962					
BM13173498	CEC9	135°F	57°C	W/O	S\$ 111.66
BM15173498	CEC91	155°F	68°C	W/O	S\$ 111.66
MODEL SWC-NS COVERPLATES					
6887131318	CHWNS	135°F	57°C	White	S\$ 64.51
6887131390	CHSPNS	135°F	57°C	Specialty	S\$ 96.73

6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97
------------	-----	---------------------------------	------------

Notes:

Covers can not be plated - only painted.
Sprinkler and coverplates sold and packaged separately



F156 EC

- K-Factor = 5.6 (80)
- **SIN RA2745**
- See Bulletin 027



F1 LO EC PENDENT

- K-Factor = 8.0 (115)
- **SIN R1742**
- See Bulletin 117

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 EC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2745					
AB131130S9	F56ECP0BN	135°F	57°C	Brass	S\$ 98.04
AB138730S9	F56ECP0WN	135°F	57°C	Poly White	S\$ 98.04
AB151130S9	F56ECP1BN	155°F	68°C	Brass	S\$ 98.04
AB152130S9	F56ECP1CN	155°F	68°C	Chrome	S\$ 98.04
AB158730S9	F56ECP1WN	155°F	68°C	White	S\$ 98.04
MODEL F1 LO EC PENDENT K8.0 (115) THREADS 3/4" (20MM) R1742					
AJ13113998	FECP0LB	135°F	57°C	Brass	S\$ 106.97
AJ13213998	FECP0LC	135°F	57°C	Chrome	S\$ 106.97
AJ13873998	FECP0LW	135°F	57°C	Poly White	S\$ 114.95
AJ15113998	FECP1LB	155°F	68°C	Brass	S\$ 106.97
AJ15213998	FECP1LC	155°F	68°C	Chrome	S\$ 106.97
AJ15873998	FECP1LW	155°F	68°C	White	S\$ 114.95
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.42
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.16
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.16
6801030000	GF1LB	3/4" (20mm)		Brass	S\$ 37.42
6801000000	GF1LC	3/4" (20mm)		Chrome	S\$ 20.16
6801040000	GF1LW	3/4" (20mm)		White	S\$ 20.16
6800930000	GF1MB	10mm		Bronze	S\$ 37.38
6800900000	GF1MC	10mm		Chrome	S\$ 19.91
6800940003	GF1MW	10mm		Poly White	S\$ 19.91
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.42
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.16
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.16
6800880004	GF2LB	3/4" (20mm)		Brass	S\$ 37.42
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 20.16
6800880005	GF2LW	3/4" (20mm)		White	S\$ 20.16
6880050100	WW2	Requires Model W2 Sprinkler Wrench			S\$ 203.86
6880060000	WGFR	For Recessed Use Model GFR2 Wrench			S\$ 604.97



F156-300 SREC

- K-Factor = 5.6 (80)
- **SIN RA2945**
- See Bulletin 029
- 300 PSI



F1-300 EC PENDENT

- K-Factor = 8.0
(115)
- **SIN R5842**
- See Bulletin 158
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 EC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2945 300 PSI					
AH131132S9	F56EC3P0B3N	135°F	57°C	Brass	S\$ 104.96
AH132132S9	F56EC3P0C3N	135°F	57°C	Chrome	S\$ 104.96
AH138732S9	F56EC3P0W3N	135°F	57°C	White	S\$ 104.96
AH151132S9	F56EC3P1B3N	155°F	68°C	Brass	S\$ 104.96
AH152132S9	F56EC3P1C3N	155°F	68°C	Chrome	S\$ 104.96
AH158732S9	F56EC3P1W3N	155°F	68°C	White	S\$ 104.96
MODEL F1 LO EC PENDENT K8.0 (115) THREADS 3/4" (20MM) R5842 300 PSI					
AH13113998	FEC3P0LB3	135°F	57°C	Brass	S\$ 104.96
AH13213998	FEC3P0LC3	135°F	57°C	Chrome	S\$ 114.05
AH13873998	FEC3P0LW3	135°F	57°C	White	S\$ 122.12
AH15113998	FEC3P1LB3	155°F	68°C	Brass	S\$ 104.96
AH15213998	FEC3P1LC3	155°F	68°C	Chrome	S\$ 114.05
AH15873998	FEC3P1LW3	155°F	68°C	White	S\$ 122.12
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.42
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.16
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.16
6801030000	GF1LB	3/4" (20mm)		Brass	S\$ 37.42
6801000000	GF1LC	3/4" (20mm)		Chrome	S\$ 20.16
6801040000	GF1LW	3/4" (20mm)		White	S\$ 20.16
6880050100	WW2	Requires Model W2 Sprinkler Wrench			S\$ 203.86
6880060000	WGFR	For Recessed Use Model GFR2 Wrench			S\$ 604.97



GFR VELO-ECOH

- K-Factor = 14 (200)
- **SIN R6553**
- See Bulletin 165



GFR VELO ECOH

- K-Factor = 14 (200)
- **SIN R6043**
- See Bulletin 160

Part Number	Short Code	Temperature		Finish	List Price
MODEL GFR VELO-ECOH UPRIGHT K14 (200) THREADS 3/4" (20MM) R6553					
0116114598	GFRUV1B	165°F	74°C	Brass	S\$ 220.93
0116214598	GFRUV1C	165°F	74°C	Chrome	S\$ 229.69
0121114598	GFRUV2B	212°F	100°C	Brass	S\$ 220.93
0121214598	GFRUV2C	212°F	100°C	Chrome	S\$ 229.69
6880070000	WH	Requires Model H Sprinkler Wrench			S\$ 242.46

Part Number	Short Code	Temperature		Finish	List Price
MODEL GFR VELO-ECOH PENDENT K14 (200) THREADS 3/4" (20MM) R6043					
FB16114598	GFRPV1B	165°F	74°C	Brass	S\$169.01
FB16214598	GFRPV1C	165°F	74°C	Chrome	S\$175.81
FB16874598	GFRPV1W	165°F	74°C	White	S\$183.35
FB21114598	GFRPV2B	212°F	100°C	Brass	S\$169.01
FB21214598	GFRPV2C	212°F	100°C	Chrome	S\$175.81
FB21874598	GFRPV2W	212°F	100°C	White	S\$183.35
6880070000	WH	Requires Model H Sprinkler Wrench			S\$ 242.46
6880070100	WXLO	Requires Model XLO Sprinkler Wrench for Recessing			S\$ 317.77

*Recessing available.



MBEC-14

- K-Factor = 14 (200)
- **SIN R6932**
- See Bulletin 169

Part Number	Short Code	Temperature		Finish	List Price
MODEL MB-EC 14 HORIZONTAL K14 (200) THREADS 3/4" (20MM) R6932					
4816114597	MB1B	165°F	74°C	Brass	S\$ 183.64
4816214597	MB1C	165°F	74°C	Chrome	S\$ 210.69
4816874597	MB1W	165°F	74°C	White	S\$ 210.69
4821114597	MB2B	212°F	100°C	Brass	S\$ 183.64
4821214597	MB2C	212°F	100°C	Chrome	S\$ 210.69
4821874597	MB2W	212°F	100°C	White	S\$ 210.69
6880070000	WH	Requires Model H Sprinkler Wrench			S\$ 242.46