



F1RES 30 CCP

- K-Factor = 3.0 (43)
- SIN R3511
- See Bulletin 135



F1RES 30 PENDENT & RECESSED PENDENT

- K-FACTOR = 3.0 (43)
- SIN R3511
- See Bulletin 135



KRES 30 PENDENT

- K Factor =3.0 (43)
- SIN R3591
- Link Version
- See Bulletin 935

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES30 CCP K3.0 (43) THREADS 1/2" (15MM) R3511					
CM15172199	30CCP1	155°F	68°C	W/O	S\$ 97.18
MODEL CCP CONICAL CONCEALED COVERPLATES					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$161.66
6887161318	CCP0W76	135°F	57°C	Flat White	S\$ 63.00
6887161390	CCP0SP76	135°F	57°C	Specialty	S\$105.80
6887171321	CCP05C76	135°F	57°C	Chrome	S\$161.66
6887171318	CCP05W76	135°F	57°C	White	S\$ 63.00
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$105.80
MODEL F1RES30 PENDENT K3.0 (43) THREADS 1/2" (15MM) R3511					
CV151121S9	30BN	155°F	68°C	Brass	S\$109.27
CV152121S9	30CN	155°F	68°C	Chrome	S\$106.12
CV158721S9	30WN	155°F	68°C	Poly White	S\$106.12
CV171121S9	30B5N	175°F	79°C	Brass	S\$109.27
CV172121S9	30C5N	175°F	79°C	Chrome	S\$106.12
CV178721S9	30W5N	175°F	79°C	White	S\$106.12
6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			S\$ 604.97
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			S\$ 203.86
MODEL KRES30 PENDENT K3.0 (43) THREADS 1/2" (15MM) R3591					
MV161121R9	KRES301B	165°F	74°C	Brass	S\$109.27
MV162121R9	KRES301C	165°F	74°C	Chrome	S\$106.12
MV168721R9	KRES301W	165°F	74°C	Poly White	S\$106.12
MV211121R9	KRES302B	212°F	100°C	Brass	S\$109.27
MV212121R9	KRES302C	212°F	100°C	Chrome	S\$106.12
MV218721R9	KRES302W	212°F	100°C	Poly White	S\$106.12
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			S\$ 203.86
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			S\$ 604.97
6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			S\$ 604.97
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.42
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.16
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.16



F1RES 49 Pendant & Recessed Pendant

- K-Factor = 4.9 (71)
- **SIN R3516**
- See Bulletins 135



KRES49 Pendant & Recessed Pendant

- K-Factor = 4.9 (71)
- **SIN R3596**
- See Bulletin 935
- Link Version



F1RES 49 CCP

- K-Factor = 4.9 (71)
- **SIN R3516**
- See Bulletins 135

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES49 PENDENT K4.9 (71) THREADS 1/2" (15MM) R3516					
CV151128S9	49BN	155°F	68°C	Brass	S\$109.27
CV152128S9	49CN	155°F	68°C	Chrome	S\$106.12
CV158728S9	49WN	155°F	68°C	White	S\$106.12
CV171128S9	49B5N	175°F	79°C	Brass	S\$109.27
CV172128S9	49C5N	175°F	79°C	Chrome	S\$106.12
CV178728S9	49W5N	175°F	79°C	White	S\$106.12

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED	\$S\$ 604.97
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)	\$S\$ 203.86

MODEL KRES49 PENDENT K4.9 (71) THREADS 1/2" (15MM) R3596-LINK					
MV161128R9	KRES491B	165°F	74°C	Brass	\$S\$109.27
MV162128R9	KRES491C	165°F	74°C	Chrome	\$S\$106.12
MV168728R9	KRES491W	165°F	74°C	Poly White	\$S\$106.12
MV211128R9	KRES492B	212°F	100°C	Brass	\$S\$109.27
MV212128R9	KRES492C	212°F	100°C	Chrome	\$S\$106.12
MV218728R9	KRES492W	212°F	100°C	Poly White	\$S\$106.12

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED	\$S\$ 604.97
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)	\$S\$ 203.86
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)	\$S\$ 604.97

MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY				
6800630001	GF1B	1/2" (15mm)	Brass	S\$ 37.42
6800600001	GF1C	1/2" (15mm)	Chrome	S\$ 20.16
6800640001	GF1W	1/2" (15mm)	White	S\$ 20.16

MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY				
6800830000	GF2B	1/2" (15mm)	Brass	S\$ 37.42
6800800000	GF2C	1/2" (15mm)	Chrome	S\$ 20.16
6800840000	GF2W	1/2" (15mm)	White	S\$ 20.16

MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS				
6801412100	FPC	Push-On Thread Off	Chrome	S\$ 38.91
6801417200	FPW	Push-On Thread Off	White	S\$ 38.91

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES49 CCP K4.9 (71) THREADS 1/2" (15MM) R3516					
CM151728S9	49CCP1N	155°F	68°C	W/O	\$S\$ 97.18

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED	\$S\$ 604.97
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)	\$S\$ 203.86

MODEL CCP CONICAL CONCEALED COVERPLATES					
6887161321	CCP0C76	135°F	57°C	Chrome	\$S\$ 161.66
6887161318	CCP0W76	135°F	57°C	Flat White	\$S\$ 63.00
6887161390	CCP0SP76	135°F	57°C	Specialty	\$S\$ 105.80
6887171321	CCP05C76	135°F	57°C	Chrome	\$S\$ 161.66
6887171318	CCP05W76	135°F	57°C	White	\$S\$ 63.00
6887171390	CCP05SP76	135°F	57°C	Specialty	\$S\$ 105.80




F1RES 44 HSW & REC HSW

- See Bulletins 135



KRES44 HSW & REC HSW

- See Bulletins 935
- SIN RA3591
- Link version



F1RES 44 SWC

- See Bulletins 135

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES44 HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) R3531					
CV521125S9	44BN	155°F	68°C	Brass	S\$112.72
CV522125S9	44CN	155°F	68°C	Chrome	S\$110.77
CV528725S9	44WN	155°F	68°C	Poly White	S\$110.77
CV531125S9	44B5N	175°F	79°C	Brass	S\$112.72
CV532125S9	44C5N	175°F	79°C	Chrome	S\$110.77
CV538725S9	44W5N	175°F	79°C	Poly White	S\$110.77

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED	S\$604.97
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)	S\$203.86

MODEL KRES44 HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) RA3591					
MV521125R9	KRES441B	165°F	74°C	Brass	S\$112.72
MV522125R9	KRES441C	165°F	74°C	Chrome	S\$110.77
MV528725R9	KRES441W	165°F	74°C	Poly White	S\$110.77

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED	S\$604.97
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)	S\$203.86
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)	S\$604.97

MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY				
6800830000	GF2B	1/2" (15mm)	Brass	S\$ 37.42
6800800000	GF2C	1/2" (15mm)	Chrome	S\$ 20.16
6800840000	GF2W	1/2" (15mm)	White	S\$ 20.16

MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS				
6801412100	FPC	Push-On Thread Off	Chrome	S\$ 38.91
6801417200	FPW	Push-On Thread Off	White	S\$ 38.91

Part Number	Short Code	Temperature		Finish	List Price
MODEL SWC 44 RES K4.4 (63) THREADS 1/2" R3531					
CM521725S9	SWC44N	155°F	68°C	W/O	S\$ 107.57
CM531725S9	SWC445N	175°F	79°C	W/O	S\$ 107.57
REQUIRED COVERPLATES (1/2" ADJUSTMENT) SWC					
6887131318	CHWNS	135°F	57°C	White	S\$ 64.51
6887131390	CHSPNS	135°F	57°C	Specialty	S\$ 96.73
REQUIRED COVERPLATES (1/2" ADJUSTMENT) SWC-2					
6887251318	SWC2W	135°F	57°C	Flat White	S\$ 64.51



F1RES 58 CCP

- K-Factor = 5.8 (84)
- **SIN R3513**
- See Bulletins 135 & 176



F1RES 58 HSW & REC HSW

- K-Factor = 5.8 (84)
- **SIN R3533**
- See Bulletins 135 & 176



KRES 58 HSW & REC HSW

- K-Factor = 5.8 (84)
- **SIN R3503**
- Link Version



F1RES 58 SP PENDENT

- K-Factor = 5.8 (84)
- **SIN R3513**
- See Bulletin 135

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES58 CONCEALED CCP K5.8 (84) THREADS 1/2" (15MM) R3513					
CM15173199	58CCP1	155°F	68°C	W/O	S\$ 97.18
MODEL CCP CONICAL CONCEALED COVERPLATES					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 161.66
6887161318	CCP0W76	135°F	57°C	Flat White	S\$ 63.00
6887161390	CCP0SP76	135°F	57°C	Specialty	S\$ 105.80
6887171321	CCP05C76	135°F	57°C	Chrome	S\$ 161.66
6887171318	CCP05W76	135°F	57°C	White	S\$ 63.00
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$ 105.80

6880100120 WW4 WRENCH,W4,RECESSED,CONCEALED S\$ 604.97

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES58 HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) R3533					
CV521131S9	58H1BN	155°F	68°C	Brass	S\$112.72
CV522131S9	58H1CN	155°F	68°C	Chrome	S\$110.77
CV528731S9	58H1WN	155°F	68°C	White	S\$110.77
CV531131S9	58H5BN	175°F	79°C	Brass	S\$112.72
CV532131S9	58H5CN	175°F	79°C	Chrome	S\$110.77
CV538731S9	58H5WN	175°F	79°C	White	S\$110.77
MODEL KRES58 HORIZONTAL K5.8 (84) THREADS 1/2" RA3503 LINK					
MV521131R9	KRES58H1B	165°F	74°C	Brass	S\$112.72
MV522131R9	KRES58H1C	165°F	74°C	Chrome	S\$110.77
MV528731R9	KRES58H1W	165°F	74°C	Poly White	S\$110.77
MODEL F1RES58 PENDENT K5.8 (84) THREADS 1/2" R3513					
CV151131S9	58P1BN	155°F	68°C	Brass	S\$109.27
CV152131S9	58P1CN	155°F	68°C	Chrome	S\$106.12
CV158731S9	58P1WN	155°F	68°C	White	S\$106.12
CV17113199	58P5B	175°F	79°C	Brass	S\$109.27
CV172131S9	58P5CN	175°F	79°C	Chrome	S\$106.12
CV178731S9	58P5WN	175°F	79°C	White	S\$106.12
MODEL KRES58 PENDENT K5.8 (84) THREADS 1/2" R3593 LINK					
MV161131R9	KRES58P1B	165°F	74°C	Brass	S\$109.27
MV162131R9	KRES58P1C	165°F	74°C	Chrome	S\$106.12
MV168731R9	KRES58P1W	165°F	74°C	Poly White	S\$106.12
MV211131R9	KRES58P2B	212°F	100°C	Brass	S\$109.27
MV212131R9	KRES58P2C	212°F	100°C	Chrome	S\$106.12
MV218731R9	KRES58P2W	212°F	100°C	Poly White	S\$106.12
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.42
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.16
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.16
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801412100	FPC	Push-On Thread Off		Chrome	S\$ 38.91
6801417200	FPW	Push-On Thread Off		White	S\$ 38.91

6880050100 WW2 WRENCH,W2(PENDENT,UPRIGHT,HSW) S\$ 203.86
6880100120 WW4 WRENCH,W4,RECESSED,CONCEALED S\$ 604.97
6880100100 WW1 WRENCH,W1 (RECESSED PENDENT,CCP,& HSW) S\$ 604.97



F1RES 58 HSWX

- K-Factor = 5.8 (84)
- **SIN RA3533**
- See Bulletin 135
- **Bulb Version**



KRES 58 HSWX

- K-Factor = 5.8 (84)
- **SIN RA3593**
- See Bulletin 935
- **Link Version**

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES58X HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3533					
CV621131S9	58H1BXN	155°F	68°C	Brass	S\$ 145.95
CV622131S9	58H1CXN	155°F	68°C	Chrome	S\$ 156.58
CV628731S9	58H1WXN	155°F	68°C	Poly White	S\$ 156.58
CV63113199	58H5BX	175°F	79°C	Brass	S\$ 145.95
CV632131S9	58H5CXN	175°F	79°C	Chrome	S\$ 156.58
CV638731S9	58H5WXN	175°F	79°C	Poly White	S\$ 156.58
MODEL KRES58X HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3593					
MV62113199	K58H1BX	165°F	74°C	Brass	S\$ 145.95
MV62213199	K58H1CX	165°F	74°C	Chrome	S\$ 156.58
MV62873199	K58H1WX	165°F	74°C	Poly White	S\$ 156.58
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.42
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.16
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.16
MODEL FV RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6801720600	FVB	1/2" (15mm)		Brass	S\$ 35.32
6801722100	FVC	1/2" (15mm)		Chrome	S\$ 23.53
6801728700	FVW	1/2" (15mm)		Poly White	S\$ 23.53

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97
6880100100	WW1	Wrench, W1, Recessed, Pendent, CCP & HSW	S\$ 604.97

* Low flow residential horizontal sidewall sprinklers engineered to provide a minimum design density of 0.05 gpm/ft² over the listed coverage areas



F1RES 76 Pendant & Recessed Pendant

- K-Factor = 7.6 (109)
- **SIN R7618**
- See Bulletins 135 & 176



F1RES 76 CCP

- K-Factor = 7.6 (109)
- **SIN R7618**
- See Bulletins 135 & 176

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES76 PENDENT K7.6 (109) THREADS 3/4" (20MM) R7618					
CV15113298	76P1B	155°F	68°C	Brass	S\$ 111.16
CV15213298	76P1C	155°F	68°C	Chrome	S\$ 113.89
CV15873298	76P1W	155°F	68°C	White	S\$ 113.89
CV17113298	76P5B	175°F	79°C	Brass	S\$ 111.16
CV17213298	76P5C	175°F	79°C	Chrome	S\$ 113.89
CV17873298	76P5W	175°F	79°C	White	S\$ 113.89
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6801030000	GF1LB	3/4"Adjustment		Brass	S\$ 37.42
6801000000	GF1LC	3/4"Adjustment		Chrome	S\$ 20.16
6801040000	GF1LW	3/4"Adjustment		White	S\$ 20.16
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800880004	GF2LB	1/2"Adjustment		Brass	S\$ 37.42
6800880001	GF2LC	1/2"Adjustment		Chrome	S\$ 20.16
6800880005	GF2LW	1/2"Adjustment		White	S\$ 20.16
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801402100	FPLC	Push-On Thread Off		Chrome	S\$ 38.91
6801407200	FPLW	Push-On Thread Off		White	S\$ 38.91

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW			S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 604.97
6880100100	WW1	Wrench, W1, Recessed, Pendant, CCP & HSW			S\$ 604.97

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES76 HORIZONTAL CCP K7.6 (109) THREADS 3/4" (20MM) R7618					
CM15173298	76CCP1	155°F	68°C	W/O	S\$ 136.50
CM17173298	76CCP5	175°F	79°C	W/O	S\$ 136.50
MODEL CCP CONICAL CONCEALED COVERPLATES 5/16" ADJUSTMENT					
6887171321	CCP05C76	135°F	57°C	Chrome	S\$ 161.66
6887171318	CCP05W76	135°F	57°C	White	S\$ 63.00
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$ 105.80
MODEL CCP CONICAL CONCEALED COVERPLATES 1/2" ADJUSTMENT					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 161.66
6887161318	CCP0W76	135°F	57°C	Flat White	S\$ 63.00

6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 604.97
------------	-----	---------------------------------	--	--	------------

Notes:

Sprinkler and coverplates sold and packaged separately



**RFC Series
Residential
Sprinklers Flat Cover
Plate, Concealed
Pendent Sprinklers**



RFC30

- K-Factor = 3.0 (43)
- **SIN RA0611**
- See Bulletin 006

RFC43

- K-Factor = 4.3 (62)
- **SIN RA0612**
- See Bulletin 006

RFC49

- K-Factor = 4.9 (70)
- **SIN RA0616**
- See Bulletin 006

RFC58

- K-Factor = 5.8 (84)
- **SIN RA0613**
- See Bulletin 006

RFC76

- K-Factor = 7.6 (109)
- **SIN RA0618**
- See Bulletin 006

Part Number	Short Code	Temperature		Finish	List Price
MODEL RFC30 FLAT CONCEALED K3.0 (43) THREADS 1/2" (15MM) RA0611					
1816172197	RFC30	165°F	74°C	W/O	\$S\$137.36
1821172197	RFC302	212°F	100°C	W/O	\$S\$137.36
MODEL RFC43 FLAT CONCEALED K4.3 (62) THREADS 1/2" (15MM) RA0612					
1816172597	RFC43	165°F	74°C	W/O	\$S\$137.36
1821172597	RFC432	212°F	100°C	W/O	\$S\$137.36
MODEL RFC49 FLAT CONCEALED K4.9 (70) THREADS 1/2" (15MM) RA0616					
1816172697	RFC49	165°F	74°C	W/O	\$S\$137.36
1821172697	RFC492	212°F	100°C	W/O	\$S\$137.36
MODEL RFC58 FLAT CONCEALED K5.8 (84) THREADS 1/2" (15MM) RA0613					
1816172997	RFC581	165°F	74°C	W/O	\$S\$137.36
1821172997	RFC582	212°F	100°C	W/O	\$S\$137.36
MODEL RFC76 FLAT CONCEALED K7.6 (109) THREADS 3/4" (20MM) RA0618					
1816173198	RFC761	165°F	74°C	W/O	\$S\$216.31
1821173198	RFC762	212°F	100°C	W/O	\$S\$216.31

6880170020	WFC	WRENCH,FC,CONCEALED	\$S\$ 608.20
6880100110	W3	WRENCH W3 FOR WRENCH-ABLE PROTECTIVE CAP	\$S\$ 608.20
6880103000	W8	WRENCH,W8, RFC PLASTIC SERVICE WRENCH	\$S\$ 377.14

MODEL G5 COVER PLATES					
6887271321	CG50C	135°F	57°C	Chrome	\$S\$ 74.88
6887271372	CG50W	135°F	57°C	White	\$S\$ 68.24
6887271311	CG50B	135°F	57°C	Finished Bronze	\$S\$ 97.32
6887271374	CG50OW	135°F	57°C	Off-White	\$S\$ 92.81
6887271390	CG50SP	135°F	57°C	Specialty	\$S\$ 96.53
6887271316	CG50FB	135°F	57°C	Black Painted	\$S\$ 92.93
6887271305	CG50BB	135°F	57°C	Bright Brass	\$S\$117.81
6887271323	CG50CD	135°F	57°C	Satin Chrome	\$S\$117.81
6887271310	CG50SS	135°F	57°C	Stainless Steel	\$S\$117.81
6887271621	CG51C	165°F	74°C	Chrome	\$S\$ 74.88
6887271672	CG51W	165°F	74°C	White	\$S\$ 68.24
6887271611	CG51B	165°F	74°C	Finished Bronze	\$S\$ 97.32
6887271674	CG51OW	165°F	74°C	Off-White	\$S\$ 92.81
6887271690	CG51SP	165°F	74°C	Specialty	\$S\$ 96.53
6887271616	CG51FB	165°F	74°C	Black Painted	\$S\$ 92.93
6887271605	CG51BB	165°F	74°C	Bright Brass	\$S\$117.81
6887271623	CG51CD	165°F	74°C	Satin Chrome	\$S\$117.81
6887271610	CG51SS	165°F	74°C	Stainless Steel	\$S\$117.81



RFC49plus

- K-Factor = 4.9 (70)
- **SIN R401 and R402 (Low Lead)**
- See Bulletin 188

Part Number	Short Code	Temperature		Finish	List Price
MODEL RFC49 PLUS FLAT CONCEALED K4.9 (70) THREADS 1/2" R401					
1816172799	RFC491P	165°F	74°C	W/O	S\$157.57
1821172799	RFC492P	212°F	100°C	W/O	S\$157.57
MODEL RFC49 PLUS FLAT CONCEALED K4.9 (70) BSPT THREADS 1/2" R401					
1816172792	RFC491M	165°F	74°C	W/O	S\$157.57
1821172792	RFC492PM	212°F	100°C	W/O	S\$157.57
MODEL RFC49LL PLUS FLAT CONCEALED K4.9 (70) THREADS 1/2" R402					
18161727P9	RFC491PLL	165°F	74°C	W/O	S\$242.92
18211727P9	RFC492PLL	212°F	100°C	W/O	S\$242.92
MODEL RFC49LL PLUS FLAT CONCEALED K4.9 (70) BSPT THREADS R402					
18161727P2		165°F	74°C	W/O	S\$242.92
18211727P2		212°F	100°C	W/O	S\$242.92
MODEL G5 COVER PLATES					
6887271321	CG50C	135°F	57°C	Chrome	S\$ 74.88
6887271621	CG51C	165°F	74°C	Chrome	S\$ 74.88
6887271372	CG50W	135°F	57°C	White	S\$ 68.24
6887271672	CG51W	165°F	74°C	White	S\$ 68.24

6880105000	W10	WRENCH,W10,WITH PROTECTIVE CAP,RFC49+	S\$ 608.20
6880107000	W11	WRENCH,W11,PLASTIC,RFC49+	S\$ 377.14



**RFS42 Residential
Flat Plate
Concealed HSW**

- K-Factor = 4.2 (60)
- **SIN RA4835**
- See Bulletin 048

NEW

Part Number	Short Code	Temperature		Finish	List Price
MODEL RFS42 HSW CONCEALED K4.2 (60) THREADS 1/2" (15MM) RA4835					
2216172499	RFS42	165°F	74°C	W/O	S\$ 271.72
6880101010	WG6	WRENCH,G6 HSW SOCKET			S\$ 602.61
MODEL RFS42 COVERPLATES					
6887231311	CRFS0B	135°F	57°C	Finished Bronze	S\$ 98.74
6887231321	CRFS0C	135°F	57°C	Chrome	S\$ 95.15
6887231372	CRFS0W	135°F	57°C	White	S\$ 95.15

Notes:

Sprinklers and coverplates sold and packaged separately



F3RES44 DRY HSW

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

Part Number	Size	Finish	List Price
MODEL F3RES44 DRY HORIZONTAL K4.4 (63) THREADS 1" (IS07-R1) RA5231			
HP[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 753.28
HP[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 753.28
HP[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 753.28
HP[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 776.82
HP[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 776.82
HP[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 776.82
HP[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 800.34
HP[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 800.34
HP[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 800.34
HP[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 823.88
HP[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 823.88
HP[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 823.88
HP[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 847.42
HP[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 847.42
HP[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 847.42
HP[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 870.97
HP[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 870.97
HP[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 870.97
HP[TEMP]11[DIM]	21" to 24"	Brass	S\$ 894.50
HP[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 894.50
HP[TEMP]08[DIM]	21" to 24"	White	S\$ 894.50
MODEL F3RES44 DRY HORIZONTAL K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231			
HP5[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 753.28
HP5[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 753.24
HP5[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 753.28
HP5[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 776.80
HP5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 776.82
HP5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 776.82
HP5[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 800.34
HP5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 800.34
HP5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 800.34
HP5[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 823.89
HP5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 823.88
HP5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 823.88
HP5[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 847.43
HP5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 847.43
HP5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 847.43
HP5[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 870.97
HP5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 870.97
HP5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 870.97
HP5[TEMP]11[DIM]	21" to 24"	Brass	S\$ 894.50
HP5[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 894.50
HP5[TEMP]08[DIM]	21" to 24"	White	S\$ 894.50
6880130001	WF3R	Requires Model F3R Wrench	S\$ 320.12

* Note: Model F3 wrenches are not compatible with the F3RES44 Dry sprinklers.



F3RES44 DRY RECESSED HSW / F2

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

**PRICING
INCLUDES F2
ESCUTCHEON**

Part Number	Size	Finish	List Price
MODEL F3RES44 DRY REC HORIZONTAL K4.4 (63) THREADS 1"(ISO 7-R1) RA5231			
HR[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 687.18
HR[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 677.19
HR[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 677.19
HR[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 734.26
HR[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 724.26
HR[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 724.26
HR[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 762.47
HR[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 752.51
HR[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 752.51
HR[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 790.72
HR[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 780.77
HR[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 780.77
HR[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 823.68
HR[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 813.73
HR[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 813.73
HR[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 851.92
HR[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 841.97
HR[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 841.97
HR[TEMP]11[DIM]	21" to 24"	Brass	S\$ 880.18
HR[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 870.20
HR[TEMP]08[DIM]	21" to 24"	White	S\$ 870.20
MODEL F3RES44 DRY REC HORIZONTAL K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231			
HR5[TEMP]11[DIM]	2" to 5-3/4"	Brass	S\$ 687.18
HR5[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 659.11
HR5[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 677.19
HR5[TEMP]11[DIM]	6" to 8-3/4"	Brass	S\$ 734.26
HR5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 724.26
HR5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 706.16
HR5[TEMP]11[DIM]	9" to 11-3/4"	Brass	S\$ 762.47
HR5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 734.43
HR5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 734.43
HR5[TEMP]11[DIM]	12" to 14-3/4"	Brass	S\$ 790.72
HR5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 780.77
HR5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 762.66
HR5[TEMP]11[DIM]	15" to 17-3/4"	Brass	S\$ 823.68
HR5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 795.61
HR5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 795.61
HR5[TEMP]11[DIM]	18" to 20-3/4"	Brass	S\$ 851.92
HR5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 823.89
HR5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 823.89
HR5[TEMP]11[DIM]	21" to 24"	Brass	S\$ 880.18
HR5[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 852.14
HR5[TEMP]08[DIM]	21" to 24"	White	S\$ 852.14
6880070100	WXLO	Requires Model XLO2 Wrench	S\$ 317.77



F3RES44 DRY HSW / HB

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

Part Number	Size	Finish	List Price
MODEL F3RES44 DRY HORIZONTAL HB K4.4 (63) THREADS 1" (ISO 7-R1) RA5231			
HQ[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 682.65
HQ[TEMP]08[DIM]	3 1/2" to 5-3/4"	White	S\$ 682.65
HQ[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 715.58
HQ[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 715.58
HQ[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 743.85
HQ[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 743.85
HQ[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 772.09
HQ[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 772.09
HQ[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 800.34
HQ[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 800.34
HQ[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 828.58
HQ[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 828.58
HQ[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 856.82
HQ[TEMP]08[DIM]	21" to 24"	White	S\$ 856.82
MODEL F3RES44 DRY HORIZONTAL HB K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231			
HQ5[TEMP]21[DIM]	4-1/4" to 5-3/4"	Chrome	S\$ 682.65
HQ5[TEMP]08[DIM]	4-1/4" to 5-3/4"	White	S\$ 682.65
HQ5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 715.58
HQ5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 715.58
HQ5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 743.85
HQ5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 743.84
HQ5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 772.09
HQ5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 772.09
HQ5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 800.34
HQ5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 800.34
HQ5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 828.58
HQ5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 828.58
HQ5[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 856.82
HQ5[TEMP]08[DIM]	21" to 24"	White	S\$ 856.82
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 5.01
6999994881	SKIRTW	White	S\$ 5.01

6880130001 WF3R Requires Model F3R Wrench S\$ 320.12

* Note: Model F3 wrenches are not compatible with the F3RES44 Dry sprinklers.



F1RES 30 LL Pendent & Recessed Pendent

- K-Factor = 3.0 (43)
- **SIN RA3311**
- See Bulletin 033



F1RES 30 LL CCP

- K-Factor = 3.0 (43)
- **SIN RA3311**
- Low Lead Sprinklers
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES30LL PENDENT K3.0 (43) THREADS 1/2" (15MM) RA3311					
CV151121P9	30BLL	155°F	68°C	Brass Low Lead	S\$ 170.27
CV152121P9	30CLL	155°F	68°C	Chrome	S\$ 181.58
CV158721P9	30WLL	155°F	68°C	Poly White Low Lead	S\$ 181.58
CV171121P9	30B5LL	175°F	79°C	Brass Low Lead	S\$ 170.27
CV172121P9	30C5LL	175°F	79°C	Chrome	S\$ 181.58
CV178721P9	30W5LL	175°F	79°C	Poly White Low Lead	S\$ 181.58
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.42
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.16
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.16
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801412100	FPC	Push-On Thread Off		Chrome	S\$ 38.91
6801417200	FPW	Push-On Thread Off		White	S\$ 38.91

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES30LL HORIZONTAL CCP K3.0 (43) THREADS 1/2" (15MM) RA3311					
CM151721P9	30CCP1LL	155°F	68°C	Brass	S\$ 181.58
MODEL CCP CONICAL CONCEALED COVERPLATES					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 161.66
6887161318	CCP0W76	135°F	57°C	Flat White	S\$ 63.00
6887161390	CCP0SP76	135°F	57°C	Specialty	S\$ 105.80
6887171321	CCP05C76	135°F	57°C	Chrome	S\$ 161.66
6887171318	CCP05W76	135°F	57°C	White	S\$ 63.00
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$ 105.80

6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97
------------	-----	---------------------------------	------------



F1RES 49 LL Pendent & Recessed Pendent

- K-Factor = 4.9 (70)
- **SIN RA3316**
- See Bulletin 033



F1RES 49 LL CCP

- K-Factor = 4.9 (70)
- **SIN RA3316**
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES49LL PENDENT K4.9 (70) THREADS 1/2" (15MM) RA3316					
CV151128P9	49BLL	155°F	68°C	Brass Low Lead	S\$ 170.27
CV152128P9	49CLL	155°F	68°C	Chrome Low Lead	S\$ 181.58
CV158728P9	49WLL	155°F	68°C	Poly White Low Lead	S\$ 181.58
CV171128P9	49B5LL	175°F	79°C	Brass Low Lead	S\$ 170.27
CV172128P9	49C5LL	175°F	79°C	Chrome Low Lead	S\$ 181.58
CV178728P9	49W5LL	175°F	79°C	Poly White Low Lead	S\$ 181.58
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.42
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.16
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.16
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.42
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.16
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.16
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801412100	FPC	Push-On Thread Off		Chrome	S\$ 38.91
6801417200	FPW	Push-On Thread Off		White	S\$ 38.91

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES49LL PENDENT CCP K4.9 (70) THREADS 1/2" (15MM) RA3316					
CM151728P9	49CCP1LL	155°F	68°C	Brass	S\$ 181.58
MODEL CCP CONICAL CONCEALED COVERPLATES					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 161.66
6887161318	CCP0W76	135°F	57°C	Flat White	S\$ 63.00
6887161390	CCP0SP76	135°F	57°C	Specialty	S\$ 105.80
6887171321	CCP05C76	135°F	57°C	Chrome	S\$ 161.66
6887171318	CCP05W76	135°F	57°C	White	S\$ 63.00
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$ 105.80

6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97
------------	-----	---------------------------------	------------



F1RES 44 LL HSW & REC HSW

- K-Factor = 4.4 (63)
- **SIN RA3331**
- See Bulletin 033



F1RES 44 LL SWC

- K-Factor = 4.4 (63)
- **SIN RA3331**
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES44LL HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) RA3331					
CV521125P9	44BLL	155°F	68°C	Brass Low Lead	S\$ 175.96
CV522125P9	44CLL	155°F	68°C	Chrome Low Lead	S\$ 184.42
CV528725P9	44WLL	155°F	68°C	Poly White Low Lead	S\$ 184.42
CV531125P9	44B5LL	175°F	79°C	Brass Low Lead	S\$ 175.96
CV532125P9	44C5LL	175°F	79°C	Chrome Low Lead	S\$ 184.42
CV538725P9	44W5LL	175°F	79°C	Poly White Low Lead	S\$ 184.42
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.42
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.16
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.16
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801412100	FPC	Push-On Thread Off		Chrome	S\$ 38.91
6801417200	FPW	Push-On Thread Off		White	S\$ 38.91

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES44LL SWC K4.4 (63) THREADS 1/2" (15MM) RA3331					
CM521725P9	SWC44LL	155°F	68°C	Brass	S\$ 184.42
MODEL F1RES44LL COVERPLATES 1/2" ADJUSTMENT					
6887131318	CHWNS	135°F	57°C	White	S\$ 64.51
6887131390	CHSPNS	135°F	57°C	Specialty	S\$ 96.73

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed			S\$ 604.97



F1RES 58 LL Pendent & Recessed Pendent

- K-Factor = 5.8 (84)
- **SIN RA3313**
- See Bulletin 033



F1RES 58 LL CCP

- K-Factor = 5.8 (84)
- **SIN RA3333**
- See Bulletin 033



F1RES 58 LL HSW & REC HSW

- K-Factor = 5.8 (84)
- **SIN RA3333**
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES58LL PENDENT K5.8 (84) THREADS 1/2" (15MM) RA3313					
CV151131P9	58P1BLL	155°F	68°C	Brass Low Lead	S\$ 170.27
CV152131P9	58P1CLL	155°F	68°C	Chrome Low Lead	S\$ 181.58
CV158731P9	58P1WLL	155°F	68°C	Poly White Low Lead	S\$ 181.58
CV171131P9	58P5BLL	175°F	79°C	Brass Low Lead	S\$ 170.27
CV172131P9	58P5CLL	175°F	79°C	Chrome Low Lead	S\$ 181.58
CV178731P9	58P5WLL	175°F	79°C	Poly White Low Lead	S\$ 181.58
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	S\$ 37.42
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 20.16
6800640001	GF1W	1/2" (15mm)		White	S\$ 20.16
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.42
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.16
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.16
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801412100	FPC	Push-On Thread Off		Chrome	S\$ 38.91
6801417200	FPW	Push-On Thread Off		White	S\$ 38.91

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES58LL CCP K5.8 (84) THREADS 1/2" (15MM) RA3333					
CM151731P9	58CCP1LL	155°F	68°C	Brass	S\$ 181.58
MODEL CCP CONICAL CONCEALED COVERPLATES					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 161.66
6887161318	CCP0W76	135°F	57°C	Flat White	S\$ 63.00
6887161390	CCP0SP76	135°F	57°C	Specialty	S\$ 105.80
6887171321	CCP05C76	135°F	57°C	Chrome	S\$ 161.66
6887171318	CCP05W76	135°F	57°C	White	S\$ 63.00
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$ 105.80

6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97
------------	-----	---------------------------------	------------

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1RES58LL HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3333					
CV521131P9	58H1BLL	155°F	68°C	Brass Low Lead	S\$ 175.96
CV522131P9	58H1CLL	155°F	68°C	Chrome Low Lead	S\$ 184.42
CV528731P9	58H1WLL	155°F	68°C	Poly White Low Lead	S\$ 184.42
CV531131P9	58H5BLL	175°F	79°C	Brass Low Lead	S\$ 175.96
CV532131P9	58H5CLL	175°F	79°C	Chrome Low Lead	S\$ 184.42
CV538731P9	58H5WLL	175°F	79°C	Poly White Low Lead	S\$ 184.42
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	S\$ 37.42
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 20.16
6800840000	GF2W	1/2" (15mm)		White	S\$ 20.16
6801412100	FPC	Push-On Thread Off		Chrome	S\$ 38.91
6801417200	FPW	Push-On Thread Off		White	S\$ 38.91

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	S\$ 203.86
6880100120	WW4	Wrench, W4, Recessed, Concealed	S\$ 604.97
6880100100	WW1	Wrench, W1, Recessed, Pendent, CCP & HSW	S\$ 604.97



RFC30 LL Flat Concealed

- K-Factor = 3.0 (43)
- **SIN RA3211**
- See Bulletin 006


Part Number	Short Code	Temperature		Finish	List Price
MODEL RFC30LL FLAT CONCEALED K3.0 (43) THREADS 1/2" (15MM) RA3211					
18161721P7	RFC30LL	165°F	74°C	Brass	S\$ 212.82
MODEL RFC43LL FLAT CONCEALED K4.3 (62) THREADS 1/2" (15MM) RA3212					
18161725P7	RFC43LL	165°F	74°C	Brass	S\$ 212.82
MODEL RFC49LL FLAT CONCEALED K4.9 (70) THREADS 1/2" (15MM) RA3216					
18161726P7	RFC49LL	165°F	74°C	Brass	S\$ 212.82
18211726P7	RFC492LL	212°F	100°C	Brass	S\$ 212.82
REQUIRED COVERPLATES					
6887271372	CG50W	135°F	57°C	White	S\$ 68.24
6887271310	CG50SS	135°F	57°C	Stainless Steel	S\$ 117.81

Specifically Listed for use in Multi-Purpose Systems that serve both domestic water and fire protection



RFC43 LL Flat Concealed

- K-Factor = 4.3 (62)
- **SIN RA3212**
- See Bulletin 006



RFC49 LL Flat Concealed

- K-Factor = 4.9 (70)
- **SIN RA3216**
- See Bulletin 006